

Just for your
TRS-80® COLOR
TDP System 100
Dragon & MC-10

February 1985

P. 176

Canada \$4.95

U.K. £3.35

\$3.95

The

RAINBOW®

THE COLOR COMPUTER MONTHLY MAGAZINE

CoCo Power!

Our Utilities Issue

RAINBOW WORKCHEST:

Nine Software Tools,
Including Three for OS-9

WEATHER FACTS WITH WEFAX

A TRIO OF SUPER NEW GAMES:

Computer Cupid
Space Race, and
Penguin Patrol

PLUS

BASIC Tutorials
Advanced Languages
Data Communications
Graphics, Education
Commentary, RainbowTech

And
More Than
Two Dozen
Product Reviews



ANNOUNCING!

The SAILOR MAN

The First 64K Arcade Game For the Color Computer

3 Screens-Plus-"INVISIO SCREEN"

The first screen objective is to catch enough of Elsie's kisses (those Red Heart Shaped Things) to fill in the squares on the Sailorman's house. If you can time your punch just so, you can send the punching bag over to knock the bucket down and, with a little bit of luck, right onto **Bigfatbadguy's** head. This will give you a little (but not much) time to catch all those RHSTs.

You must avoid contact with **Bigfatbadguy** who is actively pursuing you. You must also be careful of **Olduglysea-woman** who will appear at higher difficulty levels to chuck empties at you. Either avoid the flying bottles or punch them (with the fire button) to keep from being knocked into the water.

The second screen objective is to collect enough notes to play Elsie a little love song. You may jump off and onto the other end of **Fatguyeatingahamburger's** teetertotter to fly up a deck and even two decks if you manage to catch hold of **Smartaleckkid's** grab handles. Time it right and away you go.

The Third screen objective is to collect enough letters (thrown by Elsie's cries for H-E-L-P) to complete a ladder all the way to the crow's nest where Elsie is calling you. Beware of the Crow, however, who thinks you are after her eggs!

On all screens, eating a can of **collard greens** (labeled "S" for Collard and grasped by punching the can just right) will give you amazing speed, strength and agility and allow you to send **Bigfatbadguy** into the drink with a single punch.

PLUS...

1. All Machine Code
2. Save Scores Feature
3. Start on any screen
4. Set your own difficulty level
5. Choose the number of men desired



REQUIRES 64K

DISK \$34.95 TAPE \$29.95



TOM MIX SOFTWARE

4285 BRADFORD N.E.
GRAND RAPIDS, MI 49506

(616)957-0444


•ADD \$2.50 POSTAGE & HANDLING•TOP ROYALTIES PAID•
•MICHIGAN RESIDENTS ADD 4% SALES TAX•
LOOKING FOR NEW SOFTWARE




ARCADE ACTION GAMES



From Computer Plus to YOU ...
PLUS after **PLUS** after **PLUS**



Model 100 8K \$339
 Model 100 24K \$510



Color Computer II
 w/16K Ext. Basic \$135
 w/64K Ext. Basic \$179




Tandy 1000 \$999
 Tandy 1200 \$2595



DMP120 \$385



Color Computer Disk Drive
 Drive 0 \$289 Drive 1 \$220



DWP210 \$489
 DWP510 \$1295

BIG SAVINGS ON A FULL COMPLEMENT OF RADIO SHACK COMPUTER PRODUCTS

COMPUTERS

Model 4 Portable	970
Model 4	970
Model 1000	999
Model 1200	2595
Model 2000 2 Drive	2299

MODEMS

Hayes Smartmodem II	215
Radio Shack AC-3	125
Radio Shack DC Modem I	89
Radio Shack DC Modem II	160
Radio Shack DC Modem 2212	315

PRINTERS

Radio Shack TRP100	229
Radio Shack DMP105	160
Radio Shack DMP110	305
Radio Shack DMP430	660
Radio Shack CGP220 Ink Jet	545
Silver Reed EXP500 D.W.	430
Star Gemini 10X	289
Star Gemini Powertype	345
Panasonic P1091	315
C. Itoh Prowriter 8510	320
Okidata and Epson	CALL

ETC.

Radio Shack Drive Controller	119
Radio Shack Ext. Basic Kit	39.95
PBH Ser/Par Conv.	69
64K Upgrade Kit	49
Radio Shack Deluxe Keyboard	35.95
HJL Keyboard	79.95
Radio Shack CCR-81 Recorder	52
Radio Shack Del. Joystick (each)	35.95
Radio Shack Joysticks (pair)	22
Video Plus (monitor adapter)	24.95
Video Plus IIC	39.95
Amdek Color 300	265
Amdek Video 300 Green	145
Amdek Video 300 Amber	159
Taxan Color 220 Monitor	245
Taxan 115 Green	125
Taxan 116 Amber	129
Radio Shack VM-2	139

SOFTWARE

	(Tape Version)
The Sailor Man	29.95
The King	26.95
Buzzard Bait	27.95
Worlds of Flight	29.95

Colorpede	29.95
Juniors Revenge	28.95
Pac Attack	24.95
Block Head	26.95
Lunar Rover Patrol	24.95
Lancer	24.95
Typing Tutor	23.95
Galagon	24.95
Scott Adams Adventures	19.95
Sea Dragon	34.95
Colorcome	49.95
Telewriter 64	49.95
Deft Pascal (disk)	79.95
Elite-Calc	59.95
VIP Writer (tape & disk)	69.95
VIP Calc (tape & disk)	69.95
VIP Terminal (tape & disk)	49.95
VIP Database (disk)	59.95
VIP Integrated Library (disk)	149.95
Graphicom (disk)	29.95

Order any 2 software pieces listed and take 10% off their listed price. All Radio Shack software 10% off list. Send for complete list.

**CALL TOLL FREE
 1-800-343-8124**

- LOWEST POSSIBLE PRICES
- BEST POSSIBLE WARRANTY
- KNOWLEDGEABLE SALES STAFF
- TIMELY DELIVERY
- SHOPPING CONVENIENCE




**computer
 plus**
 P.O. Box 1094
 480 King Street
 Littleton, MA 01460
SINCE 1973


IN MASSACHUSETTS CALL (617) 486-3193

Under The RAINBOW


18



33



66



NEXT MONTH: Our business and finance issue. Long-time contributor Jorge Mir will be back! And, along with our RAINBOW regulars we'll also have Susan Davis, Tim Harris and Brian Lantz. In addition to a solid payroll program, we show you how to prepare a personal income statement and how to measure your performance in the stock market. We'll also look at treasury bill investments and we'll provide a program to show you how to buy in quantity to save money. We'll also have a BASIC09 mailing list program, and we'll launch our Third Annual Rainbow Adventure Contest!

But our CoCo isn't an all work and no play machine, so look for a variety of other useful articles and listings, and games, too. Reach for the March RAINBOW for more on the Color Computer than is available from any other source!

FEATURES

- Floating Point Math**/Steven R. Broadwater _____ 18
MATH TUTORIAL *Understanding and applying these math routines*
- ☐ **Join The Penguin Patrol**/Paul Wagorn _____ 33
GAME *Keep away from the coneheads*
- ☐ **Weather . . . Or Not?**/Marty Goodman _____ 42
DATA COMMUNICATIONS *Process satellite signals into graphics*
- ☐ **Space Race**/Daniel Hamilton _____ 66
GAME *Calculate your way through the solar system*
- ☐ **Computer Cupid**/T. Gray _____ 76
GAME *CoCo plays the matchmaker*
- ☐ **Buffer Stuffer**/Richard W. Rutter _____ 90
ML UTILITY *Enhance keyboard input*
- ☐ **Put Programs On Automatic**/Jeffry Dwight _____ 128
LOADING UTILITY *Makes ML programs self-EXEC*
- ☐ **Simplify And Sharpen Displays**/John D. Boyle _____ 131
BASIC TUTORIAL *Ease writing of programs involving displays*
- ☐ **CoCopadd**/Joel Robbins _____ 140
UTILITY *Makes CoCo a math whiz*
- Cooking With CoCo**/Colin J. Stearman _____ 146
EXPANDING BASIC *Part VIII, conclusion*
- Fix Your CoCo 2 Disk Controller**/Marty Goodman _____ 149
TUTORIAL *Save time on repairs*
- ☐ **Cassette Merge Program**/John D. Boyle _____ 158
TAPE UTILITY *How not to let the bugs bite*
- ☐ **CoComon Junior**/Steve Roberts _____ 164
ML UTILITY *Speed typing of machine language programs*
- ☐ **Get It Together With Disk Merge**/Paul Gani _____ 175
DISK UTILITY *Better than BACKUP*
- FILECOPY — A Handy OS-9 Utility**/Gerry Schechter _____ 242
BASIC09 UTILITY *Relief for type-weary fingers*
- ☐ **Graphics Bazaar**/Paul Vernon Miller _____ 246
GRAPHICS *Experience different sights and sounds*
- Block Out Troublesome Granules**/Charles C. Zimmer _____ 250
DISK UTILITY *Addendum to last month's article*

PRODUCT REVIEWS

- Product Review Contents** _____ 185

COLUMNS

	BASIC Training /Joseph Kolar	236
	<i>Using tables to assist in programming</i>	
	Bits And Bytes Of BASIC /Richard White	152
	<i>Analyzing more BASIC</i>	
	Building February's Rainbow /Jim Reed	16
	<i>Odds and ends from the managing editor</i>	
	Byte Master /R. Bartly Betts	110
	<i>Staging the final scene of the 51-column screen</i>	
	CommLink /R. Wayne Day	39
	<i>A guide to the do's and don'ts of modeming</i>	
	Education Notes /Steve Blyn	64
	<i>The value of comparison shopping</i>	
	Education Overview /Michael Plog, Ph.D.	181
	<i>Using your computer to help develop classroom material</i>	
	GameMaster's Apprentice /George Firedrake and Karl Albrecht	85
	<i>Use imagination and creativity with role playing games</i>	
	Print#-2 /Lawrence C. Falk	12
	<i>Editor's notes</i>	
	School Is In The Heart Of A Child /Bob Albrecht and Ramon Zamora	253
	<i>Having fun with number patterns</i>	
	Turn Of The Screw /Tony DiStefano	56
	<i>A look at how the Multi-Pak Interface works</i>	
	Wishing Well /Fred Scerbo	118
	<i>Let CoCo talk you into a better education</i>	

RAINBOWTECH

Downloads /Dan Downard	260
<i>Answers to your technical questions</i>	
hogg_wash /Frank Hogg	263
<i>Yet another CoCo 2?</i>	
KISSable OS-9 /Dale Puckett	269
<i>Potpourri! A medley of hints and tips</i>	
OS-9 Utility /Gerry Schechter	275
<i>Tidy up listings with LISTFILE</i>	
Personable Pascal /Daniel A. Eastham	278
<i>Pointers and the heap</i>	
OS-9 Utility /Charles Robitaille	282
<i>Get a boot out of OS-9</i>	

DEPARTMENTS

Advertiser Index	288	Reviewing Reviews	190
Back Issue Information	119	Scoreboard	178
Corrections	281	Scoreboard Pointers	180
Letters To Rainbow	6	Submitting Material	
The Pipeline	136	To Rainbow	88
Rainbow Info	245	Subscription Information	24
Received And Certified	188	These Fine Stores	286

RAINBOW

February 1985

Vol. IV No. 7

Editor and Publisher
Lawrence C. Falk

Managing Editor James E. Reed
Senior Editor Courtney Noe
Technical Editor Dan Downard
Submissions Editor Jutta Kapfhammer
Copy Editor Tamara Solley
Reviews Editor Monica Dorth
Editorial Assistants Jody Doyle, Valarie Edwards, Wendy Falk, Debbie Hartley, Suzanne Benish Kurowsky, Lynn Miller, Shirley Morgan, Kevin Nickols
Technical Assistant Ed Ellers
Contributing Editors Bob Albrecht, R. Bartly Betts, Steve Blyn, R. Wayne Day, Tony DiStefano, Dan Eastham, Frank Hogg, Don Inman, Joseph Kolar, Michael Plog, Dale Puckett, Fran Saito, Paul Searby, Fred Scerbo, Richard White
Art Director Sally Gellhaus
Assistant Art Director Jerry McKiernan
Designers Neal C. Lauron, Eileen O'Malley, Kevin Quiggins
Advertising Coordinator Doris Taylor
Advertising Representative Kate Tucci
Advertising Assistant Debbie Baxter (502) 228-4492
General Manager Patricia H. Hirsch
Asst. General Manager for Finance Donna Shuck
Bookkeeper Diane Moore
Advertising Accounts Beverly Taylor
Dealer Accounts Judy Quashnock
Administrative Assistant to the Publisher Marianne Booth
RAINBOWfest Site Management Willo Falk
Director of Fulfillment Services Bonnie Shepard
Asst. Customer Service Manager Deidra Henry
Customer Service Representative Sandy Apple
Word Processor Manager Lynda Wilson
RAINBOW ON TAPE Subscriptions Monica Wheat
Research Assistants Laurie Falk, Judi Hutchinson, Debbie Leake, Loretta Varda
Dispatch Janice Eastburn
Production Assistant Melba Smith

For RAINBOW Advertising and Marketing Office information, see Page 288

THE RAINBOW is published every month of the year by FALSOFT, Inc., 9529 U.S. Highway 42, P.O. Box 385, Prospect, KY, 40059. Phone (502) 228-4492. THE RAINBOW and THE RAINBOW logotypes are ® trademarks of FALSOFT, Inc.

Second class postage paid Prospect, KY and additional offices. USPS N. 705-050 (ISSN No. 0746-4797). POSTMASTER: Send address changes to THE RAINBOW, P.O. Box 385, Prospect, KY 40059. Forwarding Postage Guaranteed. Authorized as second class postage paid from Hamilton, Ontario by Canada Post, Ottawa, Ontario, Canada.

Entire contents © by FALSOFT, Inc., 1985. THE RAINBOW is intended for the private use and pleasure of its subscribers and purchasers and reproduction by any means is prohibited. Use of information herein is for the single end use of purchasers and any other use is expressly prohibited. All programs herein are distributed in an "as is" basis, without warranty of any kind whatsoever.


TRS-80, Color BASIC, Extended Color BASIC, Scripts and Program Pak are ® trademarks of the Tandy Corp. CompuServe is a ® trademark of CompuServe Inc.

Subscriptions to THE RAINBOW are \$31 per year in the United States. Canadian rates are U.S. \$38. Surface mail to other countries is U.S. \$68, air mail U.S. \$103. All subscriptions begin with next available issue.

Limited back issues are available. Please see notice for issues which are in print and costs. Payment accepted by VISA, MasterCard, American Express, Cash, Check or Money Order in U.S. currency only.

LETTERS TO THE RAINBOW

ARTS AND LETTERS



Envelope Of The Month

George Marsh III
Williamsburg, VA

IN PURSUIT OF SCHOLARLY SOFTWARE

Editor:

There has always been an interest in promoting the use of Color Computers in education in *THE RAINBOW*. You have run highly successful programming contests in the past. I would like to propose that you combine the two into an educational software programming contest.

The Color Computer has a decided lack of educational software available for it compared to other popular systems. All of the educational software catalogs that are mailed to me as a teacher have precious little for the Color Computer. The impression created is that there is virtually no software.

You probably can't help what makes it into the software catalogs we get, but a successful contest would produce winners for publication in your annual September back-to-school issue, and the top dozen or two programs could then be made available

in book/cassette combination similar to what you did with your Adventure game contest.

Anything would help. Please consider the idea. Thank you.

Paul French
Burlington, IA

INFORMATION PLEASE

Editor:

While recently devouring the December 1984 issue of *THE RAINBOW*, I came across the advertisement "Announcing . . . The Rainbow Bookshelf." I am interested in your products, although I do have a question or two.

You advertised *The Rainbow Book of Simulations*, which had both a book and a tape. Along with that was also *The Rainbow Book of Adventures*, which also had both the book and tape. Is it necessary

to have the book to have the tape, or vice versa? Or does that book consist of the programs, etc., while the tape does not?

I am interested in purchasing them, but I am curious about the difference/similarities. Please advise so that I may order accordingly.

Also, do you have any other books from the Bookshelf?

Thank you for such a great magazine and keep up the great work.

Dave Helfrich
New Port Richey, FL

Editor's Note: Both books have all the listings and instructions needed to use each program. The tapes have *only* the programs; you still need the book for operating instructions. *The Complete Rainbow Guide To OS-9* is the latest Rainbow Bookshelf offering. A second Adventure book and a second Simulations book are among works in progress.

COURSE ON MORSE?

Editor:

I am writing to you to see if I can find any tapes on Morse code for the TRS-80 Color Computer — learning, sending or receiving?

I enjoy *THE RAINBOW*, keep it up.

Oscar H. Ash, Jr.
Willoughby, OH

COCO CHOO-CHOO

Editor:

I would like to know if anyone has in the past or is currently utilizing their CoCo to control a model railroad? If so, please write me at 1492 Chaffee Court, 60007.

Patrick Quinnett
Elk Grove Village, IL

'BEEPING' WITH THANKS

Editor:

I [wish to] express thanks and compliments to Marc Labbe of Biddeford, Maine, for his hints and tips in the December 1984 RAINBOW magazine, Page 6.

Thank you Marc, my computer beeps everytime I press the keyboard.

Paul Ellias
Chicago, IL

Editor:

In your December 1984 issue under "Hints and Tips" in "Letters To The Rainbow" there is a letter from Marc Labbe that makes a key-beep. If you change *POKE 1541,4* to *POKE 1541,0* this produces more of a key-click sound.

I saved it to tape and load and run it every time I power up. This doesn't slow up the listing of a program nearly as much as the key-beep.

John R. Reed
Easton, MD

HINTS AND TIPS

Editor:

Here is a hint for your readers. To make shorter sounds in BASIC, *POKE 140*, (a number 1-255 for the tone): *EXEC43345 ENTER*.

```
10 FOR J = 2 TO 100 STEP 5
20 FOR I = 1 TO 255 STEP J
30 POKE 140,I:EXEC43345
40 NEXT I
```

Paul Wagorn
Carp, Ontario

INTRODUCTION LINE

Editor:

I would like to pass on to your readers this tip I have found very useful.

Since most programs do not use Line 0 as a program statement, I insert a *REM* statement listing the program name, publication, month, year and page number. This enables me to find the listing or supporting documentation for debugging or what have you. For example:

```
0 REM ROAD RACE;RAINBOW 11/84,36
```

If Line 0 is being used, I just insert the *REM* statement as the last line of the program.

Wayne C. Bell
Bangor, PA

TV GUIDE

Editor:

Here are some computer "programs" that beginners, as well as experienced hackers, might enjoy.

Innovation — PBS
The New Tech Times — PBS

The New Literacy — PBS
Educational Computing — PBS
Family Computing — Lifetime (Cable)
The Computer Programme — PBS

Check your local public TV stations and cable system for times.

Mike Sims
Nanuet, NY

BREAKING THE SPEED LIMIT

Editor:

I received a letter from Mr. Glenn P. Alfrey who has a problem saving a program to tape. It is evident that Mr. Alfrey is trying to save the program while the computer is in the high speed mode.

It would be a good idea for you to remind your readers that whenever a program uses a *POKE 65495,0* statement, they should always *POKE 65494,0* before trying to save on cassette in order to reset the computer to its normal speed.

Jacques Bourgeois
Longueuil, Quebec

COMPUTER CONSORTIUM

Editor:

ECCO, the Educational Computer Consortium of Ohio, is now accepting proposals for presentation for its Fifth Annual Educational Computer Fair, to be held on Friday and Saturday, October 11-12, 1985 in Cleveland.

Classroom teachers, administrators, university faculty and those with practical computer education experience are encouraged to submit proposals. We are searching for proposals in all content areas and grade levels, preschool through college, for both beginning and advanced computer educators. We are particularly interested in applications into all areas of the curriculum.

To obtain the brief proposal form, send a request to Alice Fredman, Director, ECCO, 1123 S.O.M. Center Road, 44124.

Vendors are invited to contact ECCO for information about commercial displays.

Alice Fredman
Cleveland, OH

BULLETIN BOARD SERVICE

Editor:

My school is interested in setting up a bulletin board. If anyone has a BBS at their school, please write me at P.O. Box 1123, 32742 and tell me about it.

Richard Beck IV
Kissimmee, FL

Editor:

We would like to announce the Great Gamma Color 80 BBS of the colonial capital of Virginia. The BBS number is (804) 887-5302 and is operating 24 hours.

We have many downloadable programs; our database has weekly football standings, members' movie reviews and many others.

We have electronic shopping with Radio Shack products from Williamsburg Radio Shack with owner Dennis Welch sponsoring our BBS. We welcome all types of computers. Our mailing address is The Great Gamma BBS, 16 Embers Lane 23185.

George Marsh
Williamsburg, VA

Editor:

North Shore BBS will be on line 24 hours a day, seven days a week. We have downloads, uploads as well as electronic mail and all features of *Colorama BBS* software. For more information call (302) 227-4375 or write North Shore BBS, Eric Flores (SYS-OP), U.S.C.G Indian River, 19971.

Eric Flores
Rehoboth Beach, DE

Editor:

The Syracuse High School Computer Club is operating a BBS at (316) 384-7446. Hours are from 5 p.m. to 7 a.m., M.S.T.

Greg Davidson
Syracuse, KS

Editor:

I have been operating a BBS in San Jose since last December. I bought the BBS from Shawn Jipp (the old 733-6809 number). My number is (408) MAX—BBSS or (408) 629-2277 and operates 24 hours, seven days a week. The BBS signs on with the logo of MicroBur BBS on a *Color 80 BBS* program.

Terrance D. Burnes
San Jose, CA

Editor:

We would like to announce The Peninsula CoCo Board now in service in the Peninsula area of Virginia. It is being run on a 64K CoCo with two DSDD TEAC drives, but is open to everyone. We are using the *Color 80 BBS* software. The board is open seven days a week, 24 hours a day. It supports downloading, uploading, messages and a data file at 300/1200 Baud. The phone number is (804) 868-0922.

Bill Satterwhite
Tabb, VA

Editor:

I run the Lighthouse BBS in Renton. My address and phone number is 3813 NE 8th Court, 98056, (206) 255-5150.

Marshall Butler
Renton, WA

PRINTER PRESCRIPTION

Editor:

In the December 1984 issue, Page 8, "Letters To Rainbow," Rogers George IV, Terrace, Minn. has a ribbon replacement problem for "Impact Data Printer."

Computer Friends, 6415 SW Canyon Court, Suite 10, Portland, OR 97225, has a wide variety of cartridges, loaded or empty, and ribbon reloads. I suggest he write them; ask about the MacInker — it's great.

THE RAINBOW is still fantastic. Keep it up.

J. Stewart Campbell
Ocean City, NH

BOUQUETS

Editor:

Often you print letters expounding the merits of THE RAINBOW, and I must agree, THE RAINBOW is the one for me, too. A poll on a local CoCo BBS indicates that THE RAINBOW is the favorite of all the CoCo users in the area.

However, the reason I'm writing this letter is to applaud one of your advertisers. Endicott Computer Software And Accessories of Huntsville, Ala. I have been purchasing products from Endicott for several months and their products, prices and service are always as advertised.

Recently, I received a software package that contained a flawed diskette. In a short telephone conversation with an Endicott employee, I was told to return the package to them. I did so, and in less than two weeks I received a brand new replacement. Considering the shipping time (two ways) I feel their attention to my problem was superb and worthy of emulation by the majority of the mail-order houses that are vying for our business today.

S.M. Whitehouse, Jr.
Clearwater, FL

Editor:

I recently purchased a Video Pal Video and Audio Interface from RGS Micro, Inc. in Montreal, an advertiser in THE RAINBOW.

It was delivered by certified mail and arrived in five days. Unfortunately, some of the pins on the 40-pin header were damaged in shipment, so I returned it to them. Within a week, I received an undamaged unit.

The instructions were printed on two sheets of paper (four pages) and included a parts layout diagram. The instructions were detailed and easy to follow. The unit functions as advertised (driving an Amdek 300A Monitor).

Total elapsed time for this unit to travel across Canada four times was 13 days, which is excellent service indeed. I highly recommend RGS Micro.

D.E. Wilson
West Vancouver, British Columbia

Editor:

Being a person who gets up on his hind legs and screams to the high heavens when I am wronged puts me under an obligation to comment when I am unusually well treated!

I bought Dennis Derringer's *Master Design*. It worked, but not perfectly. A letter to him brought by return mail a new version suited to the somewhat different combination of equipment that I use — without charge!

Having purchased his *Pro-Color-File Enhanced*, I had difficulty getting it to work. I am not as computer literate as I would like to be, and had difficulty understanding the directions. The extreme patience that Dennis Derringer showed me when I called

him, soon had me on the right track — and now that I understand how to make it go, I am aware that the directions actually covered every question I had. It's a fine program, very versatile, and with a national users group.

Hugo Spatz
Port Charlotte, FL

KUDOS

Editor:

Thank you so much for bringing RAINBOWfest to Irvine, Calif. I am really looking forward to it.

I would like to say that I subscribed to another Color Computer magazine before finding THE RAINBOW. THE RAINBOW is by far the best CoCo magazine on the market. Thank you for all the programs and all the things you've taught me about my CoCo.

Becky Bergsma
Corona, CA

PRAISE FOR PASCAL

Editor:

This is just a note commending you on Daniel Eastham's "Personable Pascal" articles.

I've really been enjoying them, they're an excellent diversification for the magazine. Thanks!

Mark Mosty
Kerrville, TX

It's Here!

REALISTIC, FULL-FEATURED . . .

AIR TRAFFIC CONTROL SIMULATOR

NEW





You've heard about our crowded skies and the concerns for air travel safety. Have you ever wondered how the system works? Now YOU can learn. No aviation background is needed. This is a complete educational package which includes the following:

- Air Traffic Control Simulator software on cassette or diskette.
 - 100% machine language.
 - Dramatically exploits the CoCo's processing capability.
 - Simulates 40 mile x 10,000 ft. surveillance volume.
 - Realistic radar presentation displays airborne and surface traffic.
 - Pilot-to-Tower/Tower-to-Pilot communications.
 - Develops ATC skills such as traffic separation, approach/departure vectoring, sequencing and tower procedures.
 - Scoring system provides feedback on controller performance.
 - Three levels of difficulty for beginners to experts.
- Comprehensive manual includes tutorial on Principles of Air Traffic Control.
- Communications quick reference card.

Will educate, entertain and impress CoCo users. Carefully engineered for the novice, yet will challenge the experts.

32K Machine Language. No Joysticks Required.
Tape \$34.95 Disk \$37.95

- No delay for personal checks.
- Money Orders, COD's welcome.
- NO CHARGE for postage, handling or COD's.
- N.Y.S. residents add sales tax.


BETASOFT SYSTEMS

P.O. Box 1174
Smithtown, New York 11787
(516) 666-7240

Dealer Inquiries Invited



Introducing Volksmodem



SPECIFICATIONS

Data Interface Outputs	RS-232C compatible MARK (OFF) -4.0V min (typical) SPACE (ON) +4.0V min (typical)
Inputs	MARK (OFF) 0 to -25V SPACE (ON) +2.5 to +25V
Data Format	Serial, binary, asynchronous
Operate Mode	Manual dial, manual answer, automatic answer/originate mode select
Data Rate	0 to 300 bps, full duplex or half duplex
Modulation	Phase coherent, frequency shift-keyed (FSK)

REG. \$99
ONLY
\$59.95

MODULAR
WALL OUTLET

Includes cable for color computer

GET ON LINE FOR \$85



AUTOTERM
TURNS YOUR COLOR COMPUTER INTO THE
**WORLD'S
SMARTEST TERMINAL!**
YOU'LL ALSO USE AUTOTERM FOR SIMPLE
WORD PROCESSING & RECORD KEEPING.

Cassette \$39.95

Diskette \$49.95

- * Total Communications Capability
- * Send/Receive Text, Graphics, & ML Programs
- * Scroll, Search, Edit, Load, Save while On Line
- * Built-in Word Processor
- * HI-RES Lower Case is Optional & Fast
- * Screen Widths of 32, 40, 42, 51, & 64
- * Many Printer Options
- * Optional Key-BEEP & Error Beebop
- * Automatic Block Graphics
- * Unbelievable Keystroke Multiplier Abilities

SPECIAL PACKAGE PRICE

Volksmodem™
& AUTOTERM



Basic transportation for data. \$150 VALUE

COLOR TERM + PLUS +
Now even more + PLUS+ features than before!!!
New and Improved!!
An Intelligent Terminal Program For The Color
Computer or TDP 100.

- * Communications BAUD rate: 110-19200
- * Change printer BAUD rate: 600-9600
- * Select printer line feeds if needed
- * Select Half or Full Duplex
- * Select Odd, Even, or No Parity
- * Select 7 or 8 Bit Words
- * Select 1 or 2 Stop Bits
- * Send Control Characters
- * Separate Keys for Escape & Delete (Rubout)
- * Turn off those UGLY Lower case letters
- * Word Wrap -- eliminate all split words
- * Selectable Reverse or Normal Video

**THE BEST
YOU CAN BUY**

COLORCOM / E
SMART TERMINAL PACKAGE

- * Complete Upload and Download Support
- * Online Cassette/Disk Reads and Writes
- * 110, 300, 600, or 1200 Baud
- * Full or Half Duplex
- * Preenter Data Before Calling (Saves \$\$)
- * Offline and Online Scrolling
- * ROM Pack or Disk
- * Automatic Capture of Files
- * Send All 127 ASCII Characters from Keyboard
- * Word Mode Eliminates Split Words
- * 7 or 8 Data Bits (Including Graphics Support)
- * Efficient Data Storage 511 x 81 x 8 Memory
- * 100% Compatible w/ Rainbow Connection 10511
- * Disk Version-Disk and Hit the screen now available

COLORCOM/E \$49.95

**A GREAT
BUY!**

**ORDERING
INFORMATION**

ADD \$2.00 PER ORDER
FOR SHIPPING.
WE ACCEPT VISA, MASTERCARD,
CHECKS, M.O.

C.O.D. ADD \$3.00 EXTRA.

California Residents, Add 6%

Sales Tax to Orders



SOFTWARE PLUS




6201 C Greenback Lane

(916) 726-8793

Citrus Heights, CA 95610

GIVE MORE MUSCLES TO YOUR CO-CO

U. GRL



our super 128K RAM CARD

INCREASES YOUR 64K CO CO OR
COCO II TO 128K RAM !

- FITS COMPLETELY INSIDE YOUR COMPUTER
- SWITCHES TWO NEW 32K BANKS OF RAM IN AND OUT OF MEMORY.
- BANKS CAN BE MAPPED IN THE UPPER HALF OR LOWER HALF, OR CAN ALSO BE A SECOND COMPLETE 64K BANK.
- SIMPLE INSTALLATION AND DOCUMENTATION
- A MUST FOR OS-9 USERS
- COMPLETE WITH 8 (4164) RAM CHIPS
- PAL CHIP HANDLES ALL BANKING COMMANDS

INCLUDES \$ 149.95
Kdos!!!

RGS MICRO ELECTRONICS

USA

RGS MICRO INC.
MAIN ST.
DERBY LINE, VERMONT
ZIP 05830
TEL: 802-873-3386
ORDER LINE:
800-824-4454

TERMS: VISA, MC,
SHIPPING: RATES?

CANADA

RGS MICRO INC.
759 VICTORIA SQUARE, #303
MONTREAL H2V 2J3
TEL: (514) 287-1563
ORDER LINE ONLY, FOR
QUEBEC, ONTARIO, MARITIMES
800-361-5338
WESTERN CANADA: 800-361-5155

AUSTRALIA DISTRIBUTOR BLAXLAND COMPUTER

76A MURPHY STREET
BLAXLAND 2774
PO BOX 125 BLAXLAND
NEW SOUTH WALES
AUSTRALIA
TEL: (0477) 39-3903

HOURS: MONDAY-FRIDAY 10-6
SATURDAY 10-4

NEW!!! K-DOS

**THE FIRST
FULLY RS-DOS
COMPATIBLE**

INTEGRATED SCREEN EDIT
CURSOR CONTROL.
UNDO - FOR SCREEN EDIT
COLD START
RAM-MOVE ROM TO RAM -
SHIFT CLEAR MENU ALLOWS
TWO KEY ENTRY TO 128 K-CARD,
SECS 80 AND HARD AND FLOPPY-
DISKS DRIVES WIRE MULTIPACK
TAPE TO DISK
SCREEN TO PRINTER DUMP
USER DEFINABLE COMMANDS
SUPPORTS AUTOBOOT

**ON 8K E-PROM
\$ 69.95**

WITH OUR 80 COLUMN CARD no boot\$ required..

Just turn on to our

SECS 80 !



SCREEN Edit Control System 80 Column-Card

SECS 80 FEATURES:

- FULL SCREEN EDIT CURSER CONTROL.
- 2K STAND ALONE SYSTEM OR 8K **K-DOS** INTEGRATED VERSION, REQUIRING NO INTERNAL MEMORY.
- FULL UPPER AND LOWER CASE. ATTRIBUTES INCLUDE: BLINKING, UNDERLINE, INVERSE VIDEO, SELECTABLE CURSOR STYLE, THINE & WIDE GRAPHICS AND SMOOTH SCROLL OR OPTIONAL 25TH NON- SCROLLING LINE.

2K VERSION:
\$ 99.95


8K VERSION:
\$ 129.95

HARD DISK DRIVES !

5,10, or 20 meg
JUST PLUG IN !

Our complete operating
system FEATURES:

- *****
- Fully integrated into disk basic
 - Tape to hard disk
 - Disk to hard-disk
 - hard-disk to tape
 - Hard-disk to disk
 - Duplicate
 - Cold start
 - M-run
 - ALL EXTENDED DISK BASIC COMMANDS ARE SUPPORTED
 - SUPPORTS **K-DOS**, 128 K-RAM CARD & SECS-80 CARD.



STARTING
FROM
\$ 699.00 !

HACKERS KIT

\$ 399.99

HARD DISK CONTROLLER, INTERFACE
CARD, CABLE & OPERATING SYSTEM
WITH MANUAL.

OS-9 UTILITY PACK
BOOT STRAPS, FORMATTER
\$ 129.00

**SUPER SALE !
ON NEW
DISKDRIVES
STARTING
FROM**

\$149.00

**TANDON, TEAC,
PANASONIC**

SERIAL PARALLEL PRINTER INTERFACE - \$ 39.95
DUAL DOS SWITCHER FOR J&M CONTROLLER - \$ 19.95

**WRITE FOR
OUR CATALOG**



Our favorite computer — Radio Shack's CoCo — is the best selling machine Tandy Corp. has ever had and is expected to continue its leadership in the foreseeable future, according to top planners in the firm's computer merchandising area.

"In terms of units sold, the Color Computer is far and away the best selling computer we have ever had," Mark Yamagata, director of computer merchandising-personal computer products, told THE RAINBOW in an exclusive interview.

"Not only is it our best seller, but all our plans, buying strategy and marketing decisions, anticipate that it will continue to be the number one computer in sales in the Tandy line," he added.

However, in a whimsical aside, Yamagata noted that, effective almost immediately, "there will be no more TRS-80 Color Computers manufactured." The reason? All of Tandy's new computers — as well as most of its present line — will be known as "Tandy" computers from now on. "So, it now becomes the Tandy Color Computer," Yamagata explained.

Indeed, in a wide-ranging interview with THE RAINBOW, Yamagata and Barry Thompson, Color Computer product line manager, exuded enthusiasm about plans for continued support and expansion of the Color Computer line — now Tandy Color Computer line — in both the immediate and prospective future.

As to the immediate future, Thompson points out that considering the scope of the CoCo market, buying decisions have to be made as much as a year in advance. Thus, in December 1984, Tandy is already beginning to make decisions on how many CoCos it will sell for the holiday buying season next year.

Yamagata gestured toward Thompson: "He's still here and that's what he's doing — buying Color Computers for next Christmas. Lots of them. As long as he's here, we'll be buying Color Computers."

"And I'm not going anywhere," Thompson confirms.

Both Thompson and Yamagata acknowledge that they see the Color Computer as a consumer product whose sales will become somewhat more seasonal than they have been historically. Because of this, many new products for CoCo will appear in the fall rather than the spring.

"But we will continue to bring new products and programs for the Color Computer to the stores as soon as they become available," Yamagata says. "It is just that the real push each year will be for products appearing in the fall catalog rather than in the one we do for the spring."

"The fact that we do not announce a whole bunch of new things for the Color Computer in the spring catalog does not mean that we are in any way soft on the CoCo," says Thompson. "It is just that many things were announced in the fall because we knew then that we would produce them. Some, of course, have not been brought to the stores yet."

Thompson believes there is still a huge, untapped market for "home" computers. And he believes Tandy will get a huge share of that market — as it has already done.

"When you look at it, only some two to three percent of American homes have home computers," says Yamagata. "That leaves a market that is huge by any comparison. And, I believe we have demonstrated that we will have a large share of that market — as we do now."

Thompson points out there have been some industry "experts" who have compared the home computer market with the Citizen's Band craze of several years ago. But, he adds: "This has passed the CB radio stage and passed the CB radio philosophy. So many people thought that home computers would die out like CB radio, but that has not happened."

"Of course, in order for this to continue, the home computer has to be viewed as a personal productivity tool. One of the things we are trying to do is enhance an individual's use of a computer in the home or small business as a device which can increase that person's personal productivity."

Because of this, both Yamagata and Thompson put little credence in reports that the day of the eight-bit computer is numbered.

Telewriter-64™

the Color Computer Word Processor

- 3 display formats: 51/64/85 columns × 24 lines
- True lower case characters
- User-friendly full-screen editor
- Right justification
- Easy hyphenation
- Drives any printer
- Embedded format and control codes
- Runs in 16K, 32K, or 64K
- Menu-driven disk and cassette I/O
- No hardware modifications required

THE ORIGINAL

Simply stated, Telewriter is the most powerful word processor you can buy for the TRS-80 Color Computer. The original Telewriter has received rave reviews in every major Color Computer and TRS-80 magazine, as well as enthusiastic praise from thousands of satisfied owners. And rightly so.

The standard Color Computer display of 32 characters by 16 lines without lower case is simply inadequate for serious word processing. The checkerboard letters and tiny lines give you no feel for how your writing looks or reads. Telewriter gives the Color Computer a 51 column by 24 line screen display with *true lower case characters*. So a Telewriter screen looks like a printed page, with a good chunk of text on screen at one time. In fact, more on screen text than you'd get with Apple II, Atari, TI, Vic or TRS-80 Model III.

On top of that, the sophisticated Telewriter full-screen editor is so simple to use, it makes writing fun. With single-letter mnemonic commands, and menu-driven I/O and formatting, Telewriter surpasses all others for user friendliness and pure power.

Telewriter's chain printing feature means that the size of your text is never limited by the amount of memory you have, and Telewriter's advanced cassette handler gives you a powerful word processor without the major additional cost of a disk.

...one of the best programs for the Color Computer I have seen...

— Color Computer News, Jan. 1982

TELEWRITER-64

But now we've added more power to Telewriter. Not just bells and whistles, but major features that give you total control over your writing. We call this new supercharged version Telewriter-64. For two reasons.

64K COMPATIBLE

Telewriter-64 runs fully in any Color Computer — 16K, 32K, or 64K, with or without Extended Basic, with disk or cassette or both. It automatically configures itself to take optimum advantage of all available memory. That means that when you upgrade your memory, the Telewriter-64 text buffer grows accordingly. In a 64K cassette based system, for example, you get about 40K of memory to store text. So you don't need disk or FLEX to put all your 64K to work immediately.

64 COLUMNS (AND 85!)

Besides the original 51 column screen, Telewriter-64 now gives you 2 additional high-density displays: 64 × 24 and 85 × 24!! Both high density modes provide all the standard Telewriter editing capabilities, and you can switch instantly to any of the 3 formats with a single control key command.

The 51 × 24 display is clear and crisp on the screen. The two high density modes are more crowded and less easily readable, but they are perfect for showing you the exact layout of your printed page, *all on the screen at one time*. Compare this with cumbersome "windows" that show you only fragments at a time and don't even allow editing.

RIGHT JUSTIFICATION & HYPHENATION

One outstanding advantage of the full-width screen display is that you can now set the screen width to match the width of your printed page, so that "what you see is what you get." This makes exact alignment of columns possible and it makes hyphenation simple.

Since short lines are the reason for the large spaces often found in standard right justified text, and since hyphenation is the most effective way to eliminate short lines, Telewriter-64 can now promise you some of the best looking right justification you can get on the Color Computer.

FEATURES & SPECIFICATIONS:

Printing and formatting: Drives any printer (LPV11/VIII, DMP-100/200, Epson, Okidata, Centronics, NEC, C. Itoh, Smith-Corona, Terminus, etc).

Embedded control codes give full dynamic access to intelligent printer features like: underlining, subscript, superscript, variable font and type size, dot-graphics, etc.

Dynamic (embedded) format controls for: top, bottom, and left margins; line length, lines per page, line spacing, new page, change page numbering, conditional new page, enable/disable justification.

Menu-driven control of these parameters, as well as: pause at page bottom, page numbering, baud rate (so you can run your printer at top speed), and Epson font. "Typewriter" feature sends typed lines directly to your printer, and Direct mode sends control codes right from the keyboard. Special Epson driver simplifies use with MX-80.

Supports single and multi-line headers and automatic centering. Print or save all or any section of the text buffer. Chain print any number of files from cassette or disk.

File and I/O Features: ASCII format files — create and edit BASIC, Assembly, Pascal, and C programs, Smart Terminal files (for uploading or downloading), even text files from other word processors. Compatible with spelling checkers (like Spell 'n Fix).

Cassette verify command for sure saves. Cassette auto-retry means you type a load command only once no matter where you are in the tape.

Read in, save, partial save, and append files with disk and/or cassette. For disk: print directory with free space to screen or printer, kill and rename files, set default drive. Easily customized to the number of drives in the system.

Editing features: Fast, full-screen editor with wordwrap, block copy, block move, block delete, line delete, global search and replace (or delete), wild card search, fast auto-repeat cursor, fast scrolling, cursor up, down, right, left, begin line, end line, top of text, bottom of text; page forward, page backward, align text, tabs, choice of buff or green background, complete error protection, line counter, word counter, space left, current file name, default drive in effect, set line length on screen.

Insert or delete text anywhere on the screen without changing "modes." This fast "free-form" editor provides maximum ease of use. Everything you do appears immediately on the screen in front of you. Commands require only a single key or a single key plus CLEAR.

*...truly a state of the art word processor...
outstanding in every respect.*

— The RAINBOW, Jan. 1982

PROFESSIONAL WORD PROCESSING

You can no longer afford to be without the power and efficiency word processing brings to everything you write. The TRS-80 Color Computer is the lowest priced micro with the capability for serious word processing. And only Telewriter-64 fully unleashes that capability.

Telewriter-64 costs \$49.95 on cassette, \$59.95 on disk, and comes complete with over 70 pages of well-written documentation. (The step-by-step tutorial will have your writing with Telewriter-64 in a matter of minutes.)

To order, send check or money order to:

Cognitec
704 Nob Street
Del Mar, CA 92014

Or check your local software store. If you have questions, or would like to order by Visa or Mastercard, call us at (619) 755-1258 (weekdays, 8AM-4PM PST). Dealer inquiries invited.

(Add \$2 for shipping. Californians add 6% state tax.)

**Now available at
Radio Shack stores
via express order**

Apple II is a trademark of Apple Computer, Inc.; Atari is a trademark of Atari, Inc.; TRS-80 is a trademark of Tandy Corp; MX-80 is a trademark of Epson America, Inc.



"If you get what you want done, at a cost that you want," Thompson says, "no one cares whether he is using an eight-bit or 16-bit machine. The 'average' new user doesn't care if there are eight bits or eight million — so long as the job gets done. We know the CoCo can do the job."

This, interjects Yamagata, is further proof that the home computer market is, essentially, a consumer market. The typical consumer is not into the hardware, the details of programming or other aspects of computing as is the hobbyist. "He wants to get the job done," Yamagata believes.

But, as Thompson points out, the Color Computer is, in many ways, a 16-bit machine anyway. Yet "we don't advertise it that way — maybe because we're a little more conservative, or a little more truthful," he says.

Of great interest, Yamagata points out, is that more and more "name" software firms are beginning to work with Tandy. One of them, Imagic, has a program due out soon.

"Why are these people coming to us more and more?" Yamagata asks. "Because they see a very healthy and an increasing share of the market. We still don't release our sales figures, but the message is pretty plain in the marketplace."

"The Color Computer is clearly the leader in the home computer field and we intend to do what we can to keep it that way."

So, what about the future?

"Of course, we plan to extend and expand the Color Computer," Yamagata says. "We would be foolish if we were to cut out the most successful computer we manufacture."

"Naturally, there will be some changes and additions to the line, as time goes by," he adds. "But, remember, one of the major benefits of a Tandy computer has always been that it is upwardly compatible so that software that runs on a Color Computer today will run on a Color Computer tomorrow. This, of course, pertains to our own software as well as the software from people who do not use undocumented calls into the ROM."

"I think this is a very important consideration in the computer market. It is something we have considered very important at Tandy and it should certainly be a major consideration for people who buy computers."

The one watchword of the future? "This is our — and one of the world's — most successful computers, in terms of sales, customer acceptance and value," says Yamagata.

"Anyone who had a product like that would be a fool to do anything less than continue to support it 100 percent. We may be a lot of things here, but foolish certainly isn't one of them."

— Lonnie Falk



Mouse Technological Software For The Color Computer!

*Many Companies call their
Home and Business Software
User Friendly . . .*

ONLY ONE CALLS IT

Child's PlayTM



Send for
FREE Catalog

TCE BUSINESS DIVISION
P.O. BOX 2477
GAITHERSBURG, MD 20879
1-(301) 963-3848



TOP RATINGS
HOT COCO MAGAZINE
SEPTEMBER 1984



YOU COULD FALL IN LOVE WITH
AUTOTERM!
IT TURNS YOUR COLOR COMPUTER INTO THE
**WORLD'S
SMARTEST
TERMINAL**

AND
MOST
LOVABLE

GOOD LOOKIN'

AUTOTERM shows true upper/lower case in screen widths of 32, 40, 42, 51, or 64 characters with no split words. The width of 32 has extra large letters. Scrolling is forward, backward, and fast. Block graphics pictures are displayed automatically and can be scrolled.

The screen's top line shows operating mode, unused memory size, memory on/off, and caps-lock on/off. It also gives helpful prompts.

SWEET TALKIN'

KEY-BEEP can be on/off. Unacceptable keystrokes cause a lower pitched BOP! This ERROR-BEEBOP can be on/off.

Talks to other computers with Full or Half Duplex; Baud Rate of 110, 150, 300, 600, 1200; Parity as even, odd, mark, space, none; 7 or 8 bit Word; any Stop Bits; all 128 ASCII characters; true line Break; XON/XOFF protocol; and optional line-at-a-time transmission. Able to send and receive text, block graphics, BASIC and ML programs. A 64K machine holds up to 46,600 characters (34,900 in HI-RES).

DUAL PROCESSING lets you review & edit while more data is coming in.

Fully supports D.C. Hayes and other intelligent modems.

Talks to your printer with any page size, margins, line spacing, split word avoidance. Embed your printer's control sequences for boldface, underlining, etc. Narrow text can be automatically spread out.

You'll also use Autoterm for simple word processing and record keeping

You can display directories, delete files, transmit directly from disk, and work with files larger than memory. Easily maintain a disk copy of an entire session.

Compatible with TELEWRITER (ASCII) & other word processors.

SMOOTH WALKIN'

AUTOTERM moves smoothly and quickly between word processing and intelligent terminal action. Create text, correct your typing errors; then connect to the other computer, upload your text, download information, file it, and sign-off; then edit the received data, print it in an attractive format, and/or save it on file.

Editing is super simple with the cursor. Find strings instantly, too! Any operating parameter, such as screen width, can be altered at any time. Uncompleted commands can be cancelled.

PUTTY IN YOUR HANDS

The word processor can be used to create, print, and/or save on file your personal KSMs. They let AUTOTERM act like you. For example, it can dial through your modem, sign-on, interact, perform file operations, & sign-off; an entire session without your help. KSMs can answer the phone, prompt the caller, take messages, save them, hang-up, and wait for the next call. The KSM potential is unbelievable!

**NO OTHER COMPUTER IN
THE WORLD CAN MATCH
YOUR COCO'S AUTOMATIC
TERMINAL CAPABILITIES!!!**

WHAT THE REVIEWERS SAY

"AUTOTERM is the Best of Class."

Graham, *RAINBOW*, 6/83

"The AUTOTERM buffer system is the most sophisticated — and one of the easiest to use..."

Banta, *HOT CoCo*, 9/84

"Almost a full featured word processor..."

Ellers, *RAINBOW*, 11/84

**RECOMMEND 32K to 64K
Tape-to-Disk Upgrade \$23
You Keep the Cassette**

**CASSETTE \$39.95
DISKETTE \$49.95**
Add \$3 shipping and handling
MC/VISA/C.O.D.

PXE Computing
11 Vicksburg Lane
Richardson, Texas 75080
214/699-7273

Please hire the mentally retarded. They are sincere, hard working and appreciative. *Thanks! Phyllis.*

QUIZ KIDS



LOGO SHAPES—\$14.95
LOGO STARS—\$14.95
Both programs on one cassette—\$22.50

Everybody's talking about the **QUIZ KIDS**, the two quiz programs written in Color LOGO. Prepare your child to move from LOGO to BASIC by learning to type responses to the computer's questions. Each quiz includes Study and Practice sessions, a Test, and a Reward for a passing grade. **LOGO SHAPES** uses simple shapes, such as circles and squares. **LOGO STARS** displays five constellations from the northern sky and is an exciting introduction to the stars. (Requires Color Logo)

BUT IF YOU DON'T KNOW LOGO **Send for our LOGO STARTER program...**

Teachers agree: LOGO is the best way to introduce children to computers. Now, with **LOGO STARTER** you won't have to read a book or instruction manual. Just load the **LOGO STARTER** tape. Your child will draw exciting designs right from the start. You won't waste your time on a lot of tedious typing. And your child will be on the way to computer literacy. (Requires Radio Shack Color LOGO)

\$13.95

SPEED READING \$17.95

Busy executives! Students! Increase reading speed dramatically. Best available speed reading program for the CoCo. Reading material appears on the TV screen at the speed you select, training you to read faster. You can even change speed while reading. Complete with 6 different text selections and a quiz for comprehension, plus a drill to improve visual span & perception.

WILD PARTY—\$27.95

A naughty, sexy computer game for 2 to 6 couples. (Write us—we'll send a copy of the Review.)

"Would definitely liven up most parties."
 —Rainbow Magazine

All programs on cassette tape for 16K Color Computer. Extended BASIC not required. Prices include postage (PA residents add 6%). Send check to P.O. Box 210, Jenkintown, PA 19046

B&B Software

BUILDING FEBRUARY'S RAINBOW

Our Utilities Issue . . .

Maybe An Educational Program Contest . . .

And, Let's Keep The One-Liners Coming . . .

This is our utilities issue. Those who took part in our survey at the RAINBOWfest in Princeton put utilities at the top of the list of things they'd like to see more of in THE RAINBOW. So, even though we had several utilities last month, we decided to give you even more of what you're most asking for. Also in answer to popular demand, two are in OS-9 and one is in BASIC09. Some of the other utilities are for cassette users, while others are for disk. We do hope you find some choice pickings from this month's offerings.

For a long while, we had intended this to be our Adventure contest kickoff edition. And, yes, we already have a number of prizes lined up for our Third Annual Rainbow Adventure Contest. We'll just wait a bit and sound the starting gun next month as something lighter to complement the material in our March business and financial issue. If you can't wait to get started, plunge on in; the rules will be similar to last year's.

Speaking of contests, what do you think of one for educational programs? Paul French, of Burlington, Iowa, proposes such a competition in this month's Letters to the Editor. Sure, we've considered such a contest, but maybe his letter is what we needed to go into action. What do you think? What sort of rules? Who should we get to do the judging? Share your thoughts with us. While you're at it, maybe you have an idea for another contest. And, while we're asking, what sort of extra treat would you like to see in RAINBOW's fourth anniversary issue in July? As many of you know, we always include a surprise in the anniversary issue. Last year, we had the Scratch and Sniff Adventure. The year before: a soundsheet with three computer programs recorded on it ready to load in and run. This year? Maybe your idea's time has arrived.


While we're talking contests, don't forget our continuing competition: The First Great Rainbow One-Liner Contest! In the September 1984 installment of this column, we introduced a standing contest. No deadlines. Few rules. Some guidelines. Well, we get new entries daily, but since many of you are just joining us, we want you to know you can enter, too. Just send us the best you can put together in one line of BASIC. We think these one-liners, several of which appear in each issue of THE RAINBOW, are a great learning aid, as well as just plain fun. It's a treat to see what can be done in just one line number. As long as new entries keep coming in, we plan to keep publishing the best of the crop. Enter as often as you like.

Repeating the guidelines. Programs must work in Extended BASIC and have only one line number. They must be entirely self-contained: no loading other programs, no calling ROM routines, no ML POKes. Please don't try to "sneak in" machine language; the program must work as if typed in from a cold start. Don't pack so tightly that we can't LIST or LLIST the entire line — after all, we want to share your work with RAINBOW readers. Keep documentation to 25 words or less. Give the one-liner a title that hints at what it does. Saving it on cassette is the best way to submit your entry, and a printout helps, but provide a cover letter, too. As in any contest, packaging often makes the difference; entries penciled in on the back of a chewing gum wrapper are unlikely to fare well. Nonetheless, if you must break a rule or two, go ahead; we don't want to miss out on the world's greatest one-liner because of some arbitrary guideline. Lastly — just for the record — we'll consider your act of entering the contest as consent to publish your incomparable original. Whew, that's a lot of guidelines for a wide-open, no-deadline, ignore-the-rules-if-you-have-to contest.

I'll conclude with my usual one-liner: If you haven't sent in your entry, in the form of a subscription to THE RAINBOW, why not do so right away; our judges believe you'll declare it the top prize winner in the CoCo competition — no contest!

— Jim Reed

Graduate With DEFT Pascal



As a result of the programming language requirement of the Advanced Placement (AP) Tests, Pascal has become the standard language used in High Schools and Colleges today. On the Color Computer, DEFT Pascal is the standard.

DEFT Bench \$49.95

DEFT Edit

Full screen editor

DEFT Linker

(see DEFT Pascal)

DEFT Lib

create and maintain
program object libraries

DEFT Debugger

debug Pascal machine
programs **symbolically**

DEFT Macro/6809

supports entire 6809
instruction set,
lets you define your own
instructions

RS# 90-5001

All DEFT software and programs developed with DEFT software are BASIC ROM independent and use **all** of the **memory** in your Color Computer **without OS-9**. All you need is DEFT software and a TRS-80 Color Computer with Extended Disk BASIC, at least 32K of RAM and One Disk Drive. With DEFT Pascal (\$79.95) you will also need a text editor to write your programs. Software licensing arrangements are available for schools. Dealer inquiries welcome.

DEFT Pascal \$79.95

DEFT Pascal Compiler

complete **Pascal** language,
generates machine
language object

DEFT Linker

combines multiple program
objects into one binary
program

RS# 90-5000

DEFT Pascal Workbench \$119.95

(DEFT Pascal And DEFT Bench Together)

RS# 90-5002

DEFTTM
SYSTEMS, INC.

**Now Available
By Express Order
At Your Local
Radio Shack Store!**

Orders and Sales Information **1-800-992-DEFT**
Technical Assistance **1-301-253-1300**

Quantity of Each: ☐ DEFT Pascal ☐ DEFT Bench
☐ DEFT Pascal Workbench

Method of Payment (check one) ☐ Check Enclosed
☐ VISA ☐ Master Card ☐ COD

Account Number

Card Expiration Date /

Signature

Name

Street

City State Zip

All orders are shipped UPS within 24 hours of receipt. Add 3% for shipping and handling; Maryland residents add 5% for State Sales Tax; add \$2.00 for COD.

DEFT Systems, Inc.
Suite 4, Damascus Centre
Damascus, MD 20872

FLOATING

The floating point math package included in the Color BASIC 1.1 ROM contains an error. This article explains the bug in the Color BASIC ROM and how it can be fixed when running in the 64K mode. It also explains what "floating point numbers" are and explains how the floating point math routines can be utilized.

Floating Point Format

The floating point format used by the Color Computer is similar to the 'E' notation used by BASIC. The statement $X = 1.5 \text{ E}+03$ in a BASIC program means that the value of 'X' is:

$$1.5 \times 10^3 = 1.5 \times 1000 = 1500$$

In this statement, the value 1.5 is called the mantissa and +03 is called the exponent. The exponent represents a power of 10.

The Color Computer's floating point format also represents numbers in mantissa/exponent form. However, both the mantissa and the exponent must be stored in binary, and the exponent represents a power of 2, not 10.

In decimal numbers, the position of a digit relative to the decimal point indicates its magnitude. For binary numbers, the same kind of positioning can be done relative to a "binary point." The weighting is assigned as follows:


2^3	2^2	2^1	2^0		2^{-1}	2^{-2}	2^{-3}	2^{-4}
X	X	X	X	.	X	X	X	X
8	4	2	1		0.5	0.25	0.125	0.0625

Using this weighting, the value 5.5 could be represented with a mantissa of 101.1 and with an exponent of 0. By convention, however, the mantissa is adjusted so no digits


(Steve Broadwater has extensive experience in writing 8080 assembly language software for data acquisition and automatic control applications. He is an engineer with a large public utility corporation, where he is involved in the design and installation of telecommunications equipment.)

POINT MATH

By Steven R. Broadwater



It's time we put our chips on the table



**and showed you our best
deals on computer hardware.**

HARDWARE SPECIALS

Extended Basic w/bk	\$ 39.95	26-1192 CGP-115 Printer/Plotter	\$119.95
64k (DEI) Memory Upg	\$ 59.95	26-1276 DMP-105 Printer 80 cps	\$179.95
26-3029 CoCo Drive 0	\$275.00	C. Itoh 8510 AP Printer 120 cps	\$399.95
26-3023 CoCo Drive 1	\$229.00	Gorilla/NAP Video Monitor (Grn)	109.95
HJL Keyboard (D,E,F,2)	\$ 79.95	Video Monitor Adapters	\$ 29.95
Super Pro Keybd. (D,E)	\$ 64.95	26-3024 RS Multi-Pac Interface	\$ 89.95
26-3127 64K Extended CoCo2	\$179.95	Botek Ser/Par Interface	\$ 69.95
26-3134 16K Standard CoCo2	\$ 89.95	CGP-220 Ink Jet Printer	\$379.00
26-3136 16K Extended CoCo2	\$129.95	DMP 110 Printer	\$349.00
26-3801 Model 100 8K	\$349.95	DWP 210 Printer	\$379.00
26-3816P 8K Upgrade Model 100	\$ 69.95		

ACCESSORIES

Volkmodem 1200	\$299.00	Mach II Joystick	\$ 39.95
RS D.C. Modem IB	\$ 89.95	26-3030 OS-9 (64k)	\$ 64.95 (disk)
Novation J-Cat Modem	\$129.95	Basic-09 (req. OS-9)	\$ 87.95 (disk)
RS D.C. Modem II	\$179.95	"C" Compiler (OS-9)	\$ 87.95 (disk)
USR Password 300	\$179.95	FHL O-Pak (req. OS-9)	\$ 34.95 (disk)
Hayes SM 300 Modem	\$239.95	Elite Word	\$ 59.95 (d&c)
USR Password 1200	\$429.00	Elite Calc	\$ 59.95 (d&c)
CoCo Switcher	\$ 39.95	Color Term Plus	\$29.95 (cass)
Elephant Disks ssdd	\$ 22.95	Deft Pascal	\$ 79.95
		26-3012 Deluxe Joystick	\$ 34.95

**NEW! Dual Double Sided Drives including
case, power supply & cable** \$475.00

**NEW! 26-3128 64K
Direct Video CoCo2** \$219.95

MSI SOFTWARE

MSI DISKUTIL	NEW	\$ 19.95	MSI NAMEFILE	\$ 24.95
COLOR FINANCE I		\$ 49.95	MSI CALENDAR	NEW \$ 19.95
COLOR FINANCE II	NEW	\$ 69.95	MSI COLOR PAYROLL	NEW \$ 99.95

Call for prices and availability of your favorite software and hardware. All advertised items subject to availability. Prices do not include shipping and handling. All of the above units are covered by our 120 day carry-in warranty.

TRS-80 Trademark Tandy Corporation. Prices subject to change without notice. Write for our FREE newsletter.



DELKER ELECTRONICS, INC.

P.O. Box 897
408C Nissan Blvd. Smyrna, TN 37167

Call Toll Free:
800-251-5008
800-545-2502 (TENNESSEE)
615-459-2636 (TENNESSEE)
514-254-0088 (NASHVILLE)



to the left of the binary point are set and the first digit to the right of the binary point is set. The adjustment is made by rotating or shifting the mantissa to the left or right as many times as required to correctly position the most significant bit. Since rotating the mantissa once to the right is the same as dividing it by two, the exponent must be incremented by one each time the mantissa is rotated to the right, and must be decremented each time the mantissa is rotated to the left.

In this example, the mantissa becomes 0.1101 and the exponent becomes 011, or 3. This form can be seen to be equivalent in that the value of the mantissa is now:

0×2^0	=	0×1	=	0
1×2^{-1}	=	1×0.5	=	0.5
0×2^{-2}	=	0×0.25	=	0
1×2^{-3}	=	1×0.125	=	0.125
1×2^{-4}	=	1×0.0625	=	0.0625
				<hr/>
				0.6875

and the value of the quantity represented by the mantissa and the exponent taken together is:

$$0.6875 \times 2^3 = 0.6875 \times 8 = 5.5$$

By following this convention, all of the floating point routines can simply assume the binary point is to the immediate left of the most significant bit of the mantissa. Therefore, it is not necessary to store the binary point itself in memory. When this convention is utilized, the value is said to be "normalized."

The Color Computer uses one byte (eight bits) to represent the exponent, and four bytes (32 bits) to represent the mantissa of any number. The mantissa appears:

.1XXX XXXX	XXXX XXXX	XXXX XXXX	XXXX XXXX
Most	Next	Next	Least
Significant	Most	Least	Significant
Byte	Significant	Significant	Byte
	Byte	Byte	

The most significant bit has a weight of 2^{-1} ; the least significant bit has a value of 2^{-32} .

The exponent is represented by expressing its magnitude as a 2's complement 8-bit integer. That is, a magnitude of +1 is expressed as \$01, 0 is expressed as \$00, -1 is expressed as \$FF, etc. Then, \$80 is added to the 2's complement integer. The result is the representation of the exponent stored in memory. So, an exponent of +1 will be stored as \$81 (since \$01 + \$80 = \$81). Zero will be stored as \$80, and -1 will be stored as \$7F (\$FF + \$80). By representing exponents in this fashion, the most significant bit indicates the sign of the exponent. If it is set, the exponent is positive; if it is clear, the exponent is negative.

How the sign of the mantissa is represented depends on where in memory the number is stored. There are two 6-byte areas reserved in low memory where numbers are stored when math functions are about to be performed and results are placed. These 6-byte areas are known as floating point accumulators and are called FPAC1 and FPAC2.

THE BIG 3



THE LOGICAL CHOICES

DYNACALC®

COMPUTER SYSTEMS CENTER
42 Four Seasons
Chesterfield, MO 63017
Ph: 314/576-5020

Telewriter-64™

COGNITEC
704 NOB ST.
DEL MAR, CA 92014
(619) 755-1258

Pro-Color-Series™


DERRINGER SOFTWARE, INC.
PO BOX 5300
FLORENCE, SC 29502-2300
(803) 665-5676

SEE ADS FOR THESE PROGRAMS IN THIS ISSUE. REFER TO THE ADVERTISER'S INDEX.

TOTALLY INTEGRATED PACKAGE

After two years on the market, we've orchestrated our software to perform for you in ways other programs can't even play second fiddle to.

The all new **Pro-Color-Series™** offers total integration between its advanced database functions, word processing, spread sheet, graphics and communications.



PRO-COLOR-FILE will listen to your spread program and create data files that can be reported and sorted even further. **PRO-COLOR-FORMS** will take data from **PRO-COLOR-FILE** and merge it with a letter for bulk mailings. It will even merge hi-res graphics from **MASTER DESIGN** for placement within a letter or form. It will send reports to a printer, screen or an ASCII text file that can then be transmitted by your communications program or read by your word processor.

Pro-Color-Series™

© 1984 by Derringer Software, Inc.

Now there's a series of programs that offers integration between the five major uses of a computer — Database, Word Processing, Spread Sheet, Communications and Graphics!

PRO-COLOR FILE *Enhanced* 2.0 \$59.95

An all new version of **PRO-COLOR-FILE** will once again leave its mark as the most flexible database in its price range for the Color Computer.

• 60 Data Fields • 1020 BYTE RECORDS • TRUE MULTI DRIVE SUPPORT • 4000+ RECORD CAPACITY • 4 USER DEFINED DATA ENTRY SCREENS • 28 MATH EQUATIONS • IF-THEN-ELSE FUNCTIONS IN EQUATIONS • FILE-WIDE RECALCULATION • 8 USER DEFINED REPORT FORMATS • 6 USER DEFINED LABEL FORMATS • TOTAL FIELDS ON REPORTS • SUMMARIZE FIELDS • SEND REPORTS TO PRINTER, SCREEN OR TEXT FILE • FAST ML SORT (750 RECORDS IN LESS THAN 5 MINUTES) • CREATE UP TO 16 INDEXES FOR SORTING OR REPORTING RECORDS • AUTO KEY REPEAT • KEYBOARD CLICK • STORES FORMATS FOR REPEATED USE • CUSTOM SELECTION MENUS • PASSWORD PROTECTION • CREATES FILES COMPATIBLE WITH DYNACALC® •

Because of **PRO-COLOR-FILES** ability to send reports to a text file, this means you can use your favorite communications program to transmit reports to other computers or read them in with your favorite word processor for creating customized reports. You can also convert ASCII files from your favorite spread sheet program into data files that can be accessed for further reporting and analyzing. **PRO-COLOR-FILE** is also supported by the **PRO-COLOR-FILE** National Users Group with quarterly newsletters. Join the rest of the world and discover for yourself what you've been missing.

PRO-COLOR-DIR \$21.95

Need to organize all your diskettes so you know where each program is? **PRO-COLOR-DIR** will read your directories and create a master data file that can be accessed by **PRO-COLOR-FILE** for sorting and reporting. 1000+ records can be stored on one diskette with valuable information about each program.

• DISK ID NAME • FILENAME/EXT • TYPE OF FILE • DATE CREATED • DATE UPDATED • NUMBER OF GRANS ALLOCATED • NUMBER OF SECTORS ALLOCATED AND USED • MACHINE LANGUAGE ADDRESSES •

A diskettes directory can be re-stored in the data file with old entries deleted and new ones appended automatically. You can obtain hard copies of the information and create labels of the filenames for placing on the diskette itself.

MASTER DESIGN \$29.95

This graphics program does more for you than just hi-res graphic editing. It will generate lettering in hi-res graphics that can be different sizes, skinny, bold, textured, drop shadowed, raise shadowed or tall. It will also interface with the Telewriter-64 word processor for printing hi-res displays with your letters.

As a graphics editor, it takes full advantage of all the extended BASIC hi-res graphic commands. Create boxes, circles, lines, copy displays and utilize GET and PUT features. Some added commands include mirror reflection, turn displays backwards or upside down, Squish displays, create dot patterns for shading or diagonal lines for creative backgrounds.

Special text files created with the Letter Head Utility allow you to access hi-res graphics from Telewriter-64, your own BASIC programs or **PRO-COLOR-FORMS**.

MASTER DESIGN comes with its own screen dump routine which interfaces with all popular dot matrix printers that have dot addressable graphic ability.

See reviews in:

July '84 *Rainbow*, Oct. '84 *Hot CoCo* Telewriter-64 © 1983 by Cognitec

PRO-COLOR-FORMS 2.0 \$29.95

PRO-COLOR-FORMS will access data files you create with **PRO-COLOR-FILE** and merge them with a letter or place them on pre-printed forms such as statements. Any field of information from your data file can be placed anywhere and repeated as many times in the letter or on the form. You can use the built in ML text editor for creating the form or use your favorite word processor.

• DESIGN UP TO 6 FORMATS AT ONE TIME • USER DEFINED PAGE SIZE • SUPPORTS SPECIAL PRINTER CONTROL CODES • RIGHT JUSTIFICATION • PASSWORD PROTECTION • MERGES WITH GRAPHICS FROM MASTER DESIGN •

If you use our graphics program **MASTER DESIGN**, you can merge graphics with your forms for added enhancements. Have your graphic letter head printed at the top of each letter or incorporate designs, bar graphs or any display created within the form itself.

Buy any 3 and deduct 10% — Buy all 4 and deduct 15%

Shipping: Include \$3.00 for UPS shipping, \$6.00 postal, \$12.00 overseas

Send orders to: Derringer Software, Inc. P.O. Box 5300, Florence, SC 29502-2300

VISA/MasterCard customers call: (803) 665-5676 10:00 am to 5:00 pm EDT

DYNACALC®

THE BEST SPREAD SHEET PROGRAM ON THE MARKET* \$99.95 (Includes DYNAGRAPH®)
\$89.95 IF PURCHASED WITH ANY OF THE ABOVE PROGRAMS.

Their locations are:

Address (Hex)		Definition
FPAC1	FPAC2	
\$004F	\$005C	Exponent
\$0050	\$005D	Mantissa — MS
\$0051	\$005E	Mantissa — NMS
\$0052	\$005F	Mantissa — NLS
\$0053	\$0060	Mantissa — LS
\$0054	\$0061	Mantissa — Sign

In the floating point accumulators, there is one byte used for the exponent, four bytes used for the mantissa, and one byte used for the sign of the mantissa. Only the most significant bit of the sign byte is used. If it is clear, the mantissa is taken to be positive; if it is set, the mantissa is negative. The other seven bits of the sign byte are meaningless. The number 5.5 stored in FPAC1 would appear as:

Address	Data Byte
\$004F	\$83
\$0050	\$0B0
\$0051	\$00
\$0052	\$00
\$0053	\$00
\$0054	\$30

The exponent \$83 = 1000 0011. Since the most significant bit is set, the exponent is positive. The value of the exponent is given by \$83 - \$80 = +3.

The mantissa is \$B0000000, or

.1011 0000 0000 0000 0000 0000 0000 0000

and has a value of 0.6875 as shown above.

The sign byte is \$30 or 0011 0000. Since the most significant bit is clear, the mantissa is positive. The other seven bits in the sign byte don't matter.

BASIC reserves space in memory in which to store values of variables used in a program. However, to conserve memory, only five bytes are used to store a value anywhere in memory *except* in the two accumulators. The most significant bit of the mantissa is discarded (since it's always set), and the most significant bit of the sign byte is moved into its place. Thus, the number 5.5 stored at location \$1E7D appears:

Address	Data Byte
\$1E7D	\$83
\$1E7E	\$30
\$1E7F	\$00
\$1E80	\$00
\$1E81	\$00

A value of -5.5 will be stored as follows:

Address	Data Byte	Address	Data Byte
FPAC1			
\$004F	\$83	\$1E7D	\$83
\$0050	\$0B0	\$1E7E	\$0B0
\$0051	\$00	\$1E7F	\$00
\$0052	\$00	\$1E80	\$00
\$0053	\$00	\$1E81	\$00
\$0054	\$0B0		

One special case remains to be discussed. How is the value '0' represented? At first glance, a mantissa of all zeros would appear to work, but this representation does not conform to the convention that the most significant bit of the mantissa must be set. Instead, the exponent is set to \$00, and the floating point routines always assume that the value of the number is zero when the exponent is zero, regardless of the value of the mantissa.

Now that the standard or normalized format of floating point numbers is defined, the range of values that can be represented with this format can be determined. The absolute value of any number must fall in the range:

$$2.9387359 \times 10^{-39} \quad \text{to} \quad 1.7014118 \times 10^{38}$$

If an attempt is made to define a variable's value below the lower limit of this range, the value of the variable will be taken as zero. Violating the upper limit generates an OV Error in BASIC.

Floating Point Routines

The Color BASIC ROM contains software routines that allow addition, subtraction, multiplication and division of numbers expressed in floating point format. BASIC uses these routines, and it's also possible to use them in an assembly language program.

There are six floating point routines of interest. Their entry points (that is, the addresses where the routines begin) are listed below, together with a short description of the function of each. Each has also been assigned an arbitrary name to facilitate the following discussion. An assembly language program must either refer to a routine by using the address of its entry point, or must contain an *EQU* or *SET* statement that defines the name.

With this restriction in mind, the important routines are:

About Your Subscription


Your copy of THE RAINBOW is sent second class mail. If you do not receive your copy by the 5th of the month of the publication date, send us a card and we will mail another immediately via first class mail.

You must notify us of a new address when you move. Notification should reach us no later than the 15th of the month prior to the month in which you change your address. Sorry, we cannot be responsible for sending another copy when you fail to notify us.

Your mailing label also shows an "account number" and the subscription expiration date. Please indicate this account number when renewing or corresponding with us. It will help us help you better and faster.

For Canadian and other non-U.S. subscribers, there may be a mailing address shown that is different from our editorial office address. Do not send any correspondence to that mailing address. Send it to our editorial offices at P.O. Box 385, Prospect, KY 40059. This applies to everyone *except* those whose subscriptions are through our distributor in Australia.

Direct a Symphony™ on Your Color Computer



with **VIP Integrated Library™**

VIP Desktop Magic!

Finally, you can have the power and integration of Lotus Symphony™, 1 2 3™ or Open Access™ for the larger micros on your Color Computer! The convenience of instant changes to a new application and effortless transfer of files is at the tip of your finger.

With VIP Desktop, the six applications of VIP Library are integrated into one program, on one disk. You have instant access to word processing, with a spelling checker always in attendance, data management with mail merge, spreadsheet financial analysis, telecommunications and disk maintenance. Just move the hand to point to the volume, and the new application is there. And VIP Integrated Library has been made to work well with one disk drive, or all four, so be ready to push your Color Computer to the limits!

**Available
By Express Order
At Your Local
Radio Shack
Store!**

Radio Shack Catalog No. 90-0213

Ask to see
the demonstration diskette.

"...PICTURE getting your instantaneous investment report with your modem, using it in a spreadsheet calculation, making a report, and writing a memo including that report and data from your database with your word processor - all this power without leaving VIP Desktop! ..."

Elegance!

VIP Integrated Library is a product with finesse, inside and out. Inside is one awesome but very elegant program. On the outside, it comes handsomely bound in two cloth covered, gold embossed binders with slipcases - like those you get with software for the Tandy 2000™. And remember, to get software of this quality for the Tandy 2000 you would have to pay hundreds more!

**Buy the
Integrated Library for
\$149.95**

Or buy the individual volumes separately, as shown on the following pages!

Requires 64K and one or more disk drives.

VIP Integrated Library comes on one disk. Tape versions of programs are not supplied.

Stand-Alone Power

VIP Integrated Library is not one of those slipshod, all-in-one slicer-dicer machines, good for one day and then you throw it away. It fully integrates the six top-of-the-line stand-alone programs described in the following pages: VIP Writer, VIP Speller, VIP Calc, VIP Database, VIP Terminal & VIP Disk-ZAP. You can buy the entire Integrated Library at once, or you can buy one or two programs that you need now and upgrade to the integrated Library later.†

Shared Files, Shared Features

All VIP Integrated Library applications share common features, such as ease of use, built-in help, the same commands, full printer control, full use of your 64K of memory, and step-by-step tutorials. Most important, all essential applications feature professional high resolution lowercase displays to give you a choice of 51, 64, or 85 characters per line, with 21 or 24 lines per screen. You get a professional display on your Color Computer without any hardware modification!

**Test Drive VIP Library
For Only \$14.95**

The \$14.95 will apply to the purchase of any VIP product bought through VIP Technologies. This test drive offer is available only through VIP Technologies.

†Those already owning one VIP product, except for VIP Speller, may purchase the Integrated Library by sending in the VIP program with a check or money order for \$99.95. This upgrade offer is limited to one Library per person; credit will ONLY be given for one VIP program, regardless of how many are owned. This upgrade offer is available ONLY through SoftLaw, and not through Radio Shack stores or dealers. Be sure to include \$6.00 for shipping and handling.

Radio Shack is a registered trademark of Tandy Corp.
Tandy 2000 is a trademark of Tandy Corp.
Symphony and 1 2 3 are trademarks of Lotus Corp.
Open Access is a trademark of Software Products International.

VIP Writer™

By Tim Nelson

RATED TOPS IN RAINBOW

COLOR COMPUTER MAGAZINE & COMPUTER USER

The most powerful and easy-to-use word processor is available in the showpiece and workhorse of the Library: **The VIP Writer™**.

The result of two years of research, the **VIP Writer™** offer every feature you could desire from a word processor. It is the most powerful, fastest, most dependable and most versatile. With the hi-res display, workspace and compatibility features built into the Library the **Writer** is also the most usable.

"... Nearly every feature and option possible to implement on the Color Computer. The design of the program is excellent; the programming is flawless." October 1983 "Rainbow"

"Among word processors for the CoCo, **VIP Writer** stands alone as the most versatile, most professional program available." May 1984 "Computer User"

The **Writer** will work with you and your printer to do things you always wanted to do. Every feature of your printer can be put to use, every character set, every graphics capability at any baud rate, EVEN PROPORTIONAL SPACING. All this with simplicity and elegance. You can even automatically print multiple copies.

Although all versions feature tape save and load, the disk version provides the Mini Disk Operating System common to the whole Library, plus disk file linking for continuous printing.

Professional features of particular note:

- Memory-Sense with **BANK SWITCHING** to fully utilize 64K, giving not just 24 or 30K, but up to 53K of workspace with the tape version and 50K with the disk version.
- **TRUE FORMAT WINDOW** allowing you to preview the printed page ON THE SCREEN BEFORE PRINTING, showing centered lines, headers, FOOTNOTES, page breaks, page numbers, & margins in line lengths of up to 240 characters. It makes **HYPHENATION** a snap.
- A **TRUE EDITING WINDOW** in all 9 display modes for those extra wide reports and graphs (up to 240 columns!).
- **FREEDOM** to imbed any number of **PRINTER CONTROL CODES** anywhere, **EVEN WITHIN JUSTIFIED TEXT**.
- Full 4-way cursor control, sophisticated edit commands, the ability to edit any **BASIC** program or **ASCII** textfile, **SEVEN DELETE FUNCTIONS**, **LINE INSERT**, **LOCATE AND CHANGE**, wild card locate, up to **TEN SIMULTANEOUS** block manipulations, word wrap around, programmable tabs, display memory used and left, non-breakable space, and headers, footers and **FOOTNOTES**.
- Automatic justification, automatic pagination, automatic centering, automatic flush right, underlining, superscripts, subscripts, pause print, single-sheet pause, and print comments.
- Type-ahead, typamatic key repeat and key beep for the pros, **ERROR DETECTION** and **UNDO MISTAKE** features, 3 **PROGRAMMABLE** functions, auto column creation, and instant on-screen **HELP**.

Radio Shack Catalog No. 90-0141

32K (Comes with tape & disk) \$69.95

VIP Writer — VIP Speller Combo comes in **VIP Writer Binder**.

VIP Speller™

WITH A 50,000 WORD INDEXED DICTIONARY!

By Bill Argyros

Gone are the eyestrain, boredom and fatigue from endless proof-reading. **VIP Speller™** is the fastest and most user-friendly speller for your CoCo. It can be used to correct any **ASCII** file — including **VIP Library™** files and files from **Scriptit™** and **Telewriter™**. It automatically checks files for words to be corrected, marked for special attention or even added to the dictionary. You can even view the word in context, with upper and lowercase. **VIP Speller™** comes with a specially edited 50,000 word dictionary which, unlike other spellers for the CoCo, is indexed for the greatest speed. The shorter your file, the quicker the checking time. And words can be added to or deleted from the dictionary or you can create one of your own. **VIP Speller™** also comes with the **Library's** mini disk operating system.

Radio Shack Catalog No. 90-0142

32K DISK ONLY \$49.95

Hi-Res Lowercase displays not available on this program.

Includes
VIP Speller
at no
additional
cost!!

Window

VIP Writer - When You Need Real Power

When you want the power of a real word machine, when you want up to 85 characters per line with your Color Computer, when you want to make your printer really move, you need **VIP Writer**.

VIP Writer is a state-of-the-art word processor for the pros. It is packed with commands, features and options, yet it's simple to learn and use. Who else gives you on-line help, and even an **Undo** command to undo mistakes!

A neat feature is the **Preview Window**, which you see in use here. This feature allows you to view your text just as it will be printed - centered titles, page numbers, footnotes, even **JUSTIFICATION** for even left and right-hand margins! No more guess work. **VIP Writer** is your answer!
PN 1 LH 1 CH 1 LH 0 PM 51

VIP Calc™

By Kevin Herrboldt

You can forget the other toy calcs — The real thing is here! No other spreadsheet for the Color Computer gives you:

- 20 ROWS BY 9 COLUMNS ON THE SCREEN AT ONCE
- LOWERCASE LETTERS WITH DESCENDERS
- UP TO 16 CONCURRENT DISPLAY WINDOWS
- FLOATING-POINT MATH
- CHOICE OF SINGLE AND DOUBLE PRECISION
- WORKS WITH BASE 2, 10, AND 16 NUMBERS
- UP TO 512 COLUMNS BY 1024 ROWS
- USER DEFINABLE WORKSHEET SIZE FOR MORE MEMORY
- LOCATE FUNCTION TO FIND CHECK NUMBERS, NAMES, ETC.
- COLUMN/ROW MULTIPLE SORTS
- PROGRAMMABLE FUNCTIONS
- IMBEDDABLE PRINTER CONTROL CODES
- 21 ALTERABLE PRINT FORMAT PARAMETERS
- ON-LINE HELP TABLES
- DOES NOT REQUIRE FLEX OR BASIC

VIP Calc™ is truly the finest and easily the most powerful electronic worksheet and financial modeling program available for the Color Computer. Now every Color Computer owner has access to a calculating and planning tool better than **VisiCalc™**, containing all its features and commands and then some, **WITH USABLE DISPLAYS**. Use **Visicalc** templates with **VIP Calc™**!

There's nothing left out of **VIP Calc™**. Every feature you've come to rely on with **VisiCalc™** is there, and then some. You get up to 5 **TIMES** the screen display area of other spreadsheets for the Color Computer and Memory-Sense with **BANK SWITCHING** to give not just 24, or 30, but **UP TO 33K OF WORKSPACE IN 64K!!!** This display and memory allow you the **FULL SIZE, USABLE WORKSHEETS** you require. You also get: User definable worksheet size, up to 512 columns by 1024 rows! * Up to **SIXTEEN VIDEO DISPLAY WINDOWS** to compare and contrast results of changes * **16 DIGIT PRECISION** * Sine, Cosine and other trigonometric functions, Averaging, Exponents, Algebraic functions, and **BASE 2, 8, 10 or 16** entry * Column and Row, Ascending and Descending **SORTS** for comparison of results * **LOCATE FORMULAS OR TITLES IN CELLS** * Easy entry, replication and block moving of frames * Global or Local column width control up to 78 characters width per cell * Create titles of up to 255 characters per cell * Limitless programmable functions * Typamatic Key Repeat * Key Beep * Typeahead * Print up to 255 column worksheet * Prints at any baud rate from 110 to 9600 * Print formats savable along with worksheet * Enter **PRINTER CONTROL CODES** for customized printing with letter quality or dot matrix printer * Combine spreadsheet tables with **VIP Writer™** documents to create ledgers, projections, statistical and financial reports and budgets. Both versions feature Tape save and load, but the disk version also has the Mini Disk Operating System of the entire **Library**.

Radio Shack Catalog No. 90-0143

32K (Comes with tape & disk) \$69.95

32K does not have hi-res displays, sort or edit.

A2

VIF Calc

LC

ht

1	A	B	C	D	E
2	Check Register				
3					
4	Chk#	Date	Description	Check	Deposit
5				Debit	Credit
6					
7	001	01/08	Jack in the Box	\$7.22	
8	002	01/09	Pacific Gas	\$22.99	
9	Credit	01/09	Deposit		\$321.21
10	003	01/10	Safeway	\$63.70	
11	004	01/12	Steak 'N Ale	\$38.00	
12	005	01/14	Coronet	\$8.00	
13	006	01/15	Point Loma Hdw	\$23.95	
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					
34					
35					
36					
37					
38					
39					
40					
41					
42					
43					
44					
45					
46					
47					
48					
49					
50					
51					
52					
53					
54					
55					
56					
57					
58					
59					
60					
61					
62					
63					
64					
65					
66					
67					
68					
69					
70					
71					
72					
73					
74					
75					
76					
77					
78					
79					
80					
81					
82					
83					
84					
85					
86					
87					
88					
89					
90					
91					
92					
93					
94					
95					
96					
97					
98					
99					
100					
101					
102					
103					
104					
105					
106					
107					
108					
109					
110					
111					
112					
113					
114					
115					
116					
117					
118					
119					
120					
121					
122					
123					
124					
125					
126					
127					
128					
129					
130					
131					
132					
133					
134					
135					
136					
137					
138					
139					
140					
141					
142					
143					
144					
145					
146					
147					
148					
149					
150					
151					
152					
153					
154					
155					
156					
157					
158					
159					
160					
161					
162					
163					
164					
165					
166					
167					
168					
169					
170					
171					
172					
173					
174					
175					
176					
177					
178					
179					
180					
181					
182					
183					
184					
185					
186					
187					
188					
189					
190					
191					
192					
193					
194					
195					
196					
197					
198					
199					
200					
201					
202					
203					
204					
205					
206					
207					
208					
209					
210					
211					
212					
213					
214					
215					
216					
217					
218					
219					
220					
221					
222					
223					
224					
225					
226					
227					
228					
229					
230					
231					
232					
233					
234					
235					
236					
237					
238					
239					
240					
241					
242					
243					
244					
245					
246					
247					
248					
249					
250					
251					
252					
253					
254					
255					
256					
257					
258					
259					
260					
261					
262					
263					
264					
265					
266					
267					
268					
269					
270					
271					
272					
273					
274					
275					
276					
277					
278					
279					
280					
281					
282					
283					
284					
285					
286					
287					
288					
289					
290					
291					
292					
293					
294					
295					
296					
297					
298					
299					
300					

Name	Entry Point	Function
FLADD	\$B9C2	ADD FPAC1 to X, result in FPAC1
FLSUB	\$B9B9	SUBTRACT FPAC1 from X, result in FPAC1
FLMPY	\$BACA	MULTIPLY FPAC1 and X, result in FPAC1
FLDIV	\$BB8F	DIVIDE X by FPAC1, result in FPAC1
FLOAD	\$BC14	move X to FPAC1 and modify format
FLSTO	\$BC35	move FPAC1 to X and modify format

The general procedure for using the four math routines consists of three steps:

- 1) Place the value of one of the inputs in FPAC1 using the FLOAD routine,
- 2) Place the address of the exponent of the second input in the X register,
- 3) Jump to the desired floating point math subroutine, which will perform the operation and leave the result in FPAC1.

Since the format of a floating point number in one of the floating point accumulators is different than the format of the same number stored anywhere else in memory, both FLOAD and FLSTO automatically convert a value into its proper format. Therefore, these two routines *must* be used when transferring a number to or from either of the accumulators.

For the purposes of discussion, assume that a floating point variable called 'A' is stored at location \$6000 (the address of the exponent of 'A' is \$6000), and that a variable called 'B' is stored at location \$6100. The values of 'A' and 'B' have been previously assigned. Suppose that 'A' and 'B' need to be added together and the result, called 'C', is to be stored at \$7000. Assembly language instructions to accomplish this addition are:

```
LDX    #$6000
JSR    FLOAD
LDX    #$6100
JSR    FLADD
LDX    #$7000
JSR    FLSTO
```

The first instruction loads register X with the address of the exponent of 'A'. Then the subroutine FLOAD copies the five bytes that represent the value of 'A' into FPAC1. FLOAD also modifies the format by moving the first bit of the mantissa to the sign byte in FPAC1, and restores the most significant bit of the mantissa (always set) to its proper place.

Next, X is loaded with the address of the exponent of 'B' and the floating point addition subroutine FLADD is called. FLADD performs the addition, adjusts the exponent and mantissa of the result to normalized format, and leaves the result in FPAC1.

Finally, X is loaded with the address where the exponent of the result will be stored. The subroutine FLSTO places the most significant bit of the sign byte in the place of the most significant bit of the mantissa and copies the result to the desired location.

The other floating point math routines FLSUB, FLMPY and FLDIV are used as shown in the following examples:

```
C = A - B:      LDX    #$6100
                  JSR    FLOAD
                  LDX    #$6000
                  JSR    FLSUB
                  LDX    #$7000
                  JSR    FLSTO

C = B - A:      LDX    #$6000
                  JSR    FLOAD
                  LDX    #$6100
                  JSR    FLSUB
                  LDX    #$7000
                  JSR    FLSTO

C = A x B:      LDX    #$6000
                  JSR    FLOAD
                  LDX    #$6100
                  JSR    FLMPY
                  LDX    #$7000
                  JSR    FLSTO

C = A / B:      LDX    #$6100
                  JSR    FLOAD
                  LDX    #$6000
                  JSR    FLDIV
                  LDX    #$7000
                  JSR    FLSTO

C = B / A:      LDX    #$6000
                  JSR    FLOAD
                  LDX    #$6100
                  JSR    FLDIV
                  LDX    #$7000
                  JSR    FLSTO

FPAC1 =
A + B + C:      LDX    #$6000
                  JSR    FLOAD
                  LDX    #$6100
                  JSR    FLADD
                  LDX    #$7000
                  JSR    FLADD
```

Pay special attention to the subtraction and division examples. To obtain the desired result, 'A' and 'B' must be used in the proper order. Also note that since all four math routines leave the result in FPAC1, chained math operations are easily performed as shown by the last example.

Math Error

As previously mentioned, there is a bug in the floating point software package in the Color BASIC 1.1 ROM. It's in the floating point addition (FLADD) routine and may also be encountered when using FLSUB. Although it's not necessary to understand how the floating point math routines function internally in order to use them in an assembly language program, it would be helpful to understand a little of how the FLADD and FLSUB routines work in order to understand the bug and how to avoid it.

FLADD first moves the value that register X points to into FPAC2, changing its format as required. Then, the exponent of FPAC1 is placed in the B register and the exponent of FPAC2 is placed in the A register.

FLSUB also begins the same way. Then FLSUB simply changes the sign of the mantissa stored in FPAC1. Since

FOUR **HOT** UTILITIES FOR THE COLD MONTHS

DISK ANTI-PIRATE

(A Breakthrough in Disk Protection)

Your Only Weapon Against Software Piracy!

Here is a chance for you to copy-protect your Basic and ML programs. DISK ANTI-PIRATE does more than any other program in the market. Compare the features:

- ★ Auto starts your Basic/ML programs.
- ★ Effectively encrypts your programs.
- ★ Disables BREAK/CLEAR KEY, RESET BUTTON.
- ★ Modifies your code so LIST, LLIST, POKE, PEEK, EXEC, USR, CSAVE (M), CLOAD (M), EDIT, DEL, TRON, TROFF, SAVE (M), LOAD (M), MERGE will ONLY work with your own PASSWORDS.
- ★ Your Basic program loads with LOADM.
- ★ Includes a Title Screen Editor to create title screens, which can be displayed while your program loads.
- ★ 'ONERR GOTO' feature to trap errors (even for ML programs).
- ★ Can be used to turn on 64K ALL-RAM MODE in 32K/64K memory systems.
- ★ EASY-TO-USE and FULL DOCUMENTATION.
- ★ NO ROYALTIES/AGREEMENTS/CONTRACTS.

MIN. 16K ECB Disk System.
(Works with CoCol and CoColl)

ONLY \$59.95

HIDE-A-BASIC 1.1

(A Breakthrough in Cassette Protection)

AT LAST! A program that combines autostart with complete protection of your valuable Basic programs.

IMPORTANT FEATURES:

- Autostarts your programs.
- A ML program that modifies your program and NOT just 'Stands Apart'.
- Option to disable Break-key, Clear key & Reset button.
- Disables LIST, LLIST, EDIT, DEL, TRON, TROFF, CSAVE (M), CLOAD (M).
- Disables POKE, PEEK, EXEC & USR to prevent 'Back-door entry' to your program.
- Disables disk functions to avoid access thru Disk System.
- Creates an 'ONERR GOTO' routine to trap errors.
- Your Basic program is loaded as a ML program - with CLOADM.
- Full documentation.


WITH HIDE-A-BASIC 1.1 THERE IS PRACTICALLY NO WAY ANYONE CAN 'GET INTO' YOUR PROGRAM.

Buy Now & Protect your Profits. For 16K ECB Cassette System.
Tape Only \$24.95.

Buy BOTH for **ONLY \$79.95.**



500 POKES, PEEKS 'N EXECS for the TRS-80 COLOR COMPUTER



NEVER BEFORE has this information of vital significance to a programmer been so readily available to everyone. This book will help you 'GET UNDERNEATH THE COVER' of the Color Computer and develop your own HI-QUALITY programs, SO WHY WAIT?

This 80-page book includes POKES, PEEKs and EXECS to:

- ★ Autostart your Basic programs.
- ★ Disable most Color Basic/ECB/Disk_Basic commands.
- ★ Disable BREAK KEY, CLEAR KEY and RESET BUTTON.
- ★ Generate a Repeat-Key.
- ★ Merge two Basic programs.
- ★ Transfer Rompaks to tape (for 64K only).
- ★ Speed up your programs.
- ★ RESET, MOTOR ON/OFF from keyboard.
- ★ Restart your Basic program thru the RESET BUTTON.
- ★ Produce Key-Clicks and Error-Beeps.
- ★ Recover Basic programs lost by NEW, ?IO ERRORS and faulty RESET.
- ★ Set 23 different GRAPHIC/SEMIGRAPHIC modes.
- ★ Set 15 of the most commonly used Baud Rates.
- ★ Allow you more plays in 23 of your favorite arcade games.
- ★ AND MUCH MUCH MORE!!!

COMMANDS COMPATIBLE WITH 16K/32K/64K COLOR BASIC/ECB/DISK BASIC CASSETTE and DISK SYSTEMS and CoCol and CoColl.

ONLY \$16.95

ALPHA-DIR

This program will help you arrange your DISK directories in an alphabetical order. Keeps disks in order and allows easy access to programs. Displays Granules and Bytes used on disk.

DISK \$14.95

DISKETTES



5 1/4" SS/DD Diskettes with tearless sleeves, hub rings, write-protect tabs, and Jackets.

QUANTITY	PRICE	SHIPPING
1	\$1.95	\$2.00
10	\$16.95	\$2.00
100	\$162.95	\$7.00

NO SHIPPING charges on disks if ordered with any other software.



**MICROCOM
SOFTWARE**

P.O. BOX 214, FAIRPORT, N.Y. 14450



To Order: VISA, MC, CHECK, MO, COD (\$2.50 extra) Please add \$2.00 shipping and handling (Foreign \$5.00). NYS Residents, please add Sales Tax. • Immediate shipment • Order by phone and get a \$2.00 refund for your phone call • Call for discounts on bulk quantities • Dealer inquiries invited

24-HOUR ORDER HOT LINE: (716) 223-1477

the operation "X - Y" is the same as the operation "X + (-Y)," FLSUB can simply branch into FLADD at this point.

FLADD now checks to see if the value in either accumulator is zero. If not, FLADD is ready to add the contents of the two accumulators. In order to do the addition, the exponents of the two accumulators must be the same. When the two exponents match, all of the digits in each mantissa carry the same weight as do the corresponding digits in the other mantissa, and the 6809's ADD and ADC instructions can be employed to perform the required multi-byte addition of the two mantissas. FLADD subtracts the two exponents to see if they match; if the result is zero, the mantissas are ready to be added. If the result of the subtraction isn't zero, one of the two values must be unnormalized, that is, its mantissa and exponent must be adjusted until the two exponents match. However, FLADD runs into two problems when it tries to do the unnormalization.

The first problem relates to the magnitude of the two values. Since a mantissa is 32 bits long, if the difference between the two exponents is more than 32, one of the two numbers is insignificant in relation to the other. FLADD doesn't consider this possibility, however; regardless of the magnitude of the difference between the two exponents, it unnormalizes one of the two mantissas. The two mantissas are added, even though one contains all zero digits. This failure to avoid unnecessary unnormalization and addition, while not causing incorrect answers to be returned, slows down the FLADD routine.

The second problem with FLADD is the bug referred to above that causes incorrect answers. FLADD uses the

results of the subtraction of the exponents to determine which is larger as well as to see if the exponents initially matched. The subtraction operation automatically sets the 6809's flags based on the result, however, FLADD misinterprets the meaning of the flags.

Consider this example: The floating point representation of 31 is stored in FPAC2. The exponent of this value is \$85, or +5. As seen above, FLADD subtracts the exponent of FPAC1 from the exponent of FPAC2. The following table indicates the state of the flags after the subtraction is executed over the full range of possible values of the exponent of FPAC1:

FPAC2 Exponent	- FPAC1 Exponent	= Result	Flags Set
\$85	\$FF	\$86	N,C
..
..
\$85	\$86	\$FF	N,C
\$85	\$85	\$00	Z
\$85	\$84	\$01	none
..
..
\$85	\$06	\$7F	none
\$85	\$05	\$80	N
..
..
\$85	\$01	\$84	N

The result of the subtraction is used to determine which accumulator contains the higher number. A BMI

Cosmos[®]
COMPUTER SERVICES, INC.
Authorized Star Micronics Service Center
Call for return authorization number.

712 Chicago St.
Green Bay, WI 54301
(414) 432-4635

STOCK ITEMS SHIPPED SAME DAY!

THE COMPLETE TRS-80[®] LINE

- ELITE CALC \$54.95
- ELITE WORD \$54.95
- ELITE FILE \$67.00
- TOM MIX CALL FOR PRICE

THE COSMOS CONNECTION IS A COMPLETE SERIAL TO PARALLEL INTERFACE FOR THE COLOR COMPUTER TO THE GEMINI — 10X and 15X PRINTERS.

- NO AC REQUIRED
- SWITCHABLE BAUD RATE
AT: 600
1200
2400

- HIGH QUALITY CONSTRUCTION
- COMPACT
- 90 DAY WARRANTY



*Plus - U.S. ORDERS Add \$10.00 Shipping & Handling (if ordering printer only)

*Plus - CANADIAN ORDERS Add \$25.00 for Shipping & Handling (if ordering printer only)

**FREE - Shipping & Handling in U.S. with Package Order


**Plus - CANADIAN ORDERS Add \$15.00 for Shipping & Handling with Package Order

TRS-80 IS A TRADEMARK OF TANDY CORP. PRICES AND SPECIFICATIONS SUBJECT TO CHANGE.



THE GEMINI-10X PACKAGE
READY TO PLUG IN
TO YOUR COLOR COMPUTER
ONLY

10X - \$269.00
Delta 10 - \$484.00
Delta 15 - \$597.00



star
MICRONICS INC.

THE POWER BEHIND THE PRINTED WORD.

instruction is used to make the distinction; that is, branch if the 'N' flag is set. FLADD should execute the branch only when the value in FPAC1 is larger than the value in FPAC2. Thus, the branch should be executed only when the exponent of FPAC1 is between \$86 and \$FF inclusive. In the table above, the 'N' flag is set when FPAC1 is, in fact, larger. However, the 'N' flag is also set when FPAC1 is very small.

When BASIC attempts to find the value of the expression "31 - 1E-38," it returns an answer of -1E-38. The exponent of 1E-38 is \$02. From the table, the 'N' flag will be set when the exponents are subtracted and the branch instruction will be executed when it shouldn't be. In other words, the Color Computer incorrectly identifies 1E-38 as being larger than 31. On the other hand, when BASIC attempts to evaluate the expression "31 - 1E-37," it correctly returns an answer of 31. Since the exponent of 1E-37 is \$06, the 'N' flag is not set when the exponents are subtracted and the branch instruction is not executed.

Note that it's the magnitude of the difference of the exponents that's the problem, not the magnitude of either of the two numbers taken alone. This BASIC will also respond with incorrect answers when asked to evaluate "2.5E+21 - 1.2E-18" or "2.5E+37 - 1.2E-01."

The table above demonstrated both the problem and its solution. While the 'N' flag is not a reliable indication of which of the exponents is larger, the 'C' flag is set only when the FPAC1 exponent is higher. Therefore, the bug can be fixed by changing the BMI instruction (op code \$2B) at \$B9D6 to a BCS (branch if 'C' flag is set) instruction (op code \$25). A POKE instruction won't work since this address is in ROM. However, in a Color Computer with 64K RAM chips, the BASIC ROMs can be copied into RAM at the same addresses, the ROMs can be turned off, and then the bug can be fixed.

The following routine illustrates how this can be accomplished:

	ORG	\$7C00	
START	ORCC	#50	MASK IRQ & FIRQ
	LDX	#8000	X => 1st EXTEND BASIC
LOOP	LDA	,X	A = ROM CONTENTS
	STA	\$FFDF	GO TO MAP TYPE 1
	STA	,X+	COPY BYTE TO RAM
	STA	\$FFDE	GO TO MAP TYPE 0
	CMPX	#C000	END OF COLOR BASIC?
	BNE	LOOP	NOT YET - DO NEXT BYTE
	STA	\$FFDF	TURN ROMS OFF
	LDA	#25	OP CODE FOR BCS
	STA	\$B9D6	REPLACE BAD INSTRUCTION
	ANDCC	#AF	UNMASK IRQ AND FIRQ
	SWI		
	END		

The newer Color BASIC 1.2 ROM fixes the bug in the same way. The byte at \$B9D6 has been changed from \$2B to \$25. Those who have the newer ROM can rest assured their Color Computers won't give wrong answers when adding or subtracting. However, the process will still take longer than it should.

For those wishing further information, the February 1982 issue of the *Color Computer News* contains a "Comment Corner" feature written by Mr. Andrew Phelps of the Micro Works. It consists of comments that can be used with a disassembly of the floating point routines to explain how they function internally. His article was very helpful and I recommend it highly.

PRODUCTS FOR THE TRS-80 COLOR COMPUTER®

EDITTRON™

Full-Screen BASIC Program Editor

EDITTRON is a position-independent, machine-language program that enables you to perform full-screen text editing of your BASIC programs. EDITTRON has ten (10) Cursor-Control functions that allow you to move freely within your BASIC program text and ten (10) time-saving Screen-Editing functions. This BASIC programming aid also features Auto-Repeating keys, Key-Tone on command, user-friendly Prompts and Error Messages, All ROM Compatibility, no ASCII Conversion, 24 pages of comprehensive Documentation, and a Quick Reference Chart.

Minimum system is 16K RAM and Extended Color BASIC.
CASSETTE.....\$ 30 DISKETTE.....\$ 32

64K UTILITIES

HI-BASIC—RUN your BASIC program from the upper 32K of RAM. This opens up the lower 32K for large amounts of data such as mailing lists, data bases, graphic arrays, etc.

MULTTASK—An interrupt-driven, multi-tasking utility. MULTTASK allows you to RUN two BASIC programs at the SAME time, or you can use the two 32K pages independently.

ROM-BOOT—Allows the user to access the full 64K RAM Map. After ROM to RAM transfer, you can POKE and PEEK data, LOAD M/L code into high RAM, and alter the ROMs.

SOFT-VID—Provides four different text screen formats. Green/Black or Orange/Red text in Normal or Reversed video.

TYPEAWAY—An interrupt-driven keyboard buffer which captures all of your keystrokes. Allows you to type ahead of your computer. Works with both line input and INKEY\$.

VIDSPOOL—An interrupt-driven printer spooler that utilizes the 32K of RAM that is normally unavailable to the user. Gives maximum buffer space at no cost to BASIC.

DISK—One for \$14, Two or more for \$10 each.

CASS.—One for \$12, Two or more for \$8 each.

HARDWARE PRODUCTS

ROMs

BASIC ROM 1.1\$45⁰⁰
BASIC ROM 1.2\$30⁰⁰
E.C.B. ROM 1.1\$55⁰⁰
D.E.C.B. ROM 1.1\$30⁰⁰

RAMs

4164—64K RAM\$6⁰⁰
Set of Eight.....\$50⁰⁰
4116—16K RAM\$1⁰⁰
Set of Eight.....\$8⁰⁰

I.C.s

6809E-1 MHz MPU.....\$25⁰⁰
68B09E-2 MHz MPU.....\$30⁰⁰
6821—1 MHz PIA.....\$8⁰⁰
68B21—2 MHz PIA.....\$10⁰⁰
6883—SAM.....\$25⁰⁰
6847—VDG.....\$20⁰⁰
1 MHz Set of Four.....\$65⁰⁰
2 MHz Set of Four.....\$70⁰⁰
6822—H.D. PIA.....\$15⁰⁰
1372—Video Driver.....\$5⁰⁰
74LS02—NOR Gate.....\$1⁰⁰
74LS138—Decoder.....\$2⁰⁰

\$7⁰⁰ SOLDERLESS KITS

VT-8302 + 12V Pilot Light Kit.....\$7⁰⁰
VT-8303 Remote Reset Switch Kit.....\$7⁰⁰
VT-8304 Rem. Power Switch Kit.....\$7⁰⁰

Not Available for Color Computer 2.

SERIAL SWITCHERS

VT-8305 2-Port Serial Switcher.....\$25⁰⁰
VT-8305PL 2-Port Serial Switcher
with Mounted Pilot Light.....\$30⁰⁰
VT-8306 3-Port Serial Switcher.....\$30⁰⁰
VT-8306PL 3-Port Serial Switcher
with Mounted Pilot Light.....\$35⁰⁰

MISCELLANEOUS

VT-8401 Cooling Fan Kit.....\$25⁰⁰
6' T.V. Cable with R.F.I. Filter.....\$15⁰⁰
Clip-on Heatsink for 40-Pin I.C.s.....\$1⁰⁰
RAM Button, 16K, 32K or 64K.....\$3⁰⁰
IC Extractor for 16-24 Pin I.C.s.....\$3⁰⁰
DIN, Cable, M or F, 4, 5 or 6-Pin.....\$1⁰⁰
DIN, Chassis, Fem., 4, 5 or 6-Pin.....\$2⁰⁰

TERMS: Cashier's checks and Money Orders for immediate delivery • Personal checks allow 2 weeks • Orders over \$100 save 10% • California residents add 6% Sales Tax • Orders under \$25 add \$2 shipping • U.S. C.O.D. orders add \$4


4418 E. Chapman Ave., Suite 284
Orange, CA 92669
(714) 639-4070



VIDTRON

★FREE★
CATALOG

DISK DRIVES DRIVE 0 \$249.



DRIVE 1 \$169.

KEYBOARDS

Keytronics Keyboard \$69.

MEMORY

64K (8) CHIPS \$45. 

PRINTER ADAPTER

PARALLEL PRINTER ADAPTER \$ 50.

Southwestern Digital

1-713-480-3296

2515 W. Main #337, Houston, Texas 77098

Ordering Information

All prices reflect a pre-made discount for cash. Visa/MasterCard orders are at regular price (add 5%).
Mail your payment directly to us or call your order in today. All non-certified funds are held for proper clearance.

Upgrade Your Color Computer With A KeyTronic Keyboard.

Simple to install in your TRS-80 Color Computer*. A high-quality Replacement Keyboard from KeyTronic... the world's leading keyboard manufacturer for computer terminals.

FEATURES

- 15-20% higher data input rate compared to standard color computer keyboard.
- User programmable function key.
- Familiar typewriter layout.
- Complete legend description.
- High reliability—keys do not stick or jam.

Additional features include — high spring force on "clear" and "break" keys to prevent entry errors, full sculptured keypad array with low profile keytops, and locating "pips" on home row keys.

\$69.




SOUTHWESTERN DIGITAL

2515 W. MAIN #337

Houston, Texas 77098

Visa/ MasterCard add 5%

NEW! HDS FLOPPY DRIVE CONTROLLER



FEATURES:

- GOLD PLATED EDGE CARDS
- DUAL SELECTABLE ROM SOCKETS
- NO POTS TO ADJUST
- COMPATIBLE WITH COCO I & II
- 120 DAY WARRANTY
- DOUBLE AND SINGLE DENSITY
- FULLY SOCKETED BOARD

REDUCE YOUR I/O ERRORS WITH THE NEW HARD DRIVE SPECIALIST FLOPPY DRIVE CONTROLLER FOR THE COLOR COMPUTER. GOLD EDGE CARD CONNECTORS AND THE ABSENCE OF POTENTIOMETERS MAKE THIS THE BEST BOARD AVAILABLE TO DATE. SOLD WITH AND WITHOUT ROM (Read Only Memory)

COMPLETED & TESTED BOARD WITH ROM	\$139.00
(INCLUDES CASE, AND DOS INSTRUCTIONS)		
COMPLETED & TESTED BOARD WITHOUT ROM	\$119.00
(INCLUDES CASE)		
BARE BOARD WITH INSTRUCTION MANUAL	\$39.95
(ADD \$40. FOR COMPLETE PARTS KIT, ADD \$20. FOR ROM)		

HARD DRIVE SPECIALIST

Ordering Information

We accept Visa, Mastercard, Wire Transfers, and Certified checks for quickest shipping. Orders received on personal checks are held.

Dealer inquiries invited

16206D Hickory Knoll, Houston, Texas 77059

Order Line

1-800-231-6671

Local Sales and Service Line

1-713-480-6000

Looie Wants You To Join The Penguin Patrol

By Paul Wagorn


Those of you who regularly visit your downtown arcade already know what fun it is to put your quarter in your favorite "Pengo" game and try to push the ice blocks into those mean sno-bees. Well, *Penguin* is somewhat like that, except you don't have to put in quarters! It's an action-packed, Hi-Res arcade-style game.

Penguin goes like this: With the four arrow keys you control a penguin named Looie, who is being chased by a pair of coneheads whose only function is to tread him into the ground.

It may seem that everything is pointing towards your destruction, but, there is some hope for your survival. In your little world, you are surrounded by ice blocks which you can push into those meanie coneheads. If one of the ice blocks is in your path, you can simply walk over it. The coneheads, on the other hand, cannot just walk over the ice blocks — they eat them. After one of the coneheads eats an ice block, he must rest for a short while for fear of getting cramps.


While all of this is going on, a timer is slowly ticking away. You have approximately 20 seconds until a tone starts to beep. After the tone starts to beep, you have another eight seconds to destroy both coneheads, or face the consequences!

You also have something else going for you. If you bump into a wall, any



(Paul Wagorn, a senior at Earl of March High School in Carp, Ontario, is a self-taught CoCo enthusiast. He enjoys writing games and practical programs.)

EPSON+ PRINTER SPECIAL



EPSON RX-80FT+

New Epson+ with true 100 cps and unbelievable graphics. **Friction** and pin feed. Built-in Epson serial interface and color computer to Epson cable. 1 year warranty.

\$317
complete
(\$7 shpg.)

RX-80 with Epson serial interface and cable. **\$287** (\$7 shpg.)



GEMINI 10-X

Gemini 10X. Fast, accurate 120 characters per second, 10" wide carriage, friction and pin-feed printer. Includes internal Gemini serial interface and color computer to Gemini cable.

\$318
complete
(\$8 shpg.)

Delta 10X 160 cps parallel & serial with 8K buffer & cable. **\$375** (\$9 shpg.)



DRIVE 0 PACKAGE

Our drive 0 package gives you more on-line storage for your dollars—202,752 bytes more than a 35-track RS Disk Drive, to be exact. Included is a half-height, double-sided double-density TEAC drive with slim-line case and heavy-duty power supply, a J & M controller, and a gold-plated connecting cable. **Write for a free copy of our report that answers questions about the differences in disk drives.** Call for additional drive prices.

359,424 Byte
Drive 0 Package
\$394
complete (\$7)



MONITORS

123 Zenith 12" Green Screen, 640 dots×200 dots resolution, 15 MHz band width. **\$114** (\$7 shpg.)

122 Zenith 12" Amber Screen, 640 dots×200 dots resolution, 15 MHz band width. **\$134** (\$7 shpg.)


131 Zenith 13" Color Monitor with speaker, composite & RGB jack, 240 dots×200 dots resolution, 2.5 MHz band width. **\$334** \$14 shpg.)

NEW: 151 Roland 13" Color Monitor with speaker, 270 dots×200 dots resolution, 15.75 MHz band width. **\$247** (\$12 shpg.)

All monitors require video controller.

Volkmodem with cable.
\$69.25 (\$2 shpg.)

EXTRAS!



NEW STANDS

Howard introduces its newly designed stands with side access to ROM port, reset, & on/off buttons.

TS-1X NEW TV Stand: Higher and sturdier than TS-1 with open sides. **\$39.50** (\$3 shpg.)

TS-1: Our standard for the original Color Computer. 15×11×4. **\$29.50** (\$3 shpg.)

TS-2: For Color Computer 2 **\$29.50** (\$3 shpg.)

PS-1X NEW Printer Stand with noise suppressing foam top and cork base. **\$24.95** (\$3 shpg.)

DISKETTES

HC-1: New from Verbatim. Head cleaner kit, 2 disks with pre-applied solvent and reusable jacket. **\$9.50/set. \$14** for 10 refills. (\$2 shpg.)

VD-1: Verbatim. 5 year warranty. 10/plastic box. Single sided, double density. **\$24.70/bx.** (\$2 shpg.)

VD-2: Verbatim. 5 year warranty. 10/plastic box. Double sided, double density. **\$32.30/bx.** (\$2 shpg.)

ND-1: No name, but with 30 day return. 10/plastic box. Single sided, double density. **\$14.90/bx.** (\$2)

ND-2: No name, but with 30 day return. 10/plastic box. Double sided, double density. **\$22.50/bx.** (\$2)

CONTROLLERS

DC-1 Disk Controller reads and writes to 35 and 40 track single and double sided drives with all models of the color computer. (J & M) **\$134** (\$2 shpg.)

SW-1 Switch between J-DOS & RS DOS or your own Eprom. Mounts inside J & M controller. No soldering, no trace cuts. 3 position switch. **\$29.45/ea.** (\$2 shpg.)

VC-1 Video Interface mounts inside color computer by piggy-backing IC on top of interface—no soldering, no trace cuts. All models give composite video and sound. **\$24.45** (\$2 shpg.)

VC-2 for Color Computer 2—monochrome only. **\$26.45** (\$2 shpg.)

VC-3 for COCO 2—color and monochrome. **\$39.45** (\$2 shpg.)

VC-4 for new Color Computer with no sockets, where the chips are soldered to mother board. VC-4 attaches with spring loaded clips. Color & monochrome. **\$39.45** (\$2 shpg.)

MEMORY 64K Upgrades—1 Year Warranty

64-EI for E Boards. Complete instructions. Remove old chips and replace with this preassembled package—no soldering, no trace cuts. **\$52.45** (\$2 shpg.)

64-F1 for F Boards. 8 chip kit requires no soldering. Capacitor leads must be cut. **\$48.45** (\$2 shpg.)

64-2 for Color Computer 2. Kit requires one solder point, no trace cuts. **\$48.45** (\$2 shpg.)

SURGE SUPPRESSORS—\$16.25

SS-1 Surge Suppressor protects your data & equipment against power surges and transients. Reg. \$48 value. Howard's low price: **\$16.25** (\$2 shpg.)



OUR UNMATCHED GUARANTEE

We offer a 30 day refund on all hardware that you purchase from Howard Medical. If for any reason you are not happy with the product, return it within 30 days for a prompt and courteous refund.



Howard Medical Computers

Box 2, Chicago IL 60690



Telephone (312) 278-1440

Computer Bulletin Board (312) 278-9513

Cat.No.	Quantity	Description	Unit cost	Cost
			\$	\$

☐ My check or money order is enclosed.
☐ Send C.O.D.

☐ Bill (circle one)

Credit Card # _____
 Expiration date _____



Name _____
 Address _____
 City, State, Zip _____

MC VISA AE

Total Cost
 Shipping
 Ill. res. add 8%
 COD (add 1.90)
 Total order \$

SPEED RACER

SPEED RACER is a super car race game written in the POLE POSITION™ type of arcade game. It has unbelievable scrolling 3D graphics! Unconditionally guaranteed to be the finest car race game ever written for the COCO. \$34.95
Disk or Tape 32K.



MichTron

576 S. Telegraph Road
Pontiac, Michigan 48053
Orders & Info: (313) 334-6576

coneheads lined up on that wall are temporarily stunned, giving you time to squash the innards out of them.


One conehead is better than the other; he moves faster, doesn't have to

rest as long after eating an ice block, and stays stunned for less time than the inferior conehead (not the kind of guy you'd want to meet in a dark alley!).

The speedup *POKE* is used in Line

7, so if your computer hangs up with the speedup *POKE*, take it out.

I hope you have as much fun playing *Penguin* as I do. One more thing: good luck, you'll need it!



1274
21215
3597
51133
70239
END47

The listing:

0 POKE 65494,0

1 CLS:PRINT:PRINT:PRINT:PRINT:PRINT:
INT" PENGUIN

BY

APOLLO":FORI=5

9TO100:PLAY"T=I;O5;A-;C;D":SCREE
N0,1:SCREEN0,0:NEXTI

2 PLAY"03"

3 PLAY"T4;CAGAFAEADDFDEGADAP1T403
L4AP14L2AL4GFL4CL3CL4DFB-AP4FG04
L4DC03AB-AAGL3B-LBAL2F"

4 CLEAR3,16383

5 DIMB(4,4),BG(4,4),BL(3,3),SG(4,
4),DB(3,3)

6 COLOR3,1

7 POKE65495,0:

8 PMODE1,1:PCLS

9 DRAW"S8BM4,14C2FR3URLD2R4L4UH2
F2DR2U4D4R2UE2G2LRDR3EDC1D5C3DGL
10HUE3R6F3":PAINT(18,26),2,3
10 PSET(13,26,3):PSET(15,26,3):P
SET(20,27,3):PSET(22,27,3):PSET(
18,28,4)
11 GET(2,2)-(32,32),SG:PCLS
12 DRAW"S8BM14,4C2R3F3D7GL7HU7E2
G3C3D4GU4GD5C1DBM+13,0U4C3U4FD4F
U4"

13 PAINT(16,8),2,2:PSET(14,10,3)
:PSET(14,12,3):PSET(20,10,3):PSE
T(20,12,3):PSET(16,16,3):PSET(18
,16,3):PSET(12,18,4):PSET(14,20,
4):PSET(16,20,4):PSET(18,20,4):P
SET(20,20,4):PSET(22,18,4):PSET(
8,28,3):PSET(8,30,3):PSET(8,32,3
) :PSET(6,32,3)

14 PSET(4,32,3)

15 PSET(24,28,3):PSET(24,30,3):P
SET(24,32,3):PSET(22,32,3):PSET(
26,32,3):PSET(28,32,3):PSET(10,3
2,3)

16 GET(2,2)-(32,32),B

17 PCLS:DRAW"S8C3BM16,8R2F3DFDFD
G2L8H2UEUEUE3LC1L5D11R5C4DL3R5C1
RC4R4L3U":PAINT(18,20),2,3:PSET(
14,18,4):PSET(22,18,4):PSET(12,2
4,3):FORI=14TO22:PSET(I,22,3):NE
XT:PSET(24,24,3)

18 GET(2,2)-(32,32),BG

19 PCLS:COLOR3,1:LINE(8,8)-(26,2
6),PSET,BF:COLOR2,1:LINE(10,10)-
(24,24),PSET,B:COLOR4,1:LINE(12,
12)-(22,22),PSET,BF:COLOR3,1:LIN
E(14,14)-(20,20),PSET,BF:PAINT(1
5,15),4,3:CIRCLE(16,16),3,1,1,0,
.25:GET(2,2)-(28,28),BL

20 PCLS:FORI=1TO47:Y=(RND(6)-1)*
32+4:X=(RND(7)-1)*32+4:PUT(X,Y)-
(X+28,Y+28),BL:NEXT

21 TIMER=0:SCREEN1,0

22 X=(RND(7)-1)*32:Y=(RND(6)-1)*
32

23 X1=(RND(7)-1)*32:Y1=(RND(6)-1
) *32:IF X1=X AND Y1=Y THEN 23

24 X2=(RND(7)-1)*32:Y2=(RND(6)-1
) *32:IF (Y2=Y AND X2=X) OR (X2=X1
AND Y2=Y1) THEN 24

25 LINE(235,0)-(255,191),PSET,B

26 DRAW"BM238,18C3R4FD3GL4U5D10C
1DC3R5L5D4R2L2D4R5L5DC1DC3D7U7F6
DU7D8C1DC3L2GL6D6FR3EU3L3R4C1DBL
2C3D7GL3HU7D8C1D3C3R5L2D7LU7D7L2
R5D1C1D1L5C3D7U7F6DU7"

27 PUT(X1,Y1)-(X1+32,Y1+32),BG:P
UT(X2,Y2)-(X2+32,Y2+32),BG:PUT(X
,Y)-(X+32,Y+32),B:PLAY"T301;L4EL
BGB02GL4.EL4F#L8EDP8DP8P8D1L4ELB
GB02GL4.EL4F#L8EDP1"

28 H=0:V=0:IFPEEK(341)=247THENH=
0:V=-32ELSEIFPEEK(342)=247THENH=
0:V=32:ELSEIFPEEK(343)=247THENH=
-32:V=0:ELSEIFPEEK(344)=247THENH
=32:V=0

29 IFG1=1THENX1=-1:Y1=-1

30 IFG2=1THENX2=-1:Y2=-1

31 IFY=0ANDV=-32GOSUB80

32 IFY=32*5ANDV=32GOSUB80

33 IFX=0ANDH=-32GOSUB80

34 IFX=6*32ANDH=32GOSUB80

35 IFX1=X AND Y1=Y ANDG1<>1 THEN
63 ELSE IF X2=X AND Y2=Y ANDG2<
>1 THEN 63

36 IF TIMER>=40*60 THEN 63

37 IF TIMER>=30*60 THEN PLAY"T25
5;03;1;7"



SUPER BACK-UP UTILITY®

...WITH S.B.U. FROM COMPUTIZE - YOU'LL NEVER NEED ANOTHER BACK-UP UTILITY FOR YOUR COCO!!!

SUPER BACK-UP UTILITY WILL PERFORM ALL OF THE FOLLOWING FUNCTIONS:

1. **TAPE TO TAPE** (Regardless of most protection schemes!)
2. **TAPE TO DISK** (Move Cassette programs to Disk!)
3. **AUTO RELOCATE** (For those Cassette programs that conflict WITH Disk operating systems.)
4. **DISK TO TAPE** (Place Disk programs onto Cassette)
5. **DISK TO DISK** (Our powerful Spit-N-Image Program, *Regardless of protection schemes!)

- **MENU DRIVEN!**
- **REQUIRES 32K EXTENDED COCO**
- **REQUIRES 1 OR 2 DRIVES** (For Disk Functions)
- **ALL MACHINE LANGUAGE!!!**

COMPARE WITH OTHER INDIVIDUAL PROGRAMS COSTING IN EXCESS OF \$100.00 OR MORE!!!

★★★ **ONLY \$49.95!** ★★★
(SUPPLIED ON DISK)



T.T.U. - TRIPLE TRANSFER UTILITY (C)

M/L For Cassette & Disk Program Transfer

Transfer contents of disk to tape * Transfer content of tape to disk * "Select" or "All" Option * Will automatically relocate those cassette programs that conflict with the disk operating system! * Will display machine language program address * Copies ASCII, Basic, & Machine Language Programs * All contained in 1 menu driven program! !!



REQUIRES 32K CC EXT.
Cassette \$19.95 Disk \$24.95



SPIT-N-IMAGE (C)

M/L Disk Back-Up Utility



There is no need to suffer the heartbreak of crashed disks any longer. Spit-N-Image will create a mirror image of your valuable disk programs which do not respond to normal back-up functions. Will also initialize and back-up in one pass. Data processing experts always insist on having a back-up - it's good practice - Don't wait!

REQUIRES 32K CC AND 1 OR MORE DRIVES
DISKETTE \$34.95



MASTER KEY
© 1984

ONLY

\$99.95

Have you ever lost a program and didn't have a backup? Sooner or later it happens to everyone. The best policy is to have a backup of EVERYTHING. Thus comes the problem - many programs are copy-protected and won't backup easily. So how do you protect your investment?

The MASTER KEY was developed just for this problem. Just as a master key unlocks all doors in a building, this MASTER KEY will unlock ALL programs that load into your CoCo's memory. And it's as easy as flipping a switch! Once you have control, you can copy your programs, protected or not, to tape or disk. The MASTER KEY offers:

Complete Disassembler
Display/Change memory in Hex or ASCII
View memory in all Graphic Modes
Versatile printer routine for all printers
Rom-Pak model has gold contacts for more reliable operation.
Comprehensive, easy to follow manual

Search for text or M/L routines
Copy memory from one location to another
Write memory to tape or disk
Defeats All auto-start programs.
Rom-Pak design allows use of disk system while Master Key is installed.
Works with all versions of CoCo, 16k+

The MASTER KEY may be used to convert many programs from tape to disk, and yet does not require a background in assembly language. Using the METHODS section of the manual will allow even a novice to copy many programs. As you learn more about assembly language, you'll be able to use the MASTER KEY's full capabilities.

You can leave the MASTER KEY plugged in all of the time. The gold contacts will improve the I/O of your disk drive, and at the flip of a switch you'll have a quality disassembler. The Examine/Change feature will allow the entry of short M/L routines, and the Screen command will allow quick debugging of graphic screens.

30 DAY MONEY BACK GUARANTEE: If you find any program that MASTER KEY cannot take control of, simply return for a full refund.

NOTE: The MASTER KEY has been developed as an educational tool and to allow the user to examine and save for archival purposes programs he/she has purchased.

NOTE: "F" board owners must cut a capacitor - details included.

SUPPLIED ON ROM PAK MODEL #MK035

"BARMASTER" (C)

PROFESSIONAL BARTENDERS GUIDE

- * Menu Driven! * Over 180 Listings! * Easy to add your favorites!
- * Print to 3X5 Index cards for easy reference! * Access drink by name or liquor content! * Utilizes computize's "Fast Access Record Retrieval" (any record in just two reads!)

Requires 32K CC and 1 Drive
Disk Only \$19.95

64K-IT®

New - From Computize . . .

Enables the Full 64K of RAM in your 64K Color Computer. Provides up to an additional 16K of RAM. Permits you to change, modify or copy the BASIC, EXTENDED BASIC, ROMPACK, OR DISK PAK.

REQUIRES 64K COCO

TAPE \$11.99

TAPE-DIR®

Tape-Dir is a basic program used for displaying and/or printing information about cassette files. In addition to listing file name, Tape-Dir will list and/or print the following information

- 1 Type of file - Machine Language, Data, Basic.
- 2 Format - Binary or ASCII
- 3 M/L Start, End, and Execute addresses
- 4 For Basic & Data Files - will show number of bytes used! Useful for sorting out your tape files by those that will run on your 16K, 32K machine!
- 5 Will bypass tape I/O errors - no aggravation!

REQUIRES 16K EXTENDED COCO, CASSETTE PLAYER.
(PRINTER OPTIONAL)

CASSETTE \$11.99

★★★★★ OS-9 "CONVERT" ★★★★★

New - From Computize . . .

This high quality M/L Utility will CONVERT Standard OS-9 Formatted Files/Disks (5¼") to Radio Shack OS-9 to run on your COCO. Will also convert 40 track to 35 track if you require. Runs under COCO OS-9.

REQUIRES 64K COCO AND 2 DRIVES

SUPPLIED ON DISK ONLY \$49.95

FASTAPE

The Next Best Thing To A Disk Drive
From Spectro Systems

Fastape gives you cassette I/O at 3000 baud-Twice Normal Speed. It uses the high-speed (POKE 65495,0) mode, and makes it convenient to stay in this mode throughout. Features automatic adjustment of cassette and printer parameters when speed mode is changed. Control-key functions for many Basic commands and for changing speed modes. Compatible with all tape file types. Can be used with Telewriter-64 and many other utilities.

"I strongly recommend this fine utility" Rainbow, 7/83
"A treat for those without disk systems" Hot Coco, 10/83

REQUIRES 16K COCO

CASSETTE \$21.95

THE PEEPER

A Unique Interrupt-Based Program Tracer
From Spectro Systems

Imaging being able to monitor the operation of a machine-language program While It Is Running. To display any portion of memory in any of CoCo's 26 documented display modes, and to move through memory using the arrow keys. To slow the action to a crawl, or freeze it at will. Instantly switch between watching the output of your program and watching Peeper dynamically display (on screen or printer) the contents of the 6809's registers and stack, showing changes as they are happening. In the slowest speed mode, Peeper provides continuous single-stepping, faster modes give a coarser trace. Or, halt the action and single-step by repeatedly pressing the space bar. Peeper supports breakpoints, memory examine/change, and more. Think how much easier it would be to modify someone else's ML software if you could determine what routines were being executed at any given point!

For fun, (and this requires no ML experience), use Peeper with arcade games, watching the fine details of the animation effects in slow motion. See how the game looks and plays in other graphics modes. Or watch what is happening on "hidden screens" you never see. (Makes a superb demonstration.)

REQUIRES 16K COCO
ON CASSETTE (COPYABLE TO DISK)
WITH ASSEMBLER LISTING

\$24.95

Computize INC.



(215) 946-7260 P.O. BOX 207 • LANGHORNE, PA 19047

Check or M.O. • Add \$3.00 shipping • PA residents add 6% sales tax




```

38 A=X+16+32*SGN(H):B=16+Y+32*SG
N(V)
39 IFPPPOINT(A,B)=3 GOSUB56
40 IFPPPOINT(X+H+16*SGN(X),Y+V+16
*SGN(Y))=2 ANDH<>0 AND V<>0THEN
63
41 IFX+H>=200ORH+X<0ORV+Y>=180OR
V+Y<0THENH=0:V=0
42 LINE(X,Y)-(X+32,Y+32),PRESET,
BF:X=X+H:Y=Y+V:PUT(X,Y)-(X+32,Y+
32),B
43 IFG1=1ANDG2=1THEN74
44 IF F1<0 THENF1=F1+1:GOTO50
45 IFG1=1THEN50ELSEIFH1=-1THENH1
=0:GOTO28ELSEH1=(RND(3)-2)*32:V1
=(RND(3)-2)*32:H2=(RND(3)-2)*32:
V2=(RND(3)-2)*32
46 IFX1+H1>=200ORX1+H1<0ORV1+Y1=
>190ORV1+Y1<9THEN50
47 IFPPPOINT(X1+16+32*SGN(H1),16+
Y1+32*SGN(V1))=3 THENF1=-4
48 LINE(X1,Y1)-(X1+32,Y1+32),PRE
SET,BF:X1=X1+H1:Y1=Y1+V1:PUT(X1,
Y1)-(X1+32,Y1+32),BG
49 IFX1=X ANDY1=Y THEN63
50 H2=(RND(3)-2)*32:V2=(RND(3)-2
)*32:IFG2=1THEN28ELSEIFF2<0THENF
2=F2+1:GOTO28
51 IFX2+H2>=200ORX2+H2<0ORV2+Y2>
=32*6ORV2+Y2<0THEN28
52 IFPPPOINT(X2+16+32*SGN(H2),16+
Y2+32*SGN(V2))=3THENF2=0
53 LINE(X2,Y2)-(X2+32,Y2+32),PRE
SET,BF:X2=X2+H2:Y2=Y2+V2:PUT(X2,
Y2)-(X2+32,Y2+32),BG
54 IFX2=X ANDY2=Y THEN63
55 GOTO 28
56 SC=SC+20:PLAY"T255;V31;01;1;3
;;04;1;5;3;2;4":XB=X+H:YB=Y+V
57 IFYB=0ANDH=0THENRETURN
58 IFYB>32*5ANDV=32THENRETURN
59 IFXB=0ANDH=-32THENRETURN
60 IFXB>32*6ANDH=32THEN RETURN
61 I=PPPOINT(XB+16+32*SGN(H),YB+1
6+32*SGN(V)):IFI=3THEN RETURN:EL
SEIFI=2THEN 67
62 LINE(XB,YB)-(XB+30,YB+30),PRE
SET,BF:XB=XB+H:YB=YB+V:PUT(XB,YB
+4)-(XB+30,YB+30),BL:GOTO57
63 PLAY"01T255;1;1;1;1;1;2;2;2;2
;3;3;3;4;4;4;5;5;6;6;7;8;9;12;02
;1;4;7;9;12;03;1;5;8;12;04;1;6;1
2;05;1;12;T3;01;L4;DD;L8;D;L3;D;
L4;F;L8;E;L4;E;L8;D;L4;D;L8CL2D"
:CLS:PRINT"SCORE : "SC:IFSC=>H
S THEN HS=SC
64 PRINT:PRINT:PRINT"HIGH SCORE
: "HS:PRINT:PRINT:PRINT"LEVELS C
OMPLETED : "LE

```

```

65 A$=INKEY$:PRINT"PRESS ANY KEY
TO PLAY AGAIN"
66 PLAY"T255;01;1;2;3;4;1;2;3;4;
1;2;3;4;1;2;3;4;5;6;7;8;9;8;7;6;
5;4;3;2;1;2;3;4;5;6;7;6;5;6;7;6;
5;6;7;8;9;7;5;3;1;1;1":IFINKEY$=
""THEN66ELSESC=0:G1=0:G2=0:LE=0:
GOTO6
67 SC=SC+200:A=XB+32*SGN(H):B=YB
+32*SGN(V)
68 IFA=X1 AND B=Y1 THEN G1=1:ELS
EG2=1
69 IFA=X1 ANDB=Y1 THENPUT(X1,Y1)
-(X1+32,Y1+32),SG:ELSEPUT(X2,Y2)
-(X2+32,Y2+32),SG
70 PLAY"T255V3101;1;1;1;2;2;2;3;
3;3;4;4;4;5;5;6;6;7;8;8;9;10;11;
12;02;1;2;3;4;5;6;7;8;9;10;11;12
;03;1;3;5;7;9;11;12;04;1;5;9;12;
05;1;12"
71 LINE(A,B)-(A+32,B+32),PRESET,
BF:PUT(A,B+4)-(A+30,B+30),BL
72 LINE(XB,YB)-(XB+32,YB+32),PRE
SET,BF
73 GOTO28
74 T=TIMER:PLAY"T255;05;12;12;12
;12;10;10;10;9;9;9;8;8;8;7;7;7;6
;;6;6;5;4;3;2;1;04;12;10;9;8;7;
6;5;4;3;2;1;03;12;10;8;6;4;2;1;0
2;12;8;4;1;01;12;1"
75 CLS:PRINT@0,SC:PRINT@32*8,"LE
VELS COMPLETED : "LE+1:LE=LE+1:F
ORI=1TO40-T/60:T=T+60:SC=SC+10:P
RINT@128,"TIME LEFT:"INT(40-T/60
):PRINT@0,"SCORE: "SC:PLAY"T
25502;1;3;4;3;6;7;7;8":NEXT
76 PLAY"P4;02T3;L8;BBBBABAB03D02B
L4ABP8L8BBBBBBBAGAGL4BP4P8L8BAGED
L4EL8EEF#ED01B02L4DEL8GEP2L4EL8F
#D"
77 A$=INKEY$:PRINT@360,"PRESS AN
Y KEY"
78 IFINKEY$=""THEN78
79 SCREEN1,0:G1=0:G2=0:SC=SC+500
:TIMER=0:GOTO 20
80 PLAY"T25502;1;3;5;7;9;7;5;3;1
;3;5;7;9;7;5;3;1;3;5;7;9;7;5;3;1
;1;1;3;4;1;2;3;4;3;2;1;2;3;4;1;1
;1;1;1":IFH=0THEN84
81 IFX1=X THENF1=-10:PUT(X1,Y1)-
(X1+32,Y1+32),SG
82 IFX2=X THENF2=-5:PUT(X2,Y2)-
(X2+32,Y2+32),SG
83 GOTO41
84 IFY1=Y THENF1=-10:PUT(X1,Y1)-
(X1+32,Y1+32),SG
85 IFY2=Y THENF2=-5:PUT(X2,Y2)-
(X2+32,Y2+32),SG
86 GOTO41

```


A Guide To The Do's And Don'ts Of Modeming

By Wayne Day
Rainbow Contributing Editor

By the time you read this, likely all of the Christmas presents will have begun to get a lot of usage, especially if a modem or a new terminal program had been hung in the stocking!

Quite a few new users will have shown up on CompuServe's Color SIG (Special Interest Group), where I serve as the systems operator (SYSOP), and they will begin to learn about the "new" world of telecommunications.

So now might be a good time to review some of the "do's" and "don'ts" of modeming.

First off, get familiar with your equipment and software setup. Knowing your hardware and software capabilities, and limitations, will save you valuable connect time, which is even more important if you're calling long distance or connected to one of the commercial information services.

(Wayne Day, a traffic engineering signal technician, is the SYSOP of The Color SIG of CompuServe, the world's largest consumer information service. He is also a certified paramedic and works part-time for an Emergency Medical Service provider. His amateur radio operator call sign is WA5WDB.)

Read the documentation that comes with the software, paying special attention to instructions on how to capture data (if your software supports that function).

For example, some programs require you to open a buffer manually in order to save anything you receive online, while others allow the host system (the

"... get familiar with your equipment and software setup. Knowing your hardware and software capabilities, and limitations, will save you valuable connect time..."

computer you're calling) to open and close your receive buffer automatically. This latter method is known as "capture characters" since the host sends a particular character to your software, telling it to start "capturing" the data that follows.

On other terminal programs, however, you need to defeat word-wrap and high resolution character screens prior to capturing data in the buffer. Again, the

point is to read those instructions very carefully.

Knowing the operating hours of those BBSs is important, since it might save you a long distance phone call if the system is unavailable. In November, we listed a group of 92 known BBS systems that were of special interest to the CoCo user, and this month we bring you an update, bringing the total up to 115 operating BBS systems.

Other "Do's" to remember:

If you're calling a single-user BBS, be considerate of other users and don't dawdle on the system unnecessarily. Others may be waiting to call (and, you might wind up having to wait sometime).

Make note of any message content policies that the SYSOP may establish, and abide by his wishes. Some BBSs restrict commercial messages and others prohibit them entirely. Ditto on "adult" language.

On the other hand, there are the "don'ts:"

Don't try to "crash" the system, just to see if it can be done; robbing others of the chance to use a BBS is pretty

childish. Since most BBS systems make a note in the user log each time someone logs on, you may find that you're no longer welcome on the board next time.

Don't ask folks to help you out with something, and expect them to be mind readers. Asking a question like "I wrote a program and it doesn't work. Why?" doesn't give anyone enough information to work with. The more information you can put in a question, the better your chances for a good answer!

Don't forget to read all of the messages on a BBS system. Quite often you'll stumble across some piece of obscure information that will really save the day — two weeks later!

And finally, don't forget to have plenty of paper and a pencil nearby to take notes on other BBS systems that you might be interested in, as well as a place to jot down that neat little poke everyone's been talking about!

Whew!

Letters, Letters, Letters

Q: Is it possible to allow another CoCo user to call up my modem, then let him store programs on my disk drives, and use my printer? The reason I ask is that many students at the university I am attending could benefit from a service such as this, while I could make some spare money.

A: Sure, it's possible ... that's basically what services such as The Source and CompuServe do — allow you to use their computer and disks.

On a CoCo, you'd need an auto-answer modem (to answer your phone automatically and connect it to the computer), as well as a remote terminal driver, such as *REMOTERM* (sold by Star-Kits) or Dan Downard's *REMOTE.BIN*, published in *THE RAINBOW* in November 1984.

The remote terminal driver basically lets the person calling in on the modem act as if he were sitting at the keyboard of your computer; all of the data he types on his terminal is the input to your computer, and all of the output from your computer goes to his terminal.

There are some limitations, though. Graphics screens cannot be displayed in this manner, since you will be limited to using the normal ASCII character set (*CHR\$ 0-127*). Additionally, any programs that use *PRINT@* statements must be converted to normal *PRINT* statements, since there is no way to control the other user's cursor or screen position. That also means that a *CLS* won't work, either.

If you're setting up something like this with a friend, there's no problem since you know who it is that has control over your computer. Remember, though, that since he acts like he's sitting at your keyboard, he can even do a *DSKINI* and wipe out all your disks!

Therefore, if you're going to be doing this with more than one person, or providing the service commercially, consider the security requirements you'll have to make:

For example, user 'A' should not have access to user 'B's' files, to protect confidentiality.

No user should be able to harm the system itself. That means you'll have to provide some way to protect against a *DSKINI* or *POKE* into the wrong place, and that usually means a remote

"The remote terminal driver basically lets the person calling in on the modem act as if he were sitting at the keyboard of your computer . . ."

time-sharing monitor, such as the *TSMON*, part of the Radio Shack OS-9 Operating System.

Q: Your column ("CommLink", October 1984) made the first mention I've ever seen of using a party line for data transmissions. How disastrous is it if someone else on the line picks up the phone? Can they tell something is going on, or will they try to call a repairman to fix the funny noises?

A: There's a two-fold answer to this question: a practical one, and a legal one. First, the legal considerations.

Consider this scenario: It's 2 a.m., and you've finally gotten in to that popular BBS on the West Coast. You've got a lot of downloading to do, and waiting for your chance on the BBS has been a drag.

About halfway through your first download, your neighbor, the one on your party line, is awakened by the smoke detector in his house — he has a fire, and obviously needs to call the fire department, but can't. It seems there are some funny noises on the phone line.

Far-fetched? Possibly, but not too far-fetched.

The simple fact is that all states have laws that require you to hang up the receiver of a party line immediately

when told the line is needed for an emergency call to a fire department, or police department, or for medical aid. In Texas, it's an offense that brings a fine of not more than \$500 or imprisonment for a term not exceeding one month, or both (Southwestern Bell Telephone Company Phone Book, 1984).

If you're online, the chances are you won't hear someone on a party line picking up the telephone.

Direct-connect modems must be registered with the Federal Communications Commission, and the F.C.C. restricts direct-connect modems to the extent that they may not be connected to a party line or pay telephone.

Thus, two big reasons why a party line can be hazardous to your modemming health.

Let's consider a one-party line, where someone picks up an extension telephone in some other part of the house.

Depending on what you are doing (downloading using an error-correction protocol like XMODEM or just sending and receiving straight ASCII data), someone picking up one of the other phones in your house can have from a slight to a disastrous effect on your telecommunications session.

From personal experience, there have been times when someone else picked up a phone in my house, and I never knew it (our neighbor still wonders about those funny tones on our line!).

During testing of a new terminal program that uses the XMODEM protocol, we have picked up the phone and shouted into it, played music into it, and generally banged it around, with no ill effects other than causing an error in the transmission of the current packet of information, which was re-sent and received OK after we quit trying to goof it up.

Other times, though, before the installation of the computer's own phone at my house, I've been bumped off by someone picking up the phone — blew me completely off the system I was talking to.

So, it's an iffy situation; sometimes it won't harm anything, and other times it's bad news.

The ultimate solution might be to have a second line installed if modem use and more normal telephone usage conflicts crop up. It's been a lifesaver (mine) at my house!

Two Questions, One Basic Answer

Q: I called one of the numbers you

listed in the BBS Roundup (*The Rainbow*, November 1984) and got a message saying that the number had been disconnected. Can't you keep up with the numbers you list?

Q: How come you didn't list any of the Coco BBSs in my area?

A: Let's kill two birds with one stone here, and explain a bit about how I go about collecting the BBS numbers published with this column.

Since no one can be everywhere at one time, it's only possible to list the BBS phone numbers that we become aware of, usually through messages on the Color SIG on CompuServe, on other BBSs, and in letters to *THE RAINBOW*.

Likewise, if a BBS goes out of business, we usually don't hear about it until someone writes in, or leaves us a message saying "you blew it!"

Therefore, we need your help in making the BBS listings in *THE RAINBOW* the most accurate and up-to-date that we can. If there's a CoCo BBS in your area, let us know about it. If one goes off-line, you could also drop us a line to let us know.

Every couple of months, we'll try and publish a list of revisions such as the one included at the end of this month's column to keep you up to date. Additionally, I maintain a current list in the SIG's database on CompuServe, so CompuServe subscribers can get the whole shooting match at one time. That list is usually updated at least monthly.

Before I put a BBS on the list, I call it to make sure that, indeed, there is a BBS there, that our information is correct, and that the BBS is open to the public.

Some Random Thoughts

John Lovell, the SYSOP of The CIC BBS in Miami, has a series of modifications to the *Bee Color BBS* program, and he's making arrangements to make those changes available to SYSOPs who are already running the *BEE* program. Give his BBS a call (305 751-6809) if you're interested in knowing more.

If you're a new user to CompuServe, you might find yourself baffled by the hundreds of things you can do on the system. Well, there's a book written just for you, *How to Get The Most Out of CompuServe* (Bantam Books, New York, \$12.95). The authors, Charles Bowen and Dave Peyton, are SYSOPs on two of CompuServe's Special Interest Groups, and have compiled the most

comprehensive sourcebook for CompuServe users yet. It's available at most book stores, or directly through CompuServe (Go PCS-54).

February In Irvine

I hope you've made your plans to be at the RAINBOWfest in Irvine, Calif., February 15-17 at the Irvine Marriott Inn, because I'd like the chance to meet you, spread a little bit of gossip, and hear from you as to how I can best serve you through this column.

It will be my privilege to host two seminars during RAINBOWfest: the first one on "Exploring CompuServe and The Color SIG," and the second one dealing with "Local BBS Systems" and how the Coco user, and SYSOP alike, can get the most out of them.

Besides the lectures, we'll have a booth set up where we'll be online to The Color SIG most of the day, so if

you're a CompuServe user, or just interested in learning more about CIS, be sure and drop by.

Coming Up

In the April issue, if all goes well, we'll look at interfacing your CoCo to an amateur radio (ham) station, to transmit color slow-scan television signals, as well as more news in the world of modeming.

Remember, you can contact me one of four ways:

Wayne Day
P.O. Box 79074-0074
Fort Worth, TX 76179

CompuServe: 76703,376
MCI Mail: 201-7723

or through the editorial offices of *THE RAINBOW*. Please remember to enclose a SASE if you desire a quick response.

Color Computer / FLEX / OS-9 BBS LIST Addendum updated 12/1/84

A/C	Number	City	BBS Name	Remarks
(203)	334-5778	Bridgeport, CT	Mission Control	
(209)	674-5391	Madeira, CA	Personalized Programming	
(209)	835-6496	Tracy, CA	Silicon Rainbow Prod	
(212)	423-4623	Woodhaven, NY	Saturn Electronics	
(215)	866-1805	Bethlehem, PA	Colorama	
(217)	359-9577	Urbana, IL	CCSH BBS #1	HQ SYS
(303)	297-9127	Denver, CO	Trash Heap TBBS	
(305)	XXX-6809	Hialeah, FL	Coco Corner	DELETED
(312)	278-9513	Chicago, IL	Howard Med Sys	
(408)	629-2277	San Jose, CA	Microbur BBS	
(408)	646-1850	Monterey, CA	Pen-Co BBS	Note 10
(416)	652-3480	Toronto, ON	True North Database	Note 9
(513)	396-7467	Cincinnati, OH	CINSOFT	
(514)	658-3087	Chambly, Que	Color-80 #7	Note 9
(602)	899-1350	Chandler, AZ	Coco Pub	JDOS
(602)	996-8828	Scottsdale, AZ	Motorola Coco Bugs	
(609)	399-7108	Ocean City NJ	Colorama	
(617)	872-5170	Framingham, MA	Framingham Connection	
(701)	839-0390	Minot, ND	Country Micro BBS	Correct City
(716)	473-2334	Rochester, NY	Colorama	
(803)	791-7389	Columbia, SC	Midlands-80 Comp Club	
(804)	868-0922	Tidewater area, VA	Peninsula Color Board	
(813)	345-8100	(unknown), FL	CocoNet	
(914)	738-6857	Pelham, NY	M&M's Public BBS	
(914)	961-8049	Westchester, NY	Westchester BBS #2	

NOTES: 9 — Evenings and Weekends (generally after 1700 on weekdays)
10 — 1800-2000 Mon-Fri / 2200-0700 Sat / 1400-1600 Sun

Download the lowdown with WEFAX

Weather . . .


Hovering roughly 22,300 miles above the equator is a remarkable device. Since 1974, this Geostationary Operational Environmental Satellite (GOES) and its predecessors have been sending pictures of the earth, taken in visible and in infrared light, down to earth stations via a microwave link. Every day, a dozen or more images of the cloud cover over our part of the planet are processed by a government ground station, the images enhanced, and state and national boundaries added. These enhanced images are then "uploaded" back to the satellite by microwave. The satellite retransmits the enhanced images to a number of other earth stations around the country.

(Marty Goodman has, among many other things, been involved with various Color Computer software and hardware projects.)

One such secondary station is near me in Redwood City, Calif. There, meteorologists examine these precious photographs, and are able to draw two synoptic charts per day of weather fronts and such. (A "synoptic chart" is that map with all the wavy lines indicating areas of equal temperature, warm and cold fronts, and sometimes wind and sea information as well.)

The enhanced satellite photos and the hand-drawn synoptic charts are sent in facsimile (fax) format (a 40-year-old electronic protocol for picture transmission used by wire services as well) over a telephone line to a transmitter. In my case, that transmitter is located at Point Reyes, Calif. This fax signal is then rebroadcast, primarily for ships at sea, on a number of high frequency shortwave bands.

Twice a day in my area, a series of visible and infrared photos of my part of the world taken from space, along



Or Not?

By Martin H. Goodman, M.D.

with superb meteorological charts, are sent out over shortwave frequencies. Until recently, it took, in addition to a shortwave receiver, \$5,000 worth of mechanical facsimile machines to turn that warbling fax signal back into a picture.

About The Authors

As you might well imagine, my good friends, the authors of *Graphicom*, have an abiding interest in graphics data. They decided to use the processing capabilities of the CoCo and its amazing built-in analog signal processing capabilities to turn a fax signal back into a picture and turn that picture into hard copy.

When they were done, they had a tiny assembly language program (only about 2K long) that uses the zero crossing detector of the cassette port of the CoCo to receive a fax signal from any BFO-equipped shortwave receiver and


process it, turning that signal into a 54K-byte picture inside the CoCo.

Now, a 54K image is exactly nine times more information than the CoCo can display on the screen at one time, so the program they wrote, *WEFAX*, has built-in routines to allow the user to pan the CoCo Hi-Res screen over that larger "virtual" image.

They also supplied routines for saving the pictures to *Graphicom* format picture disks (two pictures to a disk, 54K is a lot of data!), and for transferring those pictures from the computer's memory to paper using an Epson dot-matrix printer. It will not surprise users of *Graphicom* to learn that all program control is via a joystick and one fire button.

Technical Details

Due to the 64K RAM memory limitation of the CoCo,



my friends were only able to process roughly one-half of the vertical and horizontal data contained in the fax transmission. Even so, the images produced are of remarkable quality. (See the sample pictures included with this article.) Indeed, when they took the pictures down to the Weather Service office in Redwood City, it turned out the CoCo WEFAX hard copy was equal, if not superior, in quality to the hard copy produced by some of the \$5,000 mechanical fax machines there.

Rather than totally throw away every other line of received fax data, the WEFAX program does a remarkable thing. During reception of the picture, it uses every other line to construct on the CoCo Hi-Res screen a 6K compressed, representative image of what it's receiving. When reception is complete, you are then switched to the 54K image and your pan function.

As you will see in the official WEFAX documentation that follows, a minimal amount of hardware is needed to interface a shortwave receiver to the CoCo cassette port. This simple circuit, consisting of two LEDs (used as zener voltage limiting diodes), a single resistor, and a single capacitor, is used solely as a voltage limiter and DC filter. All other processing of the signal is done by the CoCo's internal hardware and the magic of the WEFAX software.

Required Hardware

A 64K, one disk drive equipped Color Computer (any model) and one joystick are required. An Epson dot-matrix printer is needed to produce hard copy. Almost any general communications shortwave receiver with a BFO

(and preferably LSB and USB selection capability) will do to receive the pictures. Your receiver does need a minimum of frequency stability in order to receive a clear WEFAX picture, but most receivers costing more than \$150 will suffice.

What Frequencies To Try

There are hundreds of stations all over the world broadcasting weather map data. WEFAX was written explicitly for weather map reception, and while it does receive other fax data (like UPI wirephoto information), images produced are likely to be somewhat blurry and/or distorted. To get you started, here are some of the more useful frequencies to listen to to find WEFAX data. All frequencies are in kilohertz.

East Coast, Station NAM in Norfolk, VA. 3357 kHz, 4975 kHz, 8080 kHz, 10865 kHz, 16410 kHz, 20015 kHz

West Coast, Station NMC in Point Reyes, Calif. 4346 kHz, 8682 kHz, 12730 kHz, 17151 kHz

West Coast, Station WWD in La Jolla, Calif. 8646 kHz, 17411 kHz

The Program And Its Source Code

The documentation follows the BASIC listing. Carefully type this program in *exactly* as it appears. Be sure *not* to alter even the line numbers. The program has a built-in checker for errors, which, when you run it, will tell you if you made an error typing in the data statements, and the line number where the first error appeared. Those of you receiving RAINBOW ON TAPE will, of course, be spared this agony. When you have the program typed in correctly, typing *RUN* will make it work.


For those who do not receive RAINBOW ON TAPE, the program WEFAX/BAS is available for downloading from CompuServe's Color Computer Special Interest Group (SIG) in database XA2. In addition, also posted in XA2 is WEFAX.ASM, the full assembly language source code (written with a version of the Micro Works SDS Macro 80C). This will be of interest and value to those who wish to insert their own printer routines for different printers. These people should carefully study the existing routine. It prints successive rows of dots in overlapping fashion. To produce a reasonable picture, the printer you support must be capable of doing this, too. For those without this editor-assembler system, note the printer routine is a separate module at the end of the program, allowing you to easily substitute your own routine even if you don't have the source code.

For those who cannot download the source code from CompuServe, I will provide you with a copy if you send me a disk, a mailer, return postage and \$10 for handling. Address requests to Marty Goodman, 1633 Bayo Vista Ave., San Pablo, CA 94806.

I will also provide you with an experimental version of the program that not only receives, but is capable of sending a fax image as well. However, I must make it clear that I will *not* support either program, or answer *any* questions about it, because I'm not the original author, and neither I nor the authors have time to do so. Your comments are, of course, welcome, but it is very unlikely we will be able to respond to questions.

Both the authors and I would be delighted to receive any enhancements you may write for the program,

TEAC PANASONIC MPI



SLIM LINE DISK DRIVES

DIRECT DRIVE, 1/2 HT. 40 track, 5ms t/t, DSDD
DRIVE 0, SINGLE DOUBLE SIDED DRIVE SYSTEM . \$399.
DRIVE 0 & 1 DUAL DOUBLE SIDED DRIVE SYSTEM . \$519.
Above prices for Panasonic or TEAC. Call for brand availability if you have a preference.

MPI FULL HEIGHT, 40 track, 5 ms t/t, DSDD.
DRIVE 0, SINGLE DOUBLE SIDED DRIVE SYSTEM . \$299.
DRIVE 0 & 1 DUAL DOUBLE SIDED DRIVE SYSTEM . \$469.

All drives include case and power supply, J&M controller, all cables and Disk BASIC Manual. All connections are gold plated. Dual drives come assembled in dual case with dual supply and rear gold plated data connector.

J&M controller with JDOS and manual \$129.
J&M controller with RSDOS and manual. \$129.
J&M controller without DOS ROM chip \$109.
JDOS ROM with manual \$ 30.

LIBRARY CASE
Holds 70 diskettes, key lock, 7 dividers, tinted acrylic case \$15.

DISK BANK
by Media Mate. Holds 50 diskettes, 5 dividers smoked cover tan base. . \$ 12.

How to order


All items have a 90 day or better replacement policy by us. Include a complete product description of items desired. Add \$3. per order for S&H. Add \$1.75 for COD. For MasterCard or Visa orders add 3% of total including shipping. Indiana residents add 5% sales tax.

OZONE ENGINEERING
4769 South 200 East
Kokomo, IN 46902
Ph. 317-453-0989
5 - 10 p.m.

especially alternative printer routines. I'd like to see a routine for the C. Itoh Prowriter printer. I haven't had time to write one yet for myself. If you send us such a routine, you'll be on our "list" for receiving other goodies.

The Documentation

I'll let the authors themselves provide you with further instruction on using their *WEFAX* program. Following this listing is material mainly consisting of *Graphicom* screens the authors meticulously and laboriously drew, just in order to better share this program with you.



190	217
430	111
904	161
916	84
926	82
938	57
END	179

The listing:

```

10 REM THIS PROGRAM IS PUBLIC DO
MAIN
20 PCLEAR4
30 F1=651:REM 60 LPM ADJUST
40 F2=901:REM 90 LPM ADJUST
50 F3=1027:REM 120 LPM ADJUST
55 POKE150,1:REM PRINT=9600 BAUD
60 CLS
70 PRINT"    WEATHER FACSIMILE RE
CEIVER"
80 PRINTSTRING$(32,"-");
90 PRINT
100 PRINT"THIS PROGRAM WILL RECE
IVE FM FAX";
110 PRINT"AT 60, 90 & 120 LINES/
MINUTE."
120 PRINT"CONNECT THE CASSETTE E
AR (BLACK)";
130 PRINT"PLUG TO THE RADIO'S EA
R JACK OR"
140 PRINT"CONNECT IT ACROSS THE
SPEAKER."
150 PRINT"CHECK THAT THE RADIO I
S TUNED IN";
160 PRINT"AND THAT THE BFO IS TU
RNED ON."
170 PRINT"AFTER THE PROGRAM IS R
EADY YOU"
180 PRINT"CAN USE THE TUNING MET
ER TO"
190 PRINT"ADJUST THE RADIO."
200 PRINT
210 PRINT"PLEASE WAIT..."
220 AD=&H600:LI=900
230 READA$,CS
240 IF A$="X" THEN 320
250 FOR I=1 TO 64 STEP 2

```

```




260 A=VAL("&H"+MID$(A$,I,2))
270 POKE AD,A:CS=CS-A:AD=AD+1
280 NEXT
290 IF CS THEN PRINT"DATA ERROR
IN LINE";LI:END
300 PRINT@462,944-LI
310 LI=LI+1:GOTO 230
320 A=INT(F1/256):POKE&H600,A:PO
KE&H601,F1-256*A
330 A=INT(F2/256):POKE&H608,A:PO
KE&H609,F2-256*A
340 A=INT(F3/256):POKE&H610,A:PO
KE&H611,F3-256*A
360 PRINT"RECEIVE *60* *90* *120
* LPM"
370 PRINT
380 PRINT"    *PRINT TO EPSON PR
INTER*"
390 PRINT
400 PRINT"    *REVERSE VIDEO THE P
ICTURE*"
410 PRINT
420 A$=CHR$(PEEK(&HC000))+CHR$(P
EEK(&HC001))
430 IF A$<>"DK" THEN PRINT:PRINT
:PRINT:GOTO470
440 PRINT"DISK      *VIEW* #1 ***
#2 ***"
450 PRINT"PICTURE  *LOAD*      ***
***"
460 PRINT"STORAGE  *SAVE*      ***
***"
470 PRINT
480 PRINT"TUNING    I-----I"
490 PRINT"METER:    1500      2300"
500 PRINT
510 PRINT"JOYSTICK          RESTART
SCAN"
520 PRINT"USE WHEN      PHASE HOL
D PHASE"
530 PRINT"RECEIVING:    <--    SCA
N    -->";
540 EXEC CS
900 DATA0285050A004D00E703820704
0033009904000800002600720F718634
B7FF030F,1740
901 DATA660F671700E3260EB7FFDEBE
C0066F846F01AD9FC004B7FFDF7FFF40
7F098610,3846
902 DATA03D78E0400A6848A40A780
8C060025F51703338D0220DE8D57080B
0002840D,2661
903 DATA1000002821216000281041B22
048F021C440332090E660011090E7700
1D090E88,1154
904 DATA001C80800000788D28139568
03D61A9C6803D5808000006786022002
86039761,2490

```


905 DATA8D0F131568034B1A1C68034A
808000004E17027235109F628D2ADD64
8D773410, 2244
906 DATA1700908D1F10936427073510
17008420E71700EE8D4D27EBAEE43003
EC84AD8B, 3021
907 DATA3510206F8D18FC015A445454
8D1B2607C1082302C60839C10423FBC6
0439B7FF, 2850
908 DATADEAD9FA00AB7FFDF39B7FFDE
BEC000B7FFDF8C444B39B6FF00840139
8DF827FC, 4792
909 DATA9766398DF19166270B8E222E
301F26FC8DE49766399E628D6B916422
04D16424, 3391
910 DATA073005E6842AF0398D619165
22F3D16525EF39CE04008D536D012A04
96651F89, 3174
911 DATA3402E0E45CE7E4C6203D33CB
8D366D012A0496641F893406E6842A10
33C6E6C4, 3524
912 DATAA68D001FA7C4E78D00192014
E6C6C840E7C64CA16123F533C820A6E4
6A6226EC, 4040
913 DATA326339CFEC84841FC41F39A6
0244444444E602C40F39B6FF205A2705
B1FF2027, 3274
914 DATAF839C6208DF02708C6408DEA
27028DE654D16727158E05409667D767
E686CA40, 3880
915 DATAE7869667E686C4BFE7863986
34B7FF03863CB7FF0186D6B7FF208680
B4FF0027, 4605
916 DATA053DAC842008DC52DD56DC50
DD54862AB7FF208680B4FF0027043D12
200ACC26, 3373
917 DATA02DD56CC0E00DD548634B7FF
019E4086D6B7FF208680B4FF0027038E
0001862A, 3555
918 DATAB7FF208680B4FF0026029E42
301F26FCA69439DF483A3386DF4C8601
A7844F5F, 3616
919 DATADD4AB6FF205CC1262504A101
2005B1FF2027F2D74E1DA18BD34ADD4A
9348251B, 3557
920 DATADD4AD64EF7FF02D14F698424
0430012005CC0001E70112C606200F86
01B4FF00, 3018
921 DATA260617FE7716FD8EC6049C4C
25B4DC48934A2F07A18B83000126F917
FF2D399E, 3332
922 DATA52DE448660208C5F9E50DE46
862020838DF55F8DEA8DF0C6608DE48D
EAC6C020, 4425
923 DATADE5F2006C6082002C610308D
FD123ACE00408608E680E7C04A26F98D
49861197, 3397
924 DATA4F8E26029F52CE0E00DF5033

C820DF54308901209F568DB8DE54DF50
9E569F52, 3497
925 DATA8CFE0225E6397FFF22CEFFC6
A75AA75CA75E860444C6074424063341
A7C02002, 3602
926 DATAA7C15A26F23986F0B7FF22CE
FFC6A75AA75DA75F860E20DC8690F601
5BC13F26, 4381
927 DATA015C3D584958498E2602308B
B6015A813F26014C3086203800000000
00000000, 1695
928 DATA00000000000000008DBD8DCDFC
015A340617FD6BFC015A10A3E127028D
BB17FD83, 2983
929 DATA27E9398DA18E260263808CFE
0225F939108E0E00C620A680A7A05A26
F9308840, 3427
930 DATA108C260025EE39108E0E00C6
20A6A0A7805A26F9308840108C260025
EE392602, 2740
931 DATA262226426E026E226E42B602
B622B642C6002002C611D760D661C103
26028D24, 2738
932 DATA17FF43318CD88609AEA13422
9661810326068D9C8D7620048D728DAB
0C603522, 3091
933 DATA4A26E539B7FFDEFEC006CC02
00EDC4CC1102ED428E0E00AF44AD9FC0
04B7FFDF, 4263
934 DATAD660260FC600A6854C1026FB
E95CC11723F439C62BA6854C1026FBDA
5CC14323, 3644
935 DATAF439C6ED2002C6F7340417FE
D9D665C00686033DDB64EBE0D7608602
97618D0C, 4102
936 DATA7FFF407F098617FC8D26FB39
3476B7FFDEBEC006D661E7846F01CC0E
00ED04CE, 4147
937 DATAFFFF9660C6183D1083013325
03C30002334183001224F9C30013E703
1F30E702, 2785
938 DATA108E0018AD9FC0048D1F6C04
EC02108311012602CB025CC1122303C6
014CED02, 2497
939 DATA313F26E0B7FFDF35F617FC2A
260C7FFF407F098617FC2516FB3C3917
FE48B6FF, 3905
940 DATA228401263886FE976F8E2602
861B8D2386338D1F86178D1B8D24861B
8D158633, 2797
941 DATA8D1186018D0D8D1630890540
8CFE0225DB860DB7FFDEAD9FA002B7FF
DF398DA9, 3845
942 DATA860D8DEF861B8DEB864C8DE7
86008DE386038DDF866034128601975F
A684108E, 3786
943 DATA0058C6084969A05A26FA3089
00C024EC8E0058C608A680438DB95A26

CoCo Max




Take your CoCo to the MAX.

COLORWARE


CoCo Max

This is one of those rare programs that will captivate everyone in your family.... No one can see CoCo Max and not want to try it!




We are all witnessing an exciting revolution in microcomputers: a radically new kind of computer and software that opens a whole new world of creative power to computer users.

It was inevitable that this exciting approach would be brought to the CoCo. With this in mind, Colorware chose to go all out and maximize this new concept for the color computer. That meant designing not just software but hardware too. It meant thousands of hours of pure machine language programming. Rarely has this much effort been applied to one product for the Color Computer.



UNMATCHED CAPABILITY...

Because we took the maximum approach: highly optimized machine code combined with hardware, CoCo Max truly stands above the rest as the ultimate creative tool for the Color Computer. It's unrivaled performance lets you create with more brilliance and more speed than any similar system — much more than you ever imagined possible. And, you can do it in black & white or color.



All the sophisticated power of the bigger systems is there: *Icons, Pull-Down Menus, full Graphic Editing, Font Styles, and all kinds of handy tools and shortcuts.*

Plug your joystick, mouse or touch pad into CoCo Max's Hi-Res Input Unit. Then use a delightfully simple *Point-and-Click* method to get any of CoCo Max's powerful graphic tools. It has them all:

You can *Brush, Spray or Fill* with any *Color, Shading or Pattern*. Use *Rubber Band Lines and Shapes* (square, rectangle, circle, ellipse, etc.) to create perfect illustrations with speed and ease. There's a *Pencil*, an *Eraser* and even a selection of *Calligraphy Brushes*. And, as you can see, CoCo Max can do a lot with text. All of the newest special effects are there: *Trace Edges, Flip, Invert, Brush Mirrors, etc.* And all of the very latest super-capabilities like: *Undo*, which automatically reverses your mistakes, and *Fat Bits* which zooms you way in on any part of your subject to allow dot-for-dot precision.



THE BIG PICTURE


The large image box in the middle of the CoCo Max screen is actually only a window on an even larger image. Use the Point-and-Click "Hand" to effortlessly move your window over any portion of the larger image. You have a working area of up to 3-1/2 times the area of the window itself.

FLEXIBLE PRINTING...

CoCo Max gives you many ways to print. Fill a whole page with your image or condense two full CoCo screens to less than 1/4 page for a finely detailed copy. "Dump" your CoCo Max screen full size or shrink it to 1/8 page size.

FREEDOM TO CREATE...

Anyone who wants to create anything at all on their CoCo screen or printer will certainly be very glad to meet CoCo Max. CoCo Max's friendly yet sophisticated graphic and text capabilities let you almost instantly produce illustrations, diagrams, charts,




graphs, and computer art – for serious use or just for creative fun.



tion by using software schemes such as sliding windows. Although clever, these schemes yield sluggish and awkward results. Only CoCo Max does it the right way. The CoCo Max Hi-Res Input Unit plugs into your ROM slot and adds an entirely new joystick input to your computer – a precision one with a 49,152 point resolution to match the CoCo screen exactly.

Plug your same joystick, mouse or touch

You may then use CoCo Max's graphic magic on it. The DS-69 is available as an option from Colorware from \$149.95 complete with its own software on disk or tape. Using the DS-69 with a disk requires an RS multi-pak adaptor.



COCO MAX REQUIREMENTS

The CoCo Max System includes the Hi-Res Input Unit, software on disk or cassette (please specify) and user manual. It will work on any 64K Extended or non-

THE COCO MAX SYSTEM

AN ABSOLUTE GUARANTEE

CoCo Max is a hardware/software system that no software-only system can match. Get CoCo Max and see your CoCo perform as it never could before. If you don't agree that CoCo Max is the ultimate creative tool for the Color Computer, simply return it within 20 days for a full, courteous refund from Colorware.

THE HARDWARE...

This is the key to CoCo Max's unmatched performance. Did you know the normal joystick input built into the Color Computer only allows access to 4,096 (64 x 64) points on the CoCo screen? Yet, the Color Computer's high resolution screen



has 49,152 (256 x 192) pixels. This means that a joystick, mouse or even a touch pad can, at best, only access about one tenth of the pixels on the CoCo screen.


Most graphic programs ignore this hardware limitation of the Color Computer and give you only low-res control. Others attempt to overcome the limita-

tion by using software schemes such as sliding windows. Although clever, these schemes yield sluggish and awkward results. Only CoCo Max does it the right way. The CoCo Max Hi-Res Input Unit plugs into your ROM slot and adds an entirely new joystick input to your computer – a precision one with a 49,152 point resolution to match the CoCo screen exactly.



A DIGITIZER OPTION...

We studied all the video digitizers available and picked the best of them to link with CoCo Max. The DS-69 from Micro Works was our choice. This optional device lets you capture the image from any video source (video recorder, camera, etc.) on your Color Computer.



extended Color Computer. You'll need a Radio Shack or equivalent joystick, mouse or touch pad. Disk systems require a Multi-Slot Interface or Y-Branching Cable.

THE COMPLETE COCO MAX SYSTEM, with software on **DISK**.....\$69.95

with software on **CASSETTE** (Available Mar '85).....\$69.95

Y-BRANCHING CABLE—If you have a disk system but do not have a Multi-Slot Interface, use this economical 40-pin, 1 male, 2 female cable to connect the CoCo Max Hi-Res input unit and your disk controller to your CoCo.....\$27.95



TOLL FREE ORDER LINE:
(800) 221-0916


Colorware Inc.
78-03F Jamaica Ave.
Woodhaven, NY 11421
(718) 647-2864



ORDERING INFORMATION

ADD \$3.00 PER ORDER FOR SHIPPING AND HANDLING.
C.O.D.'S ADD \$3.00 EXTRA.
SHIPPING AND HANDLING FOR CANADA IS \$5.00
WE ACCEPT VISA, MASTER CARD, M.O.'S, CHECKS.
N.Y. RESIDENTS MUST ADD SALES TAX.

THE TOP 4 COCO GAMES...





CUBIX

By Spectral Associates. Very much like the arcade smash! Jump little Cubix around the 3D maze trying to change the color of all the squares. With Death Globes, Discs, Snakes, etc. 32K Tape: \$24.95

ZAKSUND

From Elite Software comes this fantastic arcade style space action game with 3 different stages of moving 3-D graphics. You've never seen anything like this on your CoCo! Great sound too! 32K Tape: \$24.95




THE KING

Previously called 'Donkey King', you simply cannot buy a more impressive game for your CoCo. With 4 different screens and loads of fun! From Tom Mix Software. 32K Tape: \$25.95

GHOST GOBLER

From Spectral Assoc. This "PAC" theme game has been improved several times. It is definitely the best of its type. Brilliant color, action and sound, just like an arcade. 16K Tape: \$24.95



COLORCADE SUPER JOYSTICK MODULE

WITH
RAPID
FIRE!



ONLY \$19.95

JOYSTICK INTERFACE/RAPID FIRE/6 FT. EXTENDER ALL IN ONE! The Colorcade allows connection of any Atari type joystick to your CoCo (including the Wico Red Ball). These switch type sticks are extremely rugged and have a faster and more positive response. They will improve the play of almost any action game.

An adjustable speed rapid fire circuit is built in. Press your fire button and get a great burst of fire instead of just a single shot! You get a real advantage in shooting games that do not have repeat fire.

ATARI JOYSTICK

ONLY
\$8.50



THE BEST YOU
CAN BUY
WICO #15-9730

~~\$34.95~~
\$29.95

WICO FAMOUS
"RED BALL"



ROM/PROJECT/ PRODUCT CASE



Give a professional look to your project or product! High quality 3 piece injection molded plastic with spring loaded door. Designed especially for the CoCo ROM slot.

2 - 4 pcs. \$5.50 Ea.
5 - 9 pcs. \$3.50 Ea.
10 - 99 pcs. \$2.75 Ea.
100 & UP. Call Us.
P.C. board for 27XX EPROMS. \$4.00 Ea.


COLORWARE LIGHT PEN



ONLY \$24.95
WITH SIX FREE
PROGRAMS ON
CASSETTE!

The Colorware Light Pen plugs directly into your joystick port and comes with six fun & useful programs on cassette. Easy instructions show how to use it with Basic and it's compatible with light pen software such as Computer Island's "Fun Pack." Order yours today. Only \$24.95 complete.

TELEWRITER-64



DISK \$59.95
CASSETTE... \$49.95

Colorware researched the word processors available for the Color Computer. This is the best. Telewriter-64 is a truly sophisticated system that is marvelously easy to use. It works with any 16K, 32K or 64K system and any CoCo compatible printer.

TOP-RATED COCO WORD PROCESSOR

TOLL FREE ORDERING
800-221-0916

ORDERS ONLY. N.Y. & INFO CALL (718) 647-2864

COLORWARE



Why do more CoCo owners choose 'REAL TALKER'?

Sure it's priced right, but there's more...

Thousands of 'Real Talker' owners know 'Real Talker' beats ALL other CoCo voice synthesizers in ease of use and flexibility. And, NO other CoCo talker has a clearer, more intelligible voice. That's quite a lot of advantage when you consider Real Talker's unbeatable price. Yet, Real Talker has some important features that you simply will not find in other CoCo talkers:

'SAY' command - You'll have your computer talking brilliantly in just minutes thanks to this powerful new command. Type SAY "ANYTHING YOU WANT" and your words are instantly spoken. It's that simple. Think how easy this makes creating speaking Basic programs. Adding speech to your existing programs is a snap too.

'CONVERT' - This is a truly powerful command for the basic programmer. CONVERT automatically transforms a machine language dependent speaking program into a stand-alone Basic program. In other words, you can effortlessly write speaking Basic programs that do not require a machine language translator in memory. This is a unique feature of 'Real Talker'. No other voice synthesizer gives you anything even remotely approaching this type of capability - even synthesizers costing considerably more.

Other features include software controlled pitch, unlimited vocabulary text-to-speech, and even a program that will recite any ASCII file (such as from Telewriter-64 & other word processors). You also get Colorware's unique full-screen phoneme editor program that let's you experiment with and modify speech at it's most fundamental level.

'Real Talker' is compatible with any 16K, 32K, 64K Extended or non-extended Color Computer. It works with any cassette or disk system and comes complete and ready to talk through your T.V. or monitor speaker. Price includes the 'Real Talker' electronic voice synthesizer in a ROM pack, software on cassette (may be transferred to disk), and user manual.



'Real Talker' is a full-featured electronic voice synthesizer unit built into a compact cartridge case. You simply plug it into the side of your computer.

NOW INCLUDED WITH 'REAL TALKER'.....

1. **'DR. TALK'**-This interactive "Eliza" type psychoanalyst program will discuss your innermost problems at length.
2. **'TALKING BATTLESHIP'**-It's you vs. the computer in this speaking version of the classic game.
3. **'TALKING BLACKJACK'**- Play for big stakes against a rather talkative casino dealer.

ONLY \$59.95

'REAL TALKER-1' (for the original Color Computer).....	\$59.95
'REAL TALKER-2' (for the Color Computer-2).....	\$64.95
'Y - BRANCHING CABLE' For disk systems. If you have a disk system but do not have a Radio Shack Multi-Slot unit, this economical cable will allow to connect and use your Real Talker and Disk system together.....	
	27.95

TALKHEAD

If you have a 'Real Talker', do not deprive yourself of this absolutely incredible machine-language Talking Head simulation program. While other talking head simulations use a minimal cartoon-like face, TALKHEAD uses high resolution, full-screen, digitized images of an actual person's face to create a life-like animated effect.



SOFTWARE FOR THE 'REAL TALKER'

TALKHEAD can be easily commanded in Basic to appear on screen and say anything you want. Available on cassette or disk for only \$19.95, TALKHEAD requires 64K and a Colorware 'Real Talker'.

ONLY \$19.95

ACTUAL UNRETOUCHED PHOTO

COLORWARE

COLORWARE INC.
78-03F Jamaica Ave.
Woodhaven, NY 11421
(718) 647-2864



★ ★ ★ ORDERING INFORMATION ★ ★ ★

ADD \$2.00 PER ORDER FOR SHIPPING & HANDLING.
C.O.D.'S: ADD \$3.00 EXTRA.
SHIPPING & HANDLING FOR CANADA IS \$4.00
WE ACCEPT VISA, MASTER CARD, M.O.'S, CHECKS.
N.Y. RESIDENTS MUST ADD SALES TAX.

Other signals:

I 1500 2300

Phasing interval: mostly black. I

Satellite picture: varying. I


Effect of noise: random

Signal + noise: I


Receiving The Picture

Now select 120 lines per minute (for most stations), and tap the button, move the joystick to center bottom and you are now receiving a picture.


If you start when a chart is in progress, you may see the chart not properly centered.




To center (phase) the incoming picture move the joystick in the direction that you want the picture to move.



Return joystick to center bottom again and see if picture detail is in from side edges.




Move joystick to top center and wait a second for the scanning to start at the top again.



Then resume scanning by moving stick down.

Setting The Fine Speed Controls

Since fax requires a very accurate speed, the slight variation between different computers must be adjusted for. If the picture appears skewed on your computer, adjust the numbers in the BASIC loader. This is an example of the number being too large:



If you were using 120 speed, edit Line 50 and change the last one or two digits (for the example above try decreasing it by eight). Some experimentation will be needed to get it just right.

Type LIST 30-50. (Adjust these numbers)
30 F1=645 :REM 60 LPM ADJUST
Fine speed set 40 F2=898 :REM 90 LPM ADJUST
50 F3=1024 :REM 120 LPM ADJUST

Write the number down on paper and RUN the program. When you have it exactly right, you will probably want

to SAVE the adjusted copy to avoid having to edit it each time. Note that each speed must be adjusted separately.

Pan Over Picture

Tapping the button when no function is highlighted shows you the picture in memory. Since the picture is much larger than can be displayed, the screen is made into a window which is used to pan over the Hi-Res picture. Move the joystick around to see the rest of the picture. Tapping the button again gets you back to the menu. (Note: if you do this before a picture is received or loaded, you will see a memory start up pattern.)



All the menu functions end with pan over picture. After any function you can tap the button to return to the menu.

Starting And Phasing

WEFAX Receive uses manual start, phasing and stop (abort). Many radios aren't frequency stable enough to make use of the World Meteorological Organization (WMO) remote control signals (300 Hz start, 25s 5% white phasing and 450 Hz stop). To start: select the speed appropriate for the station tuned in. When you hear a low tone followed by a "tweedling" sound, tap the button

***** [CCN] *****

Now is your opportunity to join a nationwide 24 hr. BBS. Designed especially for the CoCo. CCN provides you with more service than most BBS Systems. You will be able to send and receive mail, get technical information, download free software, read announcements, give us your comments, list your own software and hardware for sale, buy from our business advertisers and much more. CCN is not like some systems that charge you by the hour. We have a small annual fee. You'll be able to use the system as long and as often as you like. We hope that you will. To become a CCN member send \$25.00 to:

Color Computer Network
P.O. Box 573
Franklin, KY 42134

and move the joystick to center bottom. This is a phasing interval and the picture edge mark.




Phase the white break so that it is on the edge by moving the joystick in that direction.



Reset the scanning to the top.




Return joystick to bottom to begin scanning.



Receive Picture

The joystick is used to control the starting and centering of the picture during receive.



The picture you see during receive is only one-ninth the size and resolution. When completed you will see a portion of a much larger picture (see PAN).



Print Picture

The *WEFAX* print routine was designed to work with the Epson MX-80 printer with Grafrax. It is also usable on the Epson FX-80 and RX-80 printers. The Color Computer uses a serial port and thus the printer must have the buffered serial option or an external serial interface. For fastest printout of pictures, the program is set to 9600 Baud; set the printer accordingly. (You could also change the Baud rate in the program, but this would slow down the printout of pictures.) To use another type of printer would require changing the machine code portion of the program.

down button until printing stops. This function does *nothing if the printer is off or absent*. Turn off the printer when the picture is done to minimize interference during reception.


Change this——↓ to change Baud rate:

55 POKE150, 1 : REM PRINT=9600 BAUD


BAUD RATE:	9600	4800	2400	1200	600	300
VALUE:	1	7	18	41	87	180

Reverse Video The Picture

Charts are usually sent on a light background, however, if you get this



select: REVERSE VIDEO THE PICTURE to make it look like this.



This function is useful when printing because large black areas squeeze lots of ink out the ribbon and overheat the printer.

(Note, since this function does *not change the information content of the picture*, you can do it as many times as you want.)


The pictures may be reversed if you are tuned to the wrong sideband for the signal being received. When finished receiving you may want to retune the radio so you won't have to reverse it every time.

Disk Picture Storage

If *WEFAX* Receive is run on a computer with a disk system, the following functions will appear in the menu:

```
DISK      ♦VIEW♦ #1 ♦♦♦ #2 ♦♦♦
PICTURE   ♦LOAD♦   ♦♦♦   ♦♦♦
STORAGE   ♦SAVE♦   ♦♦♦   ♦♦♦
```

These functions allow you to quickly save the pictures for later viewing. No attempt was made to use tape save since it would be hideously slow. There are three disk functions that can be used. Two pictures may be saved on each disk. First, select one of the functions, then select the disk picture that you want it to access. Note: When you use *VIEW*, you must select one of the nine screens to view. On many charts the title is in the upper right-hand corner, so select the upper right-hand asterisk. For *SAVE* and *LOAD*, you select the whole picture and all the screens in it will be transferred.



There is enough room on each disk to hold both the two pictures and a few other things (like the *WEFAX* program). The pictures will not show up in the disk directory, and if you save too many other things there may not be enough room for the pictures. If there is not enough room the picture will not be saved (you won't see the nine screens flash by). To avoid possible problems, you should probably make up several disks for pictures and copy only the *WEFAX* program onto each.

Use the following procedure to set up a disk:

- 1) Insert a blank disk in drive 0. Type *DSKINI0,1* (press the ENTER key). This will initialize and erase the disk.
- 2) Replace that disk with one containing the *WEFAX*. Type *LOAD "WEFAX"* (press ENTER).
- 3) Reinsert the blank (initialized) disk. Type *SAVE "WEFAX"* (press ENTER).



Broadcast Schedule

Coast Guard station NMC at Point Reyes, Calif. broadcasts facsimile pictures on 4344.1, 8680.1, 12728.1 and 17149.3 kHz at the following times:

GMT	Eastern	Pacific	
1500	10 am	7 am	Primary layer depth analysis, experimental period
1715	12:15 pm	9:15 am	Tropical analysis, surface analysis, satellite pictures
2000	3 pm	noon	Fax transmission schedule, 500 millibar contour and maximum wind, satellite pictures
2330	6:30 pm	3:30 pm	Tropical analysis, surface analysis, experimental period
0100	8 pm	5 pm	Surface forecast, sea state forecast, experimental period
0300	10 pm	7 pm	Sea surface temperature analyses, sea and weather forecasts
0500	12 am	9 pm	Surface analysis, extended surface forecast, experimental period

WE'RE HERE
TO HELP YOU!

VALLEY
MICRO
SYSTEMS

SHIPPING / HANDLING \$3.00.
ALLOW 10 DAYS FOR PERS. CHKS.
SAME DAY SHIPPING FOR CASHIERS
CHECK OR MONEY ORDER. CALIF.
RESIDENTS INCL. 6% SALES TAX.

GRAPHISET CREATES
TITLE PAGES, DISPLAYS, ETC.
-16 FONTS - -3 PALETTES-
FOR GRAPHICOM \$19.95

GRAPHICOM JOYSTICK
QUALITY ALPS MOVEMENT -
DELUXE SOFTOUCH SWITCHES,
ONE LOCKABLE \$24.95

GRAPHICOM
FOR GRAPHIC PRODUCTION-
"OUTSTANDING" - APRIL '84
RAINBOW. \$24.95

RTD POWERFUL
REMOTE TERMINAL DRIVER-
100% MACHINE LANGUAGE
JUL '84 RAINBOW \$30.00

VMS-BBS new
THE PROFESSIONAL BBS
WRITTEN BY JEFF FRANCIS
FEATURE FILLED, 100% M.L.
EXTREMELY VERSATILE!
'HARDWARE DRIVEN'
COCOII/II 64K \$150.00

COLOR-80 BBS
LATEST EDITION, ONE OF
THE BEST BOARDS AVAILABLE
NEW LOW PRICE \$125.00

**SERIAL TO PARALLEL
CONVERTER** WITH
QUALITY CRYSTAL SWITCH,
POWER SUPPLY, & ALL
CABLES INCLUDED.
NEW LOW PRICE \$49.95

BASTXT new
ADDS 17 NEW COMMANDS
AND HIGH DENSITY TEXT
SCREEN TO BASIC. MIXES
TEXT & GRAPHICS IF DESIRED.
EASILY MODIFIED.
64K-100% M.L. \$34.95

DISK DISASSEMBLER
TACKLES SEGMENTED AND
AUTO-EXECUTING FILES &
MUCH MORE - BEST WE'VE
SEEN YET - LOWEST PRICE
new \$24.95

CUSTOM DOS new
ADDS 14 NEW DISK COM-
MANDS - USE D.S. DRIVES!
IMPROVED DIRECTORY & BOOT.
EPROM COMPATIBLE \$44.95

WRITE OR CALL FOR FREE CATALOG • DEALER INQUIRIES INVITED

801 W. ROSEBURG AVE. - SUITE 200, MODESTO, CA 95350
BBS & ELECTRONIC SHOPPING • (209) 526-2030 • VOICE PHONE: (209) 529-4343

A Look At How The Multi-Pak Interface Works


By Tony DiStefano
Rainbow Contributing Editor

This month we'll be looking at what makes Radio Shack's Multi-Pak Interface (MPI for short) tick, and finish off by adding a little LED numeric display to tell you what slot is active.

First off, a little background on the memory map of the Color Computer is necessary. Judging by the amount of questions I get, the concept of a "memory map" is very confusing to many. Hopefully, after reading this article, the memory map for the Color Computer will be better understood by all.

The CPU in this computer is the MC6809. It has 16 address lines. In binary numbers, 16 bits can have 65,536 different combinations, or 2 to the power of 16. That means the CPU can *directly* access 65,536 (better known as 64K) bytes of memory. The key word here is "directly." At any one time, the CPU will read or write within this boundary, but there is no rule that says we can't fool the CPU into accessing

(Tony DiStefano is well known as an early specialist in computer hardware projects. He lives in Laval Ovest, Quebec.)



(Figure 1)

more. To the CPU, it looks like only 64K; to the user the amount of memory the CPU can access can be almost limitless. The secret (not a very big one) is bank switching.

A memory chip, be it RAM, ROM, EPROM or whatever, has what is known as a chip enable (CE for short) pin. This pin activates the chip for a read or a write. When this pin is not activated, the chip becomes invisible to the CPU; it is as if it was not there.

Now, think of several chips all in parallel, except for the CE pin. Put all

the CE chips on a switch so you can select one at a time (see Figure 1). Changing the switch would mean whatever memory chip was connected by the chip would be activated. This technique allows the user to have access to more than 64K of memory — how much more depends on how many switches you have.

Let's take this one step further. Instead of the manual switch, as in Figure 1, an electronic switch is put in, (see Figure 2) and if this electronic switch could be controlled by the

computer, it could switch to different chips all by itself. That way, the CPU could actually access more than 64K. All the CPU would have to do is change the electronic select switch.

This is done, of course, in software. The software must know there is more than 64K online. It must also know how to access this memory in reference to where the switches are. This is basically what the Multi-Pak Interface is — an extension of the CPU's memory capacity. It comes complete with mechanical and electrical switches, along with everything else you need to make it work, like a power supply, buffers, wires and connectors, etc.

Now that we know what it can do, let's look at how it does it. In order to understand how the Multi-Pak works, an understanding of the Color Computer memory map is necessary. Note that all versions of the CoCo and CoCo 2 have the same memory map. (Figure 3 shows the memory map.) This is a hardware memory map rather than a software map. The hardware map shows what chips are where and what areas are reserved for them. A software map would show what variables are where, i.e., printer Baud rate, input hook, cassette buffer and so on. Right now we are interested in the hardware map.

The following is a point by point description of the memory map as it is when you turn on the computer. The map can deviate from this with certain commands to the SAM (Synchronous Address Multiplexer) chip, but these are the default settings (on power up). The "\$" denotes a Hex number.


1) 0 to 32767 (\$0-\$7FFF) — This area uses the internal RAM chips. They can be one to two banks of 4K, or 16K DRAM (Dynamic Random Access Memory), or 1/2 of 64K DRAM.

2) 32768 to 40959 (\$8000-\$9FFF) — This area uses an internal 8K * 8 ROM chip. This space is usually taken up by Extended BASIC.

3) 40960 to 49151 (\$A000-\$BFFF) — This area uses another internal 8K * 8 ROM chip. This space is occupied by Color BASIC.


4) 49152 to 65279 (\$C000-\$FEFF) — This area is 16128 (\$3F00) long. It is one page (page = 256 or \$100) less than 16K. This area is reserved for external memory. It is accessible via the cartridge connector on the side of the computer. More on this later.

5) 65280 to 65311 (\$FF00-\$FF1F)




— This area is normally used as an I/O port. It is used to control a PIA (Peripheral Interface Adapter). This PIA is connected to the keyboard, analog MUX select lines, horizontal and vertical sync interrupt, joysticks and buttons.

6) 65312 to 65343 (\$FF20-\$FF3F) — This area is another internal I/O port. The second PIA in this computer, it controls the 6-bit D/A, cassette I/O, RS-232 I/O, RAM size, motor control, sound enable, single bit sound output, graphics mode control and



CALINDEX[®]
The automated computer calendar

If you don't have
time for love, maybe
you need
Calindex[®]
the automated computer
calendar.






If you use a calendar you need Calindex!




MESSAGE **CODE: A0**
Get card and candy for Cindy
— call for dinner res.
DUE DATE FEB 9, 1985



So easy to use

Once you enter a due date and other information on a file card

Calindex starts reminding you a month in advance of upcoming items. And **Calindex** keeps reminding you until you tell it the item is taken care of.



So automatic

A chain of command feature allows each member of your group to have a personal calendar. Up to fifteen individual calendars can be managed by the master calendar. **Calindex** automatically reports seriously overdue items from the interrelated calendars up the "chain of command" until they are taken care of down the line.

The power of Calindex

Indispensable for every . . .

- * Family
- * Business
- * Group
- * Parent
- * Teacher
- * Student
- * Committee
- * Organization
- * Club

CALINDEX is a powerful management program that can be readily adapted for family use. In fact it will help bring the family together. It will do the same for a small business or social organization.

Price \$39.00

Grantham Software Division
702 W. Washington Street
Marina del Rey, CA 90292
(213) 827-8087

Packed full of helpfull features . . .

- Easy to write file cards
- Chain of command supervisor
- Automatic tickler file
- Multiple calendar management
- Perpetual calendar entries
- List creation feature
- Archive for satisfied entries
- Automatic scan selection
- Uses standard printer



Grantham Software Division
702 W. Washington Street
Marina del Rey, CA 90292

Yes! SEND me my copy of Calindex for CoCo.

Name

Address

City State ZIP

☐ My check for \$39.00 is enclosed (California residents add 6.5% sales tax).

☐ Please add a backup disk for an additional \$4.00 (Total \$43.00)

cartridge interrupt input.


8) 65344 to 65375 (\$FF40-\$FF5F)
— This area is the third I/O port and is reserved for external use. It is accessible via the cartridge connector on the side of the computer. More on this later.

9) 65376 to 65519 (\$FF60-\$FFEF?)
— This area controls the SAM chip. The SAM chip generates all the system timing and all of the device selection.

10) 65520 to 65535 (\$FFF0-\$FFFF)
— Finally, this area is the indirect pointers to the CPU interrupt vectors. Each pointer is two bytes long. Starting from the top, they are: Reset, NMI, SWI, IRQ, FIRQ, SWI2, SWI3 and the last one is Reserved. This area is controlled by the SAM chip and whenever it is accessed, the SAM chip will re-route (re-map) it to 49151 (\$BFFF), the top of the Color BASIC area. The reason for this is the CPU must use these vectors, and the only ROM that definitely comes with the computer is this one.

As you can see from the map, the areas that will concern the MPI are #4 and #8. They are accessible through the cartridge port.

Let's start with #4. The most common use for this area is the ROM-Pak. All of Radio Shack ROM-Paks use this area, however, not all of them use the whole 16K area available. Some use 2K or 4K, but most use 8K. In the case of the disk drive system, the software




known as Disk Extended Color BASIC resides in this area. As a matter of interest, this software is kept on an 8K ROM chip, but only uses a little more than 6K of it. The rest of it is blank. The pin that controls (chip enable) this area on the cartridge connector is #32. It is called the Cartridge Select Signal (CTS) and is active LOW.

The second area available to the cartridge port is #8. It is generally used as an I/O port, but can be used for just about anything. The 32 byte length limits it to mostly I/O. Radio Shack game ROM-Paks do not use this area; the disk system does. It uses this area to communicate to the disk controller. Some of my projects also use this area. The pin that controls (chip enable) this area on the cartridge connector is #36. It is called the Spare Select Signal (SCS) and is also active LOW.

There are four slots in the MPI. This means you could put up to four ROM-Paks in there. They don't have to all be ROM-Paks; you could put in a ROM-Pak, a disk controller, a voicepak, an RS-232 adapter, an x-pad and your own "gizmo," just to name a few. They are all different, but fall into two categories: ones that use the SCS and/or CTS, and ones that use their own memory map decoding.

Let's look at the ones that do use these signals. The MPI has two ways of selecting which slot will be active: 1) The switch in front of the MPI. This is used as a "power up" default switch. When you turn the system on, the slot



(Figure 4)

that will be active will correspond to the switch's position. If you want the game in slot #2 to run, place the switch to #2 and turn the computer on. 2) The second way to select the active slot is by the built-in electronic switch. The electronic switch is nothing more than a memory-mapped byte. At this location, there is a latch so the associated circuitry can remember what slot is active. This latch is at 65407 (\$FF7F). Writing to this byte will change the active slot so it is equal to the value stored in that byte. To change the active slot, a poke or a store will do. You can also read the latch. The value returned will correspond to the active slot.

To make matters more complicated, the SCS and the CTS can be switched separately. Yes, the SCS can be in slot 1 and the CTS in slot 3. The electronic switch is divided into two parts, or nibbles. Each is four bits, making it eight bits, which is equal to one byte. The lower four bits controls the SCS and the upper four bits the CTS. A four-bit binary number can have 16 different combinations, but only the first four are used in the MPI. That makes four ports. The value needed to select a given port must start with zero. This is the first slot, even though the numbers start from one.

To select a slot, a little calculation is necessary. It is, of course, easier in Hex numbers. Here is a table that references the slots.

Slot #	CTS	SCS
1	0 (\$0)	0 (\$0)
2	16 (\$10)	1 (\$1)
3	32 (\$20)	2 (\$2)
4	48 (\$30)	3 (\$3)

To select a CTS and an SCS is simple: take the value from the CTS column

that corresponds to the slot number you want active, and add it to the value of the SCS that corresponds to the slot of that one. For example, if you want the CTS to be in slot 3 and the SCS in slot 2, the sequence would be as follows:

$$32 (\$20) + 1 (\$1) = 33 (\$21)$$

You would then *POKE* 65407,33 but you must remember when you change

"There are four slots in the MPI . . . you could put up to four ROM-Paks in there. They don't have to all be ROM-Paks; you could put in a ROM-Pak, a disk controller, a voice pak, an RS-232 adapter, an x-pad and your own 'gizmo,' just to name a few."

slot numbers, the computer might crash. It all depends on what software is running at the time. If, for instance, you were running Disk Extended BASIC and changed the CTS to another slot, a crash would occur and the disk software would no longer be there. If the slot that received control was auto-starting, it may start properly, depending on the status of the interrupts.

Now for the project. This is a simple 2-IC circuit. The IC I used in this project is the 7448. It is a BCD (Binary Coded Decimal) to seven-Segment decoder driver. This chip takes a four-bit binary number from zero to nine, and turns on the proper LED display segments to make them look like numbers. This IC can drive the display directly without resistors. It also uses the less expensive common cathode display (RS #276-075).

Unfortunately, the 7448 is not available at Radio Shack. The one available is the 7447 (RS #276-1805). There are two differences between the two: 1) it needs resistors to drive the display, and 2) it drives a common anode (more expensive) display. The choice is yours. If you can find the 7448, then use the common cathode display. If not, then use the 7447 with the common anode display (RS #276-053) and the resistors. Both schematics are shown in Figure 4.

I mounted the ICs and the displays on the same protoboard, as you can see from the photo. I will leave it up to you to mount the display where you want it. The display and the ICs do not have to be on the same board. You could always cut a square hole in the cover and mount the displays there.

To see if the display is working right, with all slots empty, place the front switch to slot #1 and turn the computer and MPI on. The display should read 00. Turn the switch to each position — #2, #3 and #4 — the display should read 11, 22 and 33, respectively. Try *POKE*ing different values according to the Slot Table, and verify that the numbers change accordingly. From now on you will be able to see at a glance which slot is active.

LOS ANGELES

*** LOCAL * IN * LOS * ANGELES * LOCAL * IN * LOS * ANGELES * LOCAL * IN * LOS * ANGELES ***

*** SOFTWARE ***

Green Mountain Micro!!
Computerware (All)
Custom Software (No Disc.)
Frank Hogg Labs (OS-9 & Flex)
Key Color Software (Key 264K)
Tom Mix (All)
Moreton Bay (More)
Prickly Pear (Colorkit!)
Spectral Associates
Softlaw (VIP & Colorquest)
Speech Systems (All)
Sugar Software & (Super)
CoCoPro (V2)
Computer Systems Center
Valley Micro Systems (BBS)




*** E.D.C. INDUSTRIES ***
Software • Hardware • Support
Educational • Small Business • Games

VOICE (213) 254-6809 10 A.M.-10 P.M.
BBS (213) 258-0640 24 HRS.
300 and 1200 Baud
Extended Hours+Call before coming.

6130 YORK BOULEVARD
(Near North Figueroa St.)
POST OFFICE BOX 42718
LOS ANGELES, CA. 90050

*** FEBRUARY SPECIALS ***

Delta 10\$399.95
Master Directory\$25.00
Platinum Worksaver\$35.00
Hayes 300 Smart.....\$210.00
Gorilla Green.....\$90.00
Gorilla Amber.....\$95.00

See us for:

PBH	HJL	PBJ
Hayes	Teac	Gemini
Interfaces		Controllers
Speech		Music

**ALWAYS MORE AND BETTER
CALL US LAST!**

LOS ANGELES

*** LOCAL * IN * LOS * ANGELES * LOCAL * IN * LOS * ANGELES * LOCAL * IN * LOS * ANGELES ***

COMPUTER ISLAND

MATH



THE MONEY SERIES BY STEVE BLYN

DOLLARS & SENSE 16K ECB \$14.95

Player buys familiar items using dollars and coins to practice using money correctly.

McCOCO'S MENU 16K ECB \$14.95

Learn to buy and add up your purchases from a typical fast-food restaurant menu.

MONEY-PAK 32K ECB \$22.95

A combined and menu driven version of the above programs. Includes play money. Reviewed - Rainbow 7/83

**EQUATIONS TUTORS 19.95 EA.
by Ed Guy 32K EB.**

Elementary-intermediate algebra. Step by step tutorials. SPECIFY Linear or Quadratic.

GRAPH-IT \$14.95 16K EB.

Graph algebraic equations on a hi-res screen. Linear, quadratic, etc. By D. Steele

MATH INVADERS by David Steele 16K EB. \$17.95

A multi-level 'Space Invaders' type game to reinforce the 4 basic math operations (addition, subtraction, multiplication and division). Problems become more difficult as you progress. Hi-res. graphics, joystick required. 32K EB. Disk \$20.95

SCIENCE

SCIENCE GAME \$29.95

by J. Keeling 32K EB. Disk Only
Over 600 questions in 9 categories. Makes learning science facts fun. Game format, 1 or 2 players, teams. Grade 8 and up.



BEYOND WORDS 32K ECB \$10.95 Each

These Language Arts programs cover common misspellings, and synonyms/antonyms on each level. Additionally, Level 1 tests contractions and abbreviations, Level 2 tests homonyms, and Level 3 tests analogies. Each program has 3 parts and contains over 400 questions and uses over 800 words. All tests are grade appropriate. User modifiable (directions included). Printer option.

Level 1 Grades 3-5

Level 2 Grades 6-8

Level 3 Grades 9-12

DISK VERSION Each \$23.95

THE MATH TUTOR SERIES 16K Ext.
These tutorials take the child through each step of the example. All programs include HELP tables, cursor and graphic aids. All allow user to create the example, or let the computer choose. Multi-level. Great teaching programs. By Ed Guy.

LONG DIVISION TUTOR \$14.95

MULTIPLICATION TUTOR \$14.95

FACTORS TUTOR \$19.95

FRACTIONS TUTOR (Addition) \$19.95

FRACTIONS TUTOR (Subtraction) \$19.95

FRACTIONS TUTOR (Multiplication) \$19.95

Any 2 FRACTIONS programs \$29.95

**TRIGONOMETRY TUTOR 32K
By Ed Guy \$24.95**

A step by step tutorial for learning to compute the sides and angles of right triangles. All examples have graphic representation.



GRAPH TUTOR 32K ECB \$19.95

Line, bar, pie and pictographs are demonstrated. Learn to read and use these graphs. Test mode, Hi-res graphics throughout. By Chris Phillips.

**CROCODILE MATH 16K Ext.
By Art Provost \$17.95**

An animated math game using hi-res graphics. A fish containing a problem moves toward a crocodile containing a possible answer. If the answer is true, open the crocodile's mouth with the joystick to eat the fish. If false, keep his mouth closed. Addition, subtraction, and multiplication examples on 3 levels, 3 speeds. Tape only.

Language Arts

(ALL PROGRAMS IN 16-K EXTENDED EXCEPT WHERE NOTED)

CONTEXT CLUES - by Steve Blyn - Multiple choice-reading programs. Specify grade 4,5,6 or 7. each \$17.95

VOCABULARY BUILDERS - 32K - Great for test preparations. 200 questions, multiple choice, modifiable, printer option. I (grades 3-5), II (6-8) or III (9-12) each \$19.95

READING AIDS 4-PAK - Child creates own reading material. \$19.95

FOREIGN LANGUAGE

FRENCH OR SPANISH BASEBALL - By S. Blyn each \$11.95
Vocabulary practice. 200 words. Modifiable. Specify language.
Also in 32K (500 words) \$19.95

HEBREW BULLETIN BOARD - by J. Kolar - utility to print words. \$15.95

HEBREW ALPHABET - Learn the letters of this alphabet. \$11.95

Preschool

PRESCHOOL SERIES \$11.95 EA.

Pre. 1 - 2 programs for number recognition and counting.

Pre. 2 - 2 programs for simple addition, number game.

Pre. 3 - Alphabet recognition.

All 16K E.B. By J. Kolar



FIRST GAMES by Penny Bryan 32K EB. tape \$24.95 disk \$27.95

First Games contains 6 menu-driven programs to delight and teach your early learners (ages 3-6). These games enrich the learning of colors, numbers, lower-case letters, shapes, memory, visual discrimination and counting.



STATES & CAPITALS \$19.95
Multiple choice quiz on a hi-res screen. 32K E.B.

EXPLORERS & SETTLERS \$19.95
Hi-res screen. Multiple choice quiz on explorers and settlers of the new world. 32K

ARROW GAMES by Penny Bryan 32K EB. tape \$21.95 disk \$24.95

Six menu driven games for young children (ages 3-6) to teach directions. All games involve using the arrow keys. Games include LADYBUG, BUTTERFLY, ARROW MATCH, KALEIDOSCOPE, RABBIT, and DOODLE. Colorful graphics.

Social Studies



KNOW YOUR STATES \$19.95 32K
Shows each state to identify on hi-res screen. Help command and scoring. By J. Keeling

THE HISTORY GAME 32K ECB \$14.95
"Jeopardy" type game by James Keeling. 5 categories and 5 questions in each category. One or two player game checks your knowledge of American History. Different questions each round. Hi-res graphics.

FAMOUS AMERICAN WOMEN \$19.95

A who-am-I game of over 50 multiple choice questions on a hi-res screen. 32K E.B.

KING AUTHOR'S TALES \$29.95

Student may create and save original stories on files. Question/Answer, title page picture features, too. Rewrite, review, and printer features. Includes selection of stories and pictures. 32K EB Disk or 16K EB Tape

Educational Software

TEACHER/STUDENT AIDS

THE QUIZ MAKER by David Stanley
32K E.B. tape \$24.95 disk \$27.95
A program that enables a teacher to create tests or a student to study for tests in any subject area. Your questions and answers may be saved for future use. Short answer, true-false, fill-in and other quiz formats are supported. Printer option for hard copy test generation. Program randomizes questions, keeps track of score and provides a variety of testing formats.

ARITHMETIC TUTOR DIAGNOSTIC FRACTIONS TUTOR DIAGNOSTIC 32K DISK \$49.95 each

More of the MATH TUTOR SERIES. A diagnostic feature permits teachers to keep records of students' progress on the disk using a password. Printer option generates hard copy of progress reports. ARITHMETIC TUTOR covers multiplication, division, factoring, and order of operations. FRACTIONS TUTOR covers addition subtraction, multiplication, and division of fractions. Easy to operate. Disk only. By Ed Guy.

COLORGRADE 32K ECD \$29.95
A great aid to teachers. Records and calculates grades for up to 6 classes of up to 40 students each. Uses number or letter grades, named or numerical periods and gives a weighted average. Easy to use. Full directions. DISK ONLY. By David Lengyel.

COMPUTER LITERACY by Steve Blyn

32K E.B. \$19.95
A computer literacy quiz exclusively for the Color Computer. Tests and scores from over 60 questions on a HI-RES upper and lower case screen. Reviews computer literacy and beginning programming knowledge. Ages 10 and up.



TREASURE HUNT by Art Provost
16K E.B. Tape Only \$19.95
Find your way to the treasure through a maze filled with objects to collect, warriors, thieves, secret passages, dark caves, hidden clues. Its all there for you to enjoy. Includes graphic illustration, animation, various levels of play for ages 6-12. Joystick required.



I LOVE MY COCO TEE SHIRT

\$6.95 each + \$1.00 S/H per shirt
Available in Adult Sizes
S, M, L, XL, and Youth L (14-16)
White with Red Trim
and Blue Logo
**TREAT YOURSELF OR A FRIEND
TO A GREAT GIFT.
CALL US FOR DETAILS
ON SCHOOL/CLUB ORDERS.**


VERBAL MATH PROBLEMS

PIZZA GAME 32K E.B. \$19.95
Learn to locate coordinates on a grid. HI-RES text and graphics.

**AREA & PERIMETER
32K E.B. \$19.95**
Triangles, rectangles, and circles are covered in this HI-RES text and graphics program.

**SALES & BARGAINS
32K E.B. \$19.95**
Learn to find the discounted price. HI-RES text and beautiful graphics.

GAMES & ACTIVITIES



The Factory: FROM SUNBURST Strategies in Problem Solving

Grades 4-adult. Winner 1983 Learning Software Award. Recommended in Classroom Computer Learning, Courseware Report Card and Electronic Learning Unique three-level program challenges students to create geometric 'products' on a simulated machine assembly line which the student designs. Diskette for 32K TRS-80 Color Computer with Extended Color BASIC. \$39.95

The Pond: FROM SUNBURST Strategies in Problem Solving

Grades 2-adult. Winner 1983 Learning Software Award. Recommended in Classroom Computer Learning. A small green frog, lost in a pond of lily pads, helps students recognize and articulate patterns, generalize from raw data and think logically. Diskette for 32K TRS-80 Color Computer with Extended Color BASIC. \$39.95

MR. COCOHEAD 16K E.B. \$16.95
Create over 10,000 funny faces. Facial features controlled through keyboard. Surprise command. Ages 4 and up.

LIGHT PEN 16K E.B. \$19.95
Enjoy this interesting piece of hardware. Control screen action with the lightpen. Includes 6 programs.

DISTANCE PROBLEMS \$19.95
Moving graphics and text combines on a hi-res screen. Rate x Time = Distance in all its forms. 32K E.B.



Dealers inquiries invited.



All payment in U.S. funds.



(718) 948-2748
Dept. R 227 Hampton Green, Staten Island, N.Y. 10312

Send for catalog with complete descriptions.

Please add \$1.00 per order for postage. N.Y. residents, please add proper tax. FREE set of BINARY DICE, including full directions, with orders of 2 or more items. Authors: We are seeking quality children's software for leisure or learning. Write for details. Top Royalties. TRS-80 Color Computer. TDPSys 100.

The Value of Comparison Shopping

— a consumer education program for children

By Steve Blyn
Rainbow Contributing Editor

Consumer education was traditionally taught only in the higher grade levels; it was naturally assumed these students were closest to being out in the world and on their own. Although this is true, the topic has fortunately been introduced into the lower grades as well. Educators have learned that one is never too young to learn how to manage money wisely.

Young children are exposed to advertising through television. They see toys and cereals and other products meant to attract their attention. They want almost everything: "Daddy, buy me this, Mommy, buy me that." How familiar these phrases are to parents! And what do we answer? "We don't have room for that toy," or "You have one just like it," or the old standby "It costs too much money!" From the age of 2 or 3, our children begin to build an awareness of products, purchasing and prices.

(Steve Blyn teaches both exceptional and gifted children, holds two master's degrees and has won awards for the design of programs to aid the handicapped. He and his wife, Cheryl, own Computer Island.)

Shopping for food is a job most youngsters take part in. Many accompany their parents to the supermarkets. There are many others who are able to shop alone at local groceries at surprisingly early ages. Consumer education should therefore begin when it is appropriate to the experiences of the students.

In the metropolitan New York area, the Wednesday and Sunday newspapers are full of ads and discount coupons for the local supermarkets. Hours can be spent combing the ads looking for the best bargains. It would be counter-productive to travel from market to market to get the best value on each particular item. By careful comparison pricing on selected items, people learn more efficiently to choose the better stores for their needs.

This month's program is designed to help middle grade students learn about comparison shopping in two stores. A list containing several grocery items and their prices in each store is presented.

The learner has two tasks to master. First, one must decide which store has the better price. This exercise gives practice in reading this type of list. Adults are quite familiar with such lists,

but they can confuse children in the beginning.

Next, the student must determine how much money is saved in the less expensive store. This is done by subtracting either mentally or on a separate piece of paper. The problem is counted right only if both questions are answered correctly. After 10 examples, a report card is given, and the player can begin again or end the program.

Lines 40 and 50 dimension the number of prices and articles. Each article has two prices. Lines 60-100 draw the screen and its information. Line 110 selects the random number (R). This determines which grocery item is picked for each question. This line also contains the counter (CT) for the total number of examples. The next line monitors the counter.

Lines 130-190 ask which store has the cheaper price on the item in question. Lines 200-230 check to see if the answer is correct. If it is, then lines 240-320 ask and check how many cents were saved at the less expensive store. If answered correctly, the student will receive 10 points.

After 10 questions, a report card is given on lines 420-470. Remember that


a question is only counted as correct if both parts are answered correctly. This was done mainly because of the large screen size. We could only fit in eight items and felt it was too easy to merely memorize which item was cheaper. If you desire, you may easily

alter the scoring by giving five points for each part of the two-part question.

This program is certainly not limited to supermarket shopping. The DATA lines are on 400 and 410. Line 400 has the two amounts and Line 410 has the item. You may substitute any items and

amounts of interest to your children or students.

An even better idea is to let the children have fun and learn by substituting their own items and values. One of the best ways to learn is by being an active participant in the program.



The listing:

```

10 REM"COMPARISON SHOPPING"
20 REM"STEVE BLYN, COMPUTER ISLAN
D, NY, 1985"
30 CT=0:GB=0
40 DIM A(8,2):'*THE AMOUNTS
50 DIM F$(8):'*THE ITEMS
60 CLS0
70 PRINT" STORE1      STORE2
ITEM":PRINT STRING$(32,188);
80 FORX=1TO8:FORY=1TO2:READ A(X,
Y):NEXTY,X:FORZ=1TO8:READ F$(Z):N
EXTZ
90 FOR X=1TO8:FORY=1TO2:PRINT "
":PRINTUSING "$##.##";A(X,Y);:P
RINT"      ";:NEXTY:PRINTF$(X):NEX
TX
100 PRINTSTRING$(32,179);
110 R=RND(8):CT=CT+1
120 IF CT>10 THEN 420
130 PRINT@352," WHICH STORE SEL
LS THE ";F$(R)
140 PRINT@384,"      AT A CHEAPER
PRICE";
150 REM"EN=PLAYER'S RESPONSE"
160 INPUT EN
170 REM"P1=PRICE AT FIRST STORE
AND P2=PRICE AT THE SECOND."
180 IF EN<1 OR EN>2 THEN 130
190 P1=A(R,1):P2=A(R,2)
200 REM"CHECK OUT THE ANSWER"
220 IF P1>P2 THEN N=2
230 IF EN=N THEN 250 ELSE 330
240 REM"IF CORRECT,ASK HOW MUCH
IS SAVED AT THAT STORE."
250 PLAY"L100;GFEGFEDC"
260 PRINT@416," ":PRINT@416,"RIG
HT! HOW MANY CENTS SAVED";
270 INPUT EE
280 IF EE<0 OR EE>99 THEN 240
290 CB=ABS(P1-P2)*100
300 CC=INT((CB)+.5)

```

```

310 IF EE=CC THEN PLAY"ABCABC":P
RINT@455,"CORRECT AGAIN !!";:G
B=GB+1:GOTO 340
320 IF EE<>CC THEN SOUND10,1:PRI
NT@448,"SORRY,YOU REALLY SAVED";
CC;"CENTS":GOTO340
330 PRINT"SORRY, STORE #";N;" IS
CHEAPER.":SOUND10,1
340 PRINT@485,"PRESS <ENTER> TO
GO ON";
350 EE$=INKEY$
360 IF EE$=CHR$(13) THEN 380
370 GOTO 350
380 FORT=1376 TO 1535:POKET,128:
NEXT T
390 GOTO 110
400 DATA 1.25,1.33,.84,.79,.64,.
59,2.25,2.39,.62,.49,2.65,2.48,.
87,.84,1.57,1.74
410 DATA CHEESE,CATFOOD,BEANS,CO
FFEE,CANDY,MILK,JUICE,BREAD
420 CLS5:PRINT@41,"REPORT CARD";
430 PRINT@134,"YOUR SCORE WAS";G
B*10;"%";
440 PRINT@357,"PRESS <ENTER> TO
GO ON";
450 EN$=INKEY$
460 IF EN$=CHR$(13) THEN RUN
470 GOTO 450

```

One-Liner Contest Winner...

You can do 3-D animation on the CoCo! This shortie draws a cube over and over, rotating it a few degrees each time.

Kraig Brockschmidt
Renton, WA

The listing:


```

0 FMODE4:FORO=1TO4:X(0)=COS(A)*4
0+128:X(0+4)=X(0):Y(0)=SIN(A)*15
+75:Y(0+4)=Y(0)+42:A=A+1.6:NEXT:
A=A+1.3962:RESTORE:PCLS:FORO=1TO
12:READS,E:LINE(X(S),Y(S))-(X(E)
,Y(E)),PSET:NEXT:SCREEN1,1:GOTO:
DATA1,2,2,3,3,4,4,1,5,6,6,7,7,8,
8,5,1,5,2,6,3,7,4,8

```

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book Of Simulations* and its companion *Rainbow Simulations Tape*.)

(Dan Hamilton is a free-lance programmer who authored several programs for Chromasette. He is currently exploring possibilities of a career in programming.)



'Calculate' your way through the solar system with

Space Race

By Daniel Hamilton

Welcome to *Space Race*. This is an interesting math game with a new twist. Instead of answering a math problem, you must enter an equation and the CoCo computes the answer. I borrowed the technique to accomplish this from Rich Dersheimer's *Mathgame* program published in the January 1984 RAINBOW.

The object of the game is simple: be the first player to pilot your spaceship from Earth to Pluto. Each player's turn consists of spinning for three random numbers, then building an equation from the numbers and the arithmetic operators: * / + -. You may only use each number or operator once to form your equation. When your equation is entered, the CoCo computes its value, and moves your spaceship a distance equal to this value. Only the integer portion of the value is used, and values less than zero are ignored. There are two rules that make the game more interesting.

- 1) If you stop on a planet, you automatically advance to the next planet.
- 2) If you stop on the same position as your opponent, your opponent is sent back to the previous planet.

This means the equation with the highest value is not necessarily the one that will most improve your position in the race. An exception to rule #2 is that planets are considered safety areas; you cannot be bumped back while you are on a planet.

The game can be played by two players, by one person against the computer, or enter "Computer" as the name of the first player and select the one player option, and the computer

will play a demonstration game against itself.


I must apologize for the lack of remarks and all the multiple statement lines. I abhor multiple statement lines because they make the logic difficult to follow, especially in lines with multiple *IF* and *ELSE*.


Unfortunately, the program as I originally wrote it ran over 16K, and I really wanted a game everyone could try, so I packed it all together and stripped out all the remarks to get a version that just barely runs in 16K.

A breakdown of the program follows:

Line 1	Dimension arrays: reseed random function
Line 2	Dummy line to compute input equation
Line 3-4	Locates dummy line
Line 5-9	Initialize variables: input names: select mode of play

Line 10	Draws screen
Line 11	Alternates players (beginning of main loop)
Line 12	Spins for 3 random numbers
Line 13	Stores numbers and operators and draws them on screen
Line 14-17	Gets input equation
Line 18-20	Checks syntax of input equation
Line 21	Inserts input equation in dummy equation
Line 22-24	Evaluate equation and move rocket (end of main loop)
Line 25-26	Subroutine to move player 1 rocket
Line 27-28	Subroutine to move player 2 rocket
Line 29-30	Subroutine to bump back player 2
Line 31-32	Subroutine to bump back player 1





HARDWARE

- DOUBLE SWITCH** — Two LEDs show you which port is being used, 1 or 2. High Quality parts with a great looking face plate! \$29.95
- DOUBLE CABLE** — Hook a MODEM and a PRINTER up at the same time with this Y-connector \$14.95
- EXT-CABLE** — long printer or MODEM cable (15 feet) \$14.95
- Y-CABLE** — You can connect two devices at the same time to your ROM port (80 column card and disk Drive) \$29.95
- DOUBLE DRIVER** — Best video driver available for your CoCo. Made by our friends at Moreton Bay Software. Specify CoCo or CoCo II \$24.95
- MINI MOUTH** — Now get sound from your mute monitor. Plugs right in, nothing to solder \$24.95
- COLOR POWER II** — This plug in CP/M board will allow you to use thousands of CP/M programs \$329.00
- MINI-MODEM** — 300 BAUD, Originate/Answer Full Duplex, Direct Connect \$79.95 (Save \$10.00 when you buy one of our terminal programs and a modem)
- DISKS — DISKS — DISKS — DISKS — DISKS**
Save on blank 5¼" diskettes. Buy in bulk and save! No sleeves. (10 minimum in each order) \$16.00


DOUBLE SWITCH




DOUBLE DRIVER



DOUBLE CABLE



MINI-MOUTH



DOUBLE TERM + Plus +

This program is the **ultimate** in CoCo communicating! Double Term + is used with a plug-in 80 column board. Supports either Double 80 Plus, Color Power II or Word Pak.

Here are just some of the features Double Term + has to offer:

Select:

- Half, Full Duplex or Echo
- Odd, Even, Mark, Space or No Parity
- 7 or 8 Bit Words
- 1 or 2 Stop Bits
- All Caps if needed
- Several Printer Formats
- Trapping of incoming characters

BAUD Rates:

- 110-4800 (communicate)
- 600-9600 (printer)

Screen Format:

- 80 x 24 upper/lowercase
- Send all 128 characters from keyboard

Buffer:

- Merge text or programs
- 49K to 53K memory
- Four Buffer Send Modes
- Display Bytes Used/Remaining
- Editor—Move forward and reverse thru buffer. Insert, type over, delete lines, characters or words. Block delete.

10 Macro keys

- Automatic Capture of incoming files
- X on/X off capabilities
- Send True Line Break
- Transmit/Receive BASIC Programs, Files or Machine Code. No need to translate BASIC programs to ASCII Format.
- Save/Load Macros or Parameters to Disk
- Use 1 to 4 Disk Drives (w/SAVE, LOAD, DIR & Granule Display)
- Print while receiving information*
- Easy to use MENU driven format
- Comprehensive users manual
- Works on All Radio Shack Color Computers, and All Radio Shack Disk systems.

15-day money back guarantee (less a \$10.00 restocking/use charge.)

Only \$5.00 each for all future upgrades when you return your warranty card.

PRICE: Double Term +	\$59.95 (Disk)
Y-Cable	\$29.95
Double 80 Plus	\$99.95
Complete Package	\$189.95 + S&H

*Requires PC Pak from PBJ, Inc.

DOUBLE 80 PLUS

- TRUE 80 COLUMN OUTPUT
- BUILT IN SWITCH FOR COCO OR DOUBLE 80 PLUS
- ADJUSTABLE VIDEO OUTPUT
- GOLD PLATED EDGE CONNECTOR
- DRIVERS AVAILABLE FOR BASIC, OS9 and FLEX
- DISPLAY ALL ASCII CHARACTERS
- ALTERNATE CHARACTER SETS AVAILABLE
- METAL CASE (not cheap plastic)
- DOUBLE TERM + available for this board
- BACKED BY A 90 DAY PARTS AND LABOR WARRANTY

DOUBLE 80 PLUS (80 column board)	\$99.95
Y-CABLE	29.95
BASIC DRIVER	12.95
OS9 DRIVER	12.95
FLEX DRIVER (available soon)	12.95
DOUBLE TERM + (disk only)	55.95

COLOR TERM + Plus +

Select:

Half, Full Duplex or Echo
Odd, Even, Mark, Space or No Parity
7 or 8 Bit Words
1 or 2 Stop Bits
All Caps if needed
Several Printer Formats
Trapping of incoming characters

BAUD Rates:

110-4800 (communicate)
600-9600 (printer)

Screen Format:

32 x 16, 42, 51, 64 or 85 x 24
Send all 128 characters from keyboard

Buffer:


Merge text or programs
49K to 53K memory
Four Buffer Send Modes
Display Bytes Used/Remaining
Editor—Move forward and reverse thru buffer. Insert, type over, delete lines, characters or words. Block delete.

10 Macro keys

Automatic Capture of incoming files
X on / X off capabilities
Send True Line Break
Transmit/Receive BASIC Programs, Files or Machine Code. No need to translate BASIC programs to ASCII Format.
Save/Load Macros or Parameters to Disk
Use 1 to 4 Disk Drives (w/SAVE, LOAD, DIR & Granule Display)
Print while receiving information*
Easy to use MENU driven format
Comprehensive users manual
Works on All Radio Shack Color Computers, and All Radio Shack Disk systems.

PRICE: Color Term + \$49.95 (Disk/Tape)

VERSION 5.0
NOW AVAILABLE



DOUBLE SPOOLER...No more waiting for your listings. This is THE spooling program!!
32/64K req. \$21.95

ROM MOVE...Move your Extended BASIC 1.0 ROM up higher in memory. Get 8K more for your programs! 64K req. \$12.95

COLOR DISK SAVER...Don't let the disk crasher get you! Archive that important disk to tape. 32/64K req. \$12.95

AUTOLOAD II...Will send most programs to disk automatically and fix those that crash your disk \$12.95

GALACTIC MATH...Addition and multiplication drill (saucer game) for ages 6 to 10. 16K ext. \$15.95

DOUBLE MAILER...A powerful, easy to use mailing list program. Print out 1800 names at once! 16K ext. \$21.95

COLOR BIORHYTHM...Chart your future or past on screen or printer. Popular program for 2 yrs. 16K ext. \$14.95

MODEM CHESS...You and a friend can play chess over the phone! All moves are supported! 16K ext. \$19.95

UNDERGROUND...How do you tame the guardian of Hell's gate?? Find the Golden Apple. 32K (disk) \$19.95

COLOR KEY COMMAND...A powerful programmer's aid for a small price. Auto line number, Macro Keys, Copy Lines, plus more. Add real power to your Computer. Uses no memory in a 64K machine. 16K req. \$19.95

DOUBLE DOS II

Double DOS II—Now use 35,40, or 80 track (double or single sided) drives, all on one system, all at the same time. All regular disk commands are supported with Double DOS II and are totally transparent to your BASIC programs! You can get up to 158 granules on a disk using an 80 track drive. These are the added commands:

BAUD 1-6...change the BAUD rate.

TRACK 35,36,40,80...change number of tracks.

DOUBLE...enable the double sided option.

PDIR...print your directory to printer.

DUMP ON/OFF...send programs without a terminal program.

RATE 6,35...change the head stepping rate.

VIDEO ON/OFF...reverse video without a hardware mod.

SCROLL 1-255...change your screen scrolling speed.

COMMAND...will list all new commands.

DUPE 0,1,2...will allow copy & backup from one side of a drive to another!

DATE...you can enter the month, day and year as an extension to your programs when they are displayed during a DIR command.

We **guarantee** that this program will work using the above commands, with all types of 35, 40 or 80 track drives!

PRICE: \$29.95 (DISK ONLY) 64K required



Double Density Software™

620 Kings Row • Denton, Texas 76201 • 817-566-2004

\$2.00 shipping and handling on all orders.



Line 33-38	Subroutine to spin for 3 random numbers	Line 48	screen	Line 55-63	music strings
Line 39-44	Subroutine to build computer's equation	Line 49-54	Subroutine to draw text on screen	Line 64-65	Draws rockets and stores them in arrays
Line 45-47	Subroutine to draw		Defines text character strings: defines	Line 66-67	Data
					'End of game' routine

10 8 42 190
 22 17 50 110
 27 103 53 154
 35 107 END 96

The listing:

```

1 CLEAR150: DIM C$(58), A(1,6), B(1,6), C(1,6), D(1,6), E(1,6), F(1,6), G(1,6), H(1,6), M$(2), N$(2), P(2), Z(7), N(3): N=RND(-TIMER): GOTO3
2 V=*****: RETURN
3 E=PEEK(25)*256+PEEK(26)
4 IF PEEK(E)=173 THEN 5 ELSE E=E+1: GOTO4
5 CLS0: PRINT@267, "space"+CHR$(128)+"race";: SCREEN0,1: GOSUB49
6 A=32: B=8: C=32: D=15: P(1)=0: P(2)=0: F=0: CLS: PRINT@256, " ";: INPUT "ENTER YOUR NAME"; N$(1): IF N$(1)="" THEN N$(1)="PLAYER 1" ELSE IF LEN(N$(1))>8 THEN N$(1)=LEFT$(N$(1),8)
7 CLS: PRINT@256, "PRESS: 1) TO RACE THE COMPUTER";: PRINT@328, "2) TO RACE A FRIEND";
8 A$=INKEY$: IFA$<"1" OR A$>"2" THEN ELSE IFA$="1" THEN N$(2)="COMPUTER": GOTO10
9 CLS: PRINT@256, " ";: INPUT "ENTER YOUR FRIEND'S NAME"; N$(2): IF N$(2)="" THEN N$(2)="PLAYER 2" ELSE IF LEN(N$(2))>8 THEN N$(2)=LEFT$(N$(2),8)
10 GOSUB45
11 IF F<>1 THEN F=1 ELSE F=2
12 GOSUB33
13 FOR I=1 TO 3: Z(I)=N(I)+48: NEXT I: Z(4)=42: Z(5)=47: Z(6)=43: Z(7)=45: LINE(40,152)-(255,191), PRESET, BF: DRAW "BM48,160": FOR I=1 TO 7: DRAW C$(Z(I)-32)+C$(0): NEXT I: IF N$(F)="COMPUTER" THEN GOSUB39: GOTO21
14 G=40: H=183: T$="ENTER YOUR EQUATION": GOSUB48: H=191: T$="PRESS CLEAR TO MAKE CHANGES": GOSUB48: L=48: T=0: E$=""
15 B$="BM"+STR$(L)+"",173;"
16 A$=INKEY$: DRAW B$+"NRBC0NRBC1": IFA$="" THEN 16 ELSE IF T=5 THEN 17 ELSE FOR I=1 TO 7: IF ASC(A$)=Z(I) THEN DRAW "BM"+STR$(32+I*16)+"",160"+C$(0): DRAW B$+C$(Z(I)-32): E$=E$+A$: Z(I)=0: L=L+8: T=T+1 ELSE NEXT I

```

```

17 IFA$=CHR$(12) THEN 13 ELSE IFA$=CHR$(13) AND T=5 THEN 18 ELSE 15
18 DRAW C$(0)+C$(29): FOR I=1 TO 5 STEP 2: IF MID$(E$,I,1)<"0" THEN 19 ELSE NEXT I: FOR I=2 TO 4 STEP 2: IF MID$(E$,I,1)>"0" THEN 19 ELSE NEXT I: GOTO21
19 LINE(40,175)-(255,191), PRESET, BF: G=40: H=183: T$="THIS EQUATION HAS AN ERROR": GOSUB48: H=191: T$="PRESS CLEAR TO START OVER": GOSUB48
20 A$=INKEY$: IFA$="" THEN 20 ELSE IF A$<>CHR$(12) THEN 19 ELSE 13
21 FOR I=0 TO 4: A$=MID$(E$,I+1,1): IFA$>"0" THEN POKEE+I, ASC(A$) ELSE IF A$="+" THEN POKEE+I, 171 ELSE IF A$="-" THEN POKEE+I, 172 ELSE IF A$="*" THEN POKEE+I, 173 ELSE IF A$="/" THEN POKEE+I, 174
22 NEXT I: GOSUB2: V$=STR$(V): FOR I=1 TO LEN(V$): DRAW C$(ASC(MID$(V$,I,1))-32): NEXT I: FOR I=0 TO 4: POKEE+I, 173: NEXT I: LINE(40,175)-(255,191), PRESET, BF: IF V<1 THEN 11 ELSE FOR I=P(F)+1 TO P(F)+INT(V): ONF GOSUB25,27: IF I=30 THEN 66 ELSE NEXT I: P(F)=P(F)+INT(V)
23 IF P(F)/50=INT(P(F)/50) THEN G=48: H=183: T$="** BONUS **": GOSUB48: PLAY M$(0): FOR I=1 TO 50: ONF GOSUB25,27: NEXT I: P(F)=P(F)+50: IF P(F)=30 THEN 66
24 IF P(1)=P(2) THEN IF P(1)/50=INT(P(1)/50) THEN 11 ELSE ONF GOSUB29,31: GOTO11 ELSE 11
25 FOR Y=32 TO 128 STEP 48: IF Y=B THEN 26 ELSE NEXT Y: FOR J=1 TO 2: PUT(A,B)-(A+15,B+6), C, PSET: PUT(A,B)-(A+15,B+6), A, PSET: A=A+2: NEXT J: IFA=232 THEN LINE(A,B)-(A+15,B+6), PRESET, BF: B=B+24: A=A-20: PUT(A,B)-(A+15,B+6), E, PSET: RETURN ELSE RETURN
26 FOR J=1 TO 2: PUT(A,B)-(A+15,B+6), G, PSET: PUT(A,B)-(A+15,B+6), E, PSET: A=A-2: NEXT J: IFA=12 THEN LINE(A,B)-(A+15,B+6), PRESET, BF: B=B+24: A=A+20: PUT(A,B)-(A+15,B+6), A, PSET: RETURN ELSE RETURN
27 FOR Y=39 TO 135 STEP 48: IF Y=D THEN 28 ELSE NEXT Y: FOR J=1 TO 2: PUT(C,D)-(C+15,D+6), D, PSET: PUT(C,D)-(C+15,D+6), B, PSET: C=C+2: NEXT J: IF C=232 THEN LINE(C,D)-(C+15,D+6), PRESET, B

```


A steal at any price. Darn near a felony at these prices.

SDOS®

Real Disk Operating System
and Professional Software Tools
Full 2-Pass Assembler
Text Editor
6809 Debugger
Fully interrupt driven
Disk buffer pool/LRU cache
Supports up to 4 drives
Date-stamped file backup utility
Disk disaster recovery utility
RSDOS data file transfer utility
Friendly command interpreter
User-definable error messages
Keyboard typeahead at all times
(not just when disks are idle)
Screen-edit style input editing
Full ASCII keyboard (inc. CTRL)
Software selectable baud rates
Full serial I/O to 19.2Kb
thru RS Modem cartridge
400+ pages documentation
only \$49.95!

SD BASIC Compiler

Full-featured language
Tight code, fast execution
(3X times faster than RSBASIC
doing Prime Number search)
FOR I=1 to 10000/NEXT I
takes 1.8 second (12X faster)
A=1 takes 2 bytes of memory
(not counting Runtime Package)
Automatic runtime integer/
floating point optimization
32 letter variable/label names
True Subroutine/Functions with
named, multiple arguments
WHILE-DO and IF-THEN-ELSE
All execution errors trappable
Fast, 65K char string facilities
Assembly language interface
Fast Decimal f.p. arithmetic
(no money conversion errors!)

Cursor positioning
Print USING
Device-independent ASCII and
binary file I/O to the byte
Indexed file option available
\$49.95 (requires SDOS)
Not RSBASIC compatible

All products require Color Computer with 64K and at least one disk drive.




COMPUTER SYSTEMS DISTRIBUTORS
P.O. Box 9769
Anaheim, California 92802
(714) 772-1390

SEDIT/TYPE: Word Processing

SEDIT: full screen text editor
Place cursor and start typing!
What-you-see-is-what-you-get
Typeahead and autowrap on margin
"No wrap" mode for programs
Edits files up to 80Kb
Global Search/Change
SEDIT or SDOS can use 24 by 80
CRT via modem card with multipak
TYPE: Document Processor
Formats raw text mode with SEDIT
according to embedded commands
Automatic justification
Automatic pagination
Definable page titles/footings
Automatic page numbering
Centering
Foreign language accents
Multiple file merge
(for big documents or mailings)
Table of Contents generation
Semi-automatic index generation
150+ pages documentation
\$49.95 (requires SDOS)

CHESSD™: A REAL CoCo Chess Program



High resolution display
High quality play
Variable skills levels
Plays Black or White
Can act as referee
Accepts Algebraic-like notation
Handles and plays special moves
Castle, En Passant, Pawn Promote
Tournament/Rapid Transit Modes
Tournament timer logic built-in
32,000 move disk opening book
\$49.95 (does NOT require SDOS)


```

F:D=D+24:C=C-20:PUT(C,D)-(C+15,D
+6),F,PSET:RETURNELSE:RETURN
28 FORJ=1TO2:PUT(C,D)-(C+15,D+6)
,H,PSET:PUT(C,D)-(C+15,D+6),F,PS
ET:C=C-2:NEXTJ:IFC=12THENLINE(C,
D)-(C+15,D+6),PRESET,BF:D=D+24:C
=C+20:PUT(C,D)-(C+15,D+6),B,PSET
:RETURNELSE:RETURN
29 LINE(C,D)-(C+15,D+6),PRESET,B
F:FORY=39TO135STEP48:IFY=D THENP
(2)=P(2)-(212-C)/4:C=212:PUT(C,D
)-(C+15,D+6),F,PSETELSE:NEXTY:P(2
)=P(2)-(C-32)/4:C=32:PUT(C,D)-(C
+15,D+6),B,PSET
30 G=48:H=183:PLAYM$(1):T$="TOO
BAD FOR "+N$(2):GOSUB48:RETURN
31 LINE(A,B)-(A+15,B+6),PRESET,B
F:FORY=32TO128STEP48:IFY=B THENP
(1)=P(1)-(212-A)/4:A=212:PUT(A,B
)-(A+15,B+6),E,PSETELSE:NEXTY:P(1
)=P(1)-(A-32)/4:A=32:PUT(A,B)-(A
+15,B+6),A,PSET
32 G=48:H=183:PLAYM$(1):T$="TOO
BAD FOR "+N$(1):GOSUB48:RETURN
33 LINE(40,0)-(255,6),PRESET,BF:
LINE(40,152)-(255,191),PRESET,BF
34 FORJ=1TO2:P$=STR$(P(J)):G=40+
(J-1)*112:H=6:T$=N$(J):GOSUB48:D

```

```

RAWC$(29):FORI=2TOLEN(P$):DRAWC$(ASC(MID$(P$,I,1))-32):NEXTI,J:G=176:H=167:T$=N$(F)+"S":GOSUB48:H=175:T$="TURN":GOSUB48:H=183:T$="TO SPIN.":GOSUB48
35 FORI=60TO140STEP40:CIRCLE(I,168),10:NEXTI:IFN$(F)="COMPUTER"THENG=56:H=191:T$="*SPINNING*":GOSUB48:GOTO37ELSEG=40:H=191:T$="PRESS ENTER TO SPIN.":GOSUB48
36 A$=INKEY$:IFA$(>CHR$(13))THEN36
37 LINE(40,184)-(255,191),PRESET,BF
38 FORI=1TO3:FORJ=1TO10:N=3*RND(3)-3+I:DRAW"BM"+STR$(18+I*40)+",171;"+C$(0)+"BL8"+C$(16+N):PLAY"L25501C":NEXTJ:N(I)=N:PLAY"05CBC":NEXTI:FORI=1TO250:NEXTI:RETURN
39 G=56:H=183:T$="*THINKING - ST AND BY*":GOSUB48:IFF=1THENO=2ELSEO=1
40 R=P(F)-P(O):S=P(O)-(INT(P(O)/50)*50):M=0:RESTORE
41 FORX=1TO6:READI,J,K:V=N(I)*N(J)+N(K):P=42:Q=43:GOSUB43:V=N(I)*N(J)-N(K):Q=45:GOSUB43:V=N(I)*N(J)/N(K):Q=47:GOSUB43:V=N(I)-N(J)*N(K):P=45:Q=42:GOSUB43:V=N(I)-N(J)+N(K):Q=43:GOSUB43:V=N(I)-N(J)/N(K):Q=47:GOSUB43:V=N(I)/N(J)+N(K):P=47
42 Q=43:GOSUB43:V=N(I)/N(J)-N(K):Q=45:GOSUB43:NEXTX:LINE(40,161)-(255,183),PRESET,BF:G=48:H=173:T$=E$+"=":GOSUB48:RETURN
43 V=INT(V):IFV<=0THENRETURNELSEIFP(F)+V=P(O)ANDS>R+M THENM=S-R:GOTO44ELSEIF(P(F)+V)/50=INT((P(F)+V)/50)ANDP(F)+V+50>M+P(F) THENM=V+50:GOTO44ELSEIFV>M THENM=V:GOTO44ELSERETURN
44 E$=CHR$(N(I)+48)+CHR$(P)+CHR$(N(J)+48)+CHR$(Q)+CHR$(N(K)+48):RETURN
45 PMODE3,1:PCLS:FORI=12TO156STEP24:READX:CIRCLE(X,I),14,,.9:PAINT(X,I),RND(2)+1,4:NEXTI:PMODE4,1:SCREEN1,1:FORH=31TO175STEP24:READG,T$:GOSUB48:NEXTH:FORI=23TO119STEP48:LINE(36,I)-(240,I),PSET:LINE(16,I+24)-(220,I+24),PSET
46 FORJ=0TO49:IFINT(J/5)=J/5THENK=2ELSEK=0
47 LINE(240-J*4,I+1+K)-(240-J*4,I-1),PSET:LINE(16+J*4,I+25+K)-(16+J*4,I+23),PSET:NEXTJ,I:PMODE3,1:COLOR1,4:FORH=14TO158STEP24:READG,T$:GOSUB48:NEXTH:COLOR4,1:PM

```

CO CO-ADS



RECORD

184422 For your COCO handles frequently used schedules, \$29.95 cassette, \$39.95 disk.

ALPHA SITE 1000 ALPHACIRCLE
FLORHAM, NJ 07931 603 662 9500

32K COCO \$100 - line printer V811
\$100 - associated games \$50 - All
items in good condition. Include
manuals. Wayne Thorne
43 Box 110 TONAWONDO, NY 2155

SPECIAL - FOR A LIMITED TIME ONLY A FEW LEFT
COLOR COMPUTER MAG RACKS FROM FINDER R.S.
AT VERY VERY SPECIAL UNBELIEVABLE PRICES

BUST OUT	\$4.95	SPACE ASSAULT	\$4.95
POLARIS	\$4.95	MICRODONS	\$4.95
SHOOTING GALLERY	\$9.95	PERSONAL FINANCE	\$9.95

Below specials are for NEW STOCK IN THE BOX
instruction manuals. DON'T DELAY supplies
limited. Any order we get that are out of stock
will get full refunds. SO ORDER TODAY.
Please add \$1.50 for shipping and handling
P.O. BOX 11224, HOLLYWOOD, CA 90240

PROGRAMS TO GO - also interested in finding other COOL owners in n area. Nancy Franklin 245 Mumby Rd

 RATED MOVIE ADVENTURE. Many
 special features! Send \$10.00 to:
 V.A. Craft T&A W. Blackstone Ave.
 Suite 1413 Fresno, Ca. 93701

COLOR COMPUTER MULTIMEDIA BOARD SYSTEMS

PHONE	FAX	LOCATION
378-4470	331-081104	273204, CA

A MONTHLY CLASSIFIED NEWSPAPER
FOR COCO OWNERS, SELL OR TRADE YOUR UNWANTED
PROGRAMS OR HARDWARE IN THIS NEWSPAPER. FIND
GREAT BARGAINS.CIRCULATION - OVER 15,000 COCO
OWNERS. LIST YOUR CLUB OR BBS. FULL OF TIPS,
PROGRAMS, ARTICLES AND REVIEWS. DON'T DELAY,
SUBSCRIPTION IS ONLY \$5.00 FOR 12 ISSUES
CLASSIFIED AD'S AT ONLY .25 PER WORD

Yes I would like a subscription to COCO ADS

Name _____

Address

City State Zip

PLEASE HAVE CHECKS PAYABLE TO P D SOFTWARE
P O BOX 13124 HOUSTON, TEXAS 77219


```

ODE4,1:PUT(32,8)-(47,14),A,PSET:
PUT(32,15)-(47,21),B,PSET:RETURN
48 DRAW"BM"+STR$(G)+", "+STR$(H)+
";":FOR K=1 TO LEN(T$):DRAW C$(ASC(M
ID$(T$,K,1))-32):PLAY"L10005E":N
EXT K:PLAY"C":RETURN
49 C$(0)="C0U6RD6RU6RD6RU6RD6BR3
C1":C$(7)="BR2BU4U2RD2BD4BR5":C$(
10)="BR2U6D3NH2NG2NE2F2BDBR4":C
$(11)="BU3R5L3ND2U2RD4BDBR5":C$(
13)="BU3R5BD3BR3":C$(14)="URDBR7
":C$(15)="E5BD5BR3":C$(16)="BUU4
NF4ER3FD4GL3BR7"
50 C$(17)="BR3RU6NGD6RBR3":C$(18
)="BU5ER3FDG2L2GDR5BR3":C$(19)="
BU5ER3FDGNLFDGL3HBD8R8":C$(20)="
BU6D3R4NU3NRD3BR4":C$(21)="BU6NR
5D2R4FD2GL3HBD8R8":C$(22)="BUU4E
R3FBD2BLNL3FDGL3BR7":C$(23)="BU6
R5DG4DBR7":C$(24)="BUUEHUER3FDGN
L2FDGL3BR7"
51 C$(25)="BUFR3EU4HL3GDFR4BD3BR
3":C$(29)="BU2R5BU2L5BD4BR8":C$(
33)="U5ER3FD2NL4D3BR3":C$(34)="U
6R5FDGNL3FDGL4BR8":C$(35)="BUU4E
R3FBD4GL3BR7":C$(36)="U6R3F2D2G2
L3BR8":C$(37)="U6NR5D3NR4D3R5BR3
":C$(38)="U3NR4U3R5BD6BR3"
52 C$(39)="BUU4ER3FBD2NL2D2GL3BR
7":C$(40)="U6BR5D3NL5D3BR3":C$(4
1)="BR2R2LU6LR2BD6BR4":C$(42)="B
U2DFR3EU5BD6BR3":C$(43)="U6BR5G4
EF3BR3":C$(44)="NU6R5BR3":C$(45)
="U6F2RE2D6BR3":C$(46)="U6F5DU6B
D6BR3":C$(47)="BUU4ER3FD4GL3BR7"
:C$(48)="U6R4FDGL4D3BR8"
53 C$(49)="BUU4ER3FD3GNHNFGL2BR7
":C$(50)="U6R4FDGL3RF3BR3":C$(51
)="BUFR3EUHL3HUER3FBD5BR3":C$(52
)="BR2U6L2R5L2D6BR5":C$(53)="BUU
5BR5D5GL3BR7":C$(54)="BU6D2BDFBF
DRUBEUBEU2BD6BR3":C$(55)="NU6E2R
F2NU6BR3":C$(56)="UE4RUBL5DRF4DB
R3"
54 C$(57)="BU6DF2ND3RND3E2UBD6BR
3":C$(58)="BU6R5DG5R5BR3":M$(0)=
"T4L8Q3GP8L32GP32GP32Q4L4CT2":M$(
1)="T3L4Q1BB-AA-L2GT2":M$(2)="T
12Q2L4AP4L4AAQ3L1CQ2AQ3L3CQ2AQ3C
L1ECL3ECEL1GQ2GL3Q3CQ2GQ3CL1ET2"
55 FOR X=1 TO 6:READ I,J,K:NEXT X:FOR
I=1 TO 8:PMODE3,1:PCLS:READ A$:DRAW
A$:PMODE4,1:ON I GOSUB 56,57,58,59
,60,61,62,63:NEXT I:RETURN
56 GET(0,0)-(15,6),A:RETURN
57 GET(0,0)-(15,6),B:RETURN
58 GET(0,0)-(15,6),C:RETURN
59 GET(0,0)-(15,6),D:RETURN

```

```

60 GET(0,0)-(15,6),E:RETURN
61 GET(0,0)-(15,6),F:RETURN
62 GET(0,0)-(15,6),G:RETURN
63 GET(0,0)-(15,6),H:RETURN
64 DATA 1,2,3,2,3,1,3,1,2,1,3,2,2
,1,3,3,2,1,"BM3,6;C2E3NH3L2R8L2U
L4D2R4","BM3,6;C3E3NH3L2R8L2UL4D
2R4","BM3,6;C2E3NH3C4NL6C2R6L2UL
4D2R4","BM3,6;C3E3NH3C4NL6C3R6L2
UL4D2R4","BM10,6;C2H3NE3R2L8R2UR
4D2L4","BM10,6;C3H3NE3R2L8R2UR4D
2L4"
65 DATA "BM10,6;C2H3NE3C4NR6C2L6R
2UR4D2L4","BM10,6;C3H3NE3C4NR6C3
L6R2UR4D2L4",16,240,16,240,16,24
0,16,1,EARTH,223,MARS,1,JUPITER,
207,SATURN,1,URANUS,199,NEPTUNE,
1,PLUTO,14,0,234,50,6,100,230,15
0,6,200,230,250,6,300
66 PLAYM$(2):PCLS:G=32:H=100:T$="
HOORAY HOORAY HOORAY":GOSUB
48:H=116:G=(88-LEN(N$(F)))*8/2:T
$=N$(F)+" WINS THE SPACE RACE":G
OSUB 48:G=24:H=148:T$="PRESS ENTE
R TO PLAY AGAIN.":GOSUB 48
67 A$=INKEY$:IFA$<>CHR$(13) THEN 6
7ELSERUN

```



MicroWorld II

Laneco Plaza

Clinton, NJ 08809

(201) 735-9560

LOW PRICES ON 100% Radio Shack Equipment

(with full warranty)

Color Computers—

16K.....	\$ 85	Drive O....	\$275
16K Ext....	\$120	Drive 1....	\$220
64K.....	\$180	Prices include shipping!	


Model 4 (2 disk, 64K)..... \$1020

Model 4P..... \$1020

Model 100, 8 K..... \$359

24K..... \$539

20% OFF RADIO SHACK SOFTWARE!
Prices subject to change



DRACONIAN

You brace yourself as your ship materializes in the enemy sector. Your engine roars to life, and you consult the long-range scanner for the position of the nearest enemy base. As you head for the base, blasting asteroids and space-mines in your path, you suddenly notice a monstrous space-dragon looming before you. Reacting quickly, you dodge his deadly fire-breath and blast him out of existence.

This is it — the single most impressive, awe-inspiring arcade game you can buy for your Color Computer. High-resolution graphics, awesome sound effects, four-voice music, and quality you have to see to believe! Experience the realism of DRACONIAN today!

JOYSTICKS REQUIRED

32K MACHINE LANGUAGE

TAPE \$27.95 DISK \$30.95

SR-71

SR-71 is a fast action game in which you are the pilot on a mission to take photographs of missile sites in Russia and deliver them to our processing laboratory in Japan. So real you will feel as if you are in the cockpit on a real spy mission. Elude Russian missiles as well as their detection devices. Another Tom Mix exclusive. A must for the adventurous. Fantastic graphics, color and sound. 32K Ext. Basic.

TAPE \$28.95 DISK \$31.95

New From Tom Mix Worlds of Flight





Not A Game — A Very Realistic Flight Simulation

WORLDS OF FLIGHT (WOF) is a "view" oriented flight simulation for the TRS-80 Color Computer, written entirely in Machine Language. "View" oriented means that the pilot may determine his or her position by actually viewing the surrounding landmarks as opposed to using instruments which sense navigational references. This is a major departure from "instrument only" simulations which can be achieved through BASIC programs. Most instrument maneuvers and procedures may be practiced. The craft is a light-weight, single-engine airplane with low wings. A nose wheel which is both steerable and retractable is also modeled. Some aerobatics are possible including sustained inverted flight, aileron rolls, spins and stalls.

JOYSTICKS REQUIRED

32K MACHINE LANGUAGE

TAPE \$29.95 DISK \$32.95



WAREHOUSE MUTANTS

Journey through the warehouse seeking out the Mutants who are out to destroy you. WATCH OUT! They will push crates trying to crush you! Outstanding realism—high resolution graphics—multiple screens.

JOYSTICKS REQUIRED

16K MACH. LANGUAGE

TAPE \$24.95

DISK \$27.95



QUIX


This one is after a popular arcade game with a similar name. Simply frustrating—you'll love it. Done in high resolution graphics with Super Sound.

JOYSTICKS REQUIRED

32K MACH. LANGUAGE

TAPE \$24.95

DISK \$27.95




MS. MAZE

MS. MAZE is remarkable in that it combines brilliant color, high resolution, detailed graphics, and music with a very playable game. Anything that could be done to make the Color Computer look and play like the arcade version has been done. MS. MAZE is without question the closest thing to the arcade Pac games that I have seen for the Coco.

JOYSTICKS REQUIRED

32K MACHINE LANGUAGE

TAPE \$24.95 DISK \$27.95




PAK-PANIC

Pakman is steered thru a maze eating dots and powerpills. Pakman is pursued by four monsters who try to catch and kill him. If Pakman eats a powerpill he becomes powerful and can eat monsters. Monsters try to avoid a powerful Pakman. As monsters are eaten their ghosts appear on the top of the screen. When seven ghosts have appeared one will fly across the screen or they will link together forming a centipede that will travel thru the maze. Pakman has no power against ghosts and centipedes and must avoid them or be killed. **JOYSTICKS REQUIRED**

32K MACHINE LANGUAGE

TAPE \$24.95 DISK \$27.95



PAK TWINS BOTH MS. MAZE & PAK PANIC FOR ONLY 44.90 TAPE 50.90 DISK



TOM MIX SOFTWARE

4285 BRADFORD N.E.
GRAND RAPIDS, MI 49506

• ADD \$2.50 POSTAGE & HANDLING • (CANADA ADD \$3.00) •

• MICHIGAN RESIDENTS ADD 4% SALES TAX •
LOOKING FOR NEW SOFTWARE

TOP ROAALTIES PAID

(616) 957-0444



WRITE FOR FREE CATALOGUE - MOST OF OUR INVENTORY IS NOT SHOWN HERE!

QUALITY EDUCATIONAL SOFTWARE

VOCABULARY MANAGEMENT SYSTEM

16K Extended basic/32K for printer output

The Vocabulary Management System (VMS) is a series of programs designed to aid a parent or teacher in helping children to learn and practice using vocabulary and spelling words. The 11 programs that comprise the VMS include a full feature data entry/edit program, three printer output programs and 5 vocabulary/spelling game programs. The system's many outstanding features include:

- As many as 300 vocabulary words and definitions may be in the computer's memory at one time.
- Words and definitions may be saved on disk or tape.
- Remarks and/or comments can be saved with word files.
- A disk loading menu allows students to load disk files without typing file names.
- Word lists may be quickly alphabetized.
- The three printer segments allow you to create and print individualized tests, puzzles, word-searches and worksheets.
- The printer segments allow full use of your printer's special features.
- The 5 game programs are based on sound educational principles and provide practice in identifying words and matching them with their definitions in a fast-paced set of activities.

TAPE \$39.95 DISK \$42.95

FRACTIONS - A Three Program Package - 32 K EXT. BASIC TAPE \$30.95 DISK \$35.95

MIXED & IMPROPER

1. Review converting mixed numerals and improper fractions.
2. Practice converting mixed numerals to improper fractions.
3. Practice converting improper fractions to mixed numerals.
4. Practice of both types. (Mixed to improper & improper to mixed)
5. Review converting mixed numerals to mixed numerals.
(Used in regrouping in subtraction)
6. Practice converting mixed numerals to mixed numerals.

EQUIVALENCE

1. Definitions of terms and review of finding equivalent fractions.
2. Practice finding equivalent fractions.
3. Practice finding sets of equivalent fractions.
4. Review of finding if one fraction is equal to, not equal to, less than or greater than another.
5. Practice finding if one fraction is equal to, not equal to, less than or greater than another.

LOWEST TERMS

1. Review of placing fractions into lowest terms by finding the greatest common factor (GCF) of the numerator and denominator.
2. Practice finding the GCF of pairs of numbers.
3. Practice placing fractions into lowest terms by finding the GCF of the numerator and denominator.

TEACHER'S DATABASE

TEACHER'S DATABASE is a program designed to allow a teacher to keep a computerized file of information about his/her students. There are many features that make this program particularly attractive:

- Information on as many as 100 students (or more) may be in the computer at one time.
- Each student may have as many as 20 (or more) individual items of data in his/her record.
- The program will run from cassette or disk.
- Cassette and disk files are completely compatible.
- The program is menu driven.
- Records may be easily changed, deleted, combined or added.
- Information about students may be numerical or text.
- Records may be quickly alphabetized.
- Records may be sorted by various criteria.
- Records may be reordered (ranked) based on test scores or other data.
- Data displayed during a sort may be printed on a printer or saved on disk or cassette as a new file.
- A full statistical analysis of data may be done and sent to the printer.
- Student test scores may be weighted.

**REQUIRES 32K EXT. BASIC
TAPE \$39.95 DISK \$42.95**

ESTIMATE

ESTIMATE is a program designed to help children to practice estimating the answers to addition, subtraction, multiplication and division problems on the Color Computer. It has many features that make its use particularly attractive.

- Up to 5 students may use the program at the same time.
- There are 5, user modifiable, skill levels.
- The acceptable percent error may be changed as a student's skill improves.
- A timer measures the number of seconds used to answer each problem and the total time used for a series of problems.
- If a problem has been answered incorrectly, the student is told the percent error and asked to try again.
- If a problem is answered incorrectly a second time, the student is told the correct answer and the range of acceptable answers is displayed.
- A report is given at the end of each set of problems that includes the number of problems done, the number of problems answered correctly on the first try and the average percent error.
- The (BREAK) key has been disabled so that child will not inadvertently stop the program from running.

**REQUIRES 16K EXT. BASIC
TAPE \$19.95 DISK \$22.95**

PRE-ALGEBRA I INTEGERS

INTEGERS is a series of four programs designed to give students practice in working with addition, subtraction, multiplication, division and the comparison of integers. It has many features that make a very valuable tool for introducing and/or maintaining skills.

- Up to 4 students may use the program at the same time.
- There are 9, user modifiable, skill levels.
- Students are given two opportunities to answer a problem.
- A detailed report of student performance, including number correct on first try, number wrong, total time used and percentage score, is presented at the end of a series of problems.
- The programs will run on a 16K TRS-80 Color Computer with or without disk drive.

Four distinct problem formats are presented. The first presents problems in this format: $-12 + -9 = ?$ The second program presents a problem with missing numerals in this format: $-7 - ? = 18$. The third program presents a problem with a missing sign: $8 - 26 = 14$. The last program asks the student to determine the relationship ($=$, $<$ or $>$) between two statements $3 - 9 (??) - 4 - 5$.

**32K EXT. BASIC
TAPE \$28.95 DISK \$33.95**

MATH DUEL

MATH DUEL is a challenging mathematics game that pits you against the computer in a game of wits. You must use all of your knowledge of factors, multiples and prime numbers to develop a strategy that allows you to gather more numbers and thus more points than the computer.

The game is deceptively simple. You select the size of the playing field that is composed of from 8 to 100 numbers. You must then choose numbers that will give you the maximum number of points and the computer the least number of points. There are only 6 rules.

1. Any number that you chose must have at least one factor still on the playing field.
2. You receive points equal to the face value of the number that you chose.
3. The computer receives points equal to the face value of all of the remaining factors of the number that you chose.
4. All of the numbers that were awarded to you or to the computer are removed from the field.
5. The game continues until there are no numbers with factors remaining.
6. At the end the computer receives points equal to the value of all of the remaining numbers.

32K EXT. BASIC TAPE \$24.95 DISK \$29.95

PRE-ALGEBRA II

The second **PRE-ALGEBRA PACK** is composed of two programs, **EQUATION SOLVER** AND **EQUATION DUEL**, that are designed to give students practice in using and solving equations. It has many features that make a very valuable tool for introducing and/or maintaining skills:

- In both programs students may choose the range of numerical values that will be included in the equations so that the difficulty may change as their skill increases.
- In **EQUATION SOLVER** the computer secretly generates a random equation, shows the numbers that it used in the equation and the answer and challenges the student to create his/her own equation that uses the same numbers and results in the same answer.
- In **EQUATION DUEL** the student and the computer race to see who will be the first to create an equation from the same set of random numbers.
- Both programs give detailed reports of the student's and the computer's performance in creating and solving equations including time used, score and percentage correct.

**32K EXT. BASIC
TAPE \$28.95 DISK \$33.95**



TOM MIX SOFTWARE
4285 BRADFORD N.E.
GRAND RAPIDS, MI 49506

- ADD \$2.50 POSTAGE & HANDLING • (CANADA ADD \$3.00) •
- MICHIGAN RESIDENTS ADD 4% SALES TAX •

**LOOKING FOR NEW SOFTWARE
TOP ROYALTIES PAID**

(616) 957-0444



WRITE FOR FREE CATALOGUE - MOST OF OUR INVENTORY IS NOT SHOWN HERE!

In keeping with the gentle traditions that put February 14 in the business of love and romance, here's a program to make your heart flutter — it turns CoCo into a . . .

COMPUTER CUPID

By T. Gray



This game will help you sort out your love life and find the girl or boy of your dreams! The teen-tested program was written for a "Wake-a-thon" held at a junior high school. Popular with boys, girls and chaperones alike, *Computer Cupid* was played for hours that night, and has been requested many times since.

Once you are past the cover screen, you will be asked to enter some vital personal information: your name and sex. You must then rate your "ideal" match on a variety of characteristics, following the prompts from the computer (lines 925 on). This standard will be used later on in the program, so it is important you give this some thought.

The characteristics used for the ideal match are based on lists made by junior high school students. The original version of *Computer Cupid* allowed the user to enter characteristics. After consultation with the students, it was revised to make it shorter and simpler. Feel free to change the characteristics as you and your friends see fit (lines 980 through 1045).

On a Scale of 1 to 10

Now comes the fun part. Again following the prompts, enter the names of some potential partners. You can enter as many as you want, but more than 10 takes a lot of time. You will rate each of those potential partners, as you did for your ideal match, with a rank of one to 10 on each of the qualities specified. **Should** you get carried away and seriously overrate or underrate a person here, the program will let you know about it. The routine that searches for a "perfect 10" asks the user to alert one of our teachers here at Thorsby Junior High, who always claims he won't get married until he meets "the perfect woman." I've left his

(Tom Gray has bachelor's degrees in psychology and education. He teaches science and math at Thorsby Junior High School in Sunnybrook, Alberta.)

name in (Line 1155), but substitute *The Guinness Book of World Records*, or the name of your choice.

A Serious Side

The ratings for each person are now compared with your "ideal." Although some users of this program have made acid comments about the rating system, this section has a serious side. It is based on a method used by counselors to help people with serious life decisions. The client is asked to identify a number of important aspects of the problem, and weigh the seriousness of each aspect. Various solutions are then generated. Each solution is rated as to how well it satisfies each aspect of the "ideal" solution, and the results multiplied by the amount of each rating. The outcome is a score for each potential solution.

These scores have no particular value; they are used by the counselor as a basis for discussion to help with the decision-making process. I have personally used this method in my work and in my life, and have found it helpful.

However, *Computer Cupid* is simply

a parlor game, and is not meant to be anything but entertainment.

Back to BASIC


In *Computer Cupid*, the importance of a given characteristic (the rating on the "ideal") is multiplied by the rating on that characteristic for a given person. The results are added up for a total score for that person. Once all your prospects have been scored, the totals are compared, and the person with the highest score is selected as the best choice.

The name of your chosen one is teasingly and attractively displayed at the end of the program. *Computer Cupid* will be an enjoyable part of your Valentine's Day party, or just for fun the next time you have friends over.

List Of Variables

ANSS	—	Response in replay subroutine
BL	—	Bottom line
C	—	Screen color
CH\$(X)	—	Characteristic or quality X
CHOICES	—	Name of highest-rated person

F	—	Flag used in weighting
FLAG	—	Flag used in name flash routine
IMP(X)	—	The importance of characteristic X
K	—	Counter in centering subroutine
L,L1,L2,L3,L4	—	Various screen locations
N	—	Rating input
NQ	—	Number of qualities
NT	—	Number of names rated
NS	—	Temporary string storage for centering and name-flash
R(X,Y)	—	Rating of name X on quality Y
S	—	Screen location counter in teaser, counter in save subroutine
Score(X)	—	The weighted score for person X
SBJS,OBJS, PSS	—	Subject, object, and possessive form of TS\$ (e.g., he, him, his for boy)
TS	—	Used to label titles
T1\$,T2\$,T3\$	—	Words used in cover screen
TN(X)\$	—	Target names
UN\$	—	User name
US\$	—	User sex (boy/girl)
W,X,Y,Z	—	Miscellaneous counters
WS	—	Title in wait subroutine
XS	—	INKEY\$ marker



```
120 .....175
340 .....95
415 .....156
540 .....183
735 .....23
800 .....228
985 .....197
1095 .....249
1155 .....162
END .....209
```

The listing:

```
1  '*****
2  '
3  '      COMPUTER CUPID
4  '      VERSION  2.2
5  '
6  '      BY T. GRAY
7  '
8  '*****
9  '
10 '
15 CLEAR 3000
20 GOSUB100 'INITIALIZE
25 GOSUB200 'COVER SCREEN
30 GOSUB300 'INPUT PERSONAL DATA
35 GOSUB400 'INPUT NAMES,
   QUALITIES
40 GOSUB450 'INPUT QUALITIES
45 GOSUB500 'SORT, RANK, COMPARE
50 GOSUB600 'REPORT
```

```
55 GOSUB700 'DISPLAY
60 GOSUB900 'DO IT AGAIN?
65 END
70 '
100 'INITIALIZE
105 DIM TN$(20) 'TARGET NAMES
110 DIM R(20,10) 'RATINGS
115 DIM IMP(10) 'IMPORTANCE
120 DIM CH$(10) 'CHARACTERISTICS
125 NQ=10 'NUMBER OF QUALITIES
130 BL=453 'BOTTOM LINE
135 X=0:Y=0:F=0:T$=""
140 L1=163:L2=178:L3=176:L4=L3+9
   4
145 RETURN
150 '
200 'COVER SCREEN
205 C=RND(8):IF C=4 THEN 205
210 GOSUB 710 'DRAW HEART
215 T1$="computer":T2$="cupid":T
   3$="BY T. GRAY"
220 PRINT@128+32+16-(LEN(T1$)/2)
   ,T1$;
225 PRINT@224+16-LEN(T2$)/2,T2$;
230 PRINT@320+16-LEN(T3$)/2,T3$;
235 GOSUB 1055
240 RETURN
241 '
300 'INPUT PERSONAL DATA
305 CLS
310 PRINT:PRINT"HI, WHAT'S YOUR
```




the CoCo Professional TAX PREPARER

FOR THE INDIVIDUAL, IT ELIMINATES ANXIETY

File your taxes in confidence. The CoCo Professional Tax Preparer is accurate, thorough, and easy to use. Just answer the questions.

The CoCo Tax Preparer interviews you the way professionals in the large walk-in tax firms do. It takes you through each tax form in an organized manner. It knows which forms you need based on how you answer the questions it asks. And you can change data and make corrections.

When you're done, the program prints your completed tax return on government-approved forms or on blank paper to use with overlays.

FOR THE PROFESSIONAL TAX PREPARER, IT SAVES TIME

Spend your time doing what you're supposed to do. You make the important business decisions, the CoCo Tax Preparer will do the rest. And you can simplify your filing — one diskette per client.

Excellent program for low volume users.

Produce complete tax returns on government-approved forms. The CoCo Tax Preparer lets you run multicopy forms in the order you need.

Mail to: Micro Data Systems
6 Edward Drive
Ashland, MA 01721

☐ 32K Version \$149.95
☐ Mini Version \$49.95

☐ Mastercard ☐ Visa ☐ Check or Money Order Enclosed

Card # _____ Exp. Date _____

Name _____

Address _____

City _____ State _____ Zip _____

Signature _____

I need the built-in sales tax table for _____ (state).

Mass residents add 5% sales tax. Shipped post paid. Allow two weeks for delivery. Yearly update available for 32K version at \$9.95.

PROGRAM FEATURES

Designed by a 15-year tax consultant, the program has built-in tax tables and tax rate schedules and supports the following forms:

1040
Schedules A, B, C, D, E, G, SE, W
Forms 2106, 2119, 3903, 4797
Office-at-Home
Installment Gain
Dependency Support
Credits and Other Taxes

\$149⁹⁵

For a limited time only.
A \$600 value

MORE FEATURES

- Over 170 full-screen menus displayed on command. Fully menu-driven screens — each appears only when required.
 - Full reverse-screen scrolling and forward-screen block scroll.
 - Calculator mode supports +, -, *, /, = on numeric data.
 - Edit capability: any line at any time. Supports change, delete, hack, search, and insert commands.
 - Full on-line diagnostics to check input data.
 - Runs on 32K extended Basic (one disk drive with change of diskette during program execution) or two disk drives. Comes with diskettes and operating manual that describes each screen presentation. Additional forms and overlays are available by special order.
 - Full disk drive storage for all data and computations.
 - Its combination of machine language and Basic is fast and it minimizes memory use.
- Improvement over last years version*
- Depreciation overflow to 20 items on Sch. C
 - Program executes 3 times faster
 - Program determines forms for printing
- New Mini version*
- Supports only 1040, 1040A, schedules A, B and W




```

NAME?"
315 INPUT UN$
320 PRINT"OKAY, ";UN$,"
325 PRINT"ENTER <G> IF YOU'RE A
GIRL"
330 PRINT"ENTER <B> IF YOU'RE A
BOY"
335 INPUT US$:IF LEFT$(US$,1)<>"
G" AND LEFT$(US$,1)<>"B"THENGOTO
325
340 GOSUB980:GOSUB1055
345 '
350 CLS:PRINT:PRINT"NOW IT'S TIM
E TO FIND OUT WHAT"
355 PRINT"YOU LOOK FOR IN A "TS$
"."
360 PRINT"YOU WILL HAVE TO RATE
EACH":PRINT"QUALITY I SHOW YOU":
PRINT"ON A SCALE FROM 1 TO 10.":
PRINT:PRINT"1 MEANS YOU DON'T MU
CH CARE":PRINT"IF THE "TS$" HAS
THAT QUALITY OR":PRINT"NOT. A <
10> MEANS IT IS REALLY IMPORTANT
TO YOU THAT THE "TS$
365 PRINT"HAS THAT QUALITY.":GOS
UB1055
370 CLS:PRINT:T$="YOUR IDEAL "+T
S$:F=1
375 GOSUB 925 ' DISPLAY QUALITIE
S
380 GOSUB1080:RETURN
385 IFF=1 THEN IMP(Y)=N:RETURN
390 IF F=2 THEN R(X,Y)=N:RETURN
395 RETURN
400 'INPUT NAMES, QUALITIES
405 CLS:PRINT
410 PRINT"NOW IT IS TIME TO ENTE
R THE":PRINT"NAMES OF SOME "TS$
S YOU ARE":PRINT"INTERESTED IN."
415 PRINT:PRINT"RATE EACH "TS$:P
RINT" ON A SCALE OF 1 TO 10":PRI
NT"FOR EACH QUALITY.":PRINT"A <1
> MEANS THE "TS$" IS LOW"
420 PRINT"ON THAT QUALITY, WHILE
A":PRINT"<10> MEANS THE "TS$" H
AS A LOT":PRINT"OF THAT QUALITY.
BE HONEST,":PRINT"FAIR, AND OB
JECTIVE."
425 GOSUB 1055
430 CLS:PRINT"ENTER THE NAME OF
EACH "TS$:PRINT"YOU ARE INTEREST
ED IN.":PRINT"PRESS <ENTER> AFTE
R EACH NAME.":PRINT"PRESS <ENTER
> AGAIN WHEN YOU AREFINISHED.":X
=1
435 PRINT TS$" NUMBER "X
440 INPUT TN$(X)
445 IF TN$(X)=""OR TN$(X)=CHR$(13
) THEN NT=X-1:RETURNELSEX=X+1:GO

```

```

T0435
450 CLS:F=2:FORX = 1 TO NT:T$=TN
$(X)
455 GOSUB 925
460 NEXT X:F=0
465 RETURN
500 'SORT, RANK, COMPARE
505 CLS:PRINT:PRINT:PRINT"I'M CH
ECKING THESE "TS$"S OUT...."
510 FOR X=1TO NT
515 FOR Y=1 TO NQ
520 SCORE(X)=SCORE(X)+R(X,Y)*IMP
(Y)
525 SOUNDNRND(100),RND(5):SOUNDRN
D(100),RND(5)
530 NEXTY,X
535 'RANK
540 W=1
545 FOR C= 2 TO NT
550 IF SCORE(C)>SCORE(W) THEN W=
C
555 NEXT C
560 CHOICE$=TN$(W)
565 GOSUB1055
570 RETURN
600 'REPORT CHOICE
605 S=3:GOSUB1165:PRINT" ARE Y
OU READY FOR THIS?":GOSUB1055

```

RAINBOW SCREEN MACHINE

The Rolls Royce of graphics text screen enhance 5-more features than all others combined.
Tape \$29.95: Disk \$32.95

SUPER SCREEN MACHINE

Revolutionary — Heralded as the most useful, powerful and versatile state-of-the-art utility ever developed for the Color Computer.
Tape \$44.95: Disk \$47.95

GRAPHICOM II

Rotate graphic image about on any Z axis • slide position graphic with wrap around • copy/enlarge with user-defined shapes • pan and zoom — "blow-up" or "zoom in" on image • font editor — create font styles or char sets • special effects — tunnel vision, fish eye etc • pixel blaster — widen lines color separation.
Disk \$24.95: Disk only

GRAPHCOM/Video Digitizer only \$199.95

1. G/L	\$59.95	5. Mail Labels	\$ 49.95
2. A/P	\$59.95	6. Invoice Writer	\$ 49.95
3. A/R	\$59.95	7. Budget	\$ 49.95
4. Payroll	\$79.95	8. Master 1-7	\$299.95

We carry DFS forms to run with our software. These forms are compatible with over 385 software companies.

Bluegrass Software
P.O. Box 573
Franklin, KY 42134

Send 3.00 for shipping and handling for free catalog and product information.

Postage paid on all orders. To receive **Free** catalogue & product information send \$3.00 to cover shipping & handling.


```

610 GOSUB1165:PRINT" THE WINNE
R...":GOSUB1055
615 GOSUB1165:PRINT" THE ONE W
HO COMES CLOSEST TO MEETIN
G YOUR ":PRINT" REQUIREMENTS
...":GOSUB1055
620 GOSUB1165:PRINT" THE ";TS$;
" OF YOUR DREAMS... ";:GOSUB 105
5
625 GOSUB1165:PRINT" IS....":G
OSUB1055
630 RETURN
700 RESTORE:GOSUB705:GOSUB735:RE
TURN
705 X$="":C=0
710 CLS(C)
715 READ X:READ Y:IF Y=255 THEN
RETURN
720 C=4:FLAG=32
725 SET(X,Y,C)
730 GOTO 715
735 K=L1:N$=UN$:GOSUB1225:PRINT@
L,N$;
740 PRINT@L3,"+";
745 K=L2:N$=CHOICE$:GOSUB1225:PR
INT@L,N$;:L2=L
750 PRINT@L4,"true";:PRINT@L4+64
,"love";

```

```

755 GOTO 805
760 DATA 1,9,1,10,1,11,1,12,2,7,
2,8,2,13,2,14,3,6,3,15,4,5,4,16
765 DATA 5,4,5,17,6,4,6,18,7,3,7
,18,8,3,8,19
770 DATA 9,2,9,20,10,2,10,20,11,
2,11,21,12,2,12,21,13,1,13,22,14
,1,14,23,15,1,15,23,16,1,16,24,1
7,1,17,24,18,1,18,25
775 DATA 19,1,19,25,20,1,20,26,2
1,1,21,26,22,1,22,27,23,2,23,27,
24,2,24,27,25,2,25,28,26,3,26,28
780 DATA 27,3,27,29,28,4,28,29,2
9,4,29,30,30,5,30,30,31,6,31,31
785 DATA 32,6,32,31,33,5,33,30,3
4,4,34,30,35,4,35,29,36,3,36,29,
37,3,37,28,38,2,38,28,39,2,39,27
,40,2,40,27,41,1,41,27
790 DATA 42,1,42,26,43,1,43,26,4
4,1,44,25,45,1,45,25,46,1,46,24,
47,1,47,24,48,1,48,23,49,1,49,23
,50,1,50,22
795 DATA 51,2,51,21,51,22,52,2,5
2,21,53,2,53,20,54,2,54,20,55,3,
55,19,56,3,56,18,57,4,57,18,58,4
,58,17,59,5,59,16,60,6,60,15,61,
7,61,8,61,13,61,14,62,9,62,10,62
,11,62,12
800 DATA 255,255
805 X$=INKEY$:PRINT@L2,CHOICE$;:
GOSUB1195
810 X$=INKEY$:PRINT@L2,CHOICE$;:
IF X$=""THEN 805 ELSE RETURN
815 RETURN
900 'DO IT AGAIN OR QUIT
905 CLS:PRINT:PRINT"WANT TO TRY
AGAIN?"
910 INPUT ANS$
915 IF LEFT$(ANS$,1)="Y"THEN RUN
ELSE RETURN
920 RETURN
925 'PRINT QUALITIES
930 CLS:PRINT"RATE "T$:PRINT"ON
EACH QUALITY:":PRINT
935 FOR Y=1 TO NQ
940 PRINTTAB(0)CH$(Y)TAB(27)"";
945 GOSUB960:GOSUB385
950 NEXT Y
955 GOSUB1080:RETURN
960 'INPUT RATING, 0 TO 10
965 INPUT N
970 IF N<1 OR N>10 OR N<>INT(N)T
HEN PRINT"ENTER A NUMBER FROM 1
TO 10":GOTO 965
975 RETURN
980 'SET UP STRINGS, CHARACTERIS
TICS
985 IF LEFT$(US$,1)="G" THENGOSU
B1025:RETURN

```

STOCK & FUND INVESTING

with the

TRS-80* COLOR COMPUTER

USE FUNDGRAF AND FUNDFILE

FUNDGRAF is a stock market analysis program that not only graphs and analyzes funds or stocks, but also makes decisions on when to BUY and SELL. Improve market timing using your COCO.

GRAPHS fund's progress (up to 200 weeks). SUPERIMPOSES for comparison: a line of constant percent growth or a graph of any other fund (or stock). CALCULATES over any time span: the percent price change and the moving average (any span). INDICATES BUY and SELL signals. FUNDGRAF requires 16 K ECB min.

16/32 K Tape \$49.95
 16/32 K 5 in. Disk \$69.95
 ADD \$2 handling on all orders.



FUNDFILE is a portfolio and account management program for securities. Manage single or multiple portfolios of stocks, mutual funds, bonds, money market funds, etc. FUNDFILE allows easy maintenance of all your records for accurate portfolio evaluation. NEW 32 K VERSION of FUNDFILE summarizes all transactions (dividends, interest, purchases and sales) between any two dates of your choice - weekly, yearly, etc. Categorizes interest and dividends paid as to tax liability (tax free, etc.) and capital gains as long or short term. Great for tax reports.

FUNDFILE REQUIRES 16 K ECB min. and 80-COL PRINTER.

5-in. Diskette only for 16 K ECB \$27.95
 5-in. Diskette only for 32 K ECB \$37.95
 ADD \$2 handling on all orders.



Write for free brochure for details. Dealer inquiries invited.

PARSONS SOFTWARE, DEPT. G
118 WOODSHIRE DRIVE
PARKERSBURG, WV 26101

Elite Software

NOW AT:

Radio Shack®

Available Via Express Order

What to look for when buying application software . . .

EASE OF USE—At Elite Software we know you want programs that are easy to use. You want software that has a simple command structure with commands that are easy to remember. We've had *NINE* magazine reviews that acknowledge the ease-of-use of our programs. • **FEATURES**—Elite Software has powerful features. Why buy an island (one program that does only one job)? Remember, when you buy one program from our system, you also get *EXPANDABILITY*. • **PERFORMANCE SPEED**—Some application programs run disappointingly slow. At Elite Software we pay careful attention to things like Sorting, Screen Re-write, Calculation, and Output processing times. Not all software "plays" the same. Elite Software *DOES* make a difference.

All of our Software Features:

- ★ Superior Ease of Use
- ★ Cross-file Compatability
- ★ Nationwide User-group Support
- ★ Printer Compatability
- ★ Handsome Vinyl Binder
- ★ Comprehensive Manual
- ★ Revision Upgrade Program

• COLOR COMPUTER WORD PROCESSOR •
Elite-Word™
Also Available On OS-9

• COLOR COMPUTER DICTIONARY •
Elite-Spel™

• COLOR COMPUTER WORKSHEET •
Elite-Calc™

• COLOR COMPUTER DATA BASE MANAGER •
Elite-File™

Radio Shack is a trademark of Tandy Corporation

Elite Software &  inc.

• COLOR COMPUTER WORKSHEET •
Elite-Calc™

• COLOR COMPUTER WORD PROCESSOR •
Elite-Word™

Now Available For: WORD-PAK

SAME POWERFUL FEATURES + 80 COLUMN DISPLAY
Specify Disk or Tape \$79.95 + Shipping/Handling.

Now Available For: WORD-PAK

SAME POWERFUL FEATURES + 80 COLUMN DISPLAY
Specify Disk or Tape \$79.95 + Shipping/Handling.

SEE NEXT PAGE FOR ORDER INFO . . .

Elite Software 201 Penn Center Blvd., Suite 301, • Pittsburgh, PA 15235 • (412) 795-8492

★ COLOR COMPUTER WORD PROCESSOR ★

with
FREE
Mail Merge

Elite•Word™

Also Available On OS-9

THE SECOND GENERATION WORD PROCESSOR IS HERE! ELITE•WORD is a high performance, all machine language, Full Screen Editor which offers an ease-of-use that is simply incredible. ELITE•WORD has many powerful features not found in other word processors for the Color Computer. ELITE•WORD also offers a printed output flexibility that can handle your sophisticated home and business applications.

LOOK at these features:

Very easy to use • Top screen line reserved for HELP display/Command prompts • Excellent for BOTH program editing and word processing • TWO text entry modes; Insert or Exchange • Auto Key-Repeat • Smooth display scroll for easier proof reading • True Upper/Lower case display with lower case descenders • Hi-Res text "View" mode displays text exactly as it will be printed; including text Justification, Auto Line Centering, dynamic Margin changes, Top and Bottom Margins, Page Numbering, and Page Breaks • Include feature (disk only) permits including several file names within one output document; total document will have sequential page numbering if desired • Fast Disk I/O; no loading of overlay files to slow down operation • Variable Text (Mail Merge) capability for Form Letter generation included FREE!

32K Extended Basic Required for ROM routine calls • Variable TAB stops • User definable Headers and Footers • Smooth cursor movement over text; in any direction (including vertical) • Page Forward or Backward through text • Jump to beginning or end of text • Automatic text centering • Automatic text Word-Wrap if desired • True Block text Move, Delete, or Copy • Delete entire screen line • Backspace and Delete Character • Delete character above cursor • Find a string of characters • Global Replace character string • Two Hi-Res screen displays; 32 x 19 for text entry/editing, 64 x 19 for formatted text viewing • Continuous Memory display • Over 22K file size in 64K machines • Easy generation of ASCII files • Save/Load text files (in ASCII if desired) • Program remembers last File Name loaded or saved, and will write to it by default if desired • All I/O errors trapped and recoverable • Disk commands for Change Drive, Directory and Free Space • Print Format features allow user to specify Left Margin, Line Length, Line Spacing, Top and Bottom Margin, Duplicate Copies, Right-Side text Justification, Page Pause, Page Numbering, and more • Dynamically change any print Format features within text • Imbed Hex codes and printer Font changes within text.

Additional OS-9 version features:

Edit two files simultaneously • Save or Print only a portion of the text buffer • Edit files larger than memory (uses disk as buffer) • Block Copy from one file to another • Execute any OS-9 command from Editor

If you want powerful features AND a program that's EASY TO USE, Elite•Word is for you . . .

Elite-Word TAPE RS#90-0183
Elite-Word DISK RS#90-0184
Elite-Word/OS-9 RS#90-0186

THE BEST FOR ONLY
Specify Tape \$ 69.95
RS Disk \$ 69.95
OS-9 Disk \$ 79.95
OS-9 & RS Disk \$115.95

"Elite•Word is a terrific word processor with an impressive list of features, yet it's easy to learn and use."

—Stuart Hawkinson, HOT COCO

"I was more than satisfied with Elite•Word . . . After the review, I would not hesitate to compare it with the two best selling word processors. And my comparison places it at the top of the list."

—A. Buddy Hogan, RAINBOW

★ COLOR COMPUTER DICTIONARY ★

Elite•Spel™

Elite•Spel is an excellent spelling checker for your Color Computer, and its VERY FAST . . . that's the key. Why wait while a spelling checker does its job? Elite•Spel identifies all potentially misspelled words with a single pass through its perfectly adequate 24,000 word dictionary. Elite•Spel lets you Add or Delete Dictionary words EASILY. Elite•Spel is fully compatible with Elite•Word and will work with ASCII files from other programs.

MAJOR features include:

Easy to use, menu commands • Can learn 4,000 of your own words • List suspect words on screen or printer • Alphabetical listing of all words used with number of occurrences • Learn entire files of words • Can also "edit spelling in context" if desired • Works in single or multiple drive systems • 32K Disk required.

Radio Shack® Catalog #90-0185

Speed is the key. . . Available on
Elite•Spel has it! Disk only **\$29.95**

When purchased with ELITE•WORD . . . ONLY \$15.00

★ COLOR COMPUTER COMMUNICATIONS ★

Elite•Comm™

Elite•Comm turns your Color Computer into a powerful 300 Baud terminal. With Elite•Comm you can access large main-frame computers, local computer bulletin boards, and national computer database services. Elite•Comm is fully compatible with Elite•Word and will work with ASCII files from other programs. If you want a terminal communications package that is smooth and easy to use, Elite•Comm is for you.

CHECK these program features:

Fully interrupt driven; you can talk to the host while it's talking to you and NOT drop a character • True Upper/Lower case screen display • Selectable text Word-Wrap • Review buffered text at ANY TIME • Selectable Smooth-Scroll in Review mode • Screen page Forward or Backward through buffered text • Save/Load buffer files • Transmit files to host computer • Print buffered text or saved files • 32K Required.

Elite•Comm is SMOOTH
operation that's
EASY TO USE!

Specify Tape or Disk

\$54.95

Elite Software

Productive Programs for Serious Users

Add \$3.00 shipping and handling

PA Residents add 6% Sales Tax

OS-9 is a trademark of Microware and Motorola.

Dealer Inquiries Invited

Box 11224 • Pittsburgh, PA 15238 • (412) 795-8492



Elite•File™

THIS IS IT! ELITE•FILE is the Data Base Manager that Color Computer users have been waiting for. **ELITE•FILE** is for everyone who needs to store and retrieve information. **ELITE•FILE** is a full-featured relational Data Base Manager with all the editing and report formatting features that are typically found on much larger computer systems. **COMPARE** the others for record structure flexibility, total record capacity, information processing ability, speed of program response, printed output flexibility, and you'll agree that **ELITE•FILE** may very well be the most powerful/useful program ever written for the Color Computer.

No other File Manager gives you these features:

All machine language for speed • Flexible, user defined, data record structures • Up to 255 characters per record field • Up to 255 fields per record • Up to 2000 characters per record • Up to 4000 records per file • Up to 16 files can be open at the same time for information processing • Edit, Scan, Sort, Select Record information; all done FAST • Output reports to Screen, Printer, or ASCII Disk file • Place output data by Field Name, with Custom Text anywhere on the printed page • Perform math operations (+, -, *, /) between Field contents • Produce tabulated reports from multiple record contents • Generate column totals across record field contents.

Compatible with Elite•Calc and Elite•Word files • User friendly combination of Menu driven input, and single key commands • Supports up to 4 drives • Minimum 32K RAM, Disk required • Nested sub-field definitions • Up to 8 fields in Primary Key • Copy record definition from file to file • View/Print record definition • Input/Add records with easy to use field name format display • Edit records with full screen "type over" editor • Copy records to repeat identical data • Load Elite•Calc worksheets into random access data files • Scan mode for quick data retrieval • Locate any record by field contents • Select specific groups of records by field content with full logic combination capabilities • Sort records in ascending or descending order by any field, or group of fields • Calculate values from combinations of field contents • Output any subset of fields in any order for printed reports • User settable print formats; Page Title, Top and Bottom Margin, Line Spacing, Page Length, Page Pause, Form Feeds and more • Output format also supports TAB, VTAB, CR, PAGE, text, HEX printer controls, and more • Join up to four sub-files to extend data record for printing • Produce detailed repetitive reports, for output on preprinted forms, using output formats written on Elite•Word • Variable Text Insert feature of Elite•Word is fully supported • Refile old record data into NEW record structures • Data, Field Definitions, Indices all stored on a single file • Memory resident, no program overlays from disk • Single program performs all features • List disk Directories and "Kill" files without leaving the program • Data files also accessible from BASIC programs.

Radio Shack® catalog #90-0189

COMPARE features and performance speed ... you'll agree that Elite•File is the one to buy.

THE BEST
FOR ONLY

\$74.50

Disk Only

Elite Software

NOW AT **Radio Shack** STORES

Available via Express Order

Radio Shack is a trademark of Tandy Corporation

Available
with
Calc-List

Elite•Calc™

ELITE•CALC was the first Color Computer spreadsheet program offering "major league" features. All the magazine reviewers loved it! Today, when you consider program performance speed, ease of use, price, and total features... **ELITE•CALC** is still your best choice.

MAJOR features include:

Very EASY to use • FAST Sorting • Printed Output, Screen Re-write, and Calculations all done FAST • Full cell-edit capability • Powerful cell-format options • Individual cell formulas • FREE sample worksheets • CALC-LIST availability.

Single character commands • Help displays • 255 maximum rows • 255 maximum columns • Available memory always displayed • Rapid Entry modes for text and data • Selectable, automatic, cursor movement • Insert, Delete, Move entire rows or columns • Replicate one cell to fill a row or column with selectable formula adjustment • All machine language for speed • Extended BASIC required for ROM routine calls • Automatic memory size detection for 16K, 32K, or 64K • >20K bytes storage available in 32K systems • Math operators: +, -, x, /, %, ^, (,) • Relation operators: =, >, <, <=, >=, <> • Logic Operations: AND, OR, NOT • Conditional Formula: IF, THEN, ELSE • Trig Functions: SIN, COS, TAN, ATN • Log Functions: LOG, EXP, SQRT • Misc. Functions: INT, FIX, ABS, SGN, RND • Range Functions: SUM, AVERAGE, COUNT, MIN, MAX, LOOKUP • Definable constant table • User definable printer set-up commands • Individual column width settings • Adjustable row height to insert blank lines without wasting memory • Hide columns or rows • Alternate print font selectable on a cell by cell basis • Display/Print formats set by cell, row, or column • Dollar format, comma grouping, prefix or postfix sign • Scientific notation, fixed point and integer formats • Left and Right cell contents justification • Full page formatting • All formats stored with worksheet on disk (tape) • Save/Load Disk (tape) files in compact memory form • Scan disk directories • Output ASCII file for word processor input capability • Memory resident code ... no repeated disk calls.

CALC-LIST is a separate, machine language, utility that works independently of Elite•Calc. It can read either tape or disk worksheet files, and will give you additional information that was previously "hidden" within your worksheet. With **CALC-LIST**, you can list on the screen (or print) the actual contents of your worksheet cells, including FORMULAS. You get all the valuable worksheet format data including assigned Column Widths, all cell Format specifications (\$, C, I, F#, G, etc.), Constant table assignments, and Printer Format information (Set-up, Page Length, Line Width, etc.). Use your **CALC-LIST** printout as a hardcopy backup of your worksheet for review or archival purposes. You can even let your friends use the listing so they can type your worksheets.

Elite•Calc TAPE

RS catalog #90-0187

Elite•Calc DISK

RS catalog #90-0188

Specify Tape or Disk

Elite•Calc \$69.95

Calc-List \$24.95

Elite•Calc and Calc-List \$79.95

"Elite•Calc is a great spreadsheet program! This professional quality program has the performance required for serious home applications as well as small businesses."

—Stuart Hawkinson, RAINBOW

"Truly one of the best programs I have seen."

—John Steiner, MICRO

"Elite•Calc is an extremely powerful worksheet..."

—Jack Lane, COLOR MICRO JOURNAL

"Bruce Cook's Elite•Calc is a very fine program indeed; potentially one of the great Color Computer Programs." "... a very impressive product."

—Scott L. Norman, HOT COCO


```

990 SBJ$="SHE":OBJ$="HER":PS$="H
ER":TS$="GIRL"
995 CH$(1)="PRETTY FACE":CH$(2)=
"WELL-BUILT":CH$(3)="INTELLIGENT
":CH$(4)="SEXY/PASSIONATE"
1000 CH$(5)="THOUGHTFUL AND CONS
IDERATE":CH$(6)="WARM AND LOVING
"
1005 CH$(6)="SENSE OF HUMOUR":CH
$(7)="DELICATE AND FEMININE":CH$
(8)="THE RIGHT HEIGHT"
1010 CH$(9)="RICH":CH$(10)="ATHL
ETIC/LIKES SPORTS"
1015 RETURN
1020 '
1025 SBJ$="HE":OBJ$="HIM":PS$="H
IS":TS$="GUY"
1030 CH$(1)="HANDSOME":CH$(2)="M
USCULAR":CH$(3)="INTELLIGENT"
1035 CH$(4)="SEXY AND PASSIONATE
":CH$(5)="THOUGHTFUL AND CONSID
ERATE":CH$(6)="HAS A CAR"
1040 CH$(7)="TOUGH AND MACHO":CH
$(8)="THE RIGHT HEIGHT"
1045 CH$(9)="SENSE OF HUMOUR":CH
$(10)="WELL-GROOMED"
1050 RETURN
1055 'WAIT FOR USER

```

```

1060 W$="PRESS ANY KEY TO GO ON"
1065 PRINT@BL,W$;
1070 EXEC44539
1075 RETURN
1080 'CHECK FOR TOO MANY TENS
1085 SUM=0
1090 FOR P=1 TO NQ
1095 IFF=1THENSUM=SUM+IMP(P)ELSE
IFF=2THENSUM=SUM+R(X,P)
1100 NEXT P
1105 IF SUM>(NQ-1)*10 THEN GOSUB
1110ELSE IF SUM<15 THEN GOSUB 1
130 ELSE RETURN:RETURN
1110 CLS:SOUND10,5:SOUND1,10:PRI
NT:PRINT"COME OFF IT!"
1115 PRINT:PRINT"NO "TS$" IS THA
T PERFECT!"
1120 PRINT:PRINT"BE A LITTLE MOR
E realistic THE NEXT TIME Y
OU PLAY!":GOSUB1055:IF SUM=100AN
D TS$="GIRL"THENGOSUB1150:GOSUB1
055
1125 RUN
1130 CLS:SOUND 100,5:SOUND 200,5
1135 PRINT:PRINT"YOU'RE SURE NOT
FUSSY!":PRINT:PRINT"JUST SO THE
"TS$" IS ALIVE":PRINT"AND MOVIN
G, RIGHT?"
1140 GOSUB 1055:RUN
1145 'SUBROUTINE FOR PERFECT 10
1150 FORC=0TO8:CLS(C):FORW=1TO50
:NEXTW,C
1155 CLS:PRINT@32*3,"IF THE WOMA
N really IS ":PRINT@32*5," **
*** A perfect 10 ***** ":PRIN
T:PRINT:PRINT" THEN CALL MR. P
ROST!"
1160 'SCREEN ADVANCE FOR TEASER
1165 CLS
1170 FOR X=1 TO S
1175 : PRINT
1180 NEXT
1185 S=S+1
1190 RETURN
1195 'FLASH NAME
1200 FOR X=1 TO LEN(CHOICE$)
1205 : MID$(CHOICE$,X,1)= CHR$(A
SC(MID$(CHOICE$,X,1))+FLAG)
1210 NEXT
1215 FLAG=- (FLAG)
1220 RETURN
1225 'CENTRE NAMES
1230 L=INT(K+(12-LEN(N$))/2)
1235 RETURN
1240 FOR S = 1 TO 2
1245 MOTORON
1250 FORX=1TO8000:NEXT
1255 CSAVE "CUPID"
1260 NEXT S

```

Co Co - Cooler



- Brings operating temperature to ambient, regardless of accessory load
- Reduces temperature of ENTIRE computer... not just the SAM chip
- Easy 1-minute installation
- \$39.95

Companion Keyboard Cover \$7.95

Co Co Software

NOW SHIPPING

Co Co - Cooler Too

(Same Price, Same Fit, For Color Computer II)

- For Fastest Service Send Money Order Or Certified Check
- Add \$2.00 Shipping For Continental U.S.
- Add \$4.00 Shipping For Alaska, Hawaii, Canada, & APO's
- Add \$15.00 Shipping For Overseas
- Add \$3.00 For 220-250 Volt Model
- Calif. Residents Add 6 1/2% Sales Tax
- Will Ship C.O.D. On U.S.A. Shipments Only
- All Merchandise Shipped From Stock

REM Industries, Inc.

9420 "B" Lurline Ave., Chatsworth, CA 91311

(818) 341-3719



Use Imagination And Creativity With Role Playing Games

By George Firedrake and Karl Albrecht

Farewell Art, Hello Karl

Our pages in THE RAINBOW are too few for all we want to do, so we reluctantly drop the development of *Taipan: A Game in Context*. Art Canfil has finished writing the CoCo version of the book and is now working on Apple and Commodore paraphrases. We'll let you know when the CoCo book is published.

As you may know, George Firedrake is also known as Bob Albrecht. He and Karl Albrecht have played together for all of Karl's life. When Karl was three, they decided

"A character is any imaginary person or other creature created according to the rules of a game system . . . We encourage you to design your own team and send them into the labyrinth."

Bob would do the easy stuff and Karl would handle more difficult things. This relationship has worked especially well in the world of computers and fantasy role playing games. Karl is now 16 years old — Bob is somewhat older. No one knows how old George is.

We just received a letter from Rick Loomis, the originator of play-by-mail games. He tells us many of you have sent for *Heroic Fantasy* rules. The more players, the more fun we will have sharing our experiences on these pages!

Into the Labyrinth

We have signed up for *Heroic Fantasy* and sent our first team of Adventurers into the labyrinth. Here they are:

Name	Sex	Code	Kindred	Class*	Potion**	Str	Con	Cost
Ai Khong	M	H	Hobbit	F	H	5	15	5
Frona	F	H	Hobbit	F	H	5	15	5
Mariko	F	H	Hobbit	M	H	4	15	7
Steffi	F	H	Hobbit	M	H	4	15	7
Sheri	F	P	Human	F	H	15	30	9
Zamora	M	P	Human	M	H	10	30	11
Tindil	M	E	Elf	F	H	25	25	15
Leiko	F	E	Elf	M	H	20	25	18
Jonjari	M	D	Dwarf	F	H	30	40	23
TOTALS						118	210	100

*CLASS: F = Fighter, M = Magic-User

**Each character can carry one magic potion into the labyrinth:

H = Healing, S = Strength. We decided to send a healing potion with every character — we want to keep them alive as long as possible!

We'll play two turns a month. We hope to have at least one turn to report to you next time.

Design Your Own Team

We encourage you to design your own team and send them into the labyrinth. Begin by getting the rules for *Heroic Fantasy*. Send \$1 to Flying Buffalo, Inc., Dept. GMA, P.O. Box 1467, Scottsdale, AZ 85252-1467. Be sure to tell them you want the rules for *Heroic Fantasy* — they have several other play-by-mail games.

Last time, we set up a database containing the character type information and showed you two programs to use the information: Scan Character Types and Compute Cost Ratios. This time, we begin developing a simple worksheet program, and challenge *you* to complete it. We'll show you our program (or programs) next time.

Our first worksheet program is simple. With this program, you can design a team having up to 13 characters.

All information is on the screen all the time. When you type *RUN*, this is what you first see:

C#	CODE	CLASS	STR	CON	COST
1			0	0	0
2			0	0	0
3			0	0	0
4			0	0	0
5			0	0	0
6			0	0	0
7			0	0	0
8			0	0	0
9			0	0	0
10			0	0	0
11			0	0	0
12			0	0	0
13			0	0	0
TOTALS:			0	0	0
CHARACTER #? ■					

Yes, we are feeling the pinch of a 16-line screen! Since we want to keep all information about our characters on the screen, we limit the number of characters to 13. We'll use the bottom line of the screen to get information and rewrite the screen anytime incoming information might cause scrolling.

Well, let's start with character #1. We type the number '1' and press ENTER. The screen remains the same except the bottom line which now asks:

CODE? ■ ← You see this on the bottom line of the screen.

The CoCo will accept any valid *KINDRED* code with a single keypress (use *INKEY\$* to get it). Valid codes are:

CODE	KINDRED
F	Fairy
G	Gremlin
L	Leprechaun
H	Hobbit
K	Goblin
P	Human
E	Elf
D	Dwarf
O	Ogre
T	Troll
X	Giant

Ever-patient CoCo will wait until you press a valid code key. Let's type 'P' for human. The screen now looks like this.

C#	CODE	CLASS	STR	CON	COST
1	P		0	0	0
2			0	0	0
.			0	0	0
.			0	0	0
13			0	0	0
TOTALS:			0	0	0
CHARACTER #? ■					

← This line changes.

← This line changes.

On the bottom line, the CoCo is now asking for the class of the character.

Valid answers are 'F' for fighter or 'M' for magic-user. Let's make our human a magic-user. We press the 'M' key and see:

C#	CODE	CLASS	STR	CON	COST
1	P	M	10	30	11
2			0	0	0
3			0	0	0
4			0	0	0
5			0	0	0
6			0	0	0
7			0	0	0
8			0	0	0
9			0	0	0
10			0	0	0
11			0	0	0
12			0	0	0
13			0	0	0
TOTALS:			10	30	11
CHARACTER #? ■					

← Our first character!

Our team now has one member, a human magic-user. We have spent a total of 11 points. Let's add character #2, who is an elf fighter.

Type '2' and press ENTER.

Press the 'E' key.

Press the 'F' key.

Now the screen looks like this.

C#	CODE	CLASS	STR	CON	COST
1	P	M	10	30	11
2	E	F	25	25	15
3			0	0	0
4			0	0	0
5			0	0	0
6			0	0	0
7			0	0	0
8			0	0	0
9			0	0	0
10			0	0	0
11			0	0	0
12			0	0	0
13			0	0	0
TOTALS:			35	55	26
CHARACTER #? ■					

And so on until we have the team we want with a total cost not to exceed 100.

- 1) How can you change a character? For example, can you now change character #1 to a human fighter or a hobbit magic-user?
- 2) How can you remove a character? Look again at the database from last time. What do you see in Line 32180?
- 3) How do you get the numbers on the screen to line up as shown above?

In the next time or two or three, we will show more than one way to write this program. Our first program will use the following subroutine to set up a string array to hold character type information.


```

15000 REM**CHAR TYPE ARRAY SUBR
15005 REM**CODE$CLASS$STRCONCOST
15010 CT$(1) = "FF 1 1 1"
15020 CT$(2) = "FM 1 1 2"
15030 CT$(3) = "GF 3 4 3"
15040 CT$(4) = "LM 3 4 4"
15050 CT$(5) = "HF 5 15 5"
15060 CT$(6) = "HM 4 15 7"
15070 CT$(7) = "KF 7 20 6"
15080 CT$(8) = "PF 15 30 9"
15090 CT$(9) = "PM 10 30 11"
15100 CT$(10) = "EF 25 25 15"
15110 CT$(11) = "EM 20 25 18"
15120 CT$(12) = "DF 30 40 23"
15130 CT$(13) = "DM 30 40 36"
15140 CT$(14) = "OF 35 40 29"
15150 CT$(15) = "OM 35 40 46"
15160 CT$(16) = "TF 50 50 57"
15170 CT$(17) = "XF 60 60 72"
15180 CT$(18) = "ZZ 0 0 0"
15190 RETURN

```

The array CT\$ contains the information for the 17 character types plus CT\$(18), which marks the end of the array. For example, CT\$(11) is the information for an elf magic-user.

CT\$(11)="EM 20 25 18"

CODE CLASS STR CON COST

Each string in the array is 11 characters long and contains five items of information, positioned within the string as follows.

Position(s)	Item
1	Kindred Code
2	Class
4&5	STR
7&8	CON
10&11	COST

Positions 3, 6 and 9 are spaces included to make the string more readable by humans. We could have omitted these and packed the information as follows.

"EM202518"

Plunge right in and write the program. Later, think about other ways to set up the CT\$ array. How can you define the CT\$ array using the database from last time (DATA statements in lines 32010 through 32180)? For example, the information for CT\$(11) is in Line 32110.

32110 DATA E,ELF,M,20,25,18

"EM 20 25 18"

Hint: Use the STR\$ function.

Who is a Character?

A character is any imaginary person or other creature created according to the rules of a game system. The characters in *Heroic Fantasy* are quite simple. The characters in *Dungeons & Dragons* or *RuneQuest* are much more detailed and complex. Characters in *Adventurer's Handbook* are simplified versions of characters found in the very elegant *RuneQuest* system.

In past issues, you met Aloysious and Rokana. Here they are again, accompanied by two friends, Dernfara and Joleen. We show partial character records for all four characters.

	Aloysious	Rokana	Dernfara	Joleen
Characteristics				
STR	10	9	13	13
CON	11	9	13	11
SIZ	10	9	8	7
INT	12	17	13	13
POW	10	18	4	8
DEX	12	9	17	17
CHA	9	10	6	13
Skills				
Climb	55	65	70	70
First Aid	50	60	50	45
Hide	55	60	75	80
Jump	45	55	60	60
Listen	50	60	50	45
Move Quietly	25	30	45	50
Spot Hidden	30	40	30	25
Swim	20	30	35	35
Throw	45	55	60	60

In many activities, a character has less than a 100 percent chance of success, sometimes *much* less. The numbers across from Skills such as Climb, First Aid and Hide are success percentages. Let's take Jump as an example.

Yes, we know almost anyone can jump. In this case, Aloysious has a 45 percent chance to jump:

- 1) Across a ditch about four meters wide, or
- 2) up, up, and over something one meter high, or
- 3) down from a place four meters high without falling and possibly getting hurt.

If he fails, he falls into the ditch (we hope it is shallow), trips over the something and falls on his face, or lands in a heap while jumping down. He might get hurt doing this and take a few hit points.

In typical game play, success or failure is determined by making a percentile roll using 10-sided dice, giving a random number from 0 to 99. OK, Aloysious, jump that ditch!

Success: Roll 45 or less.

Failure: Roll 46 or more.

A roll of zero is special. It is called a fumble. The GM will prescribe a suitable disaster.

Aloysious is meandering down a path through the forest. He comes to a somewhat deep and fast-moving stream about eight meters wide. There is a large rock showing in the middle of the stream. Aloysious doesn't feel like trying to swim across, so he tries to jump to the rock. He figures he can cross the stream in two jumps.

Roll the dice: zero. Oops! That's a fumble. Aloysious' foot hits the rock and slips off. He bangs his knee, scrapes

his arm, bounces his chin off the rock, and plunges into the cold, rushing water.

The GameMaster solemnly intones "1D6 hit points." We roll 1D6 and get three. His clothing absorbs one point, so we mark off two hit points on his character sheet.

You will find information about GameMaster's Dice in the April, June and August 1983, "GameMaster's Apprentice" articles, including programs to simulate dice rolls on the CoCo.

Rokana, Dernfara and Joleen have higher Jump percentages than does Aloysious. Let's see what happens when the four of them go to the spring festival in Triford.

Early on a spring day, the festival begins — food, drink, music, dancing, contests of skill and luck abound. Our characters arrived at dawn and have already spent two wondrous hours savoring the festival's delights. Now, with some misgivings, they approach the Mud Ditch.

The Mud Ditch is four meters wide and one meter deep. It is filled with gooey mud. In the town of Triford and surrounding villages, it is a matter of honor for youngsters to try the Mud Ditch at festival time.

Joleen, always the most daring, goes first. She tenses, runs toward the ditch, springs, soars, and . . . we make a percentile roll: 57. Joleen's success percentage is 60. She made it!

Reluctantly, Aloysious lines up, urged on by his friends. "Come on, Aloysious, you can do it!" Aloysious sprints toward the ditch and, with a mighty grunt, heaves himself into the air. We roll 38. Alas, Aloysious takes a mud bath.

Submitting Material To The Rainbow

Contributions to THE RAINBOW are welcome from everyone. We like to run a variety of programs which will be useful/helpful/fun for other CoCo owners.

Program submissions must be on tape or disk and it is best to make several saves, at least one of them in ASCII format. We're sorry, but we do not have time to key in programs. All programs should be supported by some editorial commentary, explaining how the program works. We're much more interested in how your submission works and runs than how you developed it. Programs should be learning experiences.

We do pay for submissions, based on a number of criteria. Those wishing remuneration should *so state* when making submissions.

For the benefit of those who wish more detailed information on making submissions, please send a SASE to: Submissions Editor, THE RAINBOW, P.O. Box 385, Prospect, KY 40059. We will send you some more comprehensive guidelines.

Please do not submit programs or articles currently submitted to another publication.

Now it's your turn. Do Rokana and Dernfara leap successfully across the mud ditch, or does one or the other suffer the fate of Aloysious? You roll the dice or use the CoCo to find out.

	Success	Failure
Rokana	55 or less	56 or more
Dernfara	60 or less	61 or more

Want to Play Our Game?

Do any of you want us to run a small play-by-mail game? In this game, you would run one character like Aloysious or Rokana. You take your character to a festival. Today they are called "Renaissance Faires," but in the world of Aloysious and Rokana they were contemporary fairs.

No previous experience is needed to play our play-by-mail game. Your only costs will be a copy of *Adventurer's Handbook* and some self-addressed, stamped envelopes. If you want to play, send a SASE to DragonFun, P.O. Box 310, Menlo Park, CA 94026. (Our games are rated G, intended as an enjoyable family experience. We encourage non-violence and cooperation.)

ROLE PLAYING GAMES

Millions of people play fantasy role playing games. A role playing game is a game in which one or more players create and play characters (adventurers) who live their imaginary lives in a specially made game world. The game world is created, managed, and operated by a GameMaster (GM), referee, or dungeon master (DM).

Most people who play role playing games use a formal rule system. Some of the best known are shown below.

Champions. Hero Games, 92A 21st Avenue, San Mateo, CA 94402.

Dungeons & Dragons (D&D). TSR, P.O. Box 756, Lake Geneva, WI 53147.

RuneQuest (RQ). Avalon Hill, 4517 Harford Road, Baltimore, MD 21214.

Star Trek. FASA, P.O. Box 6930, Chicago, IL 60680.

Tunnels & Trolls (T&T). Blade, P.O. Box 1467, Scottsdale, AZ 85252.

Beginners beware! The rule books are formidable. If you are a beginner, we suggest you start with one of the following books, both from Reston Publishing Company, 1480 Sunset Hills Road, Reston, VA 22090.

Adventurer's Handbook: A Guide to Role Playing Games by Bob Albrecht & Greg Stafford.

Through Dungeons Deep by Robert Plamondon.

In "GameMaster's Apprentice," we include how-to-play information for all beginners.

Copyright © 1984 by DragonQuest, P.O. Box 310, Menlo Park, CA 94026.

FREELANCERS

software & news writers TOP RATES FOR YOUR WORK columnists

Send for your WRITER'S package

No SASE please

Dragonfly
Writings

Box 1340, Fort Qu'Appelle, Sask. — CANADA S0G 1S0

The HJL-57 Keyboard

Now available for all models,
including CoCo 2.



Compare it with the rest. Then, buy the best.

If you've been thinking about spending good money on a new keyboard for your Color Computer, why not get a good keyboard for your money?

Designed from scratch, the HJL-57 Professional Keyboard is built to unlock ALL the potential performance of your Color Computer. Now, you can do real word processing and sail through lengthy listings...with maximum speed; minimum errors.

At \$79.95, the HJL-57 is reasonably priced, but you can find other CoCo keyboards for a few dollars less. So, before you buy, we suggest that you compare.

Compare Design.

The ergonomically-superior HJL-57 has sculptured, low profile keycaps; and the three-color layout is identical to the original CoCo keyboard.

Compare Construction.

The HJL-57 has a rigidized aluminum baseplate for solid, no-flex mounting. Switch contacts are rated for 100 million cycles minimum, and covered by a spill-proof membrane.

Compare Performance.

Offering more than full-travel, bounce-proof keyswitches, the HJL-57 has RFI/EMI shielding that eliminates irritating noise on displays; and four user-definable function keys (one latchable), specially-positioned to avoid inadvertent actuation.

Free Function Key Program

Your HJL-57 kit includes usage instructions and decimal codes produced by the function keys, plus a free sample program that defines the function keys as follows: F1 = Screen dump to printer. F2 = Repeat key (latching). F3 = Lower case upper case flip (if you have lower case capability). F4 = Control key; subtracts 64 from the ASCII value of any key pressed. Runs on disc or tape; extended or standard Basic.

Compare Installation.

Carefully engineered for easy installation, the HJL-57 requires no soldering, drilling or gluing. Simply plug it in and drop it right on the original CoCo mounting posts. Kit includes a

new bezel for a totally finished conversion.

Compare Warranties.

The HJL-57 is built so well, it carries a full, one-year warranty. And, it is sold with an exclusive 15-day money-back guarantee.

Compare Value.

You know that a bargain is a bargain only so long as it lasts. If you shop carefully, we think you will agree...The HJL-57 is the last keyboard your CoCo will ever need. And that's real value.

Order Today.

Only \$79.95, the HJL-57 is available for immediate shipment for either the original Color Computer (sold prior to October, 1982) or the F-version and TDP-100 (introduced in October, 1982), and the new 64K CoCo. **Now also available for CoCo 2.**

**Call Toll Free
1-800-828-6968**

In New York 1-800-462-4891




PRODUCTS

Div. of Touchstone Technology Inc.
955 Buffalo Road • P.O. Box 24954
Rochester, New York 14624

Telephone: (716) 235-8358

Ordering Information: Specify model (Original, F-version, or CoCo 2). Payment by C.O.D., check, MasterCard or Visa. Credit card customers include complete card number and expiration date. Add \$2.00 for shipping (\$3.50 for Canada). New York state residents add 7% sales tax. Dealer inquiries invited.



Enhance Your Keyboard Input With Buffer Stuffer

By Richard W. Rutter

This program consists of a position independent machine language routine designed to greatly enhance your Color Computer's keyboard input capability. Its features include:

- 1) The ability to mask (disable) up to 10 keys.
- 2) The ability to unmask any key that had been previously masked.
- 3) The ability to increase or decrease the size of the input text buffer.
- 4) A resetable right tab key.
- 5) A resetable left tab key.
- 6) A repeat key to allow rapid duplication of any printable keypress, and the ability to either increase or decrease the speed of this repeat function.
- 7) An exchange function that lets you change characters anywhere within the input buffer instead of having to retype the line.
- 8) The ability to edit BASIC text strings using any or all of the above options.
- 9) The ability to apply any or all of the above options to Extended Color BASIC's line statement *EDIT* function.
- 10) The ability to enable or disable the entire program, as needed, by entering the command *EXEC*.

In essence, *Buffer Stuffer* provides the capability to both input and edit command lines and program statements and text strings according to user modifiable specifications.

(Richard Rutter works for a design and development company which specializes in computer-controlled flexible manufacturing systems.)

The program will require 1,536 bytes of storage. It may be offset loaded into either an unused graphics page or behind the string pool. There are two ways to create the program: First, process the Assembly Language Source Code with a dependable assembler, or second, use the Object Code Generator to poke the instructions into RAM and have a complete block of memory saved on either cassette or disk.

If you have a 16K computer, you may need to *PCLEAR 3* to provide room for the Object Code Generator. Also, you should exclude the comments in the Source Code to assure that it will fit within a 16K computer. A detailed description of how these programs function will be provided later.

Remember that the assembler generated version will always need a loading offset value, but the OCG version may not necessarily require one. Here are two loading examples: *CLOADM "BUF.BIN",1536* for Extended Color BASIC or *LOADM "BUF.BIN",3541* for Disk Extended Color BASIC.


After you have loaded it into your computer, enter the command *EXEC*. The program is now "patched" into your computer's line input routine. To verify this, press the down-arrow key. This key is the control key. When you press it, the cursor will flash yellow, reminding you you're in the control mode. Whenever in this mode, you will have nine keyboard command options available. You may abort the control mode by again pressing the control key. Let's look at each of the nine control mode options.

If not already in the control mode, press the control key to activate it. Now press

NEW DISK DRIVES

STARTING AT
\$129.00


WITH CASE &
POWER SUPPLY
\$169.95



TANDON MPI TEAC

Speed 6 ms tk to tk and up
Capacity 250k unformatted
Tracks 40
Warranty **now 1 YEAR**

New Low Price!



40Tks 6Ms
Double Sided
Double Density

40 or 80 Tracks

1/2 Hght. Teac/Panasonic




We carry only the finest quality disk drives • no seconds • no surplus

SATISFACTION GUARANTEED!!

ALL DRIVES FULLY TESTED & WARRANTED

Complete Disk Drive with Power Supply & Case Teac **\$169.95**
Two Drives in Dual Case & Power Supply Teac **\$279.95**
1/2 ht double sided double density Disk Drives (Panasonic/Teac) **\$159.00**

1/2 ht double sided double density Disk Drive with ps & case **\$199.95**



How to use your new drive system on audio cassette

Single ps & case \$44.95 Dual 1/2 ht ps & case **\$54.95** Dual ps & case ... **Call!**

Color Computer Controller (J&M)



\$129.95

DRIVE Ø FOR RADIO SHACK COLOR COMPUTER

TANDON, MPI OR TEAC DRIVE (SINGLE SIDED 40 TRACKS SPEED 5 MS TRK TO TRK & UP)

POWER SUPPLY and CASE, TWO DRIVE CABLE WITH ALL GOLD CONNECTORS

J&M CONTROLLER, MANUAL and DOCUMENTATION ~~\$329.95~~ **\$ SALE!**

BUY THE BEST
FOR LESS!
CALL!

DRIVE Ø FOR RADIO SHACK COLOR COMPUTER

PANASONIC 1/2 HEIGHT DOUBLE SIDED DOUBLE DENSITY DRIVE 500K unformatted

POWER SUPPLY and CASE, 2 DRIVE CABLE WITH ALL GOLD CONNECTORS

J&M CONTROLLER, MANUAL and DOCUMENTATION ~~\$399.95~~ **Super!! SALE!**

TAKE ADDED SAVINGS ON TWO DRIVE SYSTEMS

DISKETTES with free library case **\$17.95**

Unadvertised Specials **\$Call**

Drives cleaned, aligned & tested **\$29.95**



10 Diskettes
GD CONTROL DATA

TECHNICAL STAFF ON DUTY, PLEASE CALL FOR ASSISTANCE.



**CALL US TODAY!!
ORDER TOLL FREE**

**(617) 234-7047
1-800-635-0300**

* DEALER INQUIRIES INVITED.
(617) 234-7047



TRUE DATA PRODUCTS



195 Linwood Street, P.O. Box 546

Linwood, Massachusetts 01525

(617) 234-7047

HOURS MON-SAT 9-6 (EST)

We welcome

- Visa / Master Charge  
- Checks (allow 2 weeks for clearing)
- C.O.D. Add \$2.00

right-arrow key. You have just sent a right tab. The value of the right tab has been initially set to five blank spaces.

To reset the right tab, press the control key and then press 'R'. You will see the prompt RTAB:. Enter the desired numerical value. Note that only three-digit key presses will be accepted; anything beyond that will be ignored. Non-digit key presses will not be displayed.

If you key in the wrong value or change your mind for whatever reason, press BREAK and the routine will abort without affecting any current values. Take note that there is no backspace function. Use the BREAK option to start over if you should make a mistake. Press ENTER to return the current value. Note that an entry less than one will cause an automatic abort, and all values will remain unchanged. An entry in excess of 250 will be adjusted equal to 250. To verify all of this, experiment with both setting and sending the right tab.

The left tab is the opposite of the right tab. To send one, press control, and then press the left-arrow. The left tab erases a predetermined number of

characters. To reset the left tab value, press control and then press 'L'. You will see the prompt LTAB:. Enter the desired value in precisely the same manner as you would set the right tab.

You may change the buffer size by pressing control and then pressing 'B'. The prompt BUF: will appear. Enter the desired buffer size, one to 250. The buffer size determines how many characters may be entered into the current line. It is difficult to overstate the usefulness of this option.

Now let's try masking a key. Press control, then press 'M'. You see the prompt MASK:. Press whatever key you wish to mask. To verify that the key is masked, try pressing it; any key that is masked will be completely ignored. The main purpose of the mask option is to prevent the loss of data from an accidental key press. You will almost certainly want to mask the BREAK and CLEAR keys. Also, the "line erase" SHIFT-left arrow and ENTER keys are prime candidates for masking.

It is fitting that an unmask option be available. Press the control key, and then press 'U' and you will see the prompt UNMASK:. Press whatever key you wish to unmask. To verify that

it is unmasked, press it. You normally would not press keys such as BREAK, ENTER, and CLEAR to test for mask status, for obvious reasons. Also, note that two keys are not completely maskable. If you mask the control key, it will still allow access to one control option, the unmask function. If you mask the 'U' key, it will still respond to an unmask request.

Another feature is the repeat key option. To try it out, press any printable key and press SHIFT-@. The current character will begin to duplicate itself and will continue to do so until you press a key to stop it, or either the beginning or end of the buffer is reached. You may also use the repeat key to repeat delete (left-arrow, SHIFT @).

It is a good idea to use the repeat key to stop and start the repeat process so you will be able to interact with it more swiftly. Practice using the repeat key to familiarize yourself with it.

The speed of the repeat process may be increased or decreased. Press control, then press 'S'. You see the prompt SPEED:. Enter the desired value from one to 250. A setting of one will give you the fastest speed, while a setting


stair PRINTERS

- 100 - 120 - 160 CPS
- Bidirectional Logic Seeking
- Friction and Tractor
- 9X9 Dot Matrix
- True Decenders
- High Res-Bit Image Block Graphics

PRINTER CABLES AND
INTERFACES AVAILABLE
Call for current pricing

- Super Script-Subscript
- Underlining
- Backspacing Doublestrike
- 5, 6, 8 1/2, 10, 12 and 17 Pitch
- Programmable Line Spacing
- SIX (6) MONTH WARRANTY

GEMINI 10X (9 Inch Carriage, 120cps) Friction and Tractor \$CALL
GEMINI 15 (15 Inch Carriage, 100cps) Friction and Tractor \$CALL
GEMINI 15X (15 Inch Carriage, 120cps) Friction and Tractor \$CALL
DELTA 10 (10 Inch Carriage, 160cps) Friction and Tractor \$CALL



\$269


Gemini 10X

SP-3 INTERFACE for Color Computer

- 300-19,200 BAUD rates
- External to printer — No AC Plugs
- Built in modem/printer switch—no need for Y-cables or plugging/unplugging cables

Only:

\$59.95



COMPLETE SYSTEM

ONLY

~~319⁹⁵~~ NEW LOW PRICE

Nothing more to buy!

Dealer inquiries invited



TRUE DATA PRODUCTS

195 Linwood Street, P.O. Box 546
Linwood, Massachusetts 01525



CALL US TODAY!!
ORDER TOLL FREE

(617)234-7047
1-800-635-0300

of 250 will yield the slowest.

Perhaps the most useful feature is the EXCHANGE command. If at least one character is currently in the buffer, you may activate this mode by pressing control and then pressing 'X'. The cursor is now riding over the last character in the buffer. The cursor is flashing orange, and you will notice the character beneath it can still be seen.

When in the exchange mode, you have six commands available. They are: move left, move right, character delete, character insert, repeat function, and exit using ENTER. To move the cursor to the left, press the left-arrow. To move the cursor to the right, press the right-arrow. To delete the character directly under the cursor, press CLEAR. To insert a printable character, press the desired key, and it will be inserted at the current cursor position. To leave the exchange mode, press ENTER.

The only key checked for mask status in the exchange mode is the repeat key. If you want the repeat option to function, you should unmask it before entering this mode since no control options are available from within exchange. The repeat key is quite useful to quickly position the cursor anywhere within the buffer. Remember that you may enter and exit the exchange mode as needed so as to access the control options. Try experimenting with the exchange mode.

Yet another option is the ability to edit string variables. To use the option you will need Extended Color BASIC and a BASIC program subroutine similar to the sample edit driver program I have provided.

Run this program to test the string entry/edit capabilities. All of the commands discussed apply to the entry and edit of text strings. You may append characters to the end of the string or activate the exchange mode (control X) to make changes anywhere within the string. Press ENTER or BREAK to end the edit session. When you do, you see the prompt A/C/G:.

If you press 'A', the edit session will start again using the same string you originally sought to edit. If you press 'G', the current string will be sent directly into the BASIC variable, and control will return to the calling program. Pressing 'C', or any other key, will continue the edit session using the current string.

The final option available is the ability to edit program statements. If you have Extended Color BASIC, you

should first use the EDIT command (i.e., EDIT 30) to access the desired line statement. All of BASIC's line EDIT commands are preserved (unless you choose to mask them). Buffer Stuffer's commands will also function (unless you choose to mask them). The ability to activate the exchange mode (control X) effectively provides an "editor within an editor." You may prefer the exchange mode when editing your BASIC programs.

There are a few changes to the performance of BASIC's EDIT function you should be aware of. The first is the possible effects when using the repeat option to repeat change characters. Since the repeat mode does not know how many changes to make, the key value causing the character change will be sent to BASIC immediately after the specified number of changes have been made, unless you have pressed a key to stop it. You will find it nearly impossible to react that quickly. A problem will occur if the keys 'A', 'E', 'Q', or 'X' are being repeat changed. They are also EDIT command keys, and if sent to BASIC could cause needless inconvenience.

If you have any problems with the repeat key when in line EDIT, you might consider masking the repeat key or activating the exchange mode. Realistically, this should rarely be a problem since you are unlikely to need a repeat change when editing a program statement.

Notice that if the current buffer limit is less than the length of the program statement being edited, you will need to use the control B option to expand the buffer size. Failure to do so will restrict your ability to edit the line. In fact, the cursor may even be "frozen" at the current position. No need to worry, however, because the control options are available to get you out of such a jam.

When you are in the character insert mode, you will be allowed to insert one character more than the current buffer limit. However, you will not be able to exit the insert mode (using SHIFT^ or ENTER) until you have backspaced at least one position to ensure your line is of legal length. This feature ensures your program lines cannot exceed the buffer size you have preset.

There is a modification to the keyboard that I have not yet mentioned. The right-arrow key now performs as an extra space bar. This simplifies the insertion and deletion of spaces. The

right-arrow key does not function as a space bar when you are in the exchange mode; only when appending characters or when in normal line statement EDIT is it redefined.

The Assembly Language Source Code

All numerical values to the right of the line numbers are in base 10. Lines 90 to 220 equate ROM referenced memory locations which allow the program to communicate with BASIC on an interactive basis. We will demonstrate the functions of these equated locations as we encounter them throughout the source code.

Lines 260 to 450 define the prompt display strings; the end of each prompt is indicated by a CHR\$(255). Each of the control mode prompts starts with a CHR\$(128). This ensures that the prompts will not be confused with any other characters currently on the screen. All of these prompts will be erased automatically to prevent the display from becoming a jumbled mess.

Lines 490 to 910 contain the "variable" locations manipulated exclusively by the program. MAXBUF will reside in Location 51,PCR. Its value must never exceed 250, but it may be smaller. It determines just how large the buffer limit may become when using the set buffer control option.

BUFLIM will reside in Location 52,PCR. Its value determines the number of characters that may be entered into the current buffer. The buffer set routine is used to change it to any value between one and MAX-BUF. It must never exceed 250.

CONKEY will reside in Location 53,PCR. It is used to define the control key. You may change it to any key you so desire. I chose the down-arrow key because it is unprintable, preventing the loss of any important characters.

REPKEY will reside in Location 54,PCR. It is used to define the repeat key. You may change it, but I chose the SHIFT @ key because it is unprintable.

CONCUR will reside in Location 55,PCR. It determines the cursor character when the control mode has been activated. It may be changed to any printable character.

EXCCUR will reside in Location 56,PCR. It determines the cursor character when the exchange mode has been activated or when the repeat mode is duplicating characters.

LTBSIZ will reside in Location 57,PCR. It determines how many

backspace characters will be sent when a left tab is requested.

RTBSIZ will reside in Location 58,PCR. It determines how many blank characters will be sent when a right tab is requested.

RSPEED will reside in Location 59,PCR. Its value determines how quickly or slowly the repeat function will duplicate characters. It may contain any value from one to 255. The smaller its value, the faster the repeat speed.

MINVAL will reside in Location 60,PCR. It determines the minimum value accepted when using any of the control key value set commands. You may reset it to any value between one and 250.

Lines 590 to 800 are to be manipulated exclusively by the program. You should not attempt to change them.

Lines 810 to 900 make up the keyboard mask table. If a key is masked, its value will reside in one of these 10 locations (83,PCR to 92,PCR). The mask and unmask control functions manipulate these bytes. You may also manipulate this table as long as you do not change location 93,PCR since it flags the table's end.

Lines 950 to 1040 effectively patch

the program into BASIC's keyboard input routine. A check is made to see if the patch is already in effect. Locations 1533,PCR and 1534,PCR must both contain *CHR\$(255)*, or the routine will be deactivated rather than activated. The activation sequence requires that the two-byte memory value at Location 363 be replaced with the program's starting address. The value is first placed in Location RETBAS,PCR so that it may be restored at the next *EXEC* command.

Lines 1080 to 1140 effectively deactivate the program by pulling the return address out of RETBAS,PCR and placing it back into Location 363. Two *CHR\$(255)*s are put back into RETBAS,PCR to allow reactivation at the next *EXEC* command.

Lines 1180 to 1730 comprise the routine to access BASIC string variables. The length and location of the variable must be sent to this routine from BASIC. Register Y points to the location of the variable. Register X points to the start of BASIC's input buffer. If the length of the variable is greater than zero, each character of the string will be placed into the BASIC buffer and displayed on the screen. The length of the string is

temporarily increased by one to satisfy a ROM input requirement. The ROM subroutine is called, and the BASIC string is treated as keyboard input.

When either the BREAK key or the ENTER key is pressed, the BASIC ROM will return control to this calling location. This allows the options of either continuing, sending the results to BASIC, or reediting the original string. Continuing the edit is accomplished by erasing the prompt and positioning the cursor at the end of the current string.

We must take into account any screen scroll caused by the prompt display and compensate for it if needed. To restart the edit using the original string we must erase the prompt, erase the current string, and pull the original out of the BASIC string by starting anew. To send the current string, we simply erase the prompt, send the string length, and copy the characters into the BASIC string, if any.

Lines 1770 to 1910 contain the primary keyboard scan routines. If not in the exchange mode and not in the repeat mode, the cursor is flashed in the same way that normal BASIC would do it. The ROM POLCAT key scan routine is used to seek a key press. If

You're in good company...

These are some of our other valued customers

ADM Technology, Inc.

AT&T Technologies

Bethel College

E.I. DuPont

Florida International University

Georgia-Pacific Corporation

GM Technical Center

Hoffmann-La Roche, Inc.

Indiana University Northwest

International Minerals & Chem., Corp.

Marquette University

Mercy Hospital

Motorola Inc.

Motorola Comm. & Electronics, Inc.

National Video Services, Inc.

Niagara College

Oregon State University

RCA Corporation

Robertshaw Controls Company

Rutgers-The State University

Salescaster Displays Corporation

Seiscor Technologies, Inc.

(A Subsidiary of Switchcraft, Inc.)

Sonoma State University

Southwire Company

The John Hopkins University

The Singer Company

University of Wisconsin-Madison

Union Carbide

University of Southern California

US Environmental Protection Agency

Verbatim Corporation

WCVB-TV

Yeshiva University



"Innovative Products for the CoCo User"

Call or write today for our **FREE** Catalog
P.O. Box 813 • North Bergen, N.J. 07047 • 201-330-1898

a key is pressed, we erase the cursor.

Lines 1950 to 1990 provide the ability to send special cursor characters when in the exchange or repeat key modes. VIDPOS contains the current video screen print location.

Lines 2030 to 2270 contain the repeat key activation routine. A check is made to see if the repeat key had been pressed and if the current key value is a valid one. If so, a timing loop is started to search for a request to stop the repeat through any other key press. If the timer expires without any key press, the current key is fetched from CURKEY and returned as the key press. If a key is pressed, a check is made to see if it is the repeat key. If it isn't, that key will be returned as the current value. If it is the repeat key, it is checked for masked status. If masked, it is rejected.

Otherwise, the entire process is repeated until either the timer expires and CURKEY is returned as the key press, or a key other than REPKEY is pressed, thereby deactivating the repeat function and returning a new value in CURKEY.

I prefer this repeat method over the kind which requires you hold down a particular key. There are three reasons for this preference: First, having to hold down any key is annoying; second, the problem that can be caused if keys such as BREAK and ENTER are held down too long; and third, the instantaneous response available through a defined repeat key as opposed to the annoying delay by the other method. There is merit in either method, and you may wish to create a repeat routine different from the one provided.

Lines 2320 to 2530 perform a multitude of functions. BASIC's input routine jumps to CHECK whenever BASIC requires keyboard input. The device number must be zero, or the entire operation is aborted, returning directly to BASIC. A check is made to see if the buffer pointer (register X) is either at the beginning or the end of the buffer. Such would be the case if 'X' is pointing to the same previous location, and the repeat function must then be deactivated by setting CURKEY to zero. The input/output buffer is cleared to satisfy a BASIC requirement. The exchange mode indication flag is also cleared.

The current video screen location is saved for later use. The number of characters currently in the buffer is saved in BUFCNT. Tests are also made to see if either the right or left tab counts need to be satisfied, in which case the

appropriate tab routine will be executed. A key scan is started and will continue until either a key is pressed or the repeat mode causes CURKEY to be fetched as the current value. The cursor is erased. The key is checked for masked status. If not masked, it is processed normally. If masked, a check is made to see if it is the control key. If it is the control key, we allow it to be processed. Any other masked key press will be hidden from BASIC.

Lines 2570 to 2660 comprise the check for mask routine. Each byte in the mask table is examined until either we find a match or reach the table's end. Register B will contain the search result. If the zero flag is set, the key is not currently in the mask table.

Lines 2700 to 2840 effectively process the current key press. If it is the control key, then we activate the control mode. If the right-arrow key has been pressed, we convert it to a blank. We fetch the number of characters currently in the buffer and see if the buffer limit has been reached. If there is still room, we send the key to BASIC. If not, we check to see if Extended BASIC's Line Edit is in operation by testing for a character count versus a buffer count mismatch. If the counts are equal, we are not in a Line Edit. Otherwise, we will only accept a backspace to bring the edit count within range. If we are not in Line Edit and the buffer limit has been reached, we will only accept a key press which will not add to the buffer. Any unusable key press will be rejected by hiding the current key press from BASIC and assuring that that character cannot be repeat processed.

Lines 2880 to 3110 process a control key request. The control cursor is flashed according to the special cursor flash timing function. The key scan/flash sequence will continue until a key is pressed. After getting a key press, we will attempt to convert it to uppercase. If the 'U' key has been pressed, the unmask routine is called. Any other keypress is checked for masked status. If masked, we hide it. Next, we check the control key itself for masked status. If it is masked, we abort the control session.

Lines 3150 to 3490 look for a valid control mode request. Any key that does not correspond to one of the control mode options is hidden from BASIC.

Lines 3530 to 3620 either hide or send the key press, as appropriate. If the key press is not repeatable, then no option to repeat it will be allowed. We fetch

the current buffer count and save the current buffer pointer. We return to BASIC in a manner that will prevent a redundant key scan.

Lines 3660 to 3790 effectively unmask the desired key press. A prompt is displayed and a key press is looked for. The key press is searched for in the mask table, and if found, will be removed from the table. After successful unmask or reaching the table end, the prompt is erased, and the key press is hidden from BASIC.

Lines 3830 to 4000 effectively mask the desired key press. A prompt is displayed and a key press is looked for. The mask table is searched to find the first free byte. If one is found, the key press is stored in that byte, and the unmask routine is entered to assure that no mask duplications are present. If the end of the table is reached before a free byte is found, the key press will not be masked.

Lines 4040 to 4090 attempt to set a new buffer limit by calling the *Get Number* routine. If the value returned is equal to the maximum, no adjustment is needed, otherwise we must increase it by one to compensate for BASIC's input requirements. The new value of BUFLIM is saved, and the key press is hidden from BASIC.

Lines 4130 to 4150 attempt to set a new left tab value. Lines 4190 to 4210 attempt to set a new right tab value. Lines 4250 to 4270 try to set a new repeat speed.

Lines 4310 to 4350 effectively set to zero those values used by the get number routine.

Lines 4390 to 4460 are used to send prompts to the screen. A count of the number of characters sent is kept in BKUCNT so the prompt may later be erased.

Lines 4500 to 4540 erase the number of characters specified in BKUCNT. This routine is normally used to erase prompts.

Lines 4580 to 4910 get and process numerical value set requests. The appropriate prompt is displayed. Numerical values are set to zero. The key press count is set to three, assuring that no more than three digits may be entered. A key scan is started, and continues until a usable key is pressed. If a digit is pressed, it is sent to the screen, the get number routine is called, and the digit count is updated.

If BREAK has been pressed, the routine is aborted by erasing the prompt, pulling the return location off of the stack and hiding the key press

HARDWARE & PROGRAMS

MONITORS

BMC MEDIUM-RES COLOR

13" BMC w/ sound \$303.95
14" USI w/ sound \$324.95
12" Taxon Composite & RGB... \$335.95

COMREX HI-RES MONOCHROME

12" Amber or Green..... \$140.95
9" Amber or Green..... \$125.95
Sorry, no C.O.D. on monitors.

COMPOSITE MONITOR INTERFACES

Double Driver..... \$24.95
Video Plus..... \$24.95
Both work great with color or monochrome on CoCo I.

Coco Double Driver..... \$28.95
Video Plus II M..... \$26.95
Video Plus II C..... \$39.95
For CoCo II Only

JARB DISK DOUBLER

Why spend twice as much as you need to for double sided diskettes? With our doubler, you can make your own and pay for it with the first box you double. A must for disk drive users.
5 1/4" size only \$12.95

BASF DATA CASSETTES

	C-05	C-10
1-10	.60 ea.	.65 ea.
11-20	.55 ea.	.60 ea.

Soft Poly Cases Ea. \$2.00
Hard Shelled Cases Ea. \$2.22
Cassette Labels (12)..... Sh. \$3.36
Cassette Labels Tractor (1000)..... \$21.95

MEMORY UPGRADE KITS

16K RAM CHIPS \$1.50 ea.
5V, CoCo II 16K \$1.95 ea.


*64K RAM CHIPS

Eight 200 NS Factory Prime 64K RAM Chips. Allows you to upgrade 'all' board easily. No soldering needed. \$52.50

*16K/32K

Eight 200 NS Factory Prime Chips with Piggy Backed Sockets, Sam Socket, Bus Wire. Comprehensive Instructions. Recommended for "D" or earlier, but may be used on "E". Only 9 simple solder connections to kit. None to computer. \$25.95
NOT FOR CoCo 2

NEW



©JARB SOFTWARE 1984

THE GUNFIGHTER

BY Terry A. Steen

An excellent hi-res, arcade quality game program for two players. Joysticks and 32K are required in this all machine language program.

Cassette \$19.95 Disk/Amdisk \$24.95

JUNGLE TREK

Lost in a jungle with wild animals lurking; your only survival is to find a safe compound before you are lunch for lions; high resolution; multi-color.

16K EXT \$14.95

BIORHYTHM/PSYCHIC APT.

1) Prints biorhythm charts of nearly unlimited length; attractively formatted for use on most printers. 16K

2) Your psychic ability is determined through questions evaluating your psychic experiences

16K Ext Both for \$15.95

PROGRAMS FOR THE SPECTRUM PROJECTS VOICE-PAK OR SPEECH SYSTEMS VOICE

TALKING FINAL COUNTDOWN

(by Bill Cook)

For 32K EXT \$19.95

Standard cassette

FINAL COUNTDOWN \$14.95

TALKING SPELL-A-TRON

The program allows the user to build a dictionary of words. During testing, the words are spoken. If an incorrect response is given, the word is spoken again and spelled. Tape (32K EXT) \$22.95

TALKING SCORE E-Z

A yahtzee type program. Up to six players can compete. All scoring and record keeping is done by the computer. Tape (32K EXT) \$19.95
Standard SCORE E-Z \$15.95

TALKING COLOR MATH

The perfect educational game to aid the student in learning addition, subtraction, multiplication and division. Allows one to specify difficulty level.
Tape (32K EXT) \$22.95

TALKING SHIP HUNT

by Cobra Software

Play Battleship against your computer. 32K w/ joystick needed. Graphics and sound. Can be played without voice.
Cassette \$10.95

SCHEMATIC DRAFTING PROCESSOR (disk) can draw large scale schematics in hi-res (has six overlapping screens) and then print them out to any of several popular printers, fast!! A must for serious hardware computerist.

Now only..... \$49.95

CoCo Chips

Sam, Pia, CPU, Ext, Basic

We carry products from many manufacturers. If you don't see it, ask.

JARB

1636 D Avenue, Suite C
National City, CA 92050

SOFTWARE
HARDWARE

COD orders accepted, no charge cards please.
Shipping and handling \$3.00
California residents please add 6% sales tax

Order Line (619) 474-8982
After Hours BBS (619) 474-8981

from BASIC. If ENTER has been pressed, the prompt is erased, the number in CURVAL is tested for validity and is adjusted if too large, or the routine is aborted if the value is too small. Any usable numerical value (MINVAL to MAXBUF) will be returned to the calling routine.

Lines 4950 to 5230 figure an ongoing numerical quantity for the set value routine. The current digit is changed to a number and saved in register B. The decimal places will be moved from right to left, and a new value will be computed. Checks are made to see that no attempt will be made to compute a value greater than 255. If the value could exceed 255, it will be set equal to MAXBUF. Upon return from this routine, the current value (CURVAL) will be in register B.

Lines 5270 to 5640 attempt to activate and control the buffer exchange routine. The flag EXCHAN is incremented to indicate exchange mode activation. The current number of characters in the buffer are fetched. The current line end is flagged with a zero. The beginning of the buffer is tested to see if any characters are present; if none are, we abort the exchange request. If at least

one character is present, we activate the exchange mode.

Upon activation, we save the current character count in BUFCNT and the current buffer end in EOBUF. Register Y is saved on the hardware stack. The buffer and video pointers are decremented to point to the last character in the buffer. A keyboard scan is then started which will continue until a key is pressed. The cursor is flashed at a rate determined by the *Timer* subroutine. Instead of erasing the cursor, this time we replace it with the current character pointed to by register X.

Whenever a key is pressed, we replace the cursor with the current buffer character and save the buffer pointer in TMPX. We then determine if the key is a usable one; if usable, we process it accordingly. If unusable, we assure that repeat is deactivated and restart the key scan.

Lines 5680 to 5740 respond to a request to move the cursor one place to the left. If at the buffer start, the request will be ignored. Otherwise, both the video pointer and the buffer pointer will be decremented by one.

Lines 5780 to 5840 attempt to move the cursor one place to the right. If the

pointers are not current at the line end, they will be incremented by one to accomplish this.


Lines 5880 to 6260 attempt to insert a character at the current cursor position. The buffer count is fetched and checked to see if it is less than the buffer limit. If the count is equal, there is no room, and the request will be ignored.

Having determined that there is room, we set 'Y' to point to the current buffer end. We then move adjacent characters one place to the right until all characters from the current buffer position to the buffer end have been moved. We then insert the new character into the current buffer position. The buffer end is incremented and its value is cleared to indicate a new end of line. The characters on the screen are moved in a similar manner.

We must check to see if the screen will scroll by comparing the video position to the value of SCREND. If a scroll will occur, we must decrement the appropriate pointers by one full line. The new buffer contents from the buffer position rightward are displayed on the screen.

After the screen characters have been

NEW! For Your TRS-80 Color Computer 320 Full-time Audio Talk/Tutor Programs!



We're Your Educational Software Source

Course	No. of Programs
Language Arts (Spelling)	16 Programs
Reading	64 Programs
Comprehension	32 Programs
Phonics	32 Programs
English as a Second Language	32 Programs
Mathematics	64 Programs
Basic Algebra	16 Programs
Physics	16 Programs
Effective Writing	16 Programs
History	32 Programs

In Color, with Pictures and Text!

All of our TRS-80 Color programs have easy to understand professional announcer narration, not synthesized, robotic voices. All text is displayed in easy to read upper- and lower-case characters. Video clearly illustrates key concepts in each frame of the program.

Only \$4.40 per program (\$8.80 for 2, one on each side of a half-hour cassette). \$59.90 for 16 programs (8 cassettes) in an album. Send for catalog of over 1000 programs for Atari, TRS-80, Apple, etc.

Dealer inquiries welcome

For more information, or to order call:

TOLL FREE 1-800-654-3871

IN OKLAHOMA CALL (405) 288-2301



DORSETT
Educational Systems, Inc.
Box 1226, Norman, OK 73070



moved, the current video position is replaced by the desired position. We also compensate for the additional character by incrementing the old video value, thereby providing the proper return screen location when the exchange mode is exited.

Finally, we increment the buffer pointer and buffer count, and return to the key scan routine.

Lines 6300 to 6600 will attempt to delete the character at the current cursor position. Two or more characters must be present for any to be deleted.

Deleting the character is accomplished by starting at the current buffer position and copying the character which is one position to the right of it into the buffer position. This continues until the end of the line is found, in which case a zero will be placed in the last character of the line.

We then test to see if the character just deleted was the last character of the line. If it was, we decrement the buffer and video pointers. In a manner similar to the one used by the insert function, the old screen characters are replaced by new ones. The last screen character is replaced with a blank.

Lastly, the video and buffer pointers are updated. The video position is reset to its proper place on the screen. The old video position is decremented so the proper return screen location is available when the exchange mode is exited. The end of buffer pointer is decremented to show the new end of buffer.

Lines 6640 to 6740 process the exit from the exchange mode. The video position is reset to one position beyond the last character on the screen. The

original value of register Y is restored. The current buffer end is given to register X.

The exchange flag, EXCHAN, is decremented and tested for zero status. If equal to zero, Extended BASIC's Line Edit is not in effect, so the buffer counters must not be adjusted. If Line Edit is in effect, we must fetch and adjust the character count, give it to the edit count, and set the buffer operation count to zero. When in Line Edit, BUFCNT contains the operation count (i.e. the number of moves or changes requested). It should be set to zero upon exit of the exchange mode to assure the operation count will also be set to zero. The key press must also be hidden from BASIC.

Lines 6780 to 6810 pull a character from the current buffer position and send it to the current screen position.

Lines 6850 to 6930 effectively adjust register B for proper screen display.

Lines 6970 to 7000 are used to convert a key press command from lowercase to uppercase. This makes it simpler to check for keypress command matches.

Lines 7040 to 7170 are needed to determine the proper character count depending on which ROM has called *Buffer Stuffer*. We see if Line Edit is in effect by getting the calling address from the hardware stack. If the address is higher than the Line Edit Vector, we know we are not in Extended BASIC, and we simply return the normal buffer count.

If we are in Line Edit, the edit count is used as the character count. We next test the exchange flag to see if the exchange mode has been requested. If

so, we call the ROM routine *Getend* to position the cursor at the end of the line. We then fetch the edit count, adjust it for the exchange mode and return it as the character count.

Lines 7210 to 7250 contain the timing routine used to determine when either the control cursor or the exchange mode cursor should be flashed.

Lines 7300 to 7320 contain the return location for normal keyboard input when the program is patched into BASIC or the proper flag to indicate that patching is needed if an *EXEC* command has been entered.

Line 7330 provides a convenient reference point for computing the actual length of the program. *Bottom* is also used as a counter in numerous locations throughout the program.

The Object Code Generator

The OCG is designed expressly for those who do not have an assembler. It contains the same instructions the assembler version would generate. Although essentially self-explanatory, some comments should be helpful.

If you have a disk system, do a *FILES 2,256* to assure that the data values will be poked into usable RAM. The OCG assumes you want a disk save for a disk system and a cassette save for a cassette system. To avoid this, change Line 190 to *DEV\$="CASSETTE":GOTO 220*.

Note that if you have a 16K computer, you will need to *PCLEAR* three or fewer graphics pages to assure that the OCG will fit into your computer. Also, if you do not have Extended BASIC, you will need to reserve space behind the string pool and change the values of

Now . . . from the makers of THE RAINBOW comes the new, expanded



Just because we at PCM call ourselves The Magazine for Professional Computing Management, you shouldn't get the idea that we're no fun.

We cover five of the most exciting computers on the market, as well as the most productive — the highly popular Model 100; a brand new portable, the Tandy 200; and Tandy's new MS-DOS computers, the Tandy 2000, Tandy 1200 and Tandy 1000.

We learned from THE RAINBOW that readers want programs to type in, so, each month we bring you an

assortment of them, including games, utilities, business applications and graphics.

Also, PCM is the only computer publication anywhere in the world (that we know of) that brings you programs in bar code, ready to scan into memory with the sweep of a wand!

Add to this our regular tutorials on MS-DOS and dBASE, and monthly columns on telecommunicating, hardware and machine language, as well as BASIC programming tips and product reviews, and we think you'll find

we're one of the most informative and fun magazines on the market today.

So, why not join us . . . just for the fun of it? You'll receive 12 issues for \$28. Send your check or money order to: **PCM**

**P.O. Box 385
Prospect, KY 40059**

Please include your Visa, MasterCard or American Express number and expiration date if you wish to charge it. Sorry, we do not bill.

*Canadian subscribers add U.S. \$7. Surface rate elsewhere U.S. \$64. Air mail U.S. \$85. Allow 5-6 weeks for first copy. KY residents add 5% sales tax.

FI, LA and EX so they will reference that reserved memory. Here is one way to do it: Change Line 40 to *CLEAR 500,31100* and add the line *75 FI =31100:LA=FI+1535:EX=FI+94*

The String Edit Driver Program

For those of you who have Extended Color BASIC, this program allows you to edit string variables. It is fairly simple, but a few comments should be helpful.

Line 50 contains the execution offset. Some execution offset will always be required. Just what it should be depends on where in memory the 6809 routine currently resides. OF must be equal to whatever loading offset you used. For an OCG version, OF must be equal to FI plus any loading offset. Figuring the proper offset should be quite simple.

Line 10000 contains the essential ingredients of the parameter passing

subroutine. EL is the memory location that contains BASIC's machine language execution address. We save this two-byte value by copying it into EA and EB. VP will contain the variable pointer of the parameter string PA\$. VL will contain the address inside *Buffer Stuffer* where the location of the BASIC string will be stored.

We extract the true length of PA\$. Next we pad PA\$ with trailing blanks. VP is assigned the variable pointer of PA\$. We poke the true length of PA\$ into VL. We poke the starting address of PA\$ into VL+1. Now *Buffer Stuffer* knows how long the string is and where to look for it. We evoke the string editor. Upon return, VL contains the new length. We poke the new length into the variable pointer of PA\$. We restore the routine's activation/deactivation execution address. Finally, we return the new value of PA\$ to the

program's calling routine.

If you decide to use this string edit option, it is imperative the commands in Line 10000 be preserved.

Concluding Remarks

It is not by chance the program is exactly one graphics page in length. My goal was to pack all those keyboard options into precisely 1,536 bytes of memory. Many more options could be added, but it would be very difficult to do so without requiring more memory. One way to do so would be to use a completely stack oriented approach. I chose not to use that approach because, although it would save memory, the program would become much more difficult to follow, let alone to understand.

In any event, by using *Buffer Stuffer*, you'll no longer need to be a huffer or a puffer!

Listing 1:

0000	00010	*ASSEMBLY LANGUAGE SOURCE CODE	001B	80	00370	RTBPRO FCB 128
	00020	*BUFFER STUFFER (C) 1984	001C	52	00380	FCC "RTAB:"
	00030	*by Richard W. Rutter		54		
	00040	*		41		
	00050	ORG 0 ;SIMPLIFY OFFSET LOADING		42		
	00060	*		3A		
	00070	*MISC EQUATES	0021	FF	00390	FCB 255
	00080	*	0022	80	00400	RSPPRO FCB 128
	00090	DEVNUM EQU 111 ;DEVICE NUMBER	0023	53	00410	FCC "SPEED:"
000F	00100	IOBUFF EQU 112 ;I/O BUFFER		50		
0070	00110	VIDPOS EQU 136 ;VIDEO POSITION		45		
0088	00120	EDTCNT EQU 215 ;LINE EDIT COUNT		45		
00D7	00130	INPVEC EQU 362 ;ROM INPUT VECT		44		
016A	00140	BSTART EQU 733 ;BUFFER START	0029	FF	00420	FCB 255
02DD	00150	SCROPO EQU 1504 ;SCROLL POS	002A	80	00430	UNMPRO FCB 128
05E0	00160	SCREND EQU 1535 ;SCREEN END	002B	55	00440	FCC "UNMASK:"
05FF	00170	GETEND EQU 34228 ;GET LINE END		4E		
85B4	00180	LEDVEC EQU 40959 ;LINE EDIT VEC		4D		
9FFF	00190	POLCAT EQU 40960 ;SCAN KEYBOARD		41		
A000	00200	CHROUT EQU 40962 ;PRINT CHARS		53		
A002	00210	FLASH EQU 41369 ;FLASH CURSOR		4B		
A199	00220	INPUT EQU 41882 ;BAS ROM INPUT		3A		
A39A	00230	*	0032	FF	00450	FCB 255
	00240	*MISC PROMPT STRINGS			00460	*
	00250	*	0033	FA	00470	*RESERVED SYMBOLIC LOCATIONS
0000	00260	ASKU FCC "A/C/G:"	0034	FA	00480	*
			0035	0A	00490	MAXBUF FCB 250 ;MAX BUFFER SIZE
			0036	13	00500	BUFLIM FCB 250 ;BUFFER LIMIT
			0037	9F	00510	CONKEY FCB 10 ;CONTROL KEY
			0038	FF	00520	REPKEY FCB 19 ;REPEAT KEY
			0039	05	00530	CONCUR FCB 159 ;CONTROL CURSOR
			003A	05	00540	EXCCUR FCB 255 ;EXCHANGE CURSOR
0006	00270	FCB 255	003B	28	00550	LTBSIZ FCB 5 ;LEFT TAB SIZE
0007	00280	BUFPRO FCB 128	003C	01	00560	RTBSIZ FCB 5 ;RIGHT TAB SIZE
0008	00290	FCC "BUF:"	003D	01	00570	RSPEED FCB 40 ;REPEAT SPEED
			003E	00	00580	MINVAL FCB 1 ;MINIMUM VALUE
			003F	00	00590	CURVAL FCB 1 ;CURRENT VALUE
			0040	00	00600	OLDVID FCB 0 ;OLD VIDEO POS
			0041	00	00610	FCB 0
000C	00300	FCB 255	0042	00	00620	EOBUF FCB 0 ;TEMP END OF BUFFER
000D	00310	LTBPRO FCB 128	0043	00	00630	FCB 0
000E	00320	FCC "LTAB:"	0044	00	00640	TMFX FCB 0 ;FOR REGISTER X
			0045	00	00650	FCB 0
			0046	00	00660	CURPOS FCB 0 ;CURSOR POSITION
			0047	00	00670	FCB 0
			0048	00	00680	EXCHAN FCB 0 ;EXCHANGE FLAG
0013	00330	FCB 255	0049	00	00690	UNITS FCB 0 ;DIGIT 0-9
0014	00340	MASPRO FCB 128	004A	00	00700	TENS FCB 0 ;DIGIT 0-9
0015	00350	FCC "MASK:"	004B	00	00710	HUNS FCB 0 ;DIGIT 0-9
			004C	00	00720	CURKEY FCB 0 ;CURRENT KEYVALUE
			004D	00	00730	REPEAT FCB 0 ;REPEAT INDICATOR
			004E	00	00740	RTBCNT FCB 0 ;RIGHT TAB COUNT
			004F	A0	00750	LTBCNT FCB 0 ;LEFT TAB COUNT
001A	00360	FCB 255	0050	00	00760	VARLEN FCB 0 ;STRING VAR LENGTH
					00770	VLOC FCB 160 ;LOCATION OF BASIC
					00780	FCB 0 ;STRING VARIABLE

0051	00	00790	BUFCNT FCB 0 ;BUFFER CHAR COUNT	0114 E1	8D FF36	01700	CMPB VARLEN,PCR ;ALL SENT?
0052	00	00800	BKUCNT FCB 0 ;PROMPT BACKUP CNT	0118 25	F5	01710	BLO GIV1 ;CONTINUE
0053	00	00810	MASK FCB 0 ;MASK VALUE TABLE OF	011A 6A	8D FF30	01720	NTG DEC VARLEN,PCR ;TRUE SIZE
0054	00	00820	FCB 0 ;UP TO 10 KEYS	011E 39		01730	RTS ;RETURN TO BASIC PROGRAM
0055	00	00830	FCB 0			01740	*
0056	00	00840	FCB 0			01750	*KEYSCAN ROUTINES
0057	00	00850	FCB 0			01760	*
0058	00	00860	FCB 0	011F 6D	8D FF23	01770	GKEY TST EXCHAN,PCR ;EXCHANGE?
0059	00	00870	FCB 0	0123 26	14	01780	BNE GKEY2 ;NO ERASE,NO FLASH
005A	00	00880	FCB 0	0125 6D	8D FF22	01790	TST REPEAT,PCR ;IN REPEAT?
005B	00	00890	FCB 0	0129 26	07	01800	BNE GKEY1 ;ALLOW ERASE
005C	00	00900	FCB 0	012B 34	10	01810	PSHS X ;SAVE X
005D	FF	00910	FCB 255 ;SHOW MASK TABLE END	012D BD	A199	01820	JSR FLASH ;FLASH CURSOR
		00920	*	0130 35	10	01830	PULS X ;GET X
		00930	*ENABLE THE ROUTINE	0132 8D	05	01840	GKEY1 BSR GKEY2 ;SEEK KEY
		00940	*	0134 27	02	01850	BEQ KEPCUR ;IF=0,KEEP CURSOR
005E AE	8D 059B	00950	HOOK LDX 1+RETBAS,PCR ;IS THE	0136 8D	13	01860	BSR ERCUR ;ERASE CURSOR
0062 8C	FFFF	00960	CMPS #65535 ;HOOK IN EFFECT?	0138 39		01870	KEPCUR RTS ;RETURN KEYPRESS
0065 26	16	00970	BNE UNHOOK ;YES,UNHOOK IT	0139 34	20	01880	GKEY2 PSHS Y ;SAVE Y
0067 B6	016A	00980	LDA INPVEC ;GET JMP COMMAND	013B AD	9F A000	01890	JSR >[POLCAT] ;SEEK KEYPRESS
006A A7	8D 058E	00990	STA RETBAS,PCR ;COPY IT	013F 35	20	01900	PULS Y ;RESTORE Y
006E BE	016B	01000	LDX INPVEC+1 ;GET MEMORY LOC	0141 39		01910	RTS ;RETURN KEYSCAN CONDITION
0071 AF	8D 0588	01010	STX 1+RETBAS,PCR ;COPY IT			01920	*
0075 30	8D 0116	01020	LEAX CHECK,PCR ;GET PROG START			01930	*SPECIAL CURSOR SEND/ERASE
0079 BF	016B	01030	STX INPVEC+1 ;PLUG INTO BASIC			01940	*
007C 39		01040	RTS ;HOOK COMPLETED			01950	SENCR LDB EXCCUR,PCR ;GET CURS
		01050	*	0142 E6	8D FEF2	01960	SENCC STB [VIDPOS] ;ON SCREEN
		01060	*DISABLE THE ROUTINE	014A 39		01970	RTS ;RETURN
		01070	*	014B C6	60	01980	ERCUR LDB #96 ;GET SCREEN BLANK
007D AE	8D 057C	01080	UNHOOK LDX 1+RETBAS,PCR ;GET IT	014D 20	F7	01990	BRA SENCC ;ERASE CURSOR
0081 BF	016B	01090	STX INPVEC+1 ;SET NORMAL BASIC			02000	*
0084 30	8D 0575	01100	LEAX 1+RETBAS,PCR ;GET RET LOC			02010	*AUTO KEY REPEAT ROUTINE
0088 86	FF	01110	LDA #255 ;RESET HOOK INDICATOR			02020	*
008A A7	84	01120	STA ,X ;STORE ONE	014F A6	8D FEF8	02030	TRYREP LDA REPEAT,PCR ;CHECK IT
008C A7	01	01130	STA 1,X ;AND THE OTHER	0153 A1	8D FEDF	02040	CMFA REPKEY,PCR ;REPEAT ON?
008E 39		01140	RTS ;UNHOOK COMPLETED	0157 26	19	02050	BNE TR3 ;NO MATCH=NO REPEAT
		01150	*	0159 A6	8D FEED	02060	LDA CURKEY,PCR ;FETCH KEYVALUE
		01160	*ROUTINE TO EDIT BASIC STRINGS	015D 27	13	02070	BEQ TR3 ;IF NULL,REJECT IT
		01170	*	015F 8D	E1	02080	BSR SENCR ;SEND CURSOR
008F 10AE	8C BC	01180	GETVAR LDY VLOC,PCR ;BAS VARPTR	0161 5F		02090	CLRB ;SET REPEAT TIMER
0093 8E	02DD	01190	LDX #BSTART ;GET BUFFER START	0162 8D	BB	02100	TR2 BSR GKEY ;SEEK KEYPRESS
0096 5F		01200	CLRB ;SET COUNTER	0164 26	0C	02110	BNE TR3 ;IF PRESSED,REPEAT OFF
0097 6D	8C B4	01210	TST VARLEN,PCR ;NULL STRING?	0166 5C		02120	INCB ;UPDATE TIMER
009A 27	0E	01220	BEQ NTS ;YES,NOTHING TO SEND	0167 E1	8D FED0	02130	CMPB RSPEED,PCR ;TIME ELAPSED?
009C A6	A0	01230	GET1 LDA ,Y+ ;GET VARIABLE	016B 25	F5	02140	BLO TR2 ;LOOP RSPEED TIMES
009E A7	80	01240	STA ,X+ ;PUT INTO BUFFER	016D A6	8D FED9	02150	LDA CURKEY,PCR ;GET KEYVALUE
00A0 AD	9F A002	01250	JSR >[CHROUT] ;SEND TO SCREEN	0171 39		02160	RTS ;SEND KEYVALUE
00A4 5C		01260	INCB ;UPDATE COUNTER	0172 6F	8D FED5	02170	TR3 CLR REPEAT,PCR ;STOP REPEAT
00A5 E1	8C A6	01270	CMPB VARLEN,PCR ;ALL SENT?	0176 8D	A7	02180	BSR GKEY ;SEEK NEW KEYPRESS
00A8 25	F2	01280	BLO GET1 ;CONTINUE	0178 27	0A	02190	BEQ TR4 ;IF NO KEY,RETURN
00AA 5C		01290	NTS INCB ;BUFFER SIZE FOR ROM	017A A1	8D FEB8	02200	CMFA REPKEY,PCR ;START REPEAT?
00AB E7	8C A3	01300	STB BUFCNT,PCR ;SAVE IT	017E 27	05	02210	BEQ TR5 ;YES,TRY IT
00AE 0F	6F	01310	GET2 CLR DEVNUM ;KEYBOARD INPUT	0180 A7	8D FEC6	02220	STA CURKEY,PCR ;NEW KEYVALUE
00B0 0F	70	01320	CLR IOBUFF ;CLEAR I/O BUFFER	0184 39		02230	TR4 RTS ;SEND KEYPRESS VALUE
00B2 BD	A39A	01330	JSR INPUT ;EVOKE ROM INPUT	0185 8D	4B	02240	TR5 BSR CHKMAS ;REPEAT MASKED?
00B5 33	8D FF47	01340	LEAU ASKU,PCR ;GET PROMPT	0187 26	E9	02250	BNE TR3 ;IF SO,SEEK ANOTHER
00B9 17	0298	01350	LBSR SENPRO ;SEND IT	0189 A7	8D FEBE	02260	STA REPEAT,PCR ;REPEAT ON
00BC 8D	61	01360	GET3 BSR GKEY ;SEEK KEYPRESS	018D 20	C0	02270	BRA TRYREP ;REACTIVATE LOOP
00BE 27	FC	01370	BEQ GET3 ;CONT TILL PRESSED			02280	*
00C0 17	0504	01380	LBSR MAKCAP ;CONVERT TO CAPS			02290	*IF IN STANDARD KEYBOARD INPUT
00C3 34	02	01390	PSHS A ;SAVE THE KEYPRESS			02300	*MODE, PROCESS INPUT VALUES
00C5 17	02A1	01400	LBSR BKUP ;ERASE PROMPT			02310	*
00C8 35	02	01410	PULS A ;GET THE KEYPRESS	018F 0D	6F	02320	CHECK TST DEVNUM ;DEVICE=0?
00CA E6	8C 84	01420	LDB BUFCNT,PCR ;GET #CHARS	0191 1026	0467	02330	LBNE RETBAS ;IF NOT,ABORT
00CD 81	47	01430	CMFA #'G ;IS STRING GOOD?	0195 0F	70	02340	CLR IOBUFF ;CLR I/O BUFF
00CF 27	2A	01440	BEQ GIVVAR ;YES,SEND TO BASIC	0197 6F	8D FEAB	02350	CLR EXCHAN,PCR ;NO EXCHANGE
00D1 AE	8D FF6D	01450	LDX TMPX,PCR ;GET X REGISTER	019B DE	88	02360	LDU VIDPOS ;GET VIDEO POSITION
00D5 EE	8D FF65	01460	LDU OLDVID,PCR ;GET OLD VIDEO	019D EF	8D FE9D	02370	STU OLDVID,PCR ;SAVE FOR LATER
00D9 1183	05E0	01470	CMPU #SCROPO ;SCREEN SCROLL?	01A1 E7	8D FEAC	02380	STB BUFCNT,PCR ;SAVE CHR COUNT
00DD 25	03	01480	BLO GET4 ;NO,IT DID NOT	01A5 6D	8D FEA4	02390	TST LTBCNT,PCR ;LEFT TAB?
00DF 33	C8 E0	01490	LEAU -32,U ;BACK UP 1 LINE	01A9 1026	00F3	02400	LBNE SALTAB ;YES,SATISFY IT
00E2 DF	88	01500	GET4 STU VIDPOS ;SET CUR VIDEO	01AD 6D	8D FE9B	02410	TST RTBCNT,PCR ;RIGHT TAB?
00E4 81	41	01510	CMFA #'A ;EDIT ORIGINAL AGAIN?	01B1 1026	00F3	02420	LBNE SARTAB ;YES,SATISFY IT
00E6 27	02	01520	BEQ GETORG ;YES,GET ORIGINAL	01B5 AC	8D FE89	02430	CMPS TMPX,PCR ;CURSOR FROZEN?
00E8 20	C4	01530	BRA GET2 ;EDIT CURRENT STRING	01B9 26	04	02440	BNE CHECK1 ;NO,ALLOW REPEAT
00EA E6	8D FF63	01540	GETORG LDB BUFCNT,PCR ;GET BUFF	01BB 6F	8D FE8B	02450	CLR CURKEY,PCR ;REPEAT OFF
00EE 5A		01550	DECB ;ADJUST TO TRUE LENGTH	01BF 8D	8E	02460	CHECK1 BSR TRYREP ;KEYSCAN
00EF 5D		01560	TSTB ;LENGTH=0?	01C1 27	FC	02470	BEQ CHECK1 ;CONT TILL KEYPRESS
00F0 27	9D	01570	BEQ GETVAR ;YES,CAN'T ERASE	01C3 8D	86	02480	BSR ERCUR ;ERASE CURSOR
00F2 E7	8D FF5C	01580	STB BKUCNT,PCR ;SET COUNTER	01C5 8D	0B	02490	BSR CHKMAS ;IS KEY MASKED?
00F6 17	0270	01590	LBSR BKUP ;ERASE THE STRING	01C7 27	1C	02500	BEQ CHFCON ;IF=0,NOT MASKED
00F9 20	94	01600	BRA GETVAR ;GET THE ORIGINAL	01C9 A1	8D FE68	02510	CMFA CONKEY,PCR ;CNTRL MASKED?
00FB 8E	02DD	01610	GIVVAR LDX #BSTART ;BUFF START	01CD 27	16	02520	BEQ CHFCON ;ALLOW UNMASK
00FE 10AE	8D FF4C	01620	LDY VLOC,PCR ;BASIC VARPTR	01CF 16	00E6	02530	LBRA HIDKEY ;HIDE MASKED KEY
0103 E7	8D FF47	01630	STB VARLEN,PCR ;SET LENGTH			02540	*
0107 C6	01	01640	LDB #1 ;SET COUNTER			02550	*SEE IF KEYPRESS IS MASKED
0109 E1	8D FF41	01650	CMPB VARLEN,PCR ;ANY CHARS?			02560	*
010D 27	0B	01660	BEQ NTG ;IF NOT,NONE TO GIVE	01D2 33	8D FE7D	02570	CHKMAS LEAU MASK,PCR ;GET TABLE
010F A6	80	01670	GIV1 LDA ,X+ ;GET CHAR	01D6 E6	C4	02580	CHKMA1 LDB ,U ;GET MASK VALUE
0111 A7	A0	01680	STA ,Y+ ;PUT INTO VARIABLE	01D8 C1	FF	02590	CMPB #255 ;AT END OF LIST?
0113 5C		01690	INCB ;UPDATE COUNTER	01DA 27	06	02600	BEQ NOMSK ;NO MASK FOUND

01DC A1	C0	02610	CMPA ,U+ ;CHECK FOR MATCH	0240 20	76	03050	BRA HIDKEY ;HIDE MASKED KEY
01DE 27	03	02620	BEQ MASCHK ;THE KEY IS MASKED	0242 34	02	03060	GCVAL PSMS A ;SAVE THE KEYPRESS
01EO 20	F4	02630	BRA CHKMAI ;CHECK EACH LOC	0244 A6	8D FDED	03070	LDA CONKEY,PCR ;GET CNTRL KEY
01E2 5F		02640	NOMSK CLR ;SET NO MASK COND	0248 8D	88	03080	BSR CHKMAS ;TEST FOR MASK
01E3 5D		02650	MASCHK TSTB ;SET CC	024A 35	02	03090	PULS A ;GET THE KEYPRESS
01E4 39		02660	RTS ;RETURN RESULTS	024C 27	02	03100	BEQ FULOPT ;ALLOW FULL OPTIONS
		02670 *		024E 20	68	03110	BRA HIDKEY ;CONTROL WAS MASKED
		02680	*PROCESS THE KEYPRESS			03120 *	
		02690 *				03130	*PROCESS CONTROL KEY OPTIONS
01E5 A1	8D FE4C	02700	CHFCN CMPA CONKEY,PCR ;CNTRL?			03140 *	
01E9 27	26	02710	BEQ PCKEY ;PROCESS CONTROL KEY	0250 81	4D	03150	FULOPT CMPA #'M ;MASK A KEY?
01EB 81	09	02720	CMPA #9 ;RIGHT ARROW?	0252 1027	009B	03160	LBEQ SETMAS ;SET MASK VALUE
01ED 26	02	02730	BNE CHF1 ;IF NOT,DON'T CONVERT	0256 81	58	03170	CMPA #'X ;EXCHANGE REQUEST?
01EF 86	20	02740	LDA #32 ;CONVERT TO BLANK	0258 1027	01C4	03180	LBEQ EXCHAR ;TRY EXCHANGE CHAR
01F1 17	03DA	02750	CHF1 LBSR GNCHRS ;GET #OF CHARS	025C 33	8D FDA7	03190	LEAU BUFPPO,PCR ;GET PROMPT
01F4 E1	8D FE3C	02760	CMPB BUFLIM,PCR ;AT LIMIT?	0260 81	42	03200	CMPA #'B ;SET BUFFER SIZE?
01F8 1025	00BD	02770	LBLO SENKEY ;WE HAVE ROOM	0262 1027	00B4	03210	LBEQ SETBUF ;YES
01FC E1	8D FE51	02780	CMPB BUFCNT,PCR ;IN LINE EDIT?	0266 33	8D FDA3	03220	LEAU LTBPPO,PCR ;GET PROMPT
0200 27	06	02790	BEQ CHF2 ;IF COUNTS MATCH,NO	026A 81	4C	03230	CMPA #'L ;SET LEFT TAB?
0202 81	08	02800	CMPA #8 ;IS IT BACKSPACE?	026C 1027	00B9	03240	LBEQ SETLTB ;YES
0204 1026	00B0	02810	LBNE HIDKEY ;MUST BE BACKSPACE	0270 33	8D FDA7	03250	LEAU RTBPPO,PCR ;GET PROMPT
0208 81	20	02820	CHF2 CMPA #32 ;ADD TO BUFFER?	0274 81	52	03260	CMPA #'R ;SET RIGHT TAB?
020A 1025	00AB	02830	LBLO SENKEY ;IF NOT, SEND IT	0276 1027	00B7	03270	LBEQ SETRTB ;YES
020E 16	00A7	02840	LBRA HIDKEY ;NO ROOM,HIDE IT	027A 33	8D FDA4	03280	LEAU RSPPPO,PCR ;GET PROMPT
		02850 *		027E 81	53	03290	CMPA #'S ;SET REPEAT SPEED?
		02860	*PROCESS CONTROL KEY REQUEST	0280 1027	00B6	03300	LBEQ SETREP ;YES
		02870 *		0284 81	08	03310	CMPA #8 ;SEND A LEFT TAB?
0211 6F	8D 03EA	02880	PCKEY CLR BOTTOM,PCR ;SET COUNT	0286 26	0A	03320	BNE CFRTAB ;NO,CHECK FOR RIGHT
0215 E6	8D FE1E	02890	LDB CONCUR,PCR ;CONTROL CURSOR	0288 E6	8D FDAD	03330	LDB LTBSIZ,PCR ;GET LEFT TAB
0219 17	FF2A	02900	LBSR SENCC ;SEND IT	028C E7	8D FDBD	03340	STB LTBCNT,PCR ;SET COUNT
021C 17	03D1	02910	GNK1 LBSR TIMER ;UPDATE TIMER	0290 20	0E	03350	BRA SALTAB ;SEND LEFT TAB
021F 27	06	02920	BEQ ECURS ;TIME TO ERASE	0292 81	09	03360	CFRTAB CMPA #9 ;SEND RIGHT TAB?
0221 C1	FF	02930	CMPB #255 ;TIME FOR CHANGE?	0294 26	22	03370	BNE HIDKEY ;HIDE UNUSABLE KEY
0223 27	EC	02940	BEQ PCKEY ;YES,START OVER	0296 E6	8D FDA0	03380	LDB RTBSIZ,PCR ;GET RIGHT TAB
0225 20	03	02950	BRA GNK2 ;SEEK KEYPRESS	029A E7	8D FDAE	03390	STB RTBCNT,PCR ;SET COUNT
0227 17	FF21	02960	ECURS LBSR ERCUR ;ERASE CURSOR	029E 20	08	03400	BRA SARTAB ;SEND RIGHT TAB
022A 17	FF05	02970	GNK2 LBSR GKEY1 ;SEEK KEY	02A0 86	08	03410	SALTAB LDA #8 ;GET BACKSPACE
022D 27	ED	02980	BEQ GNK1 ;CONT TILL KEYPRESS	02A2 6A	8D FDA7	03420	DEC LTBCNT,PCR ;CNT=CNTR-1
022F 6F	8D FE17	02990	CLR CURKEY,PCR ;REPEAT OFF	02A6 20	11	03430	BRA SENKEY ;SEND THE BACKSPACE
0233 17	0391	03000	LBSR MAKCAP ;CONVERT TO CAPS	02A8 86	20	03440	SARTAB LDA #32 ;GET BLANK
0236 81	55	03010	CMPA #'U ;UNMASK?	02AA 6A	8D FD9E	03450	DEC RTBCNT,PCR ;CNT=CNTR-1
0238 1027	0094	03020	LBEQ UNSMSK ;IF SO, ALLOW IT	02AE 17	031D	03460	LBSR GNCHRS ;GET #OF CHARS
023C 8D	94	03030	BSR CHKMAS ;CHECK FOR MASK	02B1 5C		03470	INCB ;UPDATE TAB COUNTER
023E 27	02	03040	BEQ GCVAL ;IF=0,NOT MASKED	02B2 E1	8D FD7E	03480	CMPB BUFLIM,PCR ;AT LIMIT?
				02B6 23	01	03490	BLS SENKEY ;SEND THE BLANK

ADOS ENHANCED, EPROM-ABLE DISK BASIC

Now, you can supercharge Basic with an impressive array of extra features WITHOUT sacrificing compatibility! ADOS is compatible with virtually 100% of commercial software. Customizing utilities are provided to allow user-defined command abbreviations, baud rate, step rate, tracks per disk (35 or 40), support of double-sided drives, and more. After customizing ADOS, you can have it burned into an EPROM that plugs into the Disk Basic ROM socket, or just use it in RAM as a 64K disk utility. (EPROM + burning will cost about \$20—we provide information concerning how you can have this done.) Features include: • repeat and edit of the last direct-mode command • 26 definable control-key abbreviations • automatic line-number prompts • DOS command • lowercase command entry (a fine complement to a Lowerkit or PBJ WordPak) • COPY (filename) to (drive number) • AE error override option • RAM command (64K) • RUNM command • text echoing to printer • ML monitor • text file scan • enhanced directory • error trapping • hi-res text utility included (42, 51, or 64 characters per line)

"I could not find any software that would not run under ADOS."

The Rainbow, December 1984

"ADOS scores 98+. For a product as complex as a DOS, that's pretty close to the theoretical limit...Having been burned on software which didn't mesh with Disk Basic 1.1, I was wary at first. Now, I use ADOS with complete confidence."

Color Micro Journal, February 1985

Disk...\$27.95

THE PEEPER ML PROGRAM TRACER

Monitor machine-language programs AS THEY ARE RUNNING! Peeper actually timeshares with the target program, giving FULL CONTROL as ML programs run. Switch instantly between watching regular program output and Peeper's trace of registers and stack on screen or printer. Inspect memory in any of 26 display modes. Execution speed can be varied from full speed to the barest crawl, or halted entirely, as programs run. Single-stepping, breakpoints, memory or register examine/change. Relocatable, supports 64K use. (16K required)

Disk...\$23.95 Tape...\$21.95 Assembler source listing...Add 3.00

FASTAPE THE NEXT BEST THING TO A DISK DRIVE

Fastape allows cassette I/O at 3000 baud-TWICE NORMAL SPEED. It uses the high-speed (POKE 65495,0) mode, and makes it convenient to stay in this mode throughout. Features automatic adjustment of cassette and printer parameters when speed mode is changed. Control-key functions for many Basic commands and for changing speed modes. Compatible with all file types, and can be used with Telewriter-64 and many other tape utilities.

Tape...\$21.95 (16K required)

SPECTROSYSTEMS

11111 N. Kendall Drive,
Suite A108
Miami, Florida 33176
(305) 274-3899

Please add \$2.00 shipping

CompuServe 72355.407

02B8 4F		03530	HIDKEY CLRA ;HIDE THE KEY
02B9 E6	8D FD94	03540	SENKEY LDB BUFCNT,PCR ;GET CNT
02BD 81	1F	03550	CMPA #31 ;REPEATABLE KEY?
02BF 22	08	03560	BHI SENK1 ;YES,PRESERVE CURKEY
02C1 81	08	03570	CMPA #8 ;REPEATABLE KEY?
02C3 27	04	03580	BEQ SENK1 ;YES,PRESERVE CURKEY
02C5 6F	8D FD81	03590	CLR CURKEY,PCR ;NO REPEAT
02C9 AF	8D FD75	03600	SENK1 STX TMPX,PCR ;COPY X
02CD 32	64	03610	LEAS 4,S ;CLEAR 2 RTS'S
02CF 39		03620	RTS ;MAKE BASIC PROCESS KEY
		03630 *	
		03640	*UNMASK A KEYBOARD CHAR
		03650 *	
02D0 33	8D FD56	03660	UNMSK LEAU UNMPPRO,PCR ;PROMPT
02D4 8D	7E	03670	BSR SENPRO ;SEND THE PROMPT
02D6 17	FE46	03680	UNM1 LBSR GKEY ;GET KEY
02D9 27	FB	03690	BEQ UNM1 ;MUST HAVE KEY
02DB 33	8D FD74	03700	LEAU MASK,PCR ;GET TABLE START
02DF E6	C4	03710	FINMAS LDB ,U ;GET MASK VALUE
02E1 C1	FF	03720	CMPB #255 ;AT LIST END?
02E3 27	2D	03730	BEQ MASDON ;UNMASK COMPLETE
02E5 A1	C4	03740	CMPA ,U ;MASK MATCH?
02E7 27	04	03750	BEQ FOUMSK ;IF SO,UNMASK IT
02E9 33	41	03760	LEAU 1,U ;NEXT MASK POSITION
02EB 20	F2	03770	BRA FINMAS ;CHECK ALL LOCS
02ED 6F	C4	03780	FOUMSK CLR ,U ;UNMASK THE KEY
02EF 20	21	03790	BRA MASDON ;UNMASK IS DONE
		03800 *	
		03810	*MASK A KEYBOARD CHAR, IF ROOM
		03820 *	
02F1 33	8D FD1F	03830	SETMAS LEAU MASPRO,PCR ;PROMPT
02F5 8D	5D	03840	BSR SENPRO ;SEND PROMPT
02F7 17	FE25	03850	SET1 LBSR GKEY ;SEEK MASK VALUE
02FA 27	FB	03860	BEQ SET1 ;MUST HAVE KEY
02FC 33	8D FD53	03870	LEAU MASK,PCR ;GET TABLE START
0300 E6	C4	03880	FINFRE LDB ,U ;SEEK FREE BYTE
0302 C1	FF	03890	CMPB #255 ;AT LIST END?
0304 27	0C	03900	BEQ MASDON ;NO MORE ROOM
0306 A1	C4	03910	CMPA ,U ;ALREADY MASKED?
0308 27	08	03920	BEQ MASDON ;IF YES,WE'RE DONE
030A 6D	C4	03930	TST ,U ;FREE BYTE?
030C 27	08	03940	BEQ GOTFRE ;IF SO,USE IT
030E 33	41	03950	LEAU 1,U ;NEXT MASK POSITION

0310 20	EE	03960	BRA FINFRE ;CONTINUE ATTEMPT	03C2 39		04880	ATMVAL RTS ;RETURN VALUE IN B
0312 8D	55	03970	MASDON BSR BKUP ;REMOVE PROMPT	03C3 8D	A4	04890	GN3 BSR BKUP ;ERASE PROMPT
0314 20	A2	03980	BRA HIDKEY ;HIDE CURRENT KEY	03C5 32	62	04900	GN4 LEAS 2,S ;REMOVE 1 RTS
0316 A7	C0	03990	GOTFRE STA ,U+ ;SET THE MASK	03C7 16	FEFE	04910	LBRA HIDKEY ;HIDE THE KEYPRESS
0318 20	C5	04000	BRA FINMAS ;NO DUPLICATIONS			04920	*
		04010	*			04930	*COMPUTE VALUE FOR SET REQUEST
		04020	*SET NEW BUFFER LIMIT			04940	*
		04030	*			04950	GVAL SUBA #48 ;MAKE INTO NUMBER
031A 8D	5A	04040	SETBUF BSR GNO ;GET BUFFER LIM	03CA 80	30	04960	TFR A,B ;SAVE A REGISTER
031C E1	8D FD13	04050	CMPB MAXBUF,PCR ;AT MAX?	03CC 1F	89	04970	CLR CURVAL,PCR ;VALUE=0
0320 27	01	04060	BEQ SETB1 ;YES,CAN'T ADJUST	03CE 6F	8D FC6B	04980	LDA TENS,PCR ;GET TENS
0322 5C		04070	INCB ;EXPAND TO TRUE VALUE	03D2 A6	8D FC72	04990	STA HUNS,PCR ;HUNS=TENS
0323 E7	8D FD0D	04080	SETB1 STB BUFLIM,PCR ;SAVE IT	03D6 A7	8D FC6F	05000	LDA UNITS,PCR ;GET UNITS
0327 20	8F	04090	BRA HIDKEY ;HIDE THE KEYPRESS	03DA A6	8D FC69	05010	STA TENS,PCR ;TENS=UNITS
		04100	*	03DE A7	8D FC66	05020	STB UNITS,PCR ;SET NEW UNITS
		04110	*SET NEW LEFT TAB	03E2 E7	8D FC61	05030	STB CURVAL,PCR ;SAVE UNITS
		04120	*	03E6 E7	8D FC53	05040	LDA TENS,PCR ;GET # OF TENS
0329 8D	4B	04130	SETLTB BSR GNO ;GET LEFT TAB	03EA A6	8D FC5A	05050	LDB #10 ;TEN MULTIPLIER
032B E7	8D FDOA	04140	STB LTBSIZ,PCR ;SAVE IT	03EE C6	0A	05060	MUL ;COMPUTE TENS
032F 20	87	04150	BRA HIDKEY ;HIDE THE KEYPRESS	03F0 3D		05070	ADDB CURVAL,PCR ;ADD TO UNITS
		04160	*	03F1 E7	8D FC48	05080	STB CURVAL,PCR ;UPDATE VALUE
		04170	*SET NEW RIGHT TAB	03F5 E7	8D FC44	05090	LDA HUNS,PCR ;GET HUNDREDS
		04180	*	03F9 A6	8D FC4C	05100	CMPA #2 ;HOW MANY?
0331 8D	43	04190	SETRTB BSR GNO ;GET RIGHT TAB	03FD 81	02	05110	BHI SATHAX ;MAX OF 2 HUNDREDS
0333 E7	8D FDO3	04200	STB RTBSIZ,PCR ;SAVE IT	03FF 22	12	05120	BLO GHUNS ;IF < 2,IT'S OK
0337 16	FF7E	04210	LBRA HIDKEY ;HIDE THE KEYPRESS	0401 25	04	05130	CMPB #55 ;VALUE BE > 255?
		04220	*	0403 C1	37	05140	BHI SATHAX ;DON'T ALLOW IT
		04230	*SET NEW REPEAT SPEED	0405 22	0C	05150	GHUNS LDB #100 ;HUNDRED MUL
		04240	*	0407 C6	64	05160	MUL ;COMPUTE HUNDREDS
033A 8D	3A	04250	SETREP BSR GNO ;GET NEW SPEED	0409 3D		05170	ADDB CURVAL,PCR ;ADD TO VALUE
033C E7	8D FCFB	04260	STB RSPEED,PCR ;SAVE IT	040A EB	8D FC2F	05180	STB CURVAL,PCR ;NEW VALUE
0340 16	FF75	04270	LBRA HIDKEY ;HIDE THE KEYPRESS	040E E7	8D FC2B	05190	RTS ;RETURN WITH VALUE
		04280	*	0412 39		05200	SATMAX LDB MAXBUF,PCR ;GET MAX
		04290	*ROUTINE TO CLEAR OLD VALUES	0413 E6	8D FC1C	05210	STB CURVAL,PCR ;VALUE=MAXIMUM
		04300	*	0417 E7	8D FC22	05220	MXSVAL LDB CURVAL,PCR ;B=VALUE
0343 6F	8D FD00	04310	CLRVAL CLR UNITS,PCR ;NO UNITS	041B E6	8D FC1E	05230	RTS ;RETURN THE NUMBER
0347 6F	8D FCFD	04320	CLR TENS,PCR ;NO TENS	041F 39		05240	*
034B 6F	8D FCFA	04330	CLR HUNS,PCR ;NO HUNDREDS			05250	*BUFFER CHAR EXCHANGE ROUTINE
034F 6F	8D FCEA	04340	CLR CURVAL,PCR ;VALUE=0			05260	*
0353 39		04350	RTS ;RETURN ZERO VALUES	0420 6C	8D FC22	05270	EXCHAR INC EXCHAN,PCR ;FLAG IT
		04360	*	0424 17	01A7	05280	LBSR GNCHRS ;GET #CHARS
		04370	*ROUTINE TO SEND PROMPTS	0427 6F	84	05290	CLR ,X ;CLEAR END OF LINE AND
		04380	*	0429 6F	01	05300	CLR 1,X ;END OF LINE + 1
0354 6F	8D FCFA	04390	SENPRO CLR BKUCNT,PCR ;SET TO 0	042B 7D	02DD	05310	TST BSTART ;ANYTHING TO EDIT?
0358 A6	C0	04400	SEN1 LDA ,U+ ;GET CHAR	042E 1027	FE86	05320	LBEQ HIDKEY ;NO,BUFFER EMPTY
035A 81	FF	04410	CMPA #255 ;END OF PROMPT?	0432 E7	8D FC1B	05330	STB BUFNT,PCR ;SAVE COUNTER
035C 27	0A	04420	BEQ SEN2 ;IF YES,NO MORE CHARS	0436 AF	8D FC06	05340	STX EOBUF,PCR ;SET END OF BUF
035E AD	9F A002	04430	JSR >[CHROUT] ;SEND TO SCREEN	043A 34	20	05350	PSHS Y ;SAVE Y
0362 6C	8D FCEC	04440	INC BKUCNT,PCR ;UPDATE COUNTER	043C 30	1F	05360	LEAX -1,X ;POINT TO LAST CHAR
0366 20	F0	04450	BRA SEN1 ;SEND ALL CHARS	043E 109E	88	05370	LDY VIDPOS ;GET VIDEO POS
0368 39		04460	SEN2 RTS ;RETURN	0441 10AF	8D FBF8	05380	STY OLDVID,PCR ;SAVE IT
		04470	*	0446 31	3F	05390	LEAY -1,Y ;POINT TO LAST CHAR
		04480	*ROUTINE TO ERASE PROMPTS	0448 109F	88	05400	STY VIDPOS ;SET TEMP VIDEO POS
		04490	*	044B 6F	8D FBF8	05410	EX0 CLR CURKEY,PCR ;STOP REPEAT
0369 86	08	04500	BKUP LDA #8 ;GET ERASE CHAR	044F 6F	8D 01AC	05420	EX1 CLR BOTTOM,PCR ;SET COUNT
036B AD	9F A002	04510	BK1 JSR >[CHROUT] ;ERASE A CHAR	0453 17	FCEC	05430	LBSR SENCUR ;SEND THE CURSOR
036F 6A	8D FCDF	04520	DEC BKUCNT,PCR ;DECREASE COUNT	0456 17	0197	05440	EX2 LBSR TIMER ;UPDATE TIMER
0373 26	F6	04530	BNE BK1 ;CONTINUE TILL 0	0459 27	06	05450	BEQ EX3 ;SEND CURRENT CHAR
0375 39		04540	RTS ;RETURN	045B C1	FF	05460	CMPB #255 ;TIME FOR CHANGE?
		04550	*	045D 27	F0	05470	BEQ EX1 ;RESET COUNTER
		04560	*PROCESS SET VALUE REQUESTS	045F 20	03	05480	BRA ED4 ;SEEK KEYPRESS
		04570	*	0461 17	014B	05490	EX3 LBSR PUTSCR ;CHAR ON SCREEN
0376 8D	DC	04580	GNO BSR SENPRO ;SEND PROMPT	0464 17	FCEB	05500	ED4 LBSR TRYREP ;ALLOW REPEAT
0378 8D	C9	04590	BSR CLRVAL ;RESET VALUES	0467 27	ED	05510	BEQ EX2 ;MUST HAVE KEYPRESS
037A C6	03	04600	LDB #3 ;GET MAX KEYPRESS COUNT	0469 17	0143	05520	LBSR PUTSCR ;CHAR ON SCREEN
037C E7	8D 027F	04610	STB BOTTOM,PCR ;SET IT	046C AF	8D FBD2	05530	STX TMPX,PCR ;SAVE X REGISTER
0380 17	FD9C	04620	GN1 LBSR GKEY ;SEEK KEYPRESS	0470 81	08	05540	CMPA #8 ;BACK UP?
0383 27	FB	04630	BEQ GN1 ;UNTIL PRESSED	0472 27	16	05550	BEQ BKUP1 ;YES,BACK UP 1
0385 81	39	04640	CMPA #9 ;A DIGIT?	0474 81	00	05560	CMPA #9 ;MOVE FORWARD?
0387 22	1A	04650	BHI GN2 ;TOO BIG	0476 27	23	05570	BEQ FO1 ;YES,MOVE FORWARD 1
0389 81	30	04660	CMPA #0 ;A DIGIT?	0478 81	0C	05580	CMPA #12 ;DELETE A CHAR?
038B 25	16	04670	BLO GN2 ;TOO SMALL	047A 1027	00AE	05590	LBEQ TRYDEL ;TRY TO DELETE
038D 6D	8D 026E	04680	TST BOTTOM,PCR ;AT DIGIT LIM?	047E 81	0D	05600	CMPA #13 ;DONE?
0391 27	10	04690	BEQ GN2 ;3 DIGITS ENTERED	0480 1027	0106	05610	LBEQ EXDONE ;YES,EXCHANGE DONE
0393 6A	8D 0268	04700	DEC BOTTOM,PCR ;NEW DIGIT CNT	0484 81	20	05620	CMPA #32 ;PRINTABLE?
0397 AD	9F A002	04710	JSR >[CHROUT] ;SEND THE DIGIT	0486 24	26	05630	BHS TRYINS ;YES,TRY TO INSERT
039B 6C	8D FCB3	04720	INC BKUCNT,PCR ;UPDATE COUNTER	0488 20	C1	05640	BRA EX0 ;INVALID COMMAND
039F 8D	29	04730	BSR GVAL ;UPDATE VALUE			05650	*
03A1 20	DD	04740	BRA GN1 ;SEEK ANOTHER DIGIT			05660	*MOVE CURSOR TO LEFT
03A3 81	03	04750	GN2 CMPA #3 ;ABORT WITH BREAK?	048A 8C	02DD	05670	*
03A5 27	1C	04760	BEQ GN3 ;YES,RETAIN PREV VALS	048D 27	BC	05680	BKUP1 CMPX #BSTART ;BUFF START?
03A7 81	0D	04770	CMPA #13 ;RETURN REQUEST?	048F 30	1F	05690	BEQ EX0 ;IF YES,LEFT JUSTIFIED
03A9 26	D5	04780	BNE GN1 ;IF NOT,CONTINUE	0491 109E	88	05700	LEAX -1,X ;BACK UP X
03AB 8D	BC	04790	BSR BKUP ;ERASE PROMPT	0494 31	3F	05710	LDY VIDPOS ;GET VIDEO POSITION
03AD E6	8D FC8C	04800	LDB CURVAL,PCR ;CURRENT VALUE	0496 109F	88	05720	LEAY -1,Y ;BACK IT UP
03B1 E1	8D FC87	04810	CMPB MINVAL,PCR ;IS IT>=MIN?	0499 20	B4	05730	STY VIDPOS ;UPDATE IT
03B5 24	02	04820	BHS GODVAL ;GOOD VALUE			05740	BRA EX1 ;CONTINUE
03B7 20	0C	04830	BRA GN4 ;RETAIN PREVIOUS VALS			05750	*
03B9 E1	8D FC76	04840	GODVAL CMPB MAXBUF,PCR ;<=MAX?			05760	*MOVE CURSOR TO RIGHT
03BD 23	03	04850	BLS ATMVAL ;YES,VALUE IS OK			05770	*
03BF 5A		04860	DECB ;ADJUST TO WITHIN RANGE	049B 109E	88	05780	FO1 LDY VIDPOS ;GET VIDEO POS
03C0 20	F7	04870	BRA GODVAL ;CONTINUE TILL GOOD				

049E 31 21	05790	LEAY 1,Y ;POINT TO NEXT POS
04A0 10AC 8D FB99	05800	CMPY OLDVID,PCR ;AT END?
04A5 27 A4	05810	BEQ EXO ;YES,REJECT
04A7 109F 88	05820	STY VIDPOS ;NEW VIDEO POS
04AA 30 01	05830	LEAX 1,X ;NEW BUFFER POINTER
04AC 20 A1	05840	BRA EX1 ;CONTINUE
	05850	*
	05860	*INSERT A CHAR
	05870	*
04AE E6 8D FB9F	05880	TRYINS LDB BUFCNT,PCR ;GET CHRS
04B2 E1 8D FB7E	05890	CMPB BUFLIM,PCR ;ANY ROOM?
04B6 24 93	05900	BHS EXO ;NO,REJECT
04B8 10AE 8D FB83	05910	LDY EOBUFF,PCR ;GET END OF BUF
04BD E6 A2	05920	MOVINB LDB ,Y ;GET LEFT CHAR
04BF E7 21	05930	STB 1,Y ;PUT IN CURR BUF POS
04C1 10AC 8D FB7C	05940	CMPY TMPX,PCR ;Y=X?
04C6 22 F5	05950	BHI MOVINB ;REPEAT TILL Y=X
04CC A7 84	05960	STA ,X ;INSERT THE CHAR
04CA 10AE 8D FB71	05970	LDY EOBUFF,PCR ;GET END OF BUF
04CF 31 21	05980	LEAY 1,Y ;UPDATE IT
04D1 10AF 8D FB6A	05990	STY EOBUFF,PCR ;SAVE IT
04D6 6F A4	06000	CLR ,Y ;SHOW END OF LINE
04D8 109E 88	06010	LDY VIDPOS ;GET VIDEO POSITION
04DB 31 21	06020	LEAY 1,Y ;UPDATE IT
04DD 10AF 8D FB62	06030	STY CURPOS,PCR ;SAVE IT
04E2 1F 12	06040	TFR X,Y ;GIVE X TO Y
04E4 A6 A0	06050	MOVONS LDA ,Y+ ;GET A CHAR
04E6 27 23	06060	BEQ ALLMOV ;IF=0,ALL MOVED
04E8 9E 88	06070	LDX VIDPOS ;GET VIDEO POSITION
04EA 8C 05FF	06080	CMXP #SCREND ;AT SCREEN END
04ED 25 16	06090	BLO WNSCR ;CHROUT WON'T SCROLL
04EF AE 8D FB4B	06100	LDX OLDVID,PCR ;GET OLD VIDEO
04F3 30 88 E0	06110	LEAX -32,X ;BACK UP 1 LINE
04F6 AF 8D FB44	06120	STX OLDVID,PCR ;SAVE IT
04FA AE 8D FB46	06130	LDX CURPOS,PCR ;GET CUR POS
04FE 30 88 E0	06140	LEAX -32,X ;BACK UP 1 LINE
0501 AF 8D FB3F	06150	STX CURPOS,PCR ;SAVE IT
0505 AD 9F A002	06160	WNSCR JSR >[CHROUT] ;TO SCREEN
0509 20 D9	06170	BRA MOVONS ;MOVE THEM ALL
050B 10AE 8D FB34	06180	ALLMOV LDY CURPOS,PCR ;CURS POS
0510 109F 88	06190	STY VIDPOS ;SET VIDEO POSITION
0513 10AE 8D FB26	06200	LDY OLDVID,PCR ;GET OLD VIDEO
0518 31 21	06210	LEAY 1,Y ;UPDATE IT
051A 10AF 8D FB1F	06220	STY OLDVID,PCR ;SAVE IT

RAM 16

PLUG IN MEMORY FOR YOUR COCO

Plug 16K memory into your CoCo cartridge slot. Absolutely no internal modifications are required. RAM-16 has low power drain because like your CoCo, RAM-16 contains reliable dynamic RAM memory.

RAM-16 is not just another memory add-on, it has many uses including:

Save your ROMPAK programs on tape and run them in the RAM-16. Reduce wear and tear on your CoCo connector and ROMPAKs. This also lets you modify your ROM based programs.

Using software provided with the RAM-16 you can run BASIC programs in the RAM-16 and use Color Computer memory for machine language or graphics memory. (16K CoCos with RAM-16 can run programs that require 16K mem for BASIC 12K for GRAPHICS pages (PCLEAR8) and still have 2.5K left for machine language subroutines.) Or load up to 16K of machine language programs in the RAM-16 and reserve all of main memory for basic or those large graphics programs.

Develop and test programs in a RAM environment before committing them to ROM or EPROM. WRITE PROTECT logic in the RAM-16 simulates true ROM operation.

RAM-16 uses a high quality glass/epoxy PC Board with GOLD contacts for RELIABLE operation and is packaged in a well made plastic case that is styled to match your Color Computer.

RAM-16 is designed specifically for the original Color Computer in the 4K, 16K or 32K memory size. (Gray Case Model). RAM-16 will operate with Color Basic or Extended Color Basic.

RAM-16 comes with a cassette tape containing a test program that tests all RAM-16 functions and a utility program that lets you use it with your basic programs.

RAM-16 comes with a complete Users Manual containing a circuit diagram and applications information.

Price \$129.95 (U.S.) plus \$5.00 (U.S.) Shipping and handling. (Ontario residents must include 7% prov sales tax.)

Send your check or money order to:

MICRO ACCESSORIES

P.O. Box 11067 Stn H

NEPEAN Ont. Canada. K2H 7T8

Color Computer is a trade mark of the Tandy Corporation

051F AE 8D FB1F	06230	LDX TMPX,PCR ;GET REG X
0523 30 01	06240	LEAX 1,X ;NEW POINTER
0525 6C 8D FB28	06250	INC BUFCNT,PCR ;UPDATE COUNT
0529 16 FF23	06260	LBRA EX1 ;CONTINUE
	06270	*
	06280	*DELETE A CHAR
	06290	*
052C 7D 02DE	06300	TRYDEL TST 1+BSTART ;#CHARS?
052F 1027 FF18	06310	LBEQ EXO ;MUST BE > 1 CHAR
0533 109E 88	06320	LDY VIDPOS ;GET VIDEO POS
0536 E6 01	06330	DELINB LDB 1,X ;GET NEXT CHAR
0538 E7 80	06340	STB ,X+ ;PUT IN CURRENT LOC
053A 5D	06350	TSTB ;B=0?
053B 26 F9	06360	BNE DELINB ;CONT IF NOT=0
053D AE 8D FB01	06370	LDX TMPX,PCR ;GET POINTER
0541 6D 84	06380	TST ,X ;AT LINE END?
0543 26 04	06390	BNE KEEPOS ;IF NOT,KEEP POS
0545 30 1F	06400	LEAX -1,X ;BACK UP ONE
0547 31 3F	06410	LEAY -1,Y ;BACK UP ONE
0549 109F 88	06420	KEEPOS STY VIDPOS ;UPDATE IT
054C 10AF 8D FAF3	06430	STY CURPOS,PCR ;SAVE IT
0551 1F 12	06440	TFR X,Y ;GIVE TO Y REG
0553 A6 A0	06450	DELONS LDA ,Y+ ;GET A CHAR
0555 27 06	06460	BEQ DOS ;IF=0,SCREEN FIXED
0557 AD 9F A002	06470	JSR >[CHROUT] ;SEND TO SCREEN
055B 20 F6	06480	BRA DELONS ;MOVE ALL CHARS
055D 86 20	06490	DOS LDA #32 ;GET BLANK
055F AD 9F A002	06500	JSR >[CHROUT] ;ERASE LAST CHAR
0563 10AE 8D FADC	06510	LDY CURPOS,PCR ;GET CURSOR POS
0568 109F 88	06520	STY VIDPOS ;SET NEW POSITION
056B 10AE 8D FACE	06530	LDY OLDVID,PCR ;GET OLD VIDEO
0570 31 3F	06540	LEAY -1,Y ;BACK IT UP
0572 10AF 8D FAC7	06550	STY OLDVID,PCR ;SAVE IT
0577 10AE 8D FAC4	06560	LDY EOBUFF,PCR ;GET END OF BUF
057C 31 3F	06570	LEAY -1,Y ;BACK IT UP
057E 10AF 8D FABD	06580	STY EOBUFF,PCR ;SAVE IT
0583 6A 8D FACA	06590	DEC BUFCNT,PCR ;UPDATE COUNTER
0587 16 FEC5	06600	LBRA EX1 ;CONTINUE
	06610	*
	06620	*EXIT EXCHANGE ROUTINE
	06630	*
058A 10AE 8D FAAF	06640	EXDONE LDY OLDVID,PCR ;OLD VID
058F 109F 88	06650	STY VIDPOS ;RESTORE IT
0592 35 20	06660	PULS Y ;RESTORE Y
0594 AE 8D FAA8	06670	LDX EOBUFF,PCR ;GET END OF BUFF
0598 6A 8D FAAA	06680	DEC EXCHAN,PCR ;ADJUST FLAG
059C 1027 FD18	06690	LBEQ HIDKEY ;NOT IN LINE EDIT
05A0 E6 8D FAAD	06700	LDB BUFCNT,PCR ;GET BUFFER CNT
05A4 C0 02	06710	SUBB #2 ;ADJUST FOR LINE EDIT
05A6 D7 D7	06720	STB EDTCNT ;UPDATE EDIT COUNT
05A8 6F 8D FAA5	06730	CLR BUFCNT,PCR ;SET TO ZERO
05AC 16 FD09	06740	LBRA HIDKEY ;HIDE THE KEY
	06750	*
	06760	*SHOW CHARACTER DURING EXCHANGE
	06770	*
05AF E6 84	06780	PUTSCR LDB ,X ;GET CHAR
05B1 8D 05	06790	BSR FIXIT ;CONVERT FOR SCREEN
05B3 E7 9F 0088	06800	STB [VIDPOS] ;PUT ON SCREEN
05B7 39	06810	RTS
	06820	*
	06830	*CONVERT FOR SCREEN
	06840	*
05B8 C1 40	06850	FIXIT CMPB #64 ;SCREEN ADJUST
05BA 25 05	06860	BLO INC64 ;TOO SMALL
05BC C1 61	06870	CMPB #97
05BE 24 04	06880	BHS DEC96 ;TOO BIG
05C0 39	06890	RTS ;JUST RIGHT
05C1 CB 40	06900	INC64 ADBB #64
05C3 39	06910	RTS
05C4 C0 60	06920	DEC96 SUBB #96
05C6 39	06930	RTS
	06940	*
	06950	*CONVERT LOWER TO UPPER CASE
	06960	*
05C7 81 61	06970	MAKCAP CMPA #97 ;LOWER CASE?
05C9 25 02	06980	BLO ISUPP ;NO,IT'S UPPER
05CB 80 20	06990	SUBA #32 ;CONVERT TO UPPER
05CD 39	07000	ISUPP RTS ;RETURN USABLE KEY
	07010	*
	07020	*SEE IF LINE EDIT IS IN CONTROL
	07030	*
05CE E6 8D FA7F	07040	GNCHRS LDB BUFCNT,PCR ;GET CNT
05D2 EE 66	07050	LDU 6,S ;GET STACK LOCATION
05D4 1183 9FFF	07060	CMPU #LEDVEC ;IN LINE EDIT?
05D8 22 09	07070	BHI NLEDIT ;NOT IN LINE EDIT
05DA D6 D7	07080	LDB EDTCNT ;GET EDIT COUNT
05DC 5C	07090	INCB ;LINE EDIT ADJUST
05DD 6D 8D FA65	07100	TST EXCHAN,PCR ;DESIRE EXCHAN?
05E1 26 01	07110	BNE DOEXCH ;YES,DO EXCHANGE
05E3 39	07120	NLEDIT RTS ;RETURN CHAR COUNT
05E4 6C 8D FA5E	07130	DOEXCH INC EXCHAN,PCR ;ADJUST


```

05E8 BD 85B4 07140 JSR GETEND ;GET LINE END
05EB D6 D7 07150 LDB EDITCNT ;GET EDIT COUNT
05ED CB 02 07160 ADDB #2 ;ADJUST FOR EXCHANGE
05EF 39 07170 RTS ;RETURN COUNT IN B
07180 *
07190 *SPECIAL CURSOR FLASH TIMER
07200 *
05F0 E6 8D 000B 07210 TIMER LDB BOTTOM,PCR ;GET COUNT
05F4 5C 07220 INCB ;UPDATE IT
05F5 E7 8D 0006 07230 STB BOTTOM,PCR ;SAVE IT
05F9 C1 7F 07240 CMPB #127 ;CHECK CONDITON
05FB 39 07250 RTS ;RETURN CONDITION
07260 *
07270 *IF BUFFER STUFFER CANNOT BE
07280 *USED, RETURN IS MADE HERE
07290 *
05FC FF 07300 RETBAS FCB 255 ;ALLOW
05FD FF 07310 FCB 255 ;ROUTINE
05FE FF 07320 FCB 255 ;DEACTIVATION
05FF FF 07330 BOTTOM FCB 255 ;OBJECT CODE END
07340 *"BOTTOM" IS ALSO USED AS A
07350 *COUNTER FOR SEVERAL ROUTINES
07360 END HOOK
0005E
00000 TOTAL ERRORS

```

✓ 150235	740127
30088	85061
400148	960198
5200	END97
620121		

Listing 2:

```

10 'OBJECT CODE GENERATOR
20 'BUFFER STUFFER () 1984
30 'BY Richard W. Rutter
40 CLEAR500
50 SP=49446:EP=49449'SET ROM ADD
RESSES
60 DE$="":FORA=SP TOEP:DEV$=DEV$
+CHR$(PEEK(A)):NEXTA:IFDEV$<>"DI
SK"ANDSP<49465THENSP=49465:EP=49
468:GOTO60'(LOOK FOR DISK 1.0 OR
1.1)
70 IFDEV$="DISK"THENFI=3541:L=50
76:EX=3634ELSEFI=1536:LA=3071:EX
=1629:DEV$="CASSETTE"'SET FIRST
AND LAST ADDRESSES FOR EITHER A
DISK O A NON DIS
SYSTEM
80 CLS:PRINT"CREATING OBJECT COD
E.":PRINT"PLEASE WAIT."
90 FORA=FI TOLA'USE FREE LOCAT
ONS A DETERMINED IN LINE 70
100 READB'GET THE DATA VALUE
110 CS=CS+B'UPDATE CHECKSUM
120 POKEA,B'STRE EACH VALUE
130 NEXTA
140 PRIT
150 IFCS=180207THENPRINT"CHECKSU
M IS GOOD."ELSEPRINT"SORRY, CHEC
KSUM IS BAD!":PRINT"EXAMINE YOU

```

RESET-POWER-SWITCHES

A REAL IMPROVEMENT

Move the power switch and reset switch where they belong. An LED power on light too! High quality parts. D, E boards and CoCo 2 totally solderless kit. F board requires soldering.

Reset 1 CoCo 1 \$24.95

Reset 2 CoCo 2 \$27.95

Either kit add \$2.00 shipping and handling



SAM DIAMOND, P.I.

The first of our new Sam Diamond graphic adventures. More than 30 detailed high resolution graphic scenes. A killer is loose in the city. Can you bring him to justice before he gets you? Excellent graphics and a tough mystery to solve.

32K EXB Disk Only \$29.95
plus \$2.00 shipping and handling



THE COCO-SWITCHER

A QUALITY PIECE OF HARDWARE

The CoCo Switcher allows you to hook up three peripherals to your RS-232 jack. Connect your modem, printer and any other RS-232 compatible peripheral to the CoCo Switcher. An LED on the CoCo Switcher shows if your computer is on or off at a glance. The LED flickers when transmitting or receiving data.

Dimensions: 2 1/2" (64 mm) x 4" (102 mm) x 5 7/8" (150 mm)
\$39.95 plus \$2.00 shipping and handling



MORETON BAY SOFTWARE

A Division of Moreton Bay Laboratory



316 CASTILLO STREET
SANTA BARBARA,
CALIFORNIA 93101
(805) 962-3127


```

DATA STATE
ENTS.":GOTO250
160 PRINT"IS "DEV$ " READY (Y/N)?
:":LININPUTQ$:Q$=LET$(Q$,1):IFQ
$<>"Y"THEN140
170 PRINT
180 PRINT"SAVING FILE 'BUFBIN'."
:PRINT"PLEASE WAIT."
190 IFDEV$<>"DIK"THEN220
200 SAVEM"BUFBIN",FI,L,X
210 GOTO230
220 CSAVEM"BUFBIN",FI,LA,EX
230 PRINT:PRINT"FILE 'BUFBIN' NO
W ON "DEV$"."
240 'THE FOLLOWIN 1536 DATA VALU
ES ARE UED TO CREATE HE OBJECT C
ODE FR BUFFER STUFFER. BE CERTA
IN THAT YOUR DATA IS THE SAME AS
THIS DATA.
250 END
260 DAT 65,47,67,47,71,58,255,12
8,66,85,70,58,255,128,76,84,65,6
6,58,255
270 DATA 128,77,65,83,75,58,255,
128,82,84,65,66,58,255,128,83,80
,69,69,68
280 DATA 58,255,128,85,78,77,65,
83,75,58,255,250,250,10,19,159,2
55,5,5,40
290 DAA 1,1,0,0,0,0,0,0,0,0,0,
0,0,0,0,0,0,0,160,0,0,0,0,0,0,
0,0,0,0
300 DATA 0,0,255,174,141,5,155,1
40,255,255,38,22,182,1,106,167,1
41,5,142
310 DATA 190,1,107,175,141,5,136
,48,141,1,22,191,1,107,57,174,14
1,5,124,191
320 DATA 1,107,48,141,5,117,134,
255,167,132,167,1,57,16,174,140,
188,142,2
330 DATA 221,95,109,140,180,39,1
4,166,160,167,128,173,159,160,2,
92,225,140
340 DATA 166,37,242,92,231,140,1
63,15,111,15,112,189,163,154,51,
141,255,71
350 DATA 23,2,152,141,97,39,252,
23,5,4,52,2,23,2,161,53,2,230,14
0,132,129
360 DATA 71,39,42,174,141,255,10
9,238,141,255,101,17,131,5,224,3
7,3,51,200
370 DATA 224,223,136,129,65,39,2
,32,196,230,141,255,99,90,93,39,
157,231,141
380 DATA 255,92,23,2,112,32,148,
142,2,221,16,174,141,255,76,231,
141,255,71

```

```

390 DATA 198,1,225,141,255,65,39
,11,166,128,167,160,92,225,141,2
55,54,37
400 DATA 245,106,141,255,48,57,1
09,141,255,35,38,20,109,141,255,
34,38,7,52
410 DATA 16,189,161,153,53,16,14
1,5,39,2,141,19,57,52,32,173,159
,160,0,53
420 DATA 32,57,230,141,254,242,2
31,159,0,136,57,198,96,32,247,16
6,141,254
430 DATA 248,161,141,254,223,38,
25,166,141,254,237,39,19,141,225
,95,141,187
440 DATA 38,12,92,225,141,254,20
8,37,245,166,141,254,217,57,111,
141,254,213
450 ATA 141,167,39,10,161,141,25
4,184,39,5,167,141,254,198,57,14
1,75,38
460 DATA 233,167,141,254,190,32,
192,13,111,16,38,4,103,15,112,11
1,141,254
470 DATA 171,222,136,239,141,254
,157,231,141,254,172,109,141,254
,164,16,38
480 DATA 0,243,109,141,254,155,1
6,38,0,243,172,141,254,137,38,4,
111,141,254
490 DATA 139,141,142,39,252,141,
134,141,11,39,28,161,141,254,104
,39,22,22
500 DATA 0,230,51,141,254,125,23
0,196,193,255,39,6,161,192,39,3,
32,244,95
510 DATA 93,57,161,141,254,76,39
,38,129,9,38,2,134,32,23,3,218,2
25,141,254
520 DATA 60,16,37,0,189,225,141,
254,81,39,6,129,8,16,38,0,176,12
9,32,16,37
530 DATA 0,171,22,0,167,111,141,
3,234,230,141,254,30,23,255,42,2
3,3,209,39
540 DATA 6,193,255,39,236,32,3,2
3,255,33,23,255,5,39,237,111,141
,254,23,23
550 ATA 3,145,129,85,16,39,0,148
,141,148,39,2,32,118,52,2,166,14
1,253,237
560 DATA 141,136,53,2,39,2,32,10
4,129,77,16,39,0,155,129,88,16,3
9,1,196,51
570 DATA 141,253,167,129,66,16,3
9,0,180,51,141,253,163,129,76,16
,39,0,185
580 DATA 51,141,253,167,129,82,1
6,39,0,183,51,141,253,164,129,83

```


Announcement from Moreton Bay Software and Double Density Software:

To continue to provide you with fast service, technical support and to develop new and better products, Moreton Bay and Double Density Software are combining their marketing efforts. Now you can order any product from Moreton Bay or Double Density with one simple call. The fine programmers at Double Density will be able to devote full time to what they like best, developing new software and hardware for our customers.

UTILITIES FOR HOME AND OFFICE

COLOR TERM + PLUS +

The leader in communications software. Now version 5.0 is available! Just about every feature you could imagine for a terminal program. Communication BAUD rate: 110-4800. Printer BAUD rate 600-9600. Menu Driven. High resolution screen of 42, 51, 64 or 85 characters per line by 24 lines. Scroll protect up to 9 lines for important information. A 64K machine can have 53,000 characters in the storage buffer. Print any page in the buffer. Select half, full duplex or Echo. Select Odd, Even, Mark, Space or No Parity. Multiple screen formats in regular or reverse video. Compatible with *all* Radio Shack Color Computers.

Tape or Disk \$49.95

DOUBLE SPOOLER

Great utility! Let your CoCo do two things at once. List a program while you edit. Print data while doing calculations or data input. Keep two BASIC programs in memory at the same time. Requires 32K minimum.

Tape or Disk \$21.95

MORE BUSINESS


Ver 3.12 The *preferred* business package. Completely interactive. General Ledger. Accounts Receivable. Accounts Payable. Customer Statements. Mailing Labels, Profit/Loss. Balance Sheet Statements. Our most powerful business package. Buy the best!

32K Disk R/S DOS \$99.95

DOUBLE DRIVER

The BEST monitor driver available. Color composite, monochrome and audio output. For original CoCo D, E and F boards. \$24.95.

Mono II for Color Computer 2. An excellent monochrome monitor driver that has audio output also. 124.95.



Specify model needed.

64K UPGRADES



Pretested.
Guaranteed.

Instantly access 64K via M/L totally solderless kit to upgrade E Boards. Kit includes eight 4164 prime chips and chips U29 and U11 already soldered. E Board Kit \$69.95 F Board and Color Computer 2. \$57.00

THE VERY BEST IN GRAPHICS

BJORK BLOCKS

An incredible graphic utility. Fun. Easy. Create graphic screens as good as any you have seen. All you need is a joystick or mouse. "The most user friendly program I have ever seen for the CoCo. For those of you with graphic interests, I guarantee that you will not be disappointed." Review in *Rainbow*, Oct. 1984.

Requires 32K EXB
(64K for animation)

Tape or Disk \$34.95

BUILDING BLOCKS 1

(Picture Disk) \$15.95

SPECIAL: BJORK BLOCKS
and **GRAPHICOM** \$55.00



Created with Bjork Blocks


GRAPHICOM

Buy Graphicom from us and get one of our unique picture disks free! Get our improved Picture Disk One also. The first in the new generation of graphic utilities. An excellent utility. Requires: 64K EXB, Disk Drive and Joy Sticks. Three disks and the best bound documentation for only \$29.95.

Caligraphy STAMP DISK: Useful letters and designs for making your own signs and menu screens.

Adventure Disk I: Indoor scenes and objects. Helps you draw pictures and learn more about Graphicom.

Adventure Disk II: Outdoor scenes and objects. A Graphicom tutorial as well as a useful library of images you can use.



Caligraphy Disk




The three stamps below are very useful for shading. Each one will make two different colors depending on horizontal position. When possible, shade first then draw the outline.

1 2 3

Adventure Disk II

Adventure Disk 1



1 Picture Disk \$15.95
2 Picture Disks \$24.95
3 Picture Disks \$29.95

MORETON BAY SOFTWARE

A Division of Moreton Bay Laboratory



316 CASTILLO STREET
SANTA BARBARA,
CALIFORNIA 93101
(805) 962-3127



Ordering information



Add \$2.00 shipping and handling per order. We ship within 24 hours on receipt of order. Blue Label Service available. California residents add 6% sales tax.

, 16, 39, 0
 590 DATA 182, 129, 8, 38, 10, 230, 141
 , 253, 173, 231, 141, 253, 189, 32, 14, 1
 29, 9, 38, 34
 600 DATA 230, 141, 253, 160, 231, 141
 , 253, 174, 32, 8, 134, 8, 106, 141, 253,
 167, 32, 17
 610 DAA 134, 32, 106, 141, 253, 158, 2
 3, 3, 29, 92, 225, 141, 253, 126, 35, 1, 7
 9, 230, 141
 620 DATA 253, 148, 129, 31, 34, 8, 129
 , 8, 39, 4, 111, 141, 253, 129, 175, 141,
 253, 117, 50
 630 DATA 100, 57, 51, 141, 253, 86, 14
 1, 126, 23, 254, 70, 39, 251, 51, 141, 25
 3, 116, 230
 640 DATA 196, 193, 255, 39, 45, 161, 1
 96, 39, 4, 51, 65, 32, 242, 111, 196, 32,
 33, 51, 141
 650 DATA 253, 31, 141, 93, 23, 254, 37
 , 39, 251, 51, 141, 253, 83, 230, 196, 19
 3, 255, 39
 660 DATA 12, 161, 196, 39, 8, 109, 196
 , 39, 8, 51, 65, 32, 238, 141, 85, 32, 162
 , 167, 192
 670 DATA 32, 197, 141, 90, 225, 141, 2
 53, 19, 39, 1, 92, 231, 141, 253, 13, 32,
 143, 141, 75
 680 DATA 231, 141, 253, 10, 32, 135, 1
 41, 67, 231, 141, 253, 3, 22, 255, 126, 1
 41, 58, 231
 690 DATA 141, 252, 251, 22, 255, 117,
 111, 141, 253, 0, 111, 141, 252, 253, 11
 1, 141, 252
 700 DATA 250, 111, 141, 252, 234, 57,
 111, 141, 252, 250, 166, 192, 129, 255,
 39, 10, 173
 710 DATA 159, 160, 2, 108, 141, 252, 2
 36, 32, 240, 57, 134, 8, 173, 159, 160, 2
 , 106, 141
 720 DATA 252, 223, 38, 246, 57, 141, 2
 20, 141, 201, 198, 3, 231, 141, 2, 127, 2
 3, 253, 156
 730 DAA 39, 251, 129, 57, 34, 26, 129,
 48, 37, 22, 109, 141, 2, 110, 39, 16, 106
 , 141, 2, 104
 740 DATA 173, 159, 160, 2, 108, 141, 2
 52, 179, 141, 41, 32, 221, 129, 3, 39, 28
 , 129, 13, 38
 750 DATA 213, 141, 188, 230, 141, 252
 , 140, 225, 141, 252, 135, 36, 2, 32, 12,
 225, 141, 252
 760 DATA 118, 35, 3, 90, 32, 247, 57, 1
 41, 164, 50, 98, 22, 254, 238, 128, 48, 3
 1, 137, 111
 770 DATA 141, 252, 107, 166, 141, 252
 , 114, 167, 141, 252, 111, 166, 141, 252
 , 105, 167
 780 DATA 141, 252, 102, 231, 141, 252

, 97, 231, 141, 252, 83, 166, 141, 252, 9
 0, 198, 10
 790 DTA 61, 235, 141, 252, 72, 231, 14
 1, 252, 68, 166, 141, 252, 76, 129, 2, 34
 , 18, 37, 4
 800 DATA 193, 55, 34, 12, 198, 100, 61
 , 235, 141, 252, 47, 231, 141, 252, 43, 5
 7, 230, 141
 810 DATA 252, 28, 231, 141, 252, 34, 2
 30, 141, 252, 30, 57, 108, 141, 252, 34,
 23, 1, 167
 820 DATA 111, 132, 111, 1, 125, 2, 221
 , 16, 39, 254, 134, 231, 141, 252, 27, 17
 5, 141, 252
 830 ATA 6, 52, 32, 48, 31, 16, 158, 136
 , 16, 175, 141, 251, 248, 49, 63, 16, 159
 , 136, 111
 840 DATA 141, 251, 251, 111, 141, 1, 1
 72, 23, 252, 236, 23, 1, 151, 39, 6, 193,
 255, 39, 240
 850 DATA 32, 3, 23, 1, 75, 23, 252, 232
 , 39, 237, 23, 1, 67, 175, 141, 251, 210,
 129, 8, 39
 860 DATA 22, 129, 9, 39, 35, 129, 12, 1
 6, 39, 0, 174, 129, 13, 16, 39, 1, 6, 129,
 32, 36, 38
 870 DATA 32, 193, 140, 2, 221, 39, 188
 , 48, 31, 16, 158, 136, 49, 63, 16, 159, 1
 36, 32, 180
 880 DTA 16, 158, 136, 49, 33, 16, 172,
 141, 251, 153, 39, 164, 16, 159, 136, 48
 , 1, 32, 161
 890 DATA 230, 141, 251, 159, 225, 141
 , 251, 126, 36, 147, 16, 174, 141, 251, 1
 31, 230, 162
 900 DATA 231, 33, 16, 172, 141, 251, 1
 24, 34, 245, 167, 132, 16, 174, 141, 251
 , 113, 49, 33
 910 DATA 16, 175, 141, 251, 106, 111,
 164, 16, 158, 136, 49, 33, 16, 175, 141,
 251, 98, 31
 920 DATA 18, 166, 160, 39, 35, 158, 13
 6, 140, 5, 255, 37, 22, 174, 141, 251, 75
 , 48, 136, 224
 930 DATA 175, 141, 251, 68, 174, 141,
 251, 70, 48, 136, 224, 175, 141, 251, 63
 , 173, 159
 940 DATA 160, 2, 32, 217, 16, 174, 141
 , 251, 52, 16, 159, 136, 16, 174, 141, 25
 1, 38, 49, 33
 950 DATA 16, 175, 141, 251, 31, 174, 1
 41, 251, 31, 48, 1, 108, 141, 251, 40, 22
 , 255, 35, 125
 960 DATA 2, 222, 16, 39, 255, 24, 16, 1
 58, 136, 230, 1, 231, 128, 93, 38, 249, 1
 74, 141, 251
 970 DATA 1, 109, 132, 38, 4, 48, 31, 49
 , 63, 16, 159, 136, 16, 175, 141, 250, 24
 3, 31, 18, 166


```

980 DATA 160,39,6,173,159,160,2,
32,246,134,32,173,159,160,2,16,1
74,141,250
990 DATA 220,16,159,136,16,174,1
41,250,206,49,63,16,175,141,250,
199,16,174
1000 DATA 141,250,196,49,63,16,1
75,141,250,189,106,141,250,202,2
2,254,197
1010 DATA 16,174,141,250,175,16,
159,136,53,32,174,141,250,168,10
6,141,250
1020 DATA 170,16,39,253,24,230,1
41,250,173,192,2,215,215,111,141
,250,165,22
1030 DATA 253,9,230,132,141,5,231
,159,0,136,57,193,64,37,5,193,97
,36,4,57
1040 DATA 203,64,57,192,96,57,12
9,97,37,2,128,32,57,230,141,250,
127,238,102
1050 DATA 17,131,159,255,34,9,21
4,215,92,109,141,250,101,38,1,57
,108,141,250
1060 DATA 94,189,133,180,214,215
,203,2,57,230,141,0,11,92,231,14
1,0,6,193
1070 DATA 127,57,255,255,255,255

```

Listing 3:

```

10 'STRING EDIT DRIVER PROGRAM
20 'BUFFER STUFFER, (C) 1984,
30 'by Richard W. Rutter
40 CLEAR1000
50 OF=3541'MANDATORY EXECUTION O
FFSET FOR DISK. FOR CASSETTE SY
STEMS, USE "OF=1536"
60 LINEINPUT"QUIT OR STRING ENTR
Y?:";ST$
70 Q$=LEFT$(ST$,3):IFQ$="QUI"THE
NEND
80 PA$=ST$
90 PRINT:PRINT"[IN STRING EDIT M
DE]":GOSUB10000
100 ST$=PA$
110 PRINT"STRING EDIT RESULTS:":
PRINT["ST$"]
120 GOTO60
10000 EL=157:EA=PEEK(EL):EB=PEEK
(EL+1):VP=0:VL=78+OF:LE=LEN(PA$)
:PA$=PA$+STRING$(255-LE,32):VP=V
ARPTR(PA$):POKEVL,LE:POKEVL+1,PE
EK(VP+2):POKEVL+2,PEEK(VP+3):EXE
C143+OF:POKEVP,PEEK(VL):POKEEL,E
A:POKEVL+1,EB:RETURN

```

ARE YOUR WALKING FINGERS GETTING FOOTSORE?

Tired of typing in those long, but wonderful, programs from issues of **THE RAINBOW**? Now, you can get **RAINBOW ON TAPE** and give those tired fingers a rest. With **RAINBOW ON TAPE**, you'll be able to spend your time enjoying programs instead of just typing . . . typing . . . typing them! All you need to do ever again is pop a **RAINBOW ON TAPE** cassette into your recorder, **CLOAD** and **RUN** any one you want.

Think of it! Not 10 or a dozen — but between 20 and 30 — programs every month from **RAINBOW ON TAPE**. All the really good programs from **THE RAINBOW**! All the long ones . . . so you don't have to type them in. Just **CLOAD** and **RUN**!



Now . . . The Best Color Computer Magazine Offers The Best Tape Service

RAINBOW ON TAPE single issue rate is: within the US \$10, Canadian rate \$12, all other countries \$12.

RAINBOW ON TAPE subscription rate is: within the US \$80, Canadian rate \$90, all other countries \$105.

U.S. FUNDS ONLY, PLEASE.

KENTUCKY RESIDENTS ADD 5% SALES TAX.

WE DO NOT BILL IN ORDER TO HOLD DOWN COSTS.

VISA, MasterCARD and American Express accepted. All subscriptions begin with the current issue and back issues are available beginning with April 1982. Tapes are sent first class mail to arrive approximately the same time as your current issue of **THE RAINBOW**.

ORDER RAINBOW ON TAPE TODAY!

Staging The Final Scene Of The 51-Column Screen

By R. Bartly Betts
Rainbow Contributing Editor
With Programs By Chris Bone

The last of the 51-column text generator is included in this column. From now on you will not be limited to a 32-column Color Computer screen. In fact, to celebrate the conclusion of a new screen text routine, this month's column is dedicated to printing, on and off the screen.

First, just to make changing to the new format easier, the demonstrations in this month's column are for a machine language program that finds BASIC `PRINT@` and `TAB` command

parameters to aid you in converting them to the new screen format.

As usual, the listing for the complete 51-column display is at the end of the article. The complete listing is included for any of you who have just joined us, so you do not need to do any appending to the previous listings to get the complete program.

We have received a number of good solutions to the previous challenge to fill a display screen with alpha characters and convert all 'A' characters to asterisks. I will publish some of the best solutions and the authors' names next month. I am sure it seems like a long time between the challenge and the recognition, but the columns have to be written a couple of months before they are published and quite a time delay is involved.

Those who submitted programs have heard from me by now, the rest of you will have to wait another month.

The Groundwork

Now, about a BASIC `TAB` and `PRINT@` finder. In order to create a

program to make changes in a BASIC program, there are a few things we must first know:

- 1) Where does the BASIC program begin in memory?
- 2) Where does the BASIC program end in memory?
- 3) What are the codes that pinpoint the data to be translated?

Luckily, these questions can be easily answered. First, memory locations 25 and 26 contain the pointer to the beginning of a BASIC program. To find where any BASIC program begins, multiply the value in Location 25 by 256 and add the value of Location 26.

Memory locations 27 and 28 contain the pointers for the end of a BASIC program, in the same manner. If you have not already tried something similar, enter the following BASIC program to have a look through any program in memory.

First, load a BASIC program, then using line numbers that do not conflict with your program, type and run the following listing:

(Bartly Betts is a former reporter, magazine editor and store owner now residing in Fort Worth, Texas. He has owned and operated a Color Computer for over three years and is presently taking an electronics and computer course by correspondence. Chris Bone is a college computer science major and has been programming for more than three years. He averages between six and nine hours a day on the CoCo.)


```

Ø A=PEEK(25)
1Ø B=PEEK(26)
2Ø L=A*256+B
3Ø A=PEEK(27)
4Ø B=PEEK(28)
5Ø E=A*256+B
6Ø FOR X=L TO L+32
7Ø LN$=LN$+CHR$(PEEK(X))
8Ø NEXT X
9Ø PRINT LN$;
1ØØ LN$=""
11Ø L=X
12Ø IF L>E THEN END ELSE 6Ø

```

The program is rather simple, but it prints out a BASIC program, from beginning to end, in the form in which it resides in memory. The tokens for the BASIC key words are not translated and do appear as graphics characters. Running it gives you an idea of what the FIND program deals with.

The Requirements

Your translator program also needs a routine that looks through the BASIC program. As well, it needs the capability to know when it finds a *PRINT* or a *TAB* command and to print out the parameters it finds. The internal BASIC code for *PRINT* is 135 decimal or 87 Hex, and the ASC code for the '@' symbol is 64 decimal or 40 Hex. The internal BASIC code for *TAB* is 164 decimal or A4 Hex.

You need to know that the lines of the new 51-column screen contain 1.6 times as many characters as the old 32-column screen (51 divided by 32).

The following listing is the source code for a program that will search through a BASIC program's memory and locate *PRINT@* or *TAB* commands. Once you have entered and assembled it, you can use it on any BASIC program. It resides in a memory graphics page and so does not interfere with any BASIC program, regardless of length.

The Rest Is Up To You

You will notice the program is just a bare minimum. We have done this because the purpose of the column is to teach assembly language programming. The program provides a base upon which you can build. Some of the things you may wish to add are:


- 1) A conversion to do the new *TAB* or *PRINT@* calculations.
- 2) An option to send the printout to either the screen or a printer.
- 3) A routine that recognizes when

Metric Industries




MODEL 101 INTERFACE 54.95

The Model 101 is a serial to parallel interface intended for use with a COCO and any Centronics compatible parallel input printer. The 101 has 6 switch selectable baud rates (300-9600). It comes with a "UL" listed power supply that can be unplugged from the interface if your printer supplies power (Most do). The 101 is only 4" x 2" x 1" and comes with all cables and connectors for your computer and printer.



MODEL 102 SWITCHER 35.95

The Model 102 has 3 switch positions that allow you to switch your computer's serial output between 3 different devices (modem, printers or another computer). The 102 has color coded lights that indicate the switch position. These lights also act as power indicators to let you know your computer is on. Supplied with the 102 are color coded labels that can be applied to your accessories. The 102 has a heavy gauge anodized aluminum cabinet with non-slip rubber feet.



MODEL 103 COMBO 85.95

With the turn of a knob the model 103 switches your computer's RS232C serial port to any one of 3 outputs — 2 serial and 1 parallel. The serial ports may be used for modems, serial printers or even another computer. The parallel port can be used with any Centronics compatible printer. The 103 has the best features from the 101 and 102: color coded position indicator lights, 6 switch selectable baud rates, heavy anodized aluminum cabinet, "UL" listed power supply and many more.



The Model 101, 102 and 103 will work with any level COCO basic, any memory size 4K-64K and are covered by a 180 day warranty.

The Model 101 and 103 work with any standard parallel input printer including Gemini, Epson, Radio Shack, Gorillia, C.Itoh, Okidata and many others. They support basic print commands, word processors and graphic commands.

CASSETTE LABEL PROGRAM 6.95

This fancy printing utility prints 5 lines of information on pinfeed cassette labels. "Cassette Label" is menu driven and is very easy to use. It uses the special features of your printer for standard, extended or condensed characters. Each line of text is automatically centered. Before the label is printed, it is shown on your CRT — enabling you to make changes if you like — then print 1, 2 or 100 labels. The program comes on tape and it is supplied with 24 labels to get you started. 16K ECB required.



OTHER ITEMS

High quality 5-screw shell C-10 cassette tapes \$7.50/dozen

Hard plastic storage boxes for cassette tapes \$2.50/dozen

Pin feed cassette labels \$3.00/100



To order call our 24 hour order line 513-677-0796 and use your VISA or MASTERCARD or request C.O.D.

Or send check or money order to:

METRIC INDUSTRIES
P.O. BOX 42396
CINCINNATI, OH 45242

Free shipping on orders over 50.00. Ohio residents add 5.5% sales tax.

We manufacture these products. Dealer inquiries are invited.

the new number has more digits than the old number, open up the BASIC program for insertion and put in the new number.

Try adding to the program according to your skills. Again, Chris and I would be glad to see your results. To aid your endeavors, you might find it helpful to know that replacing a value of 254 in memory location 111 (decimal) or 6F (Hex) causes characters to be sent to the printer rather than the screen. The normal value of Location 111 is zero.

To run the program as it is, type in the following listing and save it under the name *FIND/SOR*, then assemble it under the name *FIND/BIN*. Load in the BASIC program you wish to change, type *LOADM "FIND/BIN"* and ENTER. Then type *EXEC &HE00* ENTER. All of the BASIC line numbers containing the two target commands are be printed to the screen along with the values of the parameters.

The Print Routine

This program introduces an assembly concept I am sure you will find very useful. Lines 00260, 00290, 00330, 00400 and 00450 make use of built-in ROM routines to print characters to the video display. Calling subroutine \$A002 prints whatever character is currently in register A to the video screen. Calling subroutine \$BDCC prints the two characters contained in register D to the screen. Remember that register D is a 16-bit register composed to registers A and B.

The use of these ROM routines is

very simple. Load the appropriate register and jump to the subroutine. When the character or characters are printed, your program continues execution where it left off. The 51-column program in this article makes use of a number of these subroutines and many will be introduced in later articles.

The second part of the print function that needs explaining is found in the last five lines of Listing 2. FCC and FCB are used to set up a table of characters to be printed.

FCC (Form Constant Character) allows you to use any character as a delimiter to establish the beginning and end of the table. In this case, the slash (/) is used as the delimiter. All characters between the slashes, including the spaces, are printed. The delimiter characters must, of course, not be included in the text.

FCB (Form Constant Byte) is used to establish a character that ends the print routine (lines 00430 to 00460). Notice that Line 440 does a comparison to see if the print character is a zero. If it is, then the routine branches back to the calling routine.

This Is It!

Now, type in and assemble your 51-column program and enjoy a new dimension in the use of your Color Computer. If you feel too finger-weary to type in the complete listing and do not subscribe to RAINBOW ON TAPE, send us \$10 and we will copy and supply the utility on either disk or tape. Be sure to specify which. (In case you haven't noticed, it is cheaper to order

this month's RAINBOW ON TAPE. We are not trying to compete with this excellent service.)

All functions of BASIC are preserved in the text generator, including *CLS*.

There is one promise that we have not yet fulfilled. We have had it working in this program, but decided to leave it out for now. As yet, the text generator does not have a clear to the end of line and clear to the end of the screen function. Try incorporating these functions on your own. Look at how Chris accomplished the *CLS* routine to get ideas. If you have trouble, we will provide the solution in the future.

If you come up with other enhancements, send them along. We won't provide any fortunes, but we can promise fame if you have a good routine.

Next month, we will discuss the use of ROM routines some more and continue with information on assembler commands.

If you need to contact Chris or me, please write to:

R. Bartly Betts/Chris Bone
2251 Lipscomb
Fort Worth, TX 76110
Phone (817) 924-3725
(no collect calls, please!)

51-Column Text Generator Assemble as "TEX51". To execute, type:

```
CLEAR1,&H7CC1: CLEAR 300
LOADM (OR CLOADM) "TEXT51"
ENTER
EXEC &H7CC2
```

Listing 1: (SCREEN 51)

7CC2		00010	ORG	\$7CC2	*USE THIS LINE FOR 32K
		00020 *	ORG	\$3CC2	*USE THIS LINE FOR 16K
7CC2 8E	7D58	00030	START LDX	#GO	*CHARACTER PRINT ROUTINE
7CC5 FC	0168	00040	LDD	\$168	*OLD RAM HOOK
7CC8 BF	0168	00050	STX	\$168	*SAVE NEW HOOK
7CCB FD	7DB7	00060	STD	RETURN+1	*SET UP RETURN FROM PRINT
7CCE 8E	7CE1	00070	LDX	#PARSE	*PARSE ROUTINE INTERCEPT
7CD1 DC	A9	00080	LDD	\$A9	*OLD PARSE ROUTINE
7CD3 9F	A9	00090	STX	\$A9	*SAVE NEW HOOK
7CD5 FD	7CF8	00100	STD	PRET+1	*SET UP RETURN
7CD8 9E	BA	00110	LDX	\$BA	*TOP OF VIDEO PAGE
7CDA BF	7FFC	00120	STX	POS	*CURSOR POSITION
7CDD 7F	7FFA	00130	CLR	BIT	*LEFT COLUMN
7CE0 39		00140	RTS		
		00150	*****		
		00160	*A=CURRENT BYTE FROM		
		00170	*BASIC PROGRAM		
7CE1 81	9E	00180	PARSE CMPA	#\$9E	*TOKEN FOR CLS?
7CE3 26	15	00190	BNE	NOCLS	*NOT CLS
7CE5 34	16	00200	PSHS	D,X	*SAVE X AND D
7CE7 9E	BA	00210	LDX	\$BA	*TOP OF SCREEN
7CE9 BF	7FFC	00220	STX	POS	*SAVE AS CURSOR POS

7CEC CC	FFFF	00230	LDD	#\$FFFF	*WHITE
7CEF ED	81	00240 PCLS1	STD	,X++	*WHITE OUT
7CF1 9C	B7	00250	CM PX	\$B7	*SCREEN TO BOTTOM
7CF3 26	FA	00260	BNE	PCLS1	
7CF5 35	16	00270	PULS	D,X	*RESTORE X AND D
7CF7 7E	1000	00280 PRET	JMP	\$1000	*RETURN TO PARSE
7CFA 81	87	00290 NOCLS	CM PA	#\$87	*PRINT?
7CFC 26	05	00300	BNE	PRINT	*NOT A PRINT
7CFE 73	7FFF	00310	COM	PATFL	*SET PRINT@ FLAG
7D01 20	F4	00320	BRA	PRET	*RETURN
7D03 81	40	00330 PRINT	CM PA	#64	*IS IT AN @ SYMBOL
7D05 27	09	00340	BEQ	PRINAT	*IF IT IS GOTO PRINT AT ROUTINE
7D07 81	20	00350	CM PA	#32	*SPACE (SKIP SPACE BETWEEN PRINT AND AT)
7D09 27	EC	00360	BEQ	PRET	*RETURN IF SPACE
7D0B 7F	7FFF	00370	CLR	PATFL	*NOT SPACE SO RESET PRINT FLAG
7D0E 20	E7	00380	BRA	PRET	*RETURN
7D10 7D	7FFF	00390 PRINAT	TST	PATFL	*WE GOT AN AT SO ARE WE PRINTING?
7D13 27	E2	00400	BEQ	PRET	*IF NOT RETURN
7D15 7F	7FFF	00410	CLR	PATFL	*RESET FLAG
7D18 34	16	00420	PSHS	D,X	*SAVE D AND X
7D1A 86	20	00430	LDA	#\$20	*SPACE
7D1C 17	009A	00440	LBSR	LETTER	*BLANK OUT CURSOR
7D1F BD	B3E4	00450	JSR	\$B3E4	*CALCULATE PRINT AT POSITION
7D22 1083	04C8	00460	CM PD	#\$4C8	*PAST END OF SCREEN
7D26 1024	3720	00470	LBHS	\$B44A	*FC ERROR IF SO
7D2A 1083	0032	00480 CCAL1	CM PD	#50	*CALCULATE
7D2E 23	08	00490	BLS	CCAL2	*CURSOR POSITION
7D30 83	0033	00500	SUBD	#51	*DOWN 256 BYTES FOR EACH 51 IN THE
7D33 7C	7FFF	00510	INC	PATFL	*PRINT AT LOCATION
7D36 20	F2	00520	BRA	CCAL1	
7D38 86	05	00530 CCAL2	LDA	#5	*AND 5 BITS FOR EACH ONE LEFT OVER
7D3A 3D		00540	MUL		*CALCULATE # OF BITS
7D3B 34	04	00550	PSHS	B	*SAVE # OF BITS
7D3D C4	07	00560	ANDB	#7	*SAVE LSN
7D3F F7	7FFA	00570	STB	BIT	*SAVE AS BIT COUNT
7D42 B6	7FFF	00580	LDA	PATFL	*GET # LINES DOWN
7D45 35	04	00590	PULS	B	*GET # BYTES ACROSS * 8
7D47 54		00600	LSRB		*DIVIDE
7D48 54		00610	LSRB		* BY
7D49 54		00620	LSRB		* 8
7D4A D3	BA	00630	ADDD	\$BA	*ADD SCREEN OFFSET
7D4C FD	7FFC	00640	STD	POS	*SAVE CURSOR POSITION
7D4F 7F	7FFF	00650	CLR	PATFL	*RESET FLAG
7D52 35	16	00660	PULS	D,X	*GET BACK D AND X
7D54 86	20	00670	LDA	#32	*SPACE TO FOOL BASIC INTO THINKING
7D56 20	9F	00680	BRA	PRET	*THERE WAS TO @ SYMBOL
7D58 0D	6F	00690 GO	TST	\$6F	*FROM LAST MONTH
7D5A 1026	0058	00700	LBNE	RETURN	
7D5E 34	16	00710	PSHS	A,B,X	
7D60 81	08	00720	CM PA	#8	
7D62 26	13	00730	BNE	NOTBS	
7D64 17	00FD	00740	LBSR	BACK	
7D67 86	20	00750	LDA	#32	
7D69 8D	4E	00760	BSR	LETTER	
7D6B 86	20	00770	LDA	#32	*EXTRA SPACE TO ERASE CURSOR
7D6D 8D	4A	00780	BSR	LETTER	
7D6F 17	00F2	00790	LBSR	BACK	*EXTRA BACKUP TO FIX EXTRA SPACE
7D72 17	00EF	00800	LBSR	BACK	
7D75 20	36	00810	BRA	RET	
7D77 81	0C	00820 NOTBS	CM PA	#12	
7D79 26	13	00830	BNE	NOTCL	
7D7B 9E	BA	00840	LDX	\$BA	
7D7D BF	7FFC	00850	STX	POS	
7D80 7F	7FFA	00860	CLR	BIT	
7D83 CC	FFFF	00870 CLS	LDD	#\$FFFF	
7D86 ED	81	00880 CLLOO	STD	,X++	
7D88 9C	B7	00890	CM PX	\$B7	
7D8A 26	FA	00900	BNE	CLLOO	
7D8C 20	1F	00910	BRA	RET	

7D8E	8D	29	00920	NOTCL	BSR	LETTER	
7D90	BE	7FFC	00930		LDX	POS	
7D93	9C	B7	00940		CMPX	\$B7	
7D95	25	16	00950		BLO	RET	
7D97	30	89 FF00	00960		LEAX	-256,X	
7D9B	BF	7FFC	00970		STX	POS	
7D9E	9E	BA	00980		LDX	\$BA	
7DA0	EC	89 0100	00990	SCLOOP	LDD	256,X	
7DA4	ED	81	01000		STD	,X++	
7DA6	BC	7FFC	01010		CMPX	POS	
7DA9	26	F5	01020		BNE	SCLOOP	
7DAB	20	D6	01030		BRA	CLS	
7DAD	86	5F	01040	RET	LDA	#95	*CURSOR SYMBOL (UNDERLINE)
7DAF	8D	08	01050		BSR	LETTER	*PRINT CURSOR
7DB1	17	00B0	01060		LBSR	BACK	*BACK UP TO CORRECT PRINT POS

7DB4	35	96	01070		PULS	A,B,X,PC	7E1F	76	7FF9	01570		ROR	MASK+1
7DB6	7E	1000	01080	RETURN	JMP	\$1000	7E22	20	ED	01580		BRA	BITTST
7DB9	81	0D	01090	LETTER	CMPA	#\$0D	7E24	34	06	01590	SAVE	PSHS	D
7DBB	26	11	01100		BNE	LETT2	7E26	FC	7FF8	01600		LDD	MASK
7DBD	86	20	01110		LDA	#\$20	7E29	AA	84	01610		ORA	,X
7DBF	8D	F8	01120		BSR	LETTER	7E2B	EA	01	01620		ORB	1,X
7DC1	17	00A0	01130		LBSR	BACK	7E2D	A7	84	01630		STA	,X
7DC4	7F	7FFD	01140		CLR	POS+1	7E2F	E7	01	01640		STB	1,X
7DC7	7C	7FFC	01150		INC	POS	7E31	35	06	01650		PULS	D
7DCA	7F	7FFA	01160		CLR	BIT	7E33	A4	84	01660		ANDA	,X
7DCD	39		01170		RTS		7E35	E4	01	01670		ANDB	1,X
7DCE	C6	04	01180	LETT2	LDB	#4	7E37	ED	84	01680		STD	,X
7DD0	F7	7FFE	01190		STB	BYTE	7E39	30	88 20	01690		LEAX	32,X
7DD3	80	20	01200		SUBA	#\$20	7E3C	39		01700		RTS	
7DD5	3D		01210		MUL		7E3D	F6	7FFA	01710	FORW	LDB	BIT
7DD6	C3	7E8C	01220		ADDD	#TABLE	7E40	CB	05	01720		ADDB	#5
7DD9	1F	02	01230		TFR	D,Y	7E42	C1	07	01730		CMPB	#7
7ddb	BE	7FFC	01240		LDX	POS	7E44	23	04	01740		BLS	BITSV
7DDE	A6	A0	01250	LOOP	LDA	,Y+	7E46	30	01	01750		LEAX	1,X
7DE0	34	02	01260		PSHS	A	7E48	C0	08	01760		SUBB	#8
7DE2	8A	0F	01270		ORA	#\$0F	7E4A	C1	07	01770	BITSV	CMPB	#7
7DE4	8D	16	01280		BSR	SLICE	7E4C	26	0F	01780		BNE	BITDN1
7DE6	35	02	01290		PULS	A	7E4E	1E	10	01790		EXG	X,D
7DE8	48		01300		ASLA		7E50	C1	1F	01800		CMPB	#\$1F
7DE9	48		01310		ASLA		7E52	26	07	01810		BNE	BITDN
7DEA	48		01320		ASLA		7E54	4C		01820		INCA	
7DEB	48		01330		ASLA		7E55	5F		01830		CLRB	
7DEC	8A	0F	01340		ORA	#\$0F	7E56	1E	01	01840		EXG	D,X
7DEE	8D	0C	01350		BSR	SLICE	7E58	5F		01850		CLRB	
7DF0	7A	7FFE	01360		DEC	BYTE	7E59	20	02	01860		BRA	BITDN1
7DF3	26	E9	01370		BNE	LOOP	7E5B	1E	01	01870	BITDN	EXG	D,X
7DF5	30	89 FF00	01380		LEAX	-256,X	7E5D	F7	7FFA	01880	BITDN1	STB	BIT
7DF9	8D	42	01390		BSR	FORW	7E60	BF	7FFC	01890		STX	POS
7DFB	39		01400		RTS		7E63	39		01900		RTS	
7DFC	F6	7FFA	01410	SLICE	LDB	BIT	7E64	34	04	01910	BACK	PSHS	B
7DFF	5C		01420		INCB		7E66	F6	7FFA	01920		LDB	BIT
7E00	F7	7FFB	01430		STB	BIT+1	7E69	BE	7FFC	01930		LDX	POS
7E03	34	02	01440		PSHS	A	7E6C	C0	05	01940		SUBB	#5
7E05	CC	F800	01450		LDD	#\$F800	7E6E	2A	14	01950		BPL	BACKSP
7E08	8A	08	01460		ORA	#\$8	7E70	CB	08	01960		ADDB	#8
7E0A	FD	7FF8	01470		STD	MASK	7E72	30	1F	01970		LEAX	-1,X
7E0D	35	02	01480		PULS	A	7E74	1E	10	01980		EXG	X,D
7E0F	C6	FF	01490		LDB	#\$FF	7E76	C1	FF	01990		CMPB	#\$FF
7E11	7A	7FFB	01500	BITTST	DEC	BIT+1	7E78	26	08	02000		BNE	BACKS1
7E14	27	0E	01510		BEQ	SAVE	7E7A	C6	1F	02010		LDB	#\$1F
7E16	1A	01	01520		ORCC	#\$1	7E7C	1E	10	02020		EXG	X,D
7E18	46		01530		RORA		7E7E	C6	02	02030		LDB	#2
7E19	56		01540		RORB		7E80	20	02	02040		BRA	BACKSP
7E1A	1C	FE	01550		ANDCC	#\$FE	7E82	1E	10	02050	BACKS1	EXG	X,D
7E1C	76	7FF8	01560		ROR	MASK	7E84	BF	7FFC	02060	BACKSP	STX	POS
							7E87	F7	7FFA	02070		STB	BIT

7E8A 35	84	02080	PULS	B,PC	7F14	3551	02770	FDB	\$3551	
7E8C	FFFF	02090	TABLE	FDB	\$FFFF	7F16	661F	02780	FDB	\$661F
7E8E	FFFF	02100	FDB	\$FFFF	7F18	9677	02790	FDB	\$9677	
7E90	DDDD	02110	FDB	\$DDDD	7F1A	769F	02800	FDB	\$769F	
7E92	DFDF	02120	FDB	\$DFDF	7F1C	1AAA	02810	FDB	\$1AAA	
7E94	55FF	02130	FDB	\$55FF	7F1E	AA1F	02820	FDB	\$AA1F	
7E96	FFFF	02140	FDB	\$FFFF	7F20	0771	02830	FDB	\$0771	
7E98	9909	02150	FDB	\$9909	7F22	770F	02840	FDB	\$770F	
7E9A	099F	02160	FDB	\$099F	7F24	0771	02850	FDB	\$0771	
7E9C	B17B	02170	FDB	\$B17B	7F26	777F	02860	FDB	\$777F	
7E9E	D1BF	02180	FDB	\$D1BF	7F28	9674	02870	FDB	\$9674	
7EA0	F32D	02190	FDB	\$F32D	7F2A	669F	02880	FDB	\$669F	
7EA2	B4CF	02200	FDB	\$B4CF	7F2C	6660	02890	FDB	\$6660	
7EA4	B55B	02210	FDB	\$B55B	7F2E	666F	02900	FDB	\$666F	
7EA6	25AF	02220	FDB	\$25AF	7F30	8DDD	02910	FDB	\$8DDD	
7EA8	DBFF	02230	FDB	\$DBFF	7F32	DD8F	02920	FDB	\$DD8F	
7EAA	FFFF	02240	FDB	\$FFFF	7F34	CEEE	02930	FDB	\$CEEE	
7EAC	DB77	02250	FDB	\$DB77	7F36	E69F	02940	FDB	\$E69F	
7EAE	7BDF	02260	FDB	\$7BDF	7F38	6533	02950	FDB	\$6533	
7EB0	BDEE	02270	FDB	\$BDEE	7F3A	356F	02960	FDB	\$356F	
7EB2	EDBF	02280	FDB	\$EDBF	7F3C	7777	02970	FDB	\$7777	
7EB4	F690	02290	FDB	\$F690	7F3E	770F	02980	FDB	\$770F	
7EB6	96FF	02300	FDB	\$96FF	7F40	6006	02990	FDB	\$6006	
7EB8	FBB1	02310	FDB	\$FBB1	7F42	666F	03000	FDB	\$666F	
7EBA	BBFF	02320	FDB	\$BBFF	7F44	6224	03010	FDB	\$6224	
7EBC	FFFF	02330	FDB	\$FFFF	7F46	446F	03020	FDB	\$446F	
7EBE	9DBF	02340	FDB	\$9DBF	7F48	9666	03030	FDB	\$9666	
7EC0	FFF0	02350	FDB	\$FFF0	7F4A	669F	03040	FDB	\$669F	
7EC2	FFFF	02360	FDB	\$FFFF	7F4C	1661	03050	FDB	\$1661	
7EC4	FFFF	02370	FDB	\$FFFF	7F4E	777F	03060	FDB	\$777F	
7EC6	FDDF	02380	FDB	\$FDDF	7F50	9666	03070	FDB	\$9666	
7EC8	FDDB	02390	FDB	\$FDDB	7F52	25AF	03080	FDB	\$25AF	
7ECA	B77F	02400	FDB	\$B77F	7F54	1661	03090	FDB	\$1661	
7ECC	9640	02410	FDB	\$9640						
7ECE	269F	02420	FDB	\$269F						
7ED0	D9DD	02430	FDB	\$D9DD						
7ED2	DD8F	02440	FDB	\$DD8F						
7ED4	96ED	02450	FDB	\$96ED						
7ED6	B70F	02460	FDB	\$B70F						
7ED8	96E9	02470	FDB	\$96E9						
7EDA	E69F	02480	FDB	\$E69F						
7EDC	D950	02490	FDB	\$D950						
7EDE	DDDF	02500	FDB	\$DDDF						
7EE0	071E	02510	FDB	\$071E						
7EE2	E69F	02520	FDB	\$E69F						
7EE4	DB71	02530	FDB	\$DB71						
7EE6	669F	02540	FDB	\$669F						
7EE8	0EED	02550	FDB	\$0EED						
7EEA	B77F	02560	FDB	\$B77F						
7EEC	9669	02570	FDB	\$9669						
7EEE	669F	02580	FDB	\$669F						
7EF0	9668	02590	FDB	\$9668						
7EF2	EDBF	02600	FDB	\$EDBF						
7EF4	FDDF	02610	FDB	\$FDDF						
7EF6	DDFF	02620	FDB	\$DDFF						
7EF8	FDDF	02630	FDB	\$FDDF						
7EFA	DDBF	02640	FDB	\$DDBF						
7EFC	EDB7	02650	FDB	\$EDB7						
7EFE	BDEF	02660	FDB	\$BDEF						
7F00	FF0F	02670	FDB	\$FF0F						
7F02	0FFF	02680	FDB	\$0FFF						
7F04	7BDE	02690	FDB	\$7BDE						
7F06	DB7F	02700	FDB	\$DB7F						
7F08	96ED	02710	FDB	\$96ED						
7F0A	BFBF	02720	FDB	\$BFBF						
7F0C	9642	02730	FDB	\$9642						
7F0E	478F	02740	FDB	\$478F						
7F10	9660	02750	FDB	\$9660						
7F12	666F	02760	FDB	\$666F						

SIDE WISETM

© 1984 by Derringer Software, Inc.

SIDE WISE makes your printer do something you never thought possible — **print side ways!** Print out an ASCII spread sheet file that has up to 255 characters per row for easier viewing. No more hassles with trying to hold sheets together!

SIDE WISE will read in any ASCII text file and print it out side ways using a Radio Shack, Epson, Okidata, C-100 or Gemini printer. The only requirement is that your printer has dot-graphics ability. **SIDE WISE** reads any ASCII file including BASIC programs and word processor files.

Add a new "twist" to your printer's capabilities!

Send \$19.95 + \$3.00 S&H to: Derringer Software, Inc.

P. O. Box 5300

Florence, S. C. 29502-2300

Visa/MC call: (803) 685-5676

Available only on disk.

7F56	356F	03100	FDB	\$356F	7FAE	666F	03540	FDB	\$666F
7F58	9679	03110	FDB	\$9679	7FB0	DF9D	03550	FDB	\$DF9D
7F5A	E69F	03120	FDB	\$E69F	7FB2	DD8F	03560	FDB	\$DD8F
7F5C	0DDD	03130	FDB	\$0DDD	7FB4	EFEE	03570	FDB	\$EFEE
7F5E	DDDF	03140	FDB	\$DDDF	7FB6	E69F	03580	FDB	\$E69F
7F60	6666	03150	FDB	\$6666	7FB8	F764	03590	FDB	\$F764
7F62	669F	03160	FDB	\$669F	7FBA	166F	03600	FDB	\$166F
7F64	6666	03170	FDB	\$6666	7FBC	3BBB	03610	FDB	\$3BBB
7F66	699F	03180	FDB	\$699F	7FBE	BB1F	03620	FDB	\$BB1F
7F68	6666	03190	FDB	\$6666	7FC0	FF60	03630	FDB	\$FF60
7F6A	006F	03200	FDB	\$006F	7FC2	666F	03640	FDB	\$666F
7F6C	6699	03210	FDB	\$6699	7FC4	FF16	03650	FDB	\$FF16
7F6E	966F	03220	FDB	\$966F	7FC6	666F	03660	FDB	\$666F
7F70	6660	03230	FDB	\$6660	7FC8	FF96	03670	FDB	\$FF96
7F72	DDDF	03240	FDB	\$DDDF	7FCA	669F	03680	FDB	\$669F
7F74	0EC9	03250	FDB	\$0EC9	7FCC	F166	03690	FDB	\$F166
7F76	370F	03260	FDB	\$370F	7FCE	177F	03700	FDB	\$177F
7F78	8BBB	03270	FDB	\$8BBB	7FD0	F866	03710	FDB	\$F866
7F7A	BB8F	03280	FDB	\$BB8F	7FD2	8EEF	03720	FDB	\$8EEF
7F7C	F77B	03290	FDB	\$F77B	7FD4	FF16	03730	FDB	\$FF16
7F7E	BDDF	03300	FDB	\$BDDF	7FD6	777F	03740	FDB	\$777F
7F80	1DDD	03310	FDB	\$1DDD	7FD8	FF07	03750	FDB	\$FF07
7F82	DD1F	03320	FDB	\$DD1F	7FDA	0E0F	03760	FDB	\$0E0F
7F84	B55F	03330	FDB	\$B55F	7FDC	BB1B	03770	FDB	\$BB1B
7F86	FFFF	03340	FDB	\$FFFF	7FDE	BBBF	03780	FDB	\$BBBF
7F88	FFFF	03350	FDB	\$FFFF	7FE0	FF66	03790	FDB	\$FF66
7F8A	FF0F	03360	FDB	\$FF0F	7FE2	669F	03800	FDB	\$669F
7F8C	BDFF	03370	FDB	\$BDFF	7FE4	FF66	03810	FDB	\$FF66
7F8E	FFFF	03380	FDB	\$FFFF	7FE6	699F	03820	FDB	\$699F
7F90	FF1E	03390	FDB	\$FF1E	7FE8	FF66	03830	FDB	\$FF66
7F92	868F	03400	FDB	\$868F	7FEA	606F	03840	FDB	\$606F
7F94	7771	03410	FDB	\$7771	7FEC	FF69	03850	FDB	\$FF69
7F96	661F	03420	FDB	\$661F	7FEE	966F	03860	FDB	\$966F
7F98	FF87	03430	FDB	\$FF87	7FF0	F666	03870	FDB	\$F666
7F9A	778F	03440	FDB	\$778F	7FF2	8E9F	03880	FDB	\$8E9F
7F9C	EEE8	03450	FDB	\$EEE8	7FF4	FF0E	03890	FDB	\$FF0E
7F9E	668F	03460	FDB	\$668F	7FF6	DB0F	03900	FDB	\$DB0F
7FA0	FF96	03470	FDB	\$FF96	7FF8		03910 MASK	RMB	2
7FA2	079F	03480	FDB	\$079F	7FFA		03920 BIT	RMB	2
7FA4	DAB1	03490	FDB	\$DAB1	7FFC		03930 POS	RMB	2
7FA6	BBBF	03500	FDB	\$BBBF	7FFE		03940 BYTE	RMB	1
7FA8	F966	03510	FDB	\$F966	7FFF		03950 PATFL	RMB	1
7FAA	8E8F	03520	FDB	\$8E8F		0000	03960	END	
7FAC	7716	03530	FDB	\$7716		00000 TOTAL ERRORS			

Listing 2: (FIND)

OE00		00010	ORG	\$E00	
OE00 9E	19	00020	START	LDX	25 *GET BEGINNING OF BASIC PROGRAM
OE02 1F	12	00030	LOOP1	TFR	X,Y *TRANSFERE TO REGISTER Y
OE04 A6	80	00040	LOOP	LDA	,X+ *GET FIRST CHARACTER IN PROGRAM
OE06 81	87	00050		CMPA	#135 *IS IT A PRINT CODE?
OE08 27	0D	00060		BEQ	GOTONE *YES, GO CHECK FOR @
OE0A 81	A4	00070		CMPA	#164 *IS IT TAB CODE?
OE0C 27	31	00080		BEQ	TAB *YES, GO TO PRINT ROUTINE
OE0E AC	A4	00090	LOOP2	CMPL	,Y *ARE WE AT THE END OF CURRENT LINE?
OE10 25	F2	00100		BLO	LOOP *NO, CHECK NEXT CHARACTER
OE12 AE	A4	00110		LDX	,Y *YES, GET NEXT LINE
OE14 26	EC	00120		BNE	LOOP1 *START LOOKING IN NEXT LINE
OE16 39		00130		RTS	
OE17 A6	80	00140	GOTONE	LDA	,X+ *GET FIRST CHARACTER AFTER PRINT CODE
OE19 81	40	00150		CMPA	#64 *IS IT @?
OE1B 26	F1	00160		BNE	LOOP2 *NO, GO BACK AND LOOK SOME MORE
OE1D EC	22	00170		LDD	2,Y *YES, GET LINE NUMBER
OE1F 34	30	00180		PSHS	X,Y *SAVE X AND Y TO STACK
OE21 BD	BDCC	00190		JSR	\$BDCC *PRINT LINE NUMBER TO SCREEN
OE24 8E	OE65	00200		LDX	#PR *GET LQCATON OF CHARACTERS TO PRINT

0E27	8D	31	00210	BSR	TEXTOU	*GO TO PRINT ROUTINE	
0E29	35	30	00220	PULS	X,Y	*RETURN X AND Y FROM STACK	
0E2B	A6	80	00230	READ	LDA	,X+	*LOAD A WITH NUMBER TO PRINT
0E2D	81	2C	00240	CMPA	#'		*IS IT A COMMA
0E2F	27	06	00250	BEQ	TRAN		*YES, END OF NUMBER
0E31	AD	9F A002	00260	JSR	[\$A002]		*PRINT CHARACTER IN A
0E35	20	F4	00270	BRA	READ		*GO GET NEXT CHARACTER
0E37	86	0D	00280	TRAN	LDA	#13	*LOAD A WITH A SPACE CHARACTER
0E39	AD	9F A002	00290	JSR	[\$A002]		*GO PRINT A SPACE
0E3D	20	C5	00300	BRA	LOOP		*GO CHECK REST OF CURRENT LINE
0E3F	EC	22	00310	TAB	LDD	2,Y	*GET LINE NUMBER
0E41	34	30	00320	PSHS	X,Y		*SAVE X AND Y TO STACK
0E43	BD	BDCC	00330	JSR	\$BDCC		*PRINT LINE NUMBER
0E46	8E	0E6D	00340	LDX	#TA		*GET LOCATION OF TAB TEXT
0E49	8D	0F	00350	BSR	TEXTOU		*GO PRINT TAB
0E4B	35	30	00360	PULS	X,Y		*GET X AND Y FROM STACK
0E4D	A6	80	00370	READ2	LDA	,X+	*GET NEXT CHARACTER
0E4F	81	29	00380	CMPA	#')		*IS IT A RIGHT PAREN?
0E51	27	E4	00390	BEQ	TRAN		*YES, END OF NUMBER
0E53	AD	9F A002	00400	JSR	[\$A002]		*NO, GO PRINT CHARACTER
0E57	20	F4	00410	BRA	READ2		*GET NEXT CHARACTER
0E59	39		00420	END	RTS		
0E5A	A6	80	00430	TEXTOU	LDA	,X+	*LOAD CHARACTER TO PRINT
0E5C	27	06	00440	BEQ	TEXT1		*IF IT IS A 0 THEN QUIT
0E5E	AD	9F A002	00450	JSR	[\$A002]		*PRINT THE CHARACTER
0E62	20	F6	00460	BRA	TEXTOU		*GET NEXT CHARACTER
0E64	39		00470	TEXT1	RTS		
0E65		20	00480	PR	FCC	/ PRINT /	
0E6C		00	00490	FCB	\$0		
0E6D		20	00500	TA	FCC	/ TAB /	
0E74		00	00510	FCB	\$0		
		0000	00520	END			

00000 TOTAL ERRORS

- DRIVE REPAIRS - MONITOR - PRINTERS - COMPUTER REPAIR - UP GRADES - DRIVE REPAIRS -

☆☆ DISC DRIVE SALE ☆☆

BARE DRIVES FROM TEAC

1/2 HEIGHT SINGLE SIDED - DOUBLE DENSITY 40 TRACK 6ms STEP RATE	\$129.95
1/2 HEIGHT DOUBLE SIDED - DOUBLE DENSITY 40 TRACK 6ms STEP RATE	159.95
1/2 HEIGHT DOUBLE SIDED - QUAD DENSITY 80 TRACK 6ms STEP RATE	179.95

MANUFACTURES WARRANTY

CASE AND POWER SUPPLY FOR TWO HALF HEIGHT DRIVES 84.95

TWO DRIVE (#0,#1) SYSTEM WITH CASE, POWER SUPPLY 265.95

WITH DISK CONTROLLER PACK AND CABLE 375.00

MONITOR/PRINTER DRIVER

LEAVES SERIAL PORT OPEN * CLEAN AUDIO
CENTRONICS COMPAT. * 110 - 9600 BAUD
COLOR OR MONOCHROME * NO SOLDERING
FITS INSIDE COMPUTER * HI TECH DESIGN
??? WHY BUY TWO DIFFERENT DRIVERS ???
GET * BOTH * IN ONE PACKAGE FOR ONLY
*** \$69.95 ***

OS - 9 BBS

REQUIRES: 64K COCO * 2 35 TRACK DRIVES
OS - 9 DOS * BASIC 09 * SMART MODEM
INSTALL DISK * MENU DRIVEN * 8 SUB BOARDS
255 SECURITY LEVELS * PRIVATE MESSAGES
SYSOP UTILITIES * UP - DOWN LOAD FUNCTION
EXPANDABLE TO LARGER MULTI - DISK SYSTEM
40 o/o DISCOUNT COUPON FOR SDISK INCLUDED
*** \$149.95 ***

NEW DISC DRIVE UTILITY

WILL ADDRESS ANY COMBINATION OF 35, 36, 40, OR 80 TRACK
SINGLE OR DOUBLE SIDED DRIVES -- UP TO THREE 80TRK DSQD
COMPATIBLE WITH RS 1.0 OR 1.1 DISK BASIC AND MOST PGMS.
DIFFERENT STEP RATES ON EACH DRIVE * WILL FORMAT TRACKS
35-39 ON PRESENT 35 TRACK DISK * MANY NEW COMMANDS AND
FUNCTIONS (LOCK-UNLOCK-BAUD-ECHO-DOS-KLICK-AUTO-) ETC.
REQUIRES 64K OR 16,32,64K WITH EPROM VERSION * HAVE THE
DOS THAT SHOULD HAVE COME WITH THE COCO FOR ONLY \$29.95

Bee Color Computer
PO Box 5609
Aloha, Oregon 97006
503-649-4497 Voice
503-629-8343 BBS
Check Visa or COD
Mail for Catalog
Dealer Inquires Invtd

- DRIVE REPAIRS - MONITOR - PRINTERS - COMPUTER REPAIR - UP GRADES - DRIVE REPAIRS -

With or without a sound pack, this program can be a useful learning tool.

Let CoCo Talk You Into A Better Education

By Fred B. Scerbo
Rainbow Contributing Editor

(Editor's Note: If you have an idea for the "Wishing Well," submit it to Fred c/o THE RAINBOW. Remember, keep your ideas specific, but don't forget that this is BASIC. All programs resulting from your wishes are for your use, but remain the property of the author.)

After several months of fun and graphics, I thought it might be a good idea to get back into some practical programs for your Color Computer. I have been receiving some very practical suggestions lately which will take a little time to develop.

Recently, some readers have suggested I develop something to go along with the speech synthesizer program packs which are now available from a number of distributors, including Radio Shack. So, this month's "Wishing Well" offers an educational program which will put these voice programs to full use, while at the same time fulfilling a wish I received almost two years ago.

The result, *Talking Micro Math Lab*, with or without speech will prove to

(Fred Scerbo is a special needs instructor for the North Adams Public Schools. He holds a master's in education and published some of the first software available for the Color Computer through his software firm, Illustrated Memory Banks.)

be a valuable tool to anyone who is interested in teaching youngsters fundamental addition and subtraction skills. Notice I said with or without speech. There are a number of reasons why I designed this program to be used without a sound pack, as well as with.

First, even though the voice packs which are now available are all of excellent quality, only a small percentage of the many CoCo users have actually purchased one. Therefore, I did not want to list a program which could only be used by a small percentage of people.

Secondly, until recently, I have not been an advocate of using "talking computers." I have always thought of them as something of a gimmick. Besides, as a teacher, I had visions of a classroom teacher competing with the voice of a computer for the attention of the students. Little did I dream how useful they can be for educational purposes, especially when they are used with a set of headphones. (No competition, either.)

Therefore, *Talking Micro Math Lab* is designed with three options: 1) a non-talking version, 2) using the new Radio Shack Speech-Sound Pak, and 3) using Spectrum Voice Pak, available from Spectrum Projects. (It might also work with some other brand voice packs, but at the time of this writing, I did not have access to those other brands. If

their distributors can loan me their models, I may be able to make future talking programs in the "Wishing Well" compatible with most other versions, too!) Also, I will include instructions on how to adapt the non-talking version to the MC-10 with the memory expansion pack.

The following listing is designed to work in its non-talking version in 16K Color BASIC, in its Radio Shack Speech-Sound Pak version in 16K, or in its Spectrum version in 32K from tape or disk. I have tried to shrink the Spectrum version down to work in 16K, but it looks like the program is just a little too big to work with the machine language driver it requires. Hopefully, those of you with the Spectrum Voice Pak will have at least 32K.

Now, let's spend a little time looking into the background which led to this month's article.

The Wish

The wish which led to this program actually predates my interest in computer speech. In fact, granting the wish actually came more along the lines of performing a minor miracle. You see, the original *Micro Math Lab* was developed with a specific student of mine in mind. This student's name is Mark, and his story is very interesting, indeed.

Mark and his twin brother, Bobby, came to me as students over two years ago at the age of 17. They had been born with a serious birth defect which left them with somewhat limited abilities. In spite of these serious limitations, both have been an absolute joy to work with. They are the kind of students one gets a really good feeling about being able to help.

I knew what I was getting before Mark and Bobby arrived rather belatedly at the high school level. I had known both from the time they were born and knew how great a task their parents must have had in trying to work with teachers to educate both in the simplest of life skills. Just before receiving both boys, the family helped fill our high school staff in on what limited skills both had. I was told Bobby was actually quite good in math, while Mark could not even comprehend adding two plus two.

What I later found was that what one was strong in, the other was usually weak in. For example, Bobby could handle rather complicated multiplication and division, but was extremely sloppy in his writing or in something as simple as coloring a picture. Mark, on the other hand, could not add, but was extremely neat and precise at a task such as coloring or handwriting.

Fortunately, what the family did not tell me was their teachers of the last eight years had assured them Mark would *never* learn to add! In fact, they told them to give up!

After working with Mark for just a few days, it became painfully obvious how limited his math skills were. He had developed the habit of using a scrap paper to draw lines or checkmarks to count in adding a single digit addition problem. This made his work slow, with little recall when not using the lines. Ask him what '7' and '9' are, and he would not know!

Therefore, I started working on a colorful math program for the CoCo that would catch Mark's attention as well as slowly draw him away from using lines. If I could have the computer screen display colored blocks corresponding to the digits in a given problem, I could get him to count the blocks on the screen, and then relate the total to the visual image of the math problem.

The result of this effort was the original version of *Micro Math Lab*, which I put Mark to work on for two class periods a day. On the average,

Mark could complete nearly one hundred problems in a 45-minute period. I'll get into how to use the program a little later.

What Were The Results?

Recently, I spoke with Mark's parents. I asked them if they had checked how well Mark was doing in his addition. Since we had just come back from summer vacation, I was not at all surprised they had not given him any busy work over the summer. I promised to send home some math sheets so they could watch Mark doing his math.

The problems I sent home were four-digit, two-number addition problems. To their astonishment, Mark was able to complete the sheet in just minutes with no errors and with no number lines! They called to ask how I did it. It was at this time they told me about the prediction from his previous teachers that Mark would never learn to add.

Since that time we have also worked on subtraction and money handling. Mark's parents are also ready to buy the boys their own CoCo to use at home, and as you can guess, some "Wishing Well" software will probably go along with it.

The program more than proved its worth. However, I have two dozen more students who are in the same condition as Mark was. (Remember, these are handicapped, special needs students.) They have started this comprehensive program using the *Micro Math Lab* to strengthen their addition and subtraction skills.

Since our department just purchased the Radio Shack Speech-Sound Pak, I decided to adapt the program to use the speech it could generate. As you can imagine, some of the students do get a little bored during a long stretch with the computer. The speech would help liven things up.


The Program

The final result is the program you see listed here. As I mentioned, I have made it usable with both Radio Shack's Speech-Sound Pak and the Spectrum Voice Pak. Let me take a moment to mention the difference between the two.

The voice produced by the Radio Shack Pak is a very clear, precise voice without any real inflection, which is not bad for the type of students I am working with. I find the voice quite pleasant, in fact. The Pak does not require a machine language program.

The **RAINBOW**

Back Issue Availability



Back copies of many issues of **THE RAINBOW** are still available.

All back issues sell for the single issue cover price. In addition, there is a \$3.50 charge for the first issue, plus 50 cents for each additional issue, for postage and handling if sent by United Parcel Service. A \$4 charge plus \$1 each additional copy for orders sent U.S. Mail. UPS *will not* deliver to a post office box or to another country.

Issues July 1981 through June 1982 are available on white paper in a reprint form. All others are in regular magazine form. VISA, MasterCard and American Express accepted. Kentucky residents please add 5 percent state sales tax. We do not bill and no C.O.D. orders accepted.

Due to heavy demand, we suggest you order back issues you want now while supplies last.

To order, just fill out the form on the next page and mail it with your payment to:

THE RAINBOW

9529 U.S. Highway 42
P.O. Box 385
Prospect, KY 40059

BACK ISSUE ORDER FORM

(See overleaf for instructions.)

☐ Please send me the following back issues:

(Payment must accompany back issue orders. We do not bill.)

VOLUME 1			
NO.	MONTH YEAR		PRICE
1	JULY '81	PREMIER ISSUE	\$2.00 <input type="checkbox"/>
2	AUG. '81		\$2.00 <input type="checkbox"/>
3	SEPT. '81	EDUCATION	\$2.00 <input type="checkbox"/>
4	OCT. '81	PRINTER	\$2.00 <input type="checkbox"/>
5	NOV. '81		\$2.00 <input type="checkbox"/>
6	DEC. '81	HOLIDAY	\$2.00 <input type="checkbox"/>
7	JAN. '82		\$2.00 <input type="checkbox"/>
8	FEB. '82		\$2.00 <input type="checkbox"/>
9	MAR. '82		\$2.50 <input type="checkbox"/>
10	APR. '82		\$2.50 <input type="checkbox"/>
12	JUNE '82		\$2.50 <input type="checkbox"/>
VOLUME 2			
8	FEB. '83	BUSINESS	\$2.95 <input type="checkbox"/>
9	MAR. '83	NUCLEAR	\$2.95 <input type="checkbox"/>
10	APR. '83	SIMULATIONS	\$2.95 <input type="checkbox"/>
11	JUNE '83	PRINTERS	\$2.95 <input type="checkbox"/>
12	JULY '83	ANNIVERSARY	\$2.95 <input type="checkbox"/>
VOLUME 3			
1	AUG. '83	GAMES	\$2.95 <input type="checkbox"/>
2	SEPT. '83	EDUCATION	\$2.95 <input type="checkbox"/>
3	OCT. '83	GRAPHICS	\$3.95 <input type="checkbox"/>
4	NOV. '83	DATA COMM.	\$3.95 <input type="checkbox"/>
5	DEC. '83	HOLIDAY	\$3.95 <input type="checkbox"/>
6	JAN. '84	BEGINNERS	\$3.95 <input type="checkbox"/>
7	FEB. '84	ADVENTURE	\$3.95 <input type="checkbox"/>
8	MAR. '84	BUSINESS	\$3.95 <input type="checkbox"/>
9	APR. '84	GAMING	\$3.95 <input type="checkbox"/>
10	MAY. '84	PRINTER	\$3.95 <input type="checkbox"/>
11	JUNE '84	MUSIC	\$3.95 <input type="checkbox"/>
12	JULY '84	ANNIVERSARY	\$3.95 <input type="checkbox"/>
VOLUME 4			
1	AUG. '84	GAMES	\$3.95 <input type="checkbox"/>
2	SEPT. '84	EDUCATION	\$3.95 <input type="checkbox"/>
3	OCT. '84	GRAPHICS	\$3.95 <input type="checkbox"/>
4	NOV. '84	DATA COMM.	\$3.95 <input type="checkbox"/>
5	DEC. '84	HOLIDAY	\$3.95 <input type="checkbox"/>
6	JAN. '85	BEGINNERS	\$3.95 <input type="checkbox"/>
7	FEB. '85	UTILITIES	\$3.95 <input type="checkbox"/>
		RAINBOW INDEX	\$2.50 <input type="checkbox"/>

TOTAL _____
 SHIPPING & HANDLING _____
 U.P.S. CHARGE _____
 U.S. MAIL CHARGE _____
 KY RESIDENTS ONLY
 ADD 5% _____

TOTAL AMOUNT
 ENCLOSED _____

Name _____

Address _____

City _____ State _____ ZIP _____

☐ VISA ☐ MC ☐ AE

CARD # _____

PHONE # _____

EXPIRATION DATE _____

It requires a few *PEEKs* and *POKEs*, which only make up a few lines in your program.

The Radio Shack program does have two drawbacks. First, it does not read numbers correctly. The number 1,278 would be pronounced "one two seven eight" rather than one-thousand two-hundred seventy-eight. This means strings must be saved to pronounce these numbers, which can be an obstruction in any talking math program. This program takes this into consideration and compensates for it.

Secondly, there is a heftier price of about \$100, almost \$30 to \$40 more than others. If you don't like to have to load in machine language drivers, the extra price may be worth it.

I have found one other drawback, but this may be a quirk in my program pack or in my older CoCos. Every so often, the computer will only produce static instead of speech. This can be resolved by pressing the Reset button. As I said, this may only be something with my own copy, and it is not a serious problem.

Spectrum's version does require a machine language driver, but this driver lets you do much more than the Radio Shack version, such as save a glossary of frequently used words. It also pronounces long numbers in their correct verbal form. Add to this the lower price tag and you have speech at a reasonable price. The voice is a little more "stuffed nosed" than Radio Shack's, but some of my students like it better because it gives the computer a little personality.

Maybe this will help some of you who haven't gotten a voice pack decide which one to get. I like having both. With a little luck, I may get to report to you on the other brands later.

In writing the programs, I wrote strings identified as A\$ to generate the speech. You will notice I used phonetic spellings of the words I want spoken to get exactly the type of speech I wanted.

This was especially necessary with numbers such as 10 through 19, which the Radio Shack version could not pronounce in their numeric form. These strings will work equally well with the Spectrum version, even though they are not necessary.

If you use the non-talking version, you will not have to worry about the program being totally silent. I have included SOUND commands that are

ignored in the talking mode. I have found that SOUND commands disconnect the Radio Shack's Speech Pak for some reason. Therefore, a number of *IF/THEN* statements will prevent this from happening.

I have not included the machine language driver for the Spectrum version since I would assume if you have one, you must have the program. You can also load from either tape or disk, if you have a Multi-Pak Interface or Y-cable. Those who have the Spectrum Pak will be familiar with the loading techniques. Once the driver is loaded, it does not have to be reloaded for additional runs.

Using The Program


The first screen that appears will give you the three choices: A) non-talking, B) Radio Shack and C) Spectrum. Choose 'A,' and the program will proceed without sound. Press 'B,' and the proper values for the *POKE* will be used. Press 'C,' and the program will prompt you for tape or disk. Load the driver and the title card will appear.

If you use the non-talking mode, then the title TALKING will not appear. When in the talking mode, the title will be spoken. Press any key to go to your selections. You may next press 'S' for single digits or 'D' for double digits. Next, press 'A' for addition or 'S' for subtraction.

When your problems appear, you will notice the colored blocks to the right or left of each digit correspond by color and number to the digits in the problems. Therefore, the student can count the blocks to get an answer.

An arrow will point to the column being used. If an answer is 12, then the 2 must be entered first, and then the arrow will move to the next column. If any carrying is required, it will appear as a small carry number at the top of the next column. A green block will also be added for carrying purposes. If an error is made, then the program will make you continue until you get it right.

In the speaking versions, all responses and questions are actually spoken such as "How much is . . ." or "No! The answer is not . . ." When you wish to see the number of correct answers and number of misses, press the '@' key, and this information will appear. Pressing ENTER will *reRUN* the entire program.



C.P.I.
Color Micro Journal
'68' Micro Journal
Data-Comp
S.E. Media

A Family of 100% 68XX Support Facilities
The Folks who FIRST Put FLEX™ on
The CoCo
Now Offering: *FLEX™ (2 Versions)
AND *STAR-DOS PLUS+™

FLEX-CoCo Sr.
with TSC Editor
TSC Assembler
Complete with Manuals
Reg. \$250.⁰⁰ **Only \$79.⁹⁵**

STAR-DOS PLUS+
• Functions Same as FLEX
• Reads - writes FLEX Disks
• Run FLEX Programs
• Just type: Run "STAR-DOS"
• Over 300 utilities & programs
to choose from. **\$34.⁵⁰**

FLEX-CoCo Jr.
without TSC
Editor & Assembler
\$49.⁹⁵

PLUS

ALL VERSIONS OF FLEX & STAR-DOS+ INCLUDE

- + Read-Write-Dir RS Disk
- + Free Color Micro Journal 1 yr. sub.
- + More Free Utilities
- + Run RS Basic from Both
- + External Terminal Program
- + Super 800 Support
- + Memory Examine Program
- + Many Many More!!!
- + Test Disk Program
- + Disk Examine & Repair Program

NEW LOWER PRICES ON PAK #5, AND PRINTERS

DISK SYSTEMS FOR THE COLOR COMPUTER

THESE PACKAGES INCLUDE DRIVE, *CONTROLLER, POWER SUPPLY & CABINET, CABLE, AND MANUAL.

* SPECIFY WHAT CONTROLLER YOU WANT J&M, OR RADIO SHACK.

PAK #1 - 1 SINGLE SIDED, DOUBLE DENSITY SYS.	\$389.95
PAK #2 - 2 SINGLE SIDED, DOUBLE DENSITY SYS.	\$639.95
PAK #3 - 1 DOUBLE SIDED, DOUBLE DENSITY SYS.	\$439.95
PAK #4 - 2 DOUBLE SIDED, DOUBLE DENSITY SYS.	\$699.95
PAK #5 - 2 DOUBLE SIDED, DOUBLE DENSITY SYS. THINLINE DRIVES, HALF SIZE	\$499.95

CONTROLLERS

J&M DISK CONTROLLER W/ JDOS OR RADIO SHACK
DISK BASIC, SPECIFY WHAT DISK BASIC. **\$139.95**

RADIO SHACK DISK CONTROLLER 1.1 **\$134.95**

DISK DRIVE CABLES

CABLE FOR ONE DRIVE **\$19.95**
CABLE FOR TWO DRIVES **\$24.95**

MISC

64K UPGRADE W/MOD. INSTRUCTIONS,
C,D,E,F, AND COCO 2 **\$44.95**

HJL KEYBOARDS	\$69.95
MICRO TECH LOWER CASE ROM ADAPTER	\$74.95
RADIO SHACK BASIC 1.2	\$29.95
RADIO SHACK DISK BASIC 1.1	\$29.95
RADIO SHACK EXT. BASIC	\$39.95
SCREEN CLEAN CLEARS UP VIDEO DISTORTION	\$39.95
DISK DRIVE CABINET & POWER SUPPLY	\$49.95
SINGLE SIDED, DOUBLE DENSITY 5" DISK DRIVE	\$199.95
DOUBLE SIDED, DOUBLE DENSITY 5" DISK DRIVE	\$249.95

PRINTERS

EPSON RX-80	\$269.00
EPSON RX-80FT	\$369.00
EPSON MX-100	\$499.00
EPSON FX-100	\$799.00
EPSON FX-80	\$549.00
EPSON MX-70	\$200.00

SERIAL BOARDS FOR PRINTERS

MX-SERIES	\$119.95
FX-SERIES	\$99.95

USA ADD 2% SHIPPING
FOREIGN ADD 5% SHIPPING

5900 Cassandra Smith Rd. Hixson, TN 37343

*FLEX is a Trademark of Technical System Consultants
*STAR-DOS+ is a Trademark of STAR-Kits & Data-Comp

MC-10 Version

Unfortunately, there is no way to get a talking version for the MC-10 that I know of. Still, you may be able to get a very nice non-talking version. To correct all the screen poke locations, I have included the variable MC which equals zero in the CoCo version. Adding this line:

15 MC=15360

will correct the values. You may also wish to delete the following groups of lines:

50 through 150

190 through 210

230

400

500

580

2000 through 5010


You may also wish to neglect any strings known as A\$ when they appear in a line, but it might be safer just to follow the directions above rather than tampering with the contents of the lines.

Conclusion

Here you have it: a talking educational

program I dare say is equal to if not superior to some you may pay for. For my own purposes, I have finally broken into the world of synthetic speech. I have come up with a few more gems which I may share with you if enough of you are interested, such as a talking multiple choice quiz similar to the screen quiz programs from quite a few months ago.

Best of all, I have been able to achieve something with Mark that others were convinced was impossible. To me, that is the best little miracle of all.



200139	98066
32062	1160236
410194	136022
570165	END195
740220	

The listing:

```
1 * *****
2 * TALKING MICRO MATH LAB *
3 * BY FRED B. SCERBO *
4 * COPYRIGHT (C) 1984 *
5 * 149 BARBOUR ST. N. ADAMS, MA *
6 * *****
10 CLEAR80
20 T=80:K=1:WJ$="PLUSS"
30 DIM Z$(19)
40 CLS
50 PRINT@132,"A) NON-TALKING VER
SION"
60 PRINT@196,"B) SPEECH-SOUND PA
K"
70 PRINT@260,"C) SPECTRUM VOICE
PAK"
80 X$=INKEY$:IFX$=""THEN80
90 IF X$="A"THEN VP=0:GOTO220
100 IF X$="B"THEN VP=1:GOTO130
110 IF X$="C"THEN VP=2:GOTO3000
120 GOTO80
130 XX=&HFF00:YY=&HFF7E
140 POKEXX+1,52:POKEXX+3,63
150 POKEXX+35,60
160 GOTO220
170 REM CREATE VOICE
180 IF VP=0 THEN RETURN
190 IF VP=1 THEN 2000
200 IF VP=2 THEN 4000
210 RETURN
220 REM START
230 Z$(10)="TEN":Z$(11)="ELEVEN
":Z$(12)="TWELVE":Z$(13)="THIRTE
N":Z$(14)="4 TEEN":Z$(15)="FIFTE
```

```
EN":Z$(16)="6 TEEN":Z$(17)="7 TE
EN":Z$(18)="8 TEEN":Z$(19)="9 TE
EN"
240 R$=CHR$(128):Z$=CHR$(207):V$
=CHR$(204)
250 T$=CHR$(197):U$=R$+R$+R$+R$+
R$:UL$=R$+R$+R$:UV$=CHR$(199):UF
$=CHR$(175):UG$=CHR$(255)+CHR$(2
55)
260 YU$=CHR$(172):GOTO420
270 CLS0:PRINT@0,CHR$(255):FORI
=1TO30:PRINT@I,CHR$(252):NEXTI:
PRINTUG$:PRINT@63,UG$:
280 PRINT@70,T$CHR$(203)R$UV$CHR
$(202)CHR$(196)Z$CHR$(200)R$Z$V$
V$R$Z$V$CHR$(203)R$Z$V$Z$U$UG$UL
$R$R$:
290 PRINTT$CHR$(202)Z$T$CHR$(202
)R$Z$R$R$Z$R$R$R$Z$V$CHR$(203)R$
Z$R$Z$U$UG$UL$R$R$CHR$(196):
300 PRINTCHR$(200)R$CHR$(196)CHR
$(200)CHR$(196)V$CHR$(200)R$V$V$
V$R$V$R$V$R$V$V$V$U$UG$:
310 PRINT@167,CHR$(165)CHR$(171)
R$CHR$(167)CHR$(170)R$CHR$(167)Y
U$CHR$(171)R$YU$UF$YU$R$UF$R$UF$
;
320 PRINT@191,UG$:
330 PRINT@199,CHR$(165)CHR$(170)
UF$CHR$(165)CHR$(170)R$UF$YU$UF$
R$R$UF$R$R$UF$YU$UF$:PRINT@223,
UG$:
340 PRINT@231,CHR$(164)CHR$(168)
R$CHR$(164)CHR$(168)R$YU$R$YU$R$
R$YU$R$R$YU$R$YU$:PRINT@255,UG$
;
350 PRINT@266,CHR$(191)R$R$R$CHR
$(183)CHR$(188)CHR$(187)R$CHR$(1
91)CHR$(188)CHR$(187):PRINT@287
,UG$:
360 PRINT@298,CHR$(191)R$R$R$CHR
$(191)CHR$(188)CHR$(191)R$CHR$(1
```



```

91) CHR$(188)CHR$(187);:PRINT@319
,UG$;
370 PRINT@330,CHR$(188)CHR$(188)
CHR$(188)R$CHR$(188)R$CHR$(188)R
$CHR$(188)CHR$(188)CHR$(184);
380 PRINT@351,UG$;:FORI=1TO30:PR
INTCHR$(243);:NEXT:PRINTCHR$(255
);
390 IF VP=0 THEN RETURN
400 PRINT@66,CHR$(245)CHR$(252)C
HR$(250);:WW$="TALKING":FORWW=1T
O7:EW=ASC(MID$(WW$,WW,1)):PRINT@
WW*32+66,CHR$(245)CHR$(EW+32)CHR
$(250);:NEXTWW:PRINT@WW*32+66,C
HR$(245)CHR$(243)CHR$(250);:RETU
RN
410 A$="MY CRO.MATH.LAB":GOSUB17
0:RETURN
420 GOSUB270:GOSUB410:FORA=0TO9:
READ E,F,G:A$(A)=CHR$(E)+CHR$(F)
+CHR$(G):D$(A)=CHR$(E-T)+CHR$(F-
T)+CHR$(G-T)
430 READ E,F,G:B$(A)=CHR$(E)+CHR
$(F)+CHR$(G):E$(A)=CHR$(E-T)+CHR
$(F-T)+CHR$(G-T)
440 READ E,F,G:C$(A)=CHR$(E)+CHR
$(F)+CHR$(G):F$(A)=CHR$(E-T)+CHR
$(F-T)+CHR$(G-T):NEXTA
450 PRINT@417,"by"+R$+"fred"+R$+
"scerbo"+R$+R$+"copyright";:POKE
1467+MC,49:POKE1468+MC,57:POKE14
69+MC,56:POKE1470+MC,52
460 IFINKEY$=""THEN460
470 GOSUB270
480 PRINT@420,"s"+R$+"ingle"+R$+
"or"+R$+R$+"d"+R$+"ouble"+R$+"di
gits";
490 POKE1443+MC,40:POKE1445+MC,4
1:POKE1451+MC,32:POKE1454+MC,32:
POKE1455+MC,40:POKE1457+MC,41:PO
KE1463+MC,32
500 A$="PRESS S FOR SINGUL DIJJI
TS OR D FOR DUBBUL DIJJITS":GOSU
B170
510 X$=INKEY$:IFX$=""THEN510
520 IFX$="S"THEN560
530 IFX$="D"THEN550
540 GOTO510
550 D=2
560 PRINT@452,"a"+R$+"ddition"+R
$+"or"+R$+R$+"s"+R$+"ubtraction"
;
570 POKE1475+MC,40:POKE1477+MC,4
1:POKE1485+MC,32:POKE1488+MC,32:
POKE1489+MC,40:POKE1491+MC,41
580 A$="PRESS A FOR ADDITION OR
S FOR SUBTRACTION":GOSUB170
590 X$=INKEY$:IFX$=""THEN590
600 IFX$="A"THEN820

```

```

610 IFX$="S"THEN630
620 GOTO590
630 K=-1:WJ$="MY NUS":GOTO820
640 PRINT@P,A$(R);:PRINT@P+32,B$
(R);:PRINT@P+64,C$(R);:RETURN
650 PRINT@P,D$(R);:PRINT@P+32,E$
(R);:PRINT@P+64,F$(R);:RETURN
660 PRINT@AP,CHR$(209)CHR$(219);
:PRINT@AP+31,CHR$(209)CHR$(216)C
HR$(218)CHR$(217);
670 PRINT@AP+65,CHR$(218);:RETUR
N
680 PRINT@AP,R$R$R$;:PRINT@AP+31
,R$R$R$R$;:PRINT@AP+64,R$R$R$;:R
ETURN
690 FL=FL+1:A$="NO.THEE ANSWER I
S NOT "+X$:GOSUB170:FORHH=1TO600
:NEXTHH
700 IF VP=0 THEN SOUND40,2
710 RETURN
720 X$=INKEY$:IFX$=""THEN720
730 IFX$="@"THEN1250
740 X=ASC(X$)-48:IFX<0THEN720
750 IFX>9THEN720
760 RETURN
770 IF TB+(BB*K)>9 THEN X$=Z$(TB
+BB*K)+"CAIRY ONE"
780 IF X=TA+(BA*K)-(K*10) THEN X
$=Z$(X+10)
790 A$="CORRECT.THEE ANSWER IS "
+X$:GOSUB170
800 IF VP=0 THEN SOUND200,1:SOUN
D200,1
810 RETURN
820 CLS0:FORHH=1TO1600:NEXTHH:TA
=0:AT=AT+1
830 IFD=0THEN850
840 TA=RND(9):BA=RND(9):IFBA>TA
THEN840
850 TB=RND(10)-1:BB=RND(10)-1:IF

```

One-Liner Contest Winner...

This is one of the neatest pure graphics demo programs we've seen for the CoCo. It draws alternating lines all over the screen.

Alan Farmer
Charlottesville, VA

The listing:

```

0 PMODE4,1:PCLS:SCREEN1,1:Z=RND(
-TIMER):X=RND(251)+2:Y=RND(187)+
2:A=2:B=2:C=1:FORR=0TO1STEP0:LIN
E(X,Y)-(255-X,191-Y),PSET,B:X=X+
A:Y=Y+B:XG=(X<20RX>253):YG=(Y<20
RY>189):A=A*SGN(XG*2+1):B=B*SGN(
YG*2+1):IFXG ORYG THENC=1-C:COLO
RC:NEXTELSENEXT

```

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book Of Simulations* and its companion *Rainbow Simulations Tape*.)

The CoCo Calligrapher

The CoCo Calligrapher works on these printers:

Epson: MX80, FX80, 100 (8 1/2 x 11 size only), and all models with graphtrax

Gemini: 10, 10X, 15, 15X (8 1/2 x 11 size only)

Radio Shack: LP7, LP8, DMP100, 110, 120, 200, 420, 510, 2100

Okidata: 92A - unless it is version 4. The ROM has a bug and the dealer should replace it for you.

Banana: Behaves like a Radio Shack

Prowriter: 8510

These type styles come on the CoCo Calligrapher program tape or disk:

Old English
Gay Nineties
Cartoon

Tape - \$24.95

Disk - \$29.95

Both require 32K ECB

These additional type styles are also available —
\$19.95 each, or \$49.95 for all on tape or disk.

Tape 1

Old English-reduced	Cartoon-reduced	Gay Nineties-reduced
Old English-reverse	Cartoon-reverse	Gay Nineties-reverse
Old English-reverse/reduced	Cartoon-reverse/reduced	Gay Nineties-reverse/reduced

Old English Cartoon Gay Nineties

Tape 2

Broadway

Broadway

Broadway
Broadway-reduced
Broadway-reverse
Broadway-reverse/reduced

Tape 3

Business

Business

Business
Business-reduced
Business-reverse
Business-reverse/reduced

Old Style **Antique**

Old Style

Old Style
Old Style-reduced
Old Style-reverse
Old Style-reverse/reduced

Antique

Antique
Antique-reduced
Antique-reverse
Antique-reverse/reduced

and Sugar Software Introduces . . .

Color Disk Manager

A disk utility which will handle virtually all of your disk related needs! **Color Disk Manager** will do selective initializations, verifies, backups and repairs.

- Handles multiple drives
- Make a backup of the directory
- Recover file command
- Repair or salvage crashed disks
- Gives allocation table map
- Displays file granule map
- Loads files 2 ways
- Kill file command
- Verifies tracks or entire disk
- Append sector command
- Transfers programs from tape to disk
- Rapid scan feature
- Dumps memory to screen
- Loads and executes rompacks saved on disk
- Move ROM to RAM command
- 64K compatible

Requires 32K - \$34.95

Color Tape Manager

A utility which will handle most of your tape related needs!

- Appends ML to Basic programs
- Displays start, end, and execute addresses of ML programs
- Converts ML programs to Basic data statements
- Displays memory in hex, decimal or ASCII
- Change memory in decimal or hex
- Rapid memory-scan using arrow keys
- Allows input in hex or decimal
- Transfers control to other programs with a "go" command
- Moves blocks of memory from start through end address to new start address

Tape requires 16K ECB - \$24.95

Disk requires 32K - \$24.95


PreReader

32K ECB;

Joystick
Required

Tape - \$19.95

Disk - \$24.95




Level I - your child will work with colors, shapes, numbers, capital letters and small letters

Level II - your child will learn to associate individual letters and consonant blends with the sounds they make



Songs and happy faces for each correct answer!



Radio System Design Calculations

Helps design or evaluate:

- Land mobile radio systems
- Satellite TV
- Satellite data acquisition systems
- Aircraft radio systems
- Microwave systems
- Microvolt/DBM conversions
- Frequency/Wave length conversions
- System received signal levels
- Gain of parabolic antenna
- Propagation Calculations

32K ECB

\$29.95 - Tape

\$32.95 - Disk

... for the Programmer in the Family



AUTO RUN 64 - \$24.95

AUTO RUN - \$19.95
Tape

- Creates a ML loader which automatically starts up your Basic or ML program
- Title screen utility
- Provide an audio introduction
- Locates your program at the desired address




32K Disk
\$99.95

PIRATECTOR!™

You write the Basic or ML program. Piratector™:

- Supplies protection scheme
- Includes Semigraf graphics editor
- Incrementing serial numbers
- Many user subroutines included
- Effective against popular piracy/protection cracking programs

Rental Property Income and Expense Management Package




Disk - \$34.95
32K Required

- Keeps track of all your rental properties
- Provides instant screen or printer summary of all your properties
- Maintains and prints a detailed, itemized listing of each of 28 expense categories
- Gives you a schedule of the Accelerated Cost Recovery System depreciation allowed for each tax year for 3, 5, 10 and 15 year property

SEMIGRAF Graphics Editor

- Graphics editor to create and modify your own pictures
- Pictures can be used as a title screen for a program
- Create a series of pictures to make a slide show
- Both Extended and non-Extended Basic versions on the same tape
- High Resolution
- Semigraphic modes 8, 12, and 24 (64 x 64, 64 x 96 and 64 x 128)
- 8 colors
- Combine text with graphics
- Auto-repeat and "magic" delete
- Requires 16K



Tape - \$19.95
Disk - \$24.95

Dealer and author inquiries are always welcome. Canadian dealers should contact Kelly Software Distributors, Ltd., P.O. Box 11932, Edmonton, Alberta T5J-3L1, (403) 421-8003.

Disk software compatible with Radio Shack DOS only.

SUGAR SOFTWARE

2153 Leah Lane
Reynoldsburg, Ohio 43068
(614) 861-0565

A complete catalog of other sweet Sugar Software products is available.

Add \$1.00 per tape for postage and handling. Ohioans add 5.5% sales tax. COD orders are welcome. CIS orders EMAIL to 70405, 1374. No refunds or exchanges.

MasterCard

VISA


```

BB=>TB THEN850
860 IFD=0THEN880
870 R=TA:P=44:GOSUB640:R=BA:P=14
0:GOSUB650
880 R=TB:P=48:GOSUB640:R=BB:P=14
4:GOSUB650
890 PRINT@231,"";:FORI=1TO16:PRI
NTCHR$(156);:NEXTI
900 IFK=-1THEN930
910 PRINT@168,CHR$(151)CHR$(155)
;:PRINT@200,CHR$(148)CHR$(152);
920 GOTO940
930 PRINT@168,CHR$(147)CHR$(147)
CHR$(146);
940 AP=400:GOSUB660
950 IFD=0THEN1000
960 IFTA=0THEN980
970 FORI=1TOTA:PRINT@1+I*32,CHR$
(252);:NEXT
980 IFBA=0THEN1000
990 FORI=1TOBA:PRINT@3+I*32,CHR$
(172);:NEXT
1000 IFTB=0THEN1020
1010 FORI=1TOTB:PRINT@30+I*32,CH
R$(252);:NEXT
1020 IFBB=0THEN1040
1030 FORI=1TOBB:PRINT@28+I*32,CH
R$(172);:NEXT
1040 A$="HOW MUCH IS "+STR$(TB)+
WJ$+STR$(BB):GOSUB170:GOSUB720
1050 P=272:R=X:GOSUB640
1060 IFX=TB+(BB*K)THEN1090
1070 IFX=TB+(K*BB)-(K*10)THEN109
0
1080 AP=P:GOSUB690:GOSUB680:GOTO
1040
1090 GOSUB770:AP=400:GOSUB680:AP
=396:GOSUB660
1100 IF TB+(BB*K)>9 THEN TB=0:BB
=0:POKE1036+MC,49:PRINT@1+32*TA,
CHR$(140);:A$="HOW MUCH IS ONE P
LUSS"+STR$(TA)+WJ$+STR$(BA):GOSU
B170:GOSUB720:TA=TA+1:GOTO1130
1110 IFTA=0THEN GOSUB680:GOTO124
0
1120 A$="HOW MUCH IS "+STR$(TA)+
WJ$+STR$(BA):GOSUB170:GOSUB720
1130 P=268:R=X:GOSUB640
1140 IFX=TA+(BA*K)THEN1170
1150 IFX=TA+(BA*K)-(K*10)THEN118
0
1160 AP=P:GOSUB690:GOSUB680:GOTO
1110
1170 GOSUB770:FORI=1TO2000:NEXT:
GOTO820
1180 GOSUB770:AP=396:GOSUB680:AP
=392:GOSUB660
1190 GOSUB720
1200 P=264:R=X:GOSUB640

```

```

1210 IFX=1THEN1230
1220 AP=P:GOSUB690:GOSUB680:GOTO
1190
1230 GOSUB770
1240 FORI=1TO2000:NEXT:GOTO820
1250 CLS:GOSUB270:PRINT@419,"co
rrect"R$;AT-1;R$R$"misses"R$;FL;
1260 IFINKEY$=CHR$(13) THEN RUN
1270 GOTO1260
1280 DATA 247,252,251,255,240,25
5,244,252,248
1290 DATA 241,255,240,240,255,24
0,244,252,248
1300 DATA 254,252,251,243,252,24
1,252,252,252
1310 DATA 252,252,251,252,252,25
5,252,252,248
1320 DATA 255,245,250,252,253,25
4,240,244,248
1330 DATA 255,252,252,252,252,25
5,252,252,252
1340 DATA 255,252,252,255,252,25
5,252,252,252
1350 DATA 254,252,255,240,247,24
8,244,248,240
1360 DATA 255,252,255,255,252,25
5,252,252,252
1370 DATA 255,252,255,252,252,25
5,252,252,252
2000 FORI=1TOLEN(A$)
2010 IF PEEK(YY)AND 128=0 THEN20
10
2020 POKEYY,ASC(MID$(A$,I,1))
2030 NEXTI
2040 IFPEEK(YY)AND128=0THEN2040
2050 POKEYY,13
2060 FORHH=1TO900:NEXTHH:RETURN
3000 IF PEEK(&H6000)=&H7F AND PE
EK(&H6005)=&H20 THEN 220
3010 GOTO5000
3020 CLEAR1000,&H5FFF
3030 PRINT@327,"(D)ISK OR (T)APE
"
3040 X$=INKEY$:IFX$="D"THEN3050E
LSEIFX$="T"THEN3060ELSE3040
3050 CLS:PRINT@233,"PLEASE STAND
BY";:LOADM"TRNSLATE":POKE&HFF40
,0:GOTO3070
3060 CLS:PRINT@233,"PLEASE STAND
BY";:CLOADM"TRNSLATE"
3070 DEFUSR1=&H6000:DEFUSR2=&H60
05:DEFUSR3=&H6007
3080 T=80:K=1:WJ$="PLUSS":VP=2:D
IM Z$(19)
3090 GOTO220
4000 X$=USR2(A$)
4010 FORHH=1TO700:NEXTHH:RETURN
5000 PCLEAR1
5010 GOTO3020

```


Custom Software Engineering, Inc.

807 Minutemen Causeway (D-2), Cocoa Beach, Florida 32931

(305) 783-1083

For information or technical support, please call between 5:30 and 8:30 P.M. Eastern time.

GET ORGANIZED IN 1985

DATE-O-BASE CALENDAR puts YOU in charge of your schedule!

- Graphically displays any monthly calendar between 1700 and 2099. You put in up to twelve 28 character memos per day...calendar shows where the memos are...call up of day shows details.
- Use for appointments or a log of past activity.
- Search capability allows you to list or print all memos between two specified dates or only ones meeting key-word criteria.
- Date computation shows elapsed time between two dates in days, weeks, months and years.
- Requires 32K in BASIC

1985 JAN						
SU	MO	TU	WE	TH	FR	SA
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31		

TAPE DATE-O-BASE CALENDAR - \$16.95 (max. 400 memos/tape file)

DISK DATE-O-BASE CALENDAR - \$19.95 (over 4000 memos/disk...max. 300 memos/month)

★★★★★★★★

DISK DOUBLE ENTRY

If you have spent hours trying to balance your Debits and Credits, **DISK DOUBLE ENTRY** is for you!

- Designed for small business, club and personal use.
- Enter transactions in a journal type format. Program will maintain current account balances, produce Trial Balance, Income, and Balance Sheet reports and complete Account Ledgers.
- Will handle up to 300 accounts including report headings and totals.
- Up to 1400 average transactions on a diskette.
- Summary reports and four levels of subtotals available.
- Requires 32K and an understanding of standard double entry accounting concepts.

\$44.95 in BASIC with Machine Language subroutines.

★★★★★★★★

STATEMENT WRITER

For use with (and requires) Disk Double Entry

- Produces statements suitable for billing from your Receivables accounts.
- Provides mailing labels to use with your statements and account summaries.
- Designed and documented to allow you to change formats to accommodate your own special needs.

\$34.95

★★★★★★★★

That's INTEREST-ing

Let your computer do some REAL computation!

- Helps you solve problems dealing with time, money, and INTEREST!
- AMORTIZATION TABLES any way YOU want them...even lets you change any terms mid-schedule!
- Calculates Present Value, Future Value, Capital Recovery for any combination of payments you specify.
- Rate of Return computation predicts how hard your money will be working for you!
- Computes Bond yields...current and to redemption.
- All answers available on screen or printer.

\$29.95 in BASIC

For VISA and Master Card orders:
Include type, account number, expiration date, signature and phone number.
Sorry! No COD's.



GRAPHIC SCREEN PRINT PROGRAM

Works in all PMODES and lets you shift screen image anywhere on the printed page.

- Relocatable code lets you use all of your 16K or 32K machine.
 - Available in Color Basic 1.0 and 1.1/1.2. Use EXEC 41175 to see which you have and SPECIFY WITH ORDER.
 - SPECIFY PRINTER TYPE...in Machine Language
- \$7.95** - TRS-80[®] LP-VII/VIII & DMP 100/200/400/420
\$9.95 - Epson GRAFTRAX[®], NEC[®] PC 8023 A-C, IDS 440/445, Paper Tiger[®] 460/560, Micro Prism[®] 480, Prism[®] 80/132 (with dot plotting), TRS-80[®] DMP-120, DMP-110, TDP-1, PROWRITER[®] Centronics 739, Microline[®] 82A/83A (with Okigraph 1) /84/92/93, Star Micronics, Inc. GEMINI 10/10x/15 and Gorilla Banana (Trademarks of Tandy Corp., Epson America, Inc., C-Itoh, NEC America, Okidata Corp., Integral Data Systems, Inc.)

★★★★★★★★

ALPHA-DRAW

Works great with GRAPHIC SCREEN PRINT PROGRAM!

- Subroutine designed to let you add any keyboard character to your graphic displays.
- You define X and Y coordinates and a string variable of one or more characters...ALPHA-DRAW does the rest!
- BONUS - includes instructions for a true line-numbered merge of tape files.

\$8.95 in BASIC

★★★★★★★★

$$\begin{array}{r} 1 \\ 43 \\ +69 \\ \hline 102 \\ 1+4+6=11 \end{array}$$

HELP YOUR CHILDREN HELP THEMSELVES

MATH TUTOR

- 5 Programs in 1...ranges from simple addition through long division with 4 levels of difficulty.
- Requires regrouping to be shown...provides for trial quotients in long division.
- Shows how to correct errors...step by step approach stresses accuracy.

\$13.95 in BASIC

★★★★★★★★

SPELLING TEACHER

- Teaches students their own word lists...tape or disk files hold up to 200 words each.
- Suitable for any level from kindergarten to college.
- Misspelled words are retaught to reinforce correct spelling.
- Words presented in 4 lively formats - study, scrambled word game, trial test, final test.

\$12.95 in BASIC

ALL PROGRAMS require Extended Color Basic and are delivered on cassette. All, except Tape Date-O-Base Calendar, are DISK System compatible.

U.S. and CANADA add \$1.00 per order for shipping. Overseas \$2.50 per order. All prices in U.S. dollars. Florida residents add 5% sales tax. Return within two weeks if not completely satisfied.



ALL LISTED PROGRAMS

Put Your Programs On 'Automatic'

By Jeffry Dwight

If you've been programming in machine language for a while, you probably have a stockpile of simple utility programs (like printer spoolers, the *Rainbow Check PLUS* program, or keyboard simplifiers) which you're constantly *LOADing*, *EXECing* and then forgetting about.

After awhile, one starts to look longingly at those packaged software programs which auto-*EXEC* themselves and wonder "Could I . . . ?" The answer is yes, you certainly can. There is a primitive means of copy "protection" which you (and some software companies) can use to make *any* ML program self-*EXEC* after loading.

It's done by means of the interrupt vectors. For those folks without an Editor-Assembler, sorry; you have to include it in the program during assembly. The following listing is called *AUTOBOOT* and relies on the fact that an ML program can have multiple origins. Simply substitute your own

program, of whatever length, for the lines between MAIN and ENDIT.

This program will function on any machine, 4K through 32K, cassette or disk. There are three crucial things to note, otherwise the program may crash.

First, your ML program cannot rely on interrupts during execution — that is, your program is being inserted between an interrupt and its handling vector, so further interrupts will not occur until your program has finished execution.

Second, lines 58-60 must be the *very last* lines in your program. These lines change BASIC's normal procedures a bit, and must occur after the rest of the program has been successfully loaded.

Third, the only crucial origin is in Line 58 — the others may be changed to whatever suits your purposes. If you want to place the *BOOT* routine at the top of available memory, 32K users should change nothing. 16K users should make Line 44 read *ORG \$3FDD* and 4K users must change it to *ORG \$0FDD*.

Now, how it works. On startup, BASIC runs through a routine which puts values in a series of vectors, one of them being the "regular interrupt vector" which occurs approximately 60 times a second. BASIC then checks for Extended BASIC, and if it's present,

transfers control. Extended BASIC changes those vectors, and passes control on to Disk BASIC, if it's there. All interrupts are masked (inoperative) during I/O — that's why Extended BASIC's timer stops — and reenabled immediately thereafter. If, during the loading process we change the vector, then the next interrupt will direct control to the new program.

Of course, the program must restore the old vector, and that's what lines 45 through 54 accomplish. These lines perform the same checks BASIC does to ascertain which vector is appropriate. This vector is then restored, but before we "clear" the interrupt and return control, we jump to the MAIN program.

The last thing the MAIN program does is reset BASIC's *EXEC* default (so you get an ?FC Error) and finish the interrupt process. And that's all there is to it. This technique will work with cassette or disk, and affords some degree of copy protection, though its main function is to save you a few keystrokes.

Tack the program's few lines onto the end of yours and assemble it as usual. Then, when you *CLOADM* (or *LOADM*) your program, it will boot itself. Note: If you are using Radio Shack's *EDTASM+*, you will produce a Bad Memory Error if you assemble

(Jeffry Dwight is the author of over 200 articles, programs, short stories and novels. His company, Jade Products in Chicago, specializes in the Color Computer and the IBM PC, producing general-use utilities and Adventure games.)

the program in memory. This is because *EDTASM+* will not assemble code "below" hexadecimal \$600. Don't worry, the program will transfer to tape or disk perfectly well, and if you want to debug it in memory, use *A/IM/AO/*

NO and *EDTASM+* will allow the procedure.

Obviously, this sort of program is not reentrant, and lines 40 and 41 ensure you do not *reEXEC* it accidentally. *EXECing* your program twice would

cause the processor to reenter the interrupt handling routines when it shouldn't, and your computer would definitely "hang up" or crash. Use this technique for programs you load only once; reload to *reEXEC*.

The listing:

```

00010 *****
00011 *
00012 * AUTOBOOT LOADER 1.0 *
00013 *
00014 * IF ADDED TO ANY M-L *
00015 * PROGRAM, IT WILL *
00016 * AUTOMATICALLY START *
00017 * THAT PROGRAM UPON *
00018 * LOADING. *
00019 *
00020 * NOTE: INTERRUPT- *
00021 * DRIVEN PROGRAMS CAN'T *
00022 * BE BOOTED THIS WAY. *
00023 *
00024 * JEFFRY DWIGHT *
00025 * JADE PRODUCTS *
00026 * 519 N. SCOTT STREET *
00027 * WHEATON, IL 60187 *
00028 *
00029 *****
00030
00031
5500 00032 ORG $5500
5500 00033 MAIN *
00034 * START YOUR CODE HERE, OR AT
00035 * WHATEVER ORIGIN YOU WANT.
00036 *
00037 * REMEMBER TO HAVE A SINGLE EXIT
00038 * POINT AT "ENDIT"
00039 *
5500 8E B44A 00040 ENDIT LDX #$B44A ?FC ERROR ADDRESS
5503 9F 9D 00041 STX $9D BASIC'S EXEC DEFAULT
5505 6E 9F 010D 00042 JMP [$10D] PATCH TO VECTOR
00043
7FDD 00044 ORG $7FDD START OF NEW VECTOR
7FDD 7F FF40 00045 BOOT CLR $FF40 SHUT OFF DRIVES
7FE0 CE D7BC 00046 LDU #$D7BC PREPARE DISK VECTOR
7FE3 BE C000 00047 LDX $C000 EXAMINE ROMS
7FE6 8C 444B 00048 CMPX #$444B DISK CONTROLLER?
7FE9 27 0E 00049 BEQ BOOT1 IF YES, ALL DONE
7FEB CE 894C 00050 LDU #$894C PREPARE FOR ECB
7FEE BE 8000 00051 LDX $8000 EXAMINE ROM
7FF1 8C 4558 00052 CMPX #$4558 EXTENDED BASIC?
7FF4 27 03 00053 BEQ BOOT1 IF YES, ALL DONE
7FF6 CE A9B3 00054 LDU #$A9B3 DEFAULT IS BASIC
7FF9 FF 010D 00055 BOOT1 STU $10D REPLACE ORIGINAL VECTOR
7FFC 6E 9F 009D 00056 JMP [$9D] JUMP TO MAIN PROGRAM
00057
010C 00058 ORG $10C CHANGE WHILE LOADING
010C 7E 7FDD 00059 JMP BOOT VECTOR TO BOOT PROGRAM
5500 00060 END MAIN SET BASIC EXEC DEFAULT
00000 TOTAL ERRORS

```


The JBM Group brings you OS-9* SOFTWARE SOLUTIONS!

NuBASE: The uncomplicated data base **\$150**

At last - a data base manager so versatile that you can use it to do what *you* want with your data. It's not complicated or overbearing; in fact, it's so easy to use that you'll be up and running in minutes.

Simple, user-specified masks insure data accuracy. Data integrity is assured through the use of highly crash-resistant software. See what you're doing through the interactive generation of screens, files and reports.

NuBASE is as affordable as it is complete. There's nothing else to buy; one price brings you the comprehensive package, including a ready-to-use mailing list application to get your NuBASE working for you on day one.

CAL **\$69**

Appointment calendar program to help keep your important dates straight.

- Simple command structure
- Lists appointments by day, week or month
- Revises dates, times, relevant information on existing schedule entries
- Default calendar file for each user
- Unlimited alternate calendar files
- System-wide master file for scheduling common appointments

HELP **\$69**

User-expandable generic help facility

- Includes data for online help with OS-9 utilities
- Fast, efficient disk storage
- Three-level nesting • Wild Card searching
- Automatic display of available help
- Steps the user until he finds the answer

GENUS **\$49**

A new stand-alone sort for OS-9 that keeps asking for more data!

- Easy-to-understand prompts ask you for all information necessary to sort your data files
- Allows sorting in ascending or descending order
- Allows unlimited number of sort keys of different types
- Saves both disk and memory space by summing numeric fields as it sorts

DISK BACKUP **\$99**

Controlled hard disk-to-floppy backup with restore capability

- Handles files larger than output media
- Single file, Wild Card search, current directory only, current-and-all-subdirectories
- Date and time for incremental backup
- Operator-friendly, handles error conditions smoothly
- Use to create optimized disks

THE MESSAGE **\$89**

The only interoffice memo system currently available for OS-9 Level II users.

- Eliminates lost and confused interoffice memos
- Interfaces easily with your existing word processor or editor; no new commands needed
- Allows hardcopy printout, verification of received messages, immediate reply to sender
- Transmit new messages OR existing files to single user, or 'broadcast' to all users
- Preview Line indicates number, size and topic of stored messages
- Saves time, money, energy; cuts down on 'office aggravation'

For more information or to place an order, contact:

Dept. RB 17

The JBM Group, Inc.

Continental Business Center
Front & Ford Streets
Bridgeport, PA 19405

the
JBM
group

TWX: 510-660-3999


215-275-1777



*OS-9 is a registered trademark of Microware Corporation

PA res. add 6% sales tax.

US orders, add \$5.00 postage and handling.



This article materialized out of a desire to simplify the writing of a program involving displays using the `PRINT@` function. It seemed there had to be an easier way to identify the location for printing than to count across the grid provided in the Radio Shack manuals. The answer was to use the math capability of the computer to do the calculation of the exact location. It's a lot easier to think of the screen in terms of 32 vertical lines (L) and 16 horizontal columns (C) than as 512 locations.

Therefore, this allows the use of the arithmetic capabilities of BASIC to write any location in the form $32 * L + C$. As an example the statement

```
100 PRINT @ 5 * 32 + 8, A$
```

will print the string A\$ at location 168. This may also be written as

```
100 L=5:C=8:PRINT@ L * 32 + C, A$
```

The advantages of this latter method

(John Boyle holds an electrical engineering degree from Dundee in Scotland, and is currently working in a quality assurance position. He and his wife, Sheila, have two daughters.)

(known as parameter passing) will become clearer as the more complex subroutines are developed later.

Experimenting with this revealed an apparent minor difficulty with the `PRINT @` statement. It works as described with text strings, but with numeric constants or the contents of variables it prints one location higher — that is, a statement

```
100 PRINT @ 0, 27
```

actually prints the value starting at Location 1 after putting a space at Location 0. The way around this is to write:

```
100 PRINT @ 0, RIGHT$(STR$(27),2)
```

The `STR$` function converts the number to a string and the `RIGHT$ (-,2)` eliminates the space which BASIC prints before the numeric value.

Going beyond the earlier simple example, we can look at using some other functions which can automatically center messages in the given line. The number of characters in message A\$ can easily be calculated by the statement:

```
200 M = LEN(A$)
```

Since we want half of these on each side of the center of the screen, we can find the starting location for the `PRINT` statement by subtracting $\frac{1}{2}M$ from the middle of the required line. Thus, the statement

```
300 PRINT @ 32 * L + 16 - M/2, A$
```


will center the message A\$ in any given line 'L'. It is, of course, possible for there to be an odd number of characters in the message, resulting in an apparently invalid print location with a .5 additional value. However, BASIC ignores this and accepts the correct intended number.

Because of the number of statements and the frequency of use of the feature, it is convenient to make it into a subroutine.

```
100 CLS
110 M = LEN(A$)
120 PRINT @ 32 * L + 16 - M/2, A$
130 RETURN
```

The routine has two entry points. Line 100 is used if it is desired to clear the screen prior to printing, and 110 is used if not. Two parameters must be set up prior to calling the routine. These

Help Us Battle the High Cost of Disk Drives



**NOW...
V-PRINT**
A utility to print
directory on paper
\$9.95



Sale - Sale - Sale

**Un-DISK Drives ~~\$49.95~~
\$34.95**

You Bet! There are empty spaces in your 32K and 64K CoCo. The Preble VDOS Un-DISK helps you fill them up with PROGRAMS!

- Un-DISK uses your computer's extra memory like a fast disk drive.
- Un-DISK can store BASIC and MACHINE LANGUAGE programs.
- Un-DISK is INVISIBLE. Yup! Un-DISK does not interfere with normal Color Computer Operation.
- Un-DISK appears only when you type the magic word VDOS.
- Un-DISK comes with comprehensive instructions which you may not need because:
- Un-DISK is self-prompting and easy to use!
- Un-DISK is provided on cassette.
- Un-DISK is faster than a slow clumsy DISK DRIVE and best of all...
- Un-DISK is CHEAPER than a DISK DRIVE!
- Un-DISK will work even if you already own a disk but WHY BUY A DISK AT ALL?
- Un-DISK should be in the library of every serious CoCo user even if you own a disk says Frank J. Esser, independent reviewer for RAINBOW Magazine!

OK sure, disk drives ARE NICE. I own one. But if your finances are limited, the Un-DISK can give you much of the power of the mechanical drive. Even if you already own a disk the Un-DISK can work like a super fast extra disk.

**EXTRA... EXTRA... EXTRA... EXTRA...
Additional Power For \$14.95**


Only with VDUMP for the Un-DISK!

- VDUMP lets you make a cassette backup copy of everything stored in the Un-DISK.
- VDUMP lets you save 5, 10, 15 or more programs on a single cassette tape file.
- VDUMP lets you switch Un-DISKs. With a single load operation replace a group of financial programs with a set of children's programs. (The new VDUMP tape overwrites the old.)
- VDUMP can allow you to save a whole lot of RAINBOW ON TAPE in a SINGLE file.
- VDUMP is the perfect companion to the Preble VDOS Un-DISK.

Available from Doctor Preble's Programs, naturally! Bringing you fine Color Computer Products Since 1983!

The Preble VDOS Un-DISK **\$34.95**
The Preble VDUMP \$14.95
Shipping & handling
U.S. and Canada \$1.50
or \$5.00 to other foreign points

VISA and MasterCard accepted



Order From:
Dr. Preble's Programs
6540 Outer Loop
Louisville, KY 40228
(502) 966-8281

Canadians may order from Kelly Software

are the messages which are equated to A\$ and the line number which is stored in 'L'. Listing 1 illustrates the process of using the subroutine.

Note the extension from the version in the text. The statement L=L+1 has been added at the end of the routine. There is now no need to set up the line number for messages to be printed on the line following the last one used; it is already taken care of by the last call to the subroutine.

The only constraint is that messages must be 32 characters or less. The line number can be from 0 to 15. Note that if a 32 character message is employed, BASIC will blank the next line automatically. Also, if Line 15 is used, a single line scroll is generated. One further point is that all locations to the right of the start value in a PRINT @ statement are blanked, and only those needed for the following message or number are filled in. This can cause an apparent (and annoying) loss of data in a line if it is not understood.

The way around these three conditions is to use POKE statements instead of PRINT where needed.

While this simple centering technique adds considerably to displays with little extra programming effort, significantly more impact and professional appearance can be added to such displays as title blocks by extending it slightly. Two such possibilities are 1) to have the message typed out as if by a printer, and 2) to shift the message in from the right of the screen, halting in the center. These can both be accompanied by appropriate sounds.

The printer method involves putting

up one character at a time with a short delay before the next one. The same subroutine technique is used. Looking at Listing 2, the length of the message is again calculated. It is used as before to determine the starting location for the PRINT @ statement in order to center the message. It is also used as the upper limit of 'X' in the FOR/NEXT loop to control the number of characters printed.

Since only one character at a time needs to be printed, a means of successively picking out the one ready to be displayed is needed. This is achieved by use of the MID function. The second parameter is 'X' and chooses the start of the characters to be displayed. The third parameter is one and is the number of characters printed each time.

In the PRINT location statement, 15 is used instead of 16 as the display column value, because 'X' is added in to move the print location to the right each time and it has a starting value of one. Delay and sound are straightforward.

The shift in message function is in Listing 3. In this case, successively longer portions of the message are displayed starting with the leftmost character at the extreme right of the screen. With 'X' as the second parameter in the LEFT function picking out one additional character each time, the message moves across the screen as the PRINT @ location pointer is decremented by 'X'.

The number of shifts made is 16 (to get to the screen center), plus one-half the number of characters in the message (in order to center it). This is controlled

by the upper limit of the 'X' FOR/NEXT loop. Sound and speed are again included.

Listings 4 and 5 are variations of Listing 2, and are included to show what can be achieved by small changes in the routines.

Listing 6 shifts messages all the way across the screen until they disappear from the right. Note the two sections of the subroutine. The first takes care of moving the message onto the display; the second makes it vanish from the left side.

Listing 7 is somewhat different from the others in that it scrolls the messages from bottom to top of the screen. It makes use of the fact that if a PRINT @ statement is executed in the bottom line of the display, a single line upward scroll is generated automatically by BASIC. The messages are centered right to left as before.

Line 160 calculates the number of single line scrolls needed to center the display from top to bottom. This is set up by including the N = number of messages statement in the last message line only. 'N' should be set to zero in the first of any series of messages to be simultaneously displayed.

Enter and run these programs as they are to understand their operation, then change the messages to suit your own needs and include them in other programs. When using them in other situations, remember to place the subroutines (suitably renumbered) at the end of the program. This avoids the possibility of running the main program into the subroutine and the consequent need to GOTO around them.

Listing 1:

```
10 A$=CHR$(34)+"SELF CENTERING M
ESSAGES"+CHR$(34):L=5:GOSUB100
20 A$="BY":GOSUB110
```

```
30 A$="JOHN D. BOYLE":GOSUB110
40 A$="DATE:OCTOBER-1983":GOSUB1
10
50 END
```

FREELANCERS

software & news writers TOP RATES FOR YOUR WORK columnists

Send for your WRITER'S package

No SASE please

Dragonfly Writings

Box 1340, Fort Qu'Appelle, Sask. — CANADA S0G1S0

RAINBOW CERTIFICATION SEAL

CANADIAN PAYROLL

OPTION 4

EXCEPTIONAL... EXCELLENT... SOFTWARE... EASY TO USE EVEN FOR NEWCOMERS TO COMPUTERS... A DEFINITE ASSET TO ANY COMPANY!!

IS FOR YOU..... NO CHANCE OF UNKNOWNLY LOSING DATA..... IS A SPECIALIZED PRODUCT..... MANUAL WELL ORGANIZED EASY TO FOLLOW!!

FEATURES

- *ALL PROVINCES & TERRITORIES*AUTO. S.I.N. VALIDATION
- *FORMATTED SCREENS*FULL FORMAT TRAPPING*ANY PRINTER
- *ANY PAY PERIOD*BATCHED CHEQUES *DETAILED PAY STUBS
- *TOTAL COST/DUTY ALLOCATIONS*YEARLY USER UP-DATEABLE
- *ALL MEDIA TRANSFER*BACK-UP*PAPABLE*PASSWORD PROTECTED

REQUIRES*32K ECB COLOUR COMPUTER/TDP100/SINGLE DISK CONDENSED PRINTER MODE..... ONLY \$149.95 CDN (ONTARIO RESIDENTS ADD 7% P.S.T.)

CALCULATES

- *1X OR MULTIPLE PAY RATE*O.C.P.*HEALTH*U.I.*MILEAGE
- *GROSSES PAY ANY PERIOD*ACCUMULATED HOURS *EXPENSES

YGS

IS ALL BUSINESS
VISA 1-705-484-5691
6PM-9PM EST ONLY PLEASE

PO BOX 208
BRECHIN, ONTARIO
L0K 1B0


```

100 CLS
110 M=LEN(A$)
120 PRINT@32*L+16-M/2,A$
130 L=L+1
140 FORS=1TO200:NEXTS
150 RETURN
200 '
300 ' PROGRAM LISTING 1

```

Listing 2:

```

10 A$=CHR$(34)+"TITLE PRINTING R
OUTINE"+CHR$(34):L=5:GOSUB100
20 A$="BY":GOSUB110
30 A$="JOHN D. BOYLE":GOSUB110
40 A$="DATE:OCTOBER-1983":GOSUB1
10
50 END
100 CLS
110 M=LEN(A$)
120 FOR X=1TO M
130 PRINT@32*L+15-M/2+X,MID$(A$,
X,1)
140 SOUND100,1
150 NEXT X
160 L=L+1
170 SOUND 200,1
180 FOR S=1TO80:NEXTS
190 RETURN

```

```

200 '
300 ' PROGRAM LISTING 2

```

Listing 3:

```

10 A$=CHR$(34)+"SHIFT IN TITLE R
OUTINE"+CHR$(34):L=6:GOSUB100
20 A$="BY":GOSUB110
30 A$="JOHN D. BOYLE":GOSUB110
40 A$="DATE:OCTOBER-1983":GOSUB1
10
50 END
100 CLS
110 M=LEN(A$)/2
120 FOR X=1TO16+M
130 PRINT@32*(L+1)-X,LEFT$(A$,X)
140 FORS=1TO20:NEXTS
150 SOUND100,1
160 NEXTX
170 L=L+1
180 FOR S=1TO90:NEXTS
190 RETURN
200 '
300 ' PROGRAM LISTING 3

```

Listing 4:

```

10 A$=CHR$(34)+"REVERSE PRINTING
ROUTINE"+CHR$(34):L=5:GOSUB100

```



Parents! Want to stimulate your child's learning?

TCE'S EARLY LEARNING SERIES

ABC'S In Color

Speed your child's learning of the Alphabet!
CoCo 16K ECB Tape \$19.95 Disk \$25.95

Mr. Bear Count

A counting program that will tantalize the youngest member of your family!
CoCo 16K Tape \$15.95 Disk \$19.95

Alpha Memory

Your child can master the lower and upper case letters of the alphabet while having fun!
CoCo 16K Tape \$16.95 Disk \$20.95

Mr. Bear Math

Add & subtract with Mr. Bear. Your child will gain Mr. Bear's wink of praise & approval!
CoCo 16K Tape \$15.95 Disk \$19.95

**Over 75
Titles!**

Basic Math

Learn to add & subtract through counting!
CoCo 16K ECB Tape \$12.95 Disk \$16.95

Mr. Bear Flash Card

After your child has mastered Mr. Bear Math, continue his/her learning, experience with Mr. Bear's multiplication & division flash card.
CoCo 16K Tape \$15.95 Disk \$19.95

See & Spell

Let your computer aid your child in learning to spell!
CoCo 16K ECB Tape \$14.95 Disk \$18.95

Mix & Match

A brilliantly colored constantly moving computer version of concentration!
CoCo 16K Tape \$12.95 Disk \$16.95

Mr. Piggy

Program will aid your child in learning the value of money!
CoCo 32K ECB Tape \$19.95 Disk \$24.95

Teaching Clock

Learn to tell time with the aid of a special teaching clock!
CoCo 16K ECB Tape \$16.95 Disk \$19.95



Programs Have Been Child, Parent, & Educator Tested!

**Send for
FREE Catalog**

TCE EDUCATION DIVISION
P.O. BOX 2477
GAITHERSBURG, MD 20879
(301) 963-3848




```

20 A$="BY":GOSUB110
30 A$="JOHN D. BOYLE":GOSUB110
40 A$="DATE:OCTOBER-1983":GOSUB1
10
50 END
100 CLS
110 M=LEN(A$)
120 FOR X=1TOM
130 PRINT@32*L+15+M/2-X,MID$(A$,
M+1-X,X)
140 SOUND100,1
150 NEXT X
160 SOUND 200,1
170 L=L+1
180 FORS=1TO90:NEXTS
190 RETURN
200 '
300 'PROGRAM LISTING 4

```

Listing 5:

```

10 A$=CHR$(34)+"PRINT MESSAGES B
ACKWARD"+CHR$(34):L=5:GOSUB100
20 A$="BY":GOSUB110
30 A$="JOHN D. BOYLE":GOSUB110
40 A$="DATE:OCTOBER-1983":GOSUB1
10
50 END
100 CLS
110 M=LEN(A$)
120 FOR X=1TOM
130 PRINT@32*L+15-M/2+X,MID$(A$,
M+1-X,1)
140 SOUND100,1
150 NEXT X
160 SOUND 200,1
170 L=L+1
180 FORS=1TO90:NEXTS
190 RETURN
200 '
300 'PROGRAM LISTING 5

```

Listing 6:

```

10 A$="READ RAINBOW MAGAZINE EAC
H MONTH":L=6:GOSUB 100
20 A$="THE BEST IN COCO INFORMAT
ION":GOSUB110
30 A$="DON'T BE WITHOUT IT":GOSU
B100
50 END
100 CLS
110 M=LEN(A$)
120 FOR X=1TO32
130 PRINT@32*(L+1)-X,LEFT$(A$,X)
140 FORS=1TO60:NEXTS
160 NEXTX
170 FORX=1TOM
180 PRINT@32*L,RIGHT$(A$,M-X)
190 FORS=1TO60:NEXTS

```

```

200 NEXTX
210 RETURN
220 '
300 'PROGRAM LISTING 6

```

Listing 7:

```

10 A$="SCROLLING CENTERING MESSA
GES":N=0:GOSUB100
20 A$="BY":GOSUB110
30 A$="JOHN D. BOYLE":GOSUB110
40 A$="DATE:OCTOBER 1983":N=4:GO
SUB110
50 GOTO50
100 CLS
110 M=LEN(A$)
120 PRINT@480+16-M/2,A$
130 IF N>0THEN160
140 FOR S=1TO150:NEXTS
150 RETURN
160 N=INT((15-N)/2)
170 FOR S=1TO150:NEXTS
180 IFN<1THENRETURN
190 N=N-1
200 PRINT@480," "
210 GOTO170
220 '
300 'PROGRAM LISTING 7

```

DYNAGRAPH

Copyright 1984 by Derringer Software, Inc.

A utility program for owners of DYNACALC®

DYNAGRAPH will transfer graphic files from DYNACALC to standard graphic files for further enhancing and labeling by graphic editing programs such as MASTER DESIGN.

DYNACALC stores its graphic displays in a way that is not accessible by the standard LOADM command. DYNAGRAPH will convert these to files that can be LOADMed by most any graphics editing program such as MASTER DESIGN. DYNAGRAPH will also convert a standard hi-res display into the format that is needed by DYNACALC. DYNAGRAPH can reduce a graph vertically and horizontally so that multiple displays can be combined into one.

DYNAGRAPH	\$19.95
MASTER DESIGN	\$29.95
DYNAGRAPH + MASTER DESIGN	\$44.95
DYNACALC	\$99.95 (DYNAGRAPH INCLUDED!)
ALL 3 Programs	\$119.95

Include 3.00 for UPS Shipping — 5.00 U.S. Mail — 9.00 Air Mail

Send orders to: Derringer Software, Inc., P. O. Box 5300
 Florence, S.C. 29502-2300
 Visa/Master Card: (803) 665-5676 10:00 am to 5:00 pm EDT

DYNACALC is a registered trademark of
 Computer Systems Center
 MASTER DESIGN (C) 1984 by Derringer Software, Inc.

PIPELINE

EXPANDING ACCESS. Telebase Systems, Inc., of Narverth, Penn., has announced the introduction of a new retrieval service called "EasyNet" for personal computer and terminal owners. The service opens online searching to a whole new population of information users. EasyNet is sponsored by the National Federation of Abstracting and Information Services, the national professional association of database producers.

A single phone call placed to the toll-free number, 1-800-EASYNET (1-800-327-9637), connects anyone who uses a personal computer or terminal and modem to hundreds of databases offered by more than a half dozen major vendors, such as Dialog, BRS and NewsNet. Upon dialing, the caller is asked whether the search is to be billed against his/her Visa or MasterCard, or EasyNet account, and then led through a brief series of menu screens which determine the topic of interest. Prompted by the screen, a single keystroke directs EasyNet to select the most appropriate database for searching from the hundreds available through multiple vendors. The user need not know anything about databases; it is all automatic.

The basic fee for an EasyNet search, which generally takes 10 minutes, is \$12. There are nominal additional charges for retrieving abstracts and ordering articles. For more information on sample applications and an EasyNet account number for a free search, call Gerald Francis at (215) 664-6972.

* * *

COMPUTER TELECONFERENCE.

A national video teleconference on "Educational Microcomputer Software: Identification, Evaluation, and Integration," will be broadcast via satellite from Oklahoma State University on April 13, 1985. The teleconference, to be coordinated by the OSU College of Education, will examine resources which are available to assist educators in identifying software for their subjects

and grade levels, and in finding objective evaluations of the quality of that software. In addition, the teleconference will focus on ways in which educational microcomputer software can be integrated into the curriculum.

The teleconference will be broadcast from 12:30-4:30 p.m. EST, and will combine presentations by a panel of experts drawn from across the United States, demonstrations, videotapes of model classroom situations which illustrate the effective use and integration of microcomputer software, and two extended question-and-answer periods, during which questions from reception sites throughout the United States can be phoned into the studio and asked live on the air.

The teleconference will be available primarily through the institutions of higher education which are members of the National University Teleconference Network (NUTN). However, by special arrangement the teleconference can also be received by non-NUTN educational organizations, school districts, state departments of education, etc.

For a list of institutions scheduled to receive the teleconference or for additional details on the program as it is finalized, contact: Connie Lawry, Teleconference Coordinator, College of Education, Oklahoma State University, 108 Gundersen, Stillwater, OK 74078, (405) 624-6254.

* * *

KEEP THE CURRENT FLOWING.

Electronic Specialists Inc., has developed Power Fail Interrupt computer equipment protection. This unit interrupts protected computer equipment AC power for even a momentary power line disruption. Power is restored via a front panel manual reset switch.

The Power Fail Interrupt option is available from stock and can be ordered as an adjunct to Surge Suppressors, Isolators or Kleen-Line Conditioners. Option price is \$85 installed. Contact Electronic Specialists, Inc., 171 S. Main St., P.O. Box 389, Natick, MA 01760, (800) 225-4876.

* * *

COMPUTER GREETINGS. Compugreet has introduced an expanded line of greeting cards with continuous tab feed and clean edge perforation. The cards are designed so that a personal message can be printed inside using your word processor.

There are eight designs available for Christmas, birthday and all-occasion cards suitable for weddings, thank you notes, birth announcements and general invitations. The price for a package of 20 cards and envelopes is \$9.95. A box of 100 cards and envelopes retails for \$45, and a box of 300 cards and envelopes retails for \$130. For more information contact Compugreet, P.O. Box 3557, Reston, VA 22090, (703) 476-0044.

* * *


CLOSING THE GAP (CTG), internationally recognized resource authority on microcomputer applications for special needs populations, announced the publication of *Computer Technology for the Handicapped*, which is microcomputer applications written for special education and rehabilitation professionals, as well as handicapped individuals, their families and associates. The 260-page book focuses on how computer technology can help the handicapped or disabled person today. Topics include microcomputer applications in all disability areas: the hearing and speech impaired, the blind and vision impaired, and the physically and mentally handicapped.

Computer Technology for the Handicapped has been edited into an easy-to-understand format that allows everyone access to information which can enable handicapped and disabled persons to meet their everyday needs of education, communication, vocation, recreation and independent living.

The book retails for \$17.95. For more information contact: Budd Hagen, Closing the Gap, P.O. Box 68, Henderson, MN 56044, phone (612) 248-3294.

Talking
version
included!

SPECTRUM ADVENTURE GENERATOR



\$100 REWARD for all SAG
winning entries in the Third
Annual Rainbow Adventure Contest!

The Spectrum Adventure Generator (SAG) allows you to create silent and talking adventure games that are 100% machine language and very fast in execution. Up to 99 rooms, 255 objects, 70 command words and 255 conditional flags can be used. Get a head start in this month's Rainbow Adventure Contest NOW! 32K/64K DISK \$39.95

Note - Talking version requires Spectrum Projects' Voice Pak, a Disk "Y" Cable or Multipak and 64K.

☞ Quotes from Jorge Mir (#1 CoCo Adventure Expert) from Dec'84 Rainbow Review -

"Overall, I think this is a great system for those interested in writing adventures. It sure eliminates a lot of time involved in developing them and allows the non-programmer to develop some very interesting Adventures since no programming knowledge is required. Try SAG, you'll like it!"

THE RAINBOW BOOKSHELF

The Complete Rainbow Guide To OS-9

by #1 CoCo OS-9 Expert - Dale Puckett

Order NOW, as we expect huge backorders to possibly develop !!!

Only \$19.95

The Rainbow Book of Simulations

Be an air traffic controller, Presidential candidate... 20 Super Simulations

Book \$9.95 Tape \$9.95

Please NOTE - Book & Tape are sold separately. There is NO documentation with Tape.

ALL ORDERS PLUS \$3.00 S/H - NY RESIDENTS ADD SALES TAX

SPECTRUM PROJECTS

WEST DIVISION

PO BOX 9866

SAN JOSE, CA 95157-0866

EAST DIVISION

PO BOX 21272

WOODHAVEN, NY 11421

ORDER HOT LINES - 408-243-4558 & 718-441-2807

SPECTRUM PROJECTS

SOFT AND HARD WARES FOR COLORFUL COMPUTING

SPREADSHEET

Competition **DYNACALC**

Screen 32X16 51X24
Precision 9 digits 16 digits
Hi-Res Graphics NO YES
Visicalc cmd format NO YES
DYNACALC now runs on CoCo DOS!
New low price! 64K Disk \$79.95
(see Sept '84 Rainbow Review)

SAVE \$40 !



BUY 'EM
BOTH FOR
\$119.95

DATA BASE MANAGER

PRO-COLOR FILE "Enhanced" - 60
Data Fields, 8 Report Formats,
1020 byte/record, Sort 3 Fields
4 Screen Formats, Duplicate
Records and Fields, Global
Search, Create Files Compatible
w/DYNACALC! - Disk \$59.95
(see June '84 Rainbow Review)

DISK DRIVES

DRIVE Ø System* - SS/DD, 6ms,
40 Tracks, Half Height \$249.95
Disk Drive 1, 2 or 3 - \$169.95
Single Drive PS & Case - \$59.95
Bare Disk Drive - \$129.95
Disk Controller w/o ROM \$99.95
Controller w/1.1 ROM - \$139.95
* PLUS: controller-manual-cable



GAME CONTROLLERS

Graphicom Joystick - Has 2 Fire
buttons (menu/pen), smooth and
easy joystick control - \$24.95
Mach II Joystick - 360 Degree
control with center return or
analog positioning. "A first-
class performer... best feel of
any CoCo joystick..." - \$39.95

UTILITIES (DISK)

1. CoCo Calligrapher ...\$29.95
2. FHL O-PAK\$34.95
3. Bjork Blocks\$34.95
4. Musica 2\$39.95
5. Super Screen Machine.\$49.95
6. FULL Basic Compiler!.\$69.95
7. DEFT Pascal\$79.95
8. MicroWorks MACRO-80C.\$99.95



NEW PRODUCTS

Precision Time Module ...\$59.95
Master Key - "CRACKER" ..\$99.95
CoCo Video Digitizer ...\$199.95
GEMINI 15X w/PBH Int ...\$429.95

128K CORNER

64K to 128K Upgrade - Specify
Original or 26-3026/27 ..\$99.95
DRV3- Create 64K RAM Disk\$19.95

WEST

PO BOX 9866
SAN JOSE, CA 95157-0866

SPECTRUM PROJECTS

PO BOX 21272

WOODHAVEN, NY 11421

EAST

ALL ORDERS PLUS \$3.00 SHIPPING - NY RESIDENTS ADD SALES TAX

SPECTRUM PROJECTS

SOFT AND HARD WARES FOR

COLORFUL COMPUTING

COMMUNICATION

COLORCOM/E - A complete smart terminal package! Upload, Download, Hi-Res (51X24) screen, 300/1200 Baud, Offline Printing and much more. Rompak or Disk - \$49.95
(see Feb '84 Rainbow Review)





WORD PROCESSING

TELEWRITER-64 - Top CoCo Word Processor for 2 years! Three Hi-Res screens, true lowercase characters, right justification, full screen editor. Tape \$49.95 Disk \$59.95
(see June '83 Rainbow Review)

MODEMS

MINI-MODEM - 300 Baud, Originate/Answer, Full Duplex, Direct Connect - \$79.95
J-CAT Modem - Lowest priced auto/answer modem - \$129.95
HAYES Auto Dial/Answer - \$239.95
ANCHOR - 300/1200 Baud \$299.95
Prices include Modem cable.



PRINTERS

GEMINI 10X - 120 cps, 9x9 dot, tractor/friction feed \$259.95
GEMINI Daisywheel - Ltr quality 18 cps, bi-dir, PS! - \$349.95 (Parallel interfaces required.)
PBH Parallel Interface - Save \$40 if ordered with above printers! - \$49.95 (Reg.\$89.95)

KEYBOARDS

SUPER-PRO (Mark Data) \$59.95*
HJL57 PROFESSIONAL - \$79.95**
KEYTRONICS Keyboard - \$89.95**
Specify Model/Revision Board.
* Add \$5 for "F" board adapter
** Free function key software
CoCo II HJL version available!!
15 key Numeric Keypad - \$69.95



MONITORS

MONOCHROME Monitors - 80x24 screens plus Hi-Res w/AUDIO!
Green - \$99.95 Amber - \$119.95
BMC Color Monitor - \$269.95
VIDEO PLUS - Video Interface for above monitors - \$24.95
CoCo II (Monochrome) - \$29.95
CoCo II (Color) Version - \$39.95

SAVE \$10

OFF COLORCOM/E WITH ANY MODEM
OFF TELEWRITER-64 WITH ANY PRINTER,
KEYBOARD OR MONITOR

SAVE \$10

Multiply, Divide, Subtract, Add — Now you've got . . .

CoCopadd!

By Joel Robbins

I'm not trying to turn back the high-tech clock with *CoCopadd*, just trying to make your computer extra useful. Since my "play area" is in the basement and the "real world" is upstairs, I am not always in the vicinity of the calculator when I need it. To use a computer as a simple calculator may

(Joel Robbins has been enjoying the Color Computer for about three years, and has published a number of his programs. He has a wife and two children, and teaches high school literature.)

seem a waste, but *CoCopadd* appended to a program in progress can save a lot of time typing in *PRINT* statements followed by a string of numbers. After all of the sections requiring mathematical calculations have been made and *CoCopadd* has served its purpose, it can be deleted from the program.


To use this utility, you need to make tabs for some of the keys (trimmed down mailing labels would do). 'U,' 'I,' 'O,' 'P,' 'J,' 'K,' and 'L' equal 4, 5, 6, x(times) 1, 2, 3, respectively. The minus, plus, slash and CLEAR keys stand for themselves. The space bar is used as the ENTER key, but the ENTER key can

also be used.


The printer can be used, but it is very slow and awkward.

After you *CLOAD* and *RUN* the program, simply key in the first number and hit the space bar, then hit one of the math function keys (no space bar needed here), and enter the second number and hit the space bar. The total will appear. Hit another math function key and the total becomes the top number, and you are ready to enter the second number.

The CLEAR key gets the user out of that set of calculations and readies the computer for a new one.



SPECTRUM VOICE PAK



CoCo I – \$69.95

CoCo II – \$79.95

Talking Software :

Term Talk – Tape \$39.95

Talking CoCo Bingo \$24.95

Educational Software \$24.95

Talking Final Countdown \$24.95



\$
\$ LOWEST PRICES \$



Gemini-10X

\$259.95

If ordered with above,
 PBH Interface \$49.95

64K Chips

\$29.95

Set of 8 w/Instructions

Disk Drive Ø

\$249.95

Complete System

Spectrum DOS

\$25

Half-Price !

\$

We reserve the right to limit quantities at these super prices.
 ABSOLUTELY no other discounts can be applied. Expires 3/15/85

All orders plus \$3.00 S/H – NY Residents add sales tax

SPECTRUM PROJECTS

WEST DIVISION :

PO BOX 9866

SAN JOSE, CA 95157-0866

EAST DIVISION :

PO BOX 21272

WOODHAVEN, NY 11421

ORDER HOT LINES : 408-243-4558 & 718-441-2807



COLORFUL UTILITIES



FAST DUPE II

The fastest Disk copier ever! Will format and backup a diskette in only one pass and can make up to 4 Disk copies at once in 2 minutes! The must utility for every Disk owner. 32K/64K DISK **\$19.95** (see May '84 Rainbow Review)

NEW!

COCO VIDEO TITLER

Start your VCR tapes with dazzling title frames followed by professional countdown to black fade-outs! 16K TAPE **\$19.95**

NEW!

AUT-O-START

Autostart your Basic/ML programs with impressive title screens using a mixture of text and graphics! 16K TAPE **\$19.95**

64K DISK UTILITY PACKAGE

Take advantage of an expanded 64K machine. Make an additional 8K of RAM available. Copy ROM cartridges to disk and create a 32K SPOOL buffer for printing. DISK **\$21.95** (see July '83 Rainbow Review)

TAPE/DISK UTILITY

A powerful package that transfers tape to disk and disk to tape automatically. Does an automatic copy of an entire disk of programs to tape. Ideal for Rainbow On Tape to disk. TAPE/DISK **\$24.95** (see Sept '83 Rainbow Review)

FAST TAPE

Save and load cassette files at twice the speed! Now you can run tape and printer I/O operations in the high speed mode without a locked up system or I/O ERRORS! "If you are tired of waiting for those long tapes to load, I strongly recommend that you buy this fine utility." TAPE **\$21.95** July '83 Rainbow

GRAPHICOM

The ultimate CoCo graphics development tool with sophisticated editing, preview animation, telecommunications and printer support. Hi-Res graphics for only **\$24.95**. W/Spectrum's Menu Foot Switch **\$34.95**. 64K DISK (see April '84 Rainbow Review)

EZ BASE

A truly user friendly data base program at an affordable price. Maintain inventories, hobby collections, recipes, greeting card lists and much, much more! Hi-Res screen, up to 500 records with 15 fields, record or field search, and a Mailing Labels option. 32K DISK **\$24.95** (see July '84 Rainbow Review)

BLACKJACK ROYALE

A Hi-Res graphics casino blackjack simulation and card counting tutor. Fully realistic play includes: double down, splits, surrender, insurance bets, 1-8 decks, burnt cards, shuffle frequency and more! "This fine program is a must for the CoCo Blackjack player." (Aug '83 Rainbow Review) 32K TAPE/DISK **\$24.95**

SHIPPING \$3.00 - NY RESIDENTS ADD SALES TAX

SPECTRUM PROJECTS

WEST DIVISION

PO BOX 9866

SAN JOSE, CA 95157-0866

408-243-4558

EAST DIVISION

PO BOX 21272

WOODHAVEN, NY 11421

718-441-2807

DEALER/CLUB INQUIRIES INVITED
SOFTWARE SUBMISSIONS WELCOMED



COLORFUL UTILITIES



COCO CHECKER

Something possibly wrong with your CoCo??? CoCo CHECKER is the answer!! Will test your ROMs, RAMs, Disk Drives & Controller, Printer, Keyboard, Cassette, Joysticks, Sound, PIAs, VDG, Internal Clock Speed, and more!! 16K TAPE/DISK **\$19.95**

MULTI-PAK CRAK

Save ROMPAKs to your 64K Disk system using the RS Multi-Pak Interface. Eliminate constant plugging in of ROMPAKs now by keeping all your PAK software on disk. Includes POKEs for "PROBLEM" ROMPAKs. DISK **\$24.95**

TAPE OMNI CLONE

Easily handles programs with auto loaders, no headers, no EOF markers, unusual size blocks and more! Now is the time to get your tape software collection protected ... against loss!!! TAPE **\$24.95**

DISK OMNI CLONE

Back everything up! This amazing program handles "non standard" disks with ease. We haven't found any disk yet that it can't handle. Don't ever be caught without a backup again! Lowest price too! 32K DISK **\$29.95**

COCO SCREEN DUMP

The best screen dump program for the Epson & Gemini printers ever! Have the option of standard or reverse images w/regular or double sized pictures. 600-9600 Baud too! A must for Graphicom and Bjork Block users. 16K TAPE/DISK **\$19.95**

DISK UTILITY 2.1

A multi-featured tool for USER FRIENDLY disk handling. Utilize a directory window to selectively sort, move, rename and kill file entries. Lightning fast Disk I/O for format, copy and backup. Examine contents of files, the Granule Table, plus the size, load addresses and entry points of all programs. Single command execution of both Basic and ML programs. 32K/64K Disk **\$24.95** (see Oct '84 Rainbow Review)

MASTER DESIGN

A text designer/editor to generate graphics mode lettering with multiple font sizes, textures, shadowing and thicknesses, plus special patterns for creative backgrounds. Comes with a screen print routine and Letter Head Utility that interfaces with Telewriter-64 and BASIC. DISK **\$29.95** (see July '84 Rainbow Review)

BASIC COMPILER

Convert BASIC pgms into machine language. Produce faster and more compact code than BASIC. Integer compiler w/16K-64K versions included. TAPE **\$39.95**

SCHEMATIC DRAFTING PROCESSOR

Save time and design pro looking diagrams using a 480X540 pixel worksheet w/6 viewing windows. Over 30 electronic symbols w/10 definable symbols. Print hard copy and save to disk. 64K DISK **\$49.95** (see Jan '84 Rainbow Review)

COLORAMA

A first-class Bulletin Board package... especially geared towards CoCo users... has an ordering section for those who want to run a mail-order business... supports Color Graphics... one nice piece of work. 64K DISK **\$99.95** July '84 Rainbow



COCO CHECKBOOK

Use your CoCo to keep track of your checking and savings accounts! Printout individual personal checks! 32K/64K TAPE **\$29.95**

SPECTRUM DISTRIBUTORS



CANADA

800-361-5155

MID-WEST

312-736-4405

SOUTH

502-499-9393



22238
47182
END163

The listing:

```
1 'COCOPAD
2 'JOEL ROBBINS
3 'R#5, BOX 450
4 'SYRACUSE, IN 46567
5 CLS 'POKE 65495,0'T0 SPEED
  UP DELETE FIRST
  APOSTROPHE
6 INPUT"DO YOU WANT A PRINT OUT(
Y/N)";PP$:IFPP$="Y"THENPP=1
7 SC$="12+34X67(34)999-345/12/15
(56-34)/45X23+17+16+77+34/"
8 PRINT SC$;SC$;SC$;SC$;SC$;SC$;
SC$;SC$;SC$;SC$;
9 POKE 1024+TW,175
10 TW=TW+1
11 IF TW>511THEN 14
12 GOTO 9
13 PRINT@145," ";:PRINT@JJ,"
";:PRINT@112,"
";:PRINT@199,"
";:CLEAR
14 JJ=112
15 PRINT@42," CALCULATOR ";
16 GOTO 18
17 IFN=1 THEN 40
18 A$=INKEY$
19 IF A$=""THEN18
20 IFPEEK(339)=191 THEN13
21 IF PEEK(345)=247 OR PEEK(338)
=191 THEN 34
22 IFA$="0"THEN32
```

```
23 IFA=7 ORA=8 OR A=9 THEN32
24 IFPEEK(339)=191THEN13
25 IF A$="U"THEN A$ = "4"
26 IF A$="I"THEN A$ = "5"
27 IF A$="O" THEN A$ = "6"
28 IF A$="L" THEN A$ = "3"
29 IF A$="K" THEN A$ = "2"
30 IF A$="J"THEN A$ = "1"
31 IFA$="1"ORA$="2"ORA$="3"ORA$=
"4"ORA$="5"ORA$="6"ORA$="7"ORA$=
"8"ORA$="9"ORA$="0"ORA$="," THEN3
2ELSE18
32 AA$=AA$+A$:PRINT@JJ,"
";:PRINT@JJ,AA$;
33 GOTO 18
34 IF N = 1 THEN 35ELSE36
35 C=VAL(AA$)
36 IF N=1 THEN 55
37 A=VAL(AA$)
38 IFPP=1 THEN PRINT#-2,,AA$
39 PRINT@145," ";
40 B$=INKEY$
41 IFB$=""THEN40
42 IFN=0 THEN45
43 PRINT@112," ":PRINT@112,"
";:PRINT@199,"
":PRINT@112,SUM;
44 IFPEEK(339)=191THEN13
45 IFB$="P"THENB$="X"
46 IFB$=";"THENB$="+"
47 PRINT@145,B$;
48 PRINT@176," ";
49 IF PP=1 THEN PRINT#-2,,B$
50 IFB$="+"ORB$="X"ORB$="/"ORB$=
"- "THEN52ELSE39
51 M$=INKEY$:IFM$=CHR$(32)THEN52
ELSE51
52 N=1
53 AA$=" ":JJ=176
54 GOTO 18
55 IF PP=1THENPRINT#-2,,AA$
56 IFB$="+" GOSUB 64
57 IFB$="X" GOSUB 66
58 IFB$="/"GOSUB68
59 IFB$="- "GOSUB70
60 PRINT@199,"TOTAL = " SUM;
61 IF PP= 1 THENPRINT#-2,"
TOTAL",SUM
62 A=0:C=0:B$=""
63 GOTO17
64 SUM=SUM+A+C
65 RETURN
66 SUM=(SUM+A)*C
67 RETURN
68 SUM=(SUM+A)/C
69 RETURN
70 SUM=SUM+A-C
71 RETURN
```

See You At

RAINBOWfest
IRVINE

Feb. 15-17

A SPECTRUM PROJECTS SHOPPING LIST

A CHIP OFF THE OLD...

6821 Standard PIA\$9.95
6822 Industrial Grade PIA\$14.95
MC1372 CoCo Video Driver Chip\$14.95
6847 Video Display Generator Chip.\$17.95
68764 (Fits Disk Basic Skt) Eprom.\$24.95
27128 16K DOS Eprom (Or 2 DOS's!).\$24.95
6883 SAM Chip w/heat sink\$29.95
6809E CPU Chip\$29.95
Ext Basic 1.1 ROM - NEW LOW PRICE.\$29.95
Basic ROM 1.2 Chip (30% FASTER) ..\$39.95
Disk ROM 1.1 (New DOS Command) ..\$39.95
CoCo First Aid Kit - includes 2 PIAs,
6809E & 6883 (Be Prepared!!!)\$69.95
Lower Kit III - Specify CoCo I/II.\$69.95
Intronics Eprom Programmer\$139.95
64K CoCo II - SALE!!!\$169.95

COCO LIBRARY...

CoCo I Technical Manual\$7.95
CoCo Memory Map\$12.00
Rainbow Book & Tape of Adventures.\$14.95
Basic Programming Tricks Revealed.\$14.95
The FACTS - Inside "guts" of CoCo.\$14.95
500 Pokes, Peeks 'N Execs\$16.95
Basic 09 Tour Guide\$18.95
Disk Basic (1.0/1.1) Unraveled ...\$19.95
Color Basic 1.2 Unraveled\$19.95
New! CoCo II Service Manual\$19.95

MORE GOOD STUFF...

27128/68764 Adapter - Allows you to
plug-in 28pin EPROMs into 24pin sockets!
Fits all controllers for 16K DOSs \$19.95
CoCo Freeze Frame - Stop your CoCo dead
in its tracks! Put games on "HOLD" \$19.95
Mini-Mouth - Mute monitor sound ..\$24.95
CoCo Light Pen with 6 programs ...\$24.95
CoCo Voice Chip - Votrax SC01A ...\$27.95
PBH Parallel Interface - Beats Botek!
300-9600 baud w/ptr-modem switch ..\$69.95
PBJ WORD-PAK II - Hi-Res 80x24 display
with smooth scrolling!\$139.95

COCO CABLES AND...

Four Pin Male to Four Pin Female
Extension- 15 feet. Move your printer or
modem to another location.....\$14.95
Tired of plugging and unplugging devices
from the RS232 port? Make your life
easier. Try our RS232 "Y" cable ..\$19.95
Joystick/Touch Pad 10' Extender - For
more convenience & flexibility ...\$19.95
Disk Interface/Rom Pak Extender - Move
your disks and ROM Paks where you want
them. Gold connectors.* (3 feet) ..\$29.95
Triple RS232 Switcher - Now select one
of any three RS232 peripherals ...\$29.95
40 Pin Dual "Y" Cable - Hook up a Disk
w/Voice or Word Pak, X-Pad, etc ..\$29.95
* N O T for use with a Multipak

OTHER GOOD STUFF...

C-10 tapes in any quantity49 cents
5 1/4" Diskettes in any quantity ..\$1.99
Joystick, Cassette or Serial plug ..\$3.99
32K, 64K or 128K RAM Button\$4.99
GEMINI 10X/OKIDATA Ribbon\$4.99
Rompak w/Blank PC Brd 27xx series ..\$9.95
RS Disk Controller Case\$9.95
The Disk Doubler - Doubleside your 5 1/4
diskettes for 160K more storage ..\$14.95
Video Clear - This cable will reduce TV
interference created by CoCo!\$19.95
Colorcade - Use an Atari joystick \$19.95
The Magic Box - Load Mod I/III Basic
program tapes into the CoCo\$24.95
DOS Switcher - Select from any two DOSs
(Disk 1.0 1.1, JDOS) in J&M ctrl ..\$24.95
CoCo Cooler- State D,E or CoCo II.\$49.95
Stereo Pak - Hardware synthesizer used
w/Musica 2...superb stereo sound! \$39.95

SPECTRUM PROJECTS

EAST DIVISION :

PO BOX 21272
WOODHAVEN, NY 11421

WEST DIVISION :

PO BOX 9866
SAN JOSE, CA 95157-0866

ALL ORDERS PLUS \$3.00 S/H

NY RESIDENTS ADD SALES TAX

718-441-2807 / 408-243-4558

SPECIAL 64K RAM CHIPS \$29.95

*cooking
with
coco*



PART VIII

By Colin J. Stearman

The last of the series where we 'burn' the EPROM and savor the delicacies we have been cooking up.

(Colin J. Stearman is an electronics engineer educated in the U.K. He has worked with all kinds of computers and has been a CoCo enthusiast for over two years.)

This issue sees the closing of the CoCo kitchen. We have added all the commands and features, and turned a good DOS into one which I hope you agree is even better. We have filled all the available space in the Disk BASIC ROM, and the only task left is to permanently place the modified DOS into an EPROM and install it in the controller.

Loading the EPROM

I covered how to transfer the modified DOS into an EPROM in Part 3 of the series in the September 1984 issue. But, here we are into 1985, so maybe we had better recap the procedure.

There are several ways to load the EPROM, so I will describe the one which is applicable to all configurations of CoCo. Before starting, you should assemble the entire patch file to a binary file in disk and call it *DISKPTCH.BIN*. Also, you should have a reliable blank cassette in the recorder.

The first step is to save the original Disk BASIC to a file on the tape. This is done with

```
CSAVEM"DBASIC",&HC000,
&HFFFF,&HA027
```

Now transfer the patch file to cassette. We will relocate the file during this process. Enter the following direct commands.

```
CLEAR 200,&H3FFF
LOADM"DISKPTCH",&H4000-
&HC000+65536
```

```
CSAVEM"DISKPTCH",&H4000,
&H5FFF,&HA027
```

Now disconnect the disk system and plug in the EPROM programmer. Don't forget to connect your 21-volt supply to the programmer. Rewind the tape and enter the following commands.

```
CLEAR 200,&H3FFF
CLOADM"DBASIC",&H4000-
&HC000+65536
```

```
CLOADM"DISKPTCH"
EXEC &HE000
```

The last command will start up the EPROM driver code in the EPROM in the programmer socket. If you haven't put it in an EPROM yet, then load it from tape, but make sure it does not conflict with the revised version of Disk BASIC temporarily resident at \$4000 through \$5FFF.

When the EPROM programmer is started up, load a 2764 EPROM into the ZIF socket and check that it is erased. Then transfer the memory contents from \$4000 through \$5FFF into the EPROM starting at EPROM address 0. This completes the programming. You can check the EPROM by powering down and moving the EPROM to the socket at address space \$C000. When you power up, the revised Disk BASIC should start up, and CoCo will try to run *AUTOEXEC.BAS* from drive 0. As the disk controller is not plugged in, this will fail with a READ/WRITE ERROR. If you get this far the likelihood is that the EPROM is all right.

Loading The EPROM Into The Controller

Unfortunately, the 2764 does not have the same pin assignments as the ROM inside the disk controller. It doesn't even have the same number of pins. The ROM has 24, the EPROM has 28. To overcome this we must construct a conversion interface using a 28-pin IC socket.

The diagrams in Figure 1 show the overall approach. Obtain a good quality 28-pin IC socket, the solder type, not wire-wrap. Get the type with the pins

oriented in the same plane as the IC pins, as shown in the figure. These pins have to enter to original ROM socket so they need to be this way. Some brands of socket have the pins at 90 degrees to the normal plane.

Take the EPROM and gently bend out pins 20 and 23 so they will not enter the socket, then press the EPROM home in the socket. Now run hookup wire from IC pin 20 to socket pin 22;

"There are several ways to load the EPROM . . . Before starting, you should assemble the entire patch file to a binary file in disk and you should have a reliable blank cassette."


IC pin 23 to socket pin 20; socket pin 23 to socket pin 2; and also interconnect socket pins 1, 26, 27 and 28. This should be clear from Figure 1. I suggest you use wire-wrap wire available from

Radio Shack, as it is thin and strong. Make neat, small solder joints on the socket pins as these still have to go into the ROM socket in the controller. Cut off socket pins 1, 2, 27 and 28 close. Check all your connections carefully.

You should now have a 28-pin IC plugged into a 28-pin socket with only 24 pins on it. These pins now correspond exactly to the pin functions of the ROM in the disk controller cartridge. To make the swap, you must open the controller cartridge. To do this peel back the metallic label, exposing a retaining screw. Remove this, then gently pry apart the two box halves. The Disk BASIC ROM is the only 24-pin IC in the unit. Gently lever the ROM out of the socket and replace it with the prepared EPROM. Pin 3 of the 2764 EPROM should be lined up with pin 1 of the socket. There is a small capacitor near the end of the socket and this could interfere with the conversion socket where it overhangs; gently bend it out of the way. Press the EPROM down firmly, replace the cover and screw, and press back the label.

The above instruction is for the older disk controller designed for the CoCo. If you have the newer CoCo your controller is probably different. However, it will also have the 24-pin ROM

Figure 1



Notes

- A, B — Bend pins 20 and 23 so as not to enter socket.
- C — Wire pin 20 to socket pin 22, pin 23 to pin 20.
- D — After wiring, cut off pins 1, 2, 27 and 28 excess.
- E — Wire together socket pins 1, 26, 27 and 28.
- F — Wire together socket pins 2 and 23.

Make all solder joints as close to socket and small as possible. Align socket pin 3 with pin 1 of original ROM socket.

and should present no additional difficulty.

Now the acid test. Replace the controller cartridge and power up. The revised logo should appear, all drives should restore to track 0 and then drive 0 should whirl, looking for *AUTO-EXEC.BAS* to run. If you get that far you are "home and dry."

Fond Farewells

My enhancements have deliberately stayed within the 8K of the original Disk BASIC ROM, and if you have built the parallel port there are only a few bytes unused. There are many commands you might wish to add for yourself, and there is plenty of map space from \$E000 to \$FEFF available for this.

If you're running the 64K RAM version of the patch, you can use this space right now. If you went the EPROM route, maybe you could use the new 27128 EPROM or possibly piggyback two 2764s to receive the new commands. Either way, don't suffer with the limitations, do something to get rid of them!

If you intend transferring BASIC programs between a machine running

DECB 1.0 and another running *DECB 1.1*, some of the BASIC tokens will be different. This is due to the DOS command in *DECB 1.1*. Therefore, save the BASIC file as an ASCII file (use the "A" after the *SAVE* command) and transfer will be successful. Of course, this is only needed if your program uses any of the new commands or functions.

"There are many commands you might wish to add for yourself, and there is plenty of map space from \$E000 to \$FEFF available for this."

I have greatly enjoyed cooking up this series and having you along to sample the treats these last eight months. I hope that you find my DOS enhancements useful and instructive, and they offer ways you can further personalize your CoCo.


If you would like the entire DOS-

PATCH program source, along with binary files with and without the parallel port driver for *DECB 1.0* and *DECB 1.1*, just send me a disk (no cassettes please) along with \$6 and a stamped, addressed disk mailer. I will load the disk and return it to you promptly.

I will program a 2764-250 EPROM with any reader-supplied code for \$25, if you furnish the EPROM, and \$35, if I do. The machine code to be programmed must be supplied in a CoCo binary file on disk. It can be put there with the *SAVEM* command. For example, to save the DOS use *SAVEM "DOS",&HC000,&HFFFF,0*. Indicate in a cover note the address range of memory saved this way. This file will be transferred to the EPROM starting at location 0 unless otherwise specified. Both disk and EPROM will be returned promptly. No other EPROM types will be programmed. EPROM contents are guaranteed to be the same as the file and nothing more.

Address this request or any questions to: Colin Stearman, 143 Ash Street, Hopkinton, MA 01748.

!!! FREE !!!



Learn
HOW to USE
YOUR Color Computer

TRY ONE ON US
FREE
SAMPLE ISSUE
1-800-338 6800

MON.-FRI. 9-5 E.S.T.

Color Micro Journal™

5900 Cassandra Smith Rd.
Hixson, TN. 37343

TEL. (615) 842-4600 • TELEX 558 414 PVT BTH

Subscription Rates

12 Issues a Year

USA- \$12.50 per year.
Canada & Mexico- \$19.50 per year
Surface Foreign- \$24.50 per year.
Airmail Foreign- \$48.50 per year

TM Color Micro Journal is a trademark of Computer Publishing Inc.

How To Fix Your CoCo 2 Disk Controller

By Marty Goodman

Why bother to fix your own disk controller, when Tandy provides relatively inexpensive and readily available service for its products? First, if you fix a burned out part yourself, the part is back in service faster than any outside repair service . . . often within an hour. This can be valuable in a situation where you'd rather not be without your system for the few days to a week that it might take Tandy to make the repair. And, while Tandy's prices are reasonable, repairs made at home are even less costly.

Repair Procedure

(1) First make sure your Color Computer works when the disk controller is removed. Always remember to turn off the CoCo before you plug in or unplug your disk controller! Indeed, often the cause of a burned out controller is careless removal or insertion of it while the CoCo is turned on. If the CoCo works fine as an Extended BASIC CoCo with the disk controller out, but crashes on power up (shows either nothing at all or garbage on the

screen) when the disk controller is plugged in, you can assume that the disk controller is damaged and must be repaired. If the system comes up with a normal-looking copyright notice for Disk Extended BASIC, but fails to read or write disks, be sure to try out the system with another disk drive unit, to determine whether the controller or the mechanical drive unit is at fault.

(2) Once you've established it's the controller that is the source of your problem, try this quick fix: with a pencil eraser, clean the contacts (called "lands") on the two edges of the disk controller until they're bright and shiny. If, after doing this, the system starts to work again, your problem was oxidation of the tin contacts. This can be permanently fixed by writing to EAP Corporation, and ordering their Gold Plug. Ask for the CoCo Disk Module. It costs \$16.95 and is a solder-on package that supplies your disk controller with gold edge connectors. I've used this on several of my computers at home and find they work very well. I also advise using the gold plug on the Multi-Pak's edge card connector. The job of installing it does involve some degree (though not a great deal) of experience with fine soldering to printed circuits. The instructions pro-

vided by EAP Corp. are very clear.

(3) If dirty contacts is not the problem, your next step is to determine if the problem is limited to the three socketed chips. You do this by replacing these chips with known good replacements (which you can get from another working CoCo 2 disk controller). While it is remotely possible that your controller has a physical short on it that will burn out new chips put in it, this situation is very unlikely, and has never been reported. Generally speaking, you will not be likely to burn out a good chip by placing it in a blown disk controller.

If you've got garbage on the screen when you try to use the controller, first try replacing the Disk BASIC ROM (U1, a 24-pin DIP chip) with a known good ROM. If that doesn't fix the problem, try replacing the main disk controller (FDC) chip (U4, a 40-pin DIP Fujitsu MB8877A). If your problem is related to reading and writing on the disk, and is not fixed by replacing the 40-pin FDC chip, try replacing the auxiliary disk chip (U10, an 8-pin DIP Western Digital WD9216 chip).

If some or all of these chips are found to be bad, you may have to call Tandy's National Parts service in Fort Worth to obtain replacements. The Fujitsu

(Marty Goodman has, among many other things, been involved with various Color Computer software and hardware projects.)

REAL TIME CLOCK

RTC-10

Full featured, yet very easy to use. RTC-10 is a quartz-based, Time/Date clock contained in a compact ROM case. RTC-10 makes it simple to access the time and date with just a few Basic PEEKS. A 2-year + replaceable battery (included) keeps time accurate when the computer is off and even when the cartridge is unplugged.



ONLY \$69.00

Compatible with any 16K or greater. Extended or non-extended Color Computer. RTC-10 may be used with or without a Radio Shack or any other Multi-Slot unit. To use it with a disk, without a Multi-Slot, order the Y-cable below.

Completely assembled, tested and ready to plug-in and use, with programs included for clock setting and for continuously displaying the Time/Date in the upper right corner of the video screen. ONLY..... \$69.00

COCO CABLES

Top quality cable and connectors with all gold plated contacts.....

Y-CABLE: 40 conductor, 1 ft. long. 1 Male, 2 Females. Allows you to connect your disk controller pack and the RTC-10 Clock or most voice synthesizers, etc. ONLY..... \$29.95

DISK PACK EXTENDER CABLE: 40 Conductor, 2 ft. long, 1 Male, 1 Female. Lets you place your disk controller pack where you want it, out of your way. ONLY..... \$22.95

CUSTOM FLAT CABLES: Call-in or send us your requirement. We will quote a reasonable price for the cable you need.

Custom Computer Products
6 Dogwood Court
Goshen, NY 10924
(914) 469-2043

ccp

ADD \$3.00 PER ORDER FOR SHIPPING & HANDLING FOR C.O.D. INCLUDE AN ADDITIONAL \$3.00 NY RESIDENTS MUST INCLUDE SALES TAX.

MB8877A is also available through several IC parts houses as well (including DoKay Corp.), and several RAINBOW Magazine advertisers sell the ROM (Spectrum Projects and Vidtron). Unfortunately, I don't know where (other than through Tandy National Parts) to get that pesky little Western Digital WD9216. I'm sure it's available somewhere. If any of you out there know where, do write me and let me know!

(4) The odds are pretty good that, by now, you've fixed your controller. However, if the thing still won't read or write, it means that most likely you've blown one or more of the 12 ICs soldered to the board. As desoldering and replacing a soldered chip is a grand pain, it's helpful to have some guess at where the problem may lie, before you start ripping out *all* the chips!

If you are at this point and getting the normal Disk Extended BASIC copyright notice, but finding your controller fails to properly read from, or write to, a disk, then, very likely you have to replace one or both of two ICs. These are U11 (a 16-pin 74LS221) or chip U3 (a 14-pin 7416). NOTE: There are *two* 7416's on the board, U8 and U3. The one that is most likely to be blown is U3. This is obvious after a quick glance at the schematic for the CoCo 2 disk controller. U3 provides buffering on the outgoing NMI and HALT lines. These lines are right next to the + and - 12 volt lines on the edge connector. If you're using your CoCo 2 controller with an old CoCo or with a Multi-Pak, and jostle the controller while it's plugged in and the power is on, the 12 volts may get shorted into these two lines, burning out U3. I don't have a simple explanation as to why U11 seems to blow more often than other chips, though a friend who is a computer repair technician reports that the only time he's had to replace soldered ICs on the CoCo 2 controller it was U3 and/or U11.

Desoldering these chips is rather a tricky business. I found that because the chips tend to get soldered on both sides of the board (solder apparently oozes up during the wave-soldering process), I had to resort to cutting all the pins on the IC, then using a "solder sucker" (Radio Shack has one: Cat. No. 64-2098, \$4.95) I cleaned out excess solder, and finally had to heat and individually pull out all the IC's severed pins. I have found that "solder wicks"

(those copper braids for soaking up solder) are rather worthless for this sort of thing. However you do it, the process is usually tedious, even with a \$200 super duper desoldering tool (though that tool *does* make the job noticeably easier). I have found in my lab that a Palladin brand desoldering tool (made in Sweden and costing about \$15 at various electronic supply houses) meets all my desoldering needs nicely.

In any case, once you've removed (and destroyed) a given chip, replace it by first soldering in a corresponding IC *socket*. That way, should you blow out the controller again, the repair will be far simpler. Tandy really should have socketed at least some of those chips.

Final Comments


Of four controllers I've fixed over the last year, two required only cleaning the contacts. I later soldered on EAP Corp.'s gold plug to those, and the owners reported no further problems. One controller I bought in blown condition at a computer fair for \$38. It turned out to have merely a blown Fujitsu MB8877A, which I replaced for \$25 through DoKay Computer Products. Finally, one controller I was given recently by a friend. It turned out to require replacement of both U3 (7416) and U11 (74LS221).

I should make one curious observation. I do a lot of hardware experimentation with my systems. Often, this involves Y or extension cables running out from my CoCo or Multi-Pak. On several occasions, I've accidentally plugged in the disk controller *upside down* into the CoCo's system bus. While it most certainly did not work when this was done, I was utterly amazed to discover that after powering down the system and turning the thing right side up, neither the disk controller nor the CoCo or Multi-Pak showed any sign of damage! Bob Rosen (founder of Spectrum Projects and supplier of 40-conductor extension and Y cables for very reasonable prices) apparently has had the same experience several times himself, and tells me he found the same thing. Neither of us recommend to readers that they try to duplicate our experiments in this matter!


Happy hacking!

(Address all correspondence to Marty Goodman, Cheshire Cat Computer Creations, P.O. Box 115, Lafayette, CA 94549)

DATAPOINT INTERNATIONAL



1-416-529-1319



PLEASE INCLUDE \$2.50 SHIPPING

PRINTMASTER

A full featured screen print program that will work with any printer capable of dot addressable graphics is now available for the color computer. This value packed program should be on everyones 'must have' list. Just look at these powerful specifications:-

Automatic PMODE recognition.
Menu driven or called from Basic

Vertical and horizontal stretching (zoom)

Full or partial screen rotation

8 color recognition & separation

Vertical & horizontal concatenation

Inverse printing.

All of the above will work on the full screen or on any portion that you specify.



\$33.95US

\$39.95Cdn



\$37.95US

\$33.95Cdn

ROMMASTER

Rommaster is a circuit board with a rotary switch and sockets for three EPROM's (24 or 28 pin) that can be individually selected. You can now have up to three versions of Basic and three versions of Extended Basic in your Coco at the same time.

If you wish you can burn your own EPROM's and have them available on power up at the flick of a switch. If you develop software for sale it is essential that your programs be tested on all versions and configurations of ROM's before you release them.



\$39.95US 2/\$75

\$49.95Cdn 2/\$95

Double sided prototype boards



\$9.95US \$12.95Cdn

Blank keyboard overlays

\$0.75US

\$0.99Cdn

DATAPOINT INTERNATIONAL

125 SOUTH FIFTH STREET
LEWISTON, N.Y. 14092

DATAPOINT INTERNATIONAL

420 FERGUSON AVE. N.
HAMILTON, ONT., L8L 4Y9

Analyzing More BASIC

By Richard White
Rainbow Contributing Editor

Though we published Rainbow Checkbook last month, there are a number of modules that have not been discussed in detail. I propose now to carry on that discussion partly for those who may be interested in the program itself. However, the larger purpose is to teach BASIC by studying code from working programs. I think it is better to deal with pieces from programs that have a reason on their own to exist, rather than made-up examples of little intrinsic worth.

The edit module of Rainbow Checkbook is a fairly large piece of program. Changing data is more complex than simply entering it. Existing subroutines are used whenever possible, but many of the edit functions are one time operations.

Edit was placed in the 200-299 line number block. I made no effort to maintain line numbers at intervals of 10, though I did shoot for five in this case. As it turned out, there are some lines with spacing of one.

(Richard White has a long background with microcomputers and specializes in BASIC programming. With Don Dollberg, he is the author of the TIMS database management program.)

This is going to be offensive to some, like the recent writer to THE RAINBOW who called for always numbering in increments of 10 starting at 100. He wanted to reserve the first 100 lines for his own headers and claimed that spacing lines at increments of 10 allows for easy modification.

Firstly, if there are to be headers, please put them at the end of the program where they don't waste prime program space. With the *RENUM* command available, you should feel free to number your programs any way you choose, since someone else can renumber the program if they wish.

Finally, short spacing of lines generally results from the original programmer having to make modifications to make the program work. I would *not* want the programmer to renumber a program for publication, for they would not then be able to easily answer questions about the program or otherwise support it.

Programs that are sequentially line-numbered in increments of one starting at zero use less memory. It takes fewer characters to identify lines in *GOSUB* and *GOTO* calls. Obviously, any module structure will be lost. It makes sense to renumber a program to incre-

ments of one to make a running copy, but keep a copy of your original source code for modification purposes.

When publishing a program, it is better to publish a source version rather than a compressed version, provided the source will run. In some cases, renumbering by ones may make a program fit a 16K machine. I am sure that 16K users would rather have a program they can run rather than a pretty one to look at.

```
50 PRINT@B,RC$, "ITEM  DATE  AMOUNT  BALANCE":  
RETURN  
200 CLS:GOSUB50:PRINT@72, "UNEDITED ENTRY":  
PRINT@201, "EDITED ENTRY":PRINT@321, "TYPE  
FIELD ENTRY CORRECTION", " <enter> FOR  
NEXT FIELD*:IFFG=1THENF=1:FG=0
```

As always, the first order of business is what the screen is going to look like. We have a header in Line 50 which Line 20 calls. Then, the heading UNEDITED ENTRY is centered on the third line and the heading EDITED ENTRY is centered on the seventh. Edit is going to present one entry at a time under the UNEDITED ENTRY heading. As the user makes changes, the corrected record will unfold under the EDITED ENTRY heading.

Print position 321 is the second

position on Line 11. Here we present some instructions or reminders. FG is a flag that is set in the Input Module. If FG=1, we will hold that value in 'F' so we can use FG as a different flag in the Edit Module. I will have little to say about how FG works. Edit is confusing enough as it is.

```
210 I$=INKEY$:PS=96:GOSUB16:GOSUB15:
PRINT@224,STRING$(95,32);:
PRINT@416,"NEW ",dEP,aDJ,"-DELETE,
+=ADDUP/DOWN ARROWS,rETURN "I:
PS=224:CT$=CC$:TA=CA
```

Have you ever hit a key twice instead of once and had a program bypass a sequence you needed? This can happen in BASIC when *INKEY\$* is used, since the second keystroke is stored in a buffer and is available to the next *INKEY\$* encountered. The *I\$=INKEY\$* in Line 210 clears the buffer of any inadvertent key strike.

Now we are going to print the unedited record starting at screen location 96. Subroutine 16 gets the fields of the record into variables and subroutine 15 prints the record starting at location PS. Any printing in the edited record area is wiped clean with *PRINT@224,STRING\$(95,32);*.

Available options are printed starting on Line 14, print location 416. PS is set to 224 in preparation for printing the edited record, the check number string CC\$ is temporarily assigned to CT\$ and the amount CA temporarily assigned to TA.

```
215 GOSUB1:IF I$=CHR$(13) THEN PRINT@224,CC$:I:
GOTO240ELSEJ=INSTR(1,"NDA-R"+CHR$(94)+
CHR$(10),I$):ONJ GOSUB220,26,28,225,230,
217,235,237
```

An instruction character is obtained from the *INKEY\$* routine in Line 1. First, a check is made for the carriage return, *CHR\$(13)*, which sends the routine in 240 after printing CC\$. When I\$ is not a carriage return, *INSTR* searches for a match for another instruction and returns a non-zero to 'J' when successful.

ON J GOSUB sorts out the proper subroutine line. Note that this is one of a number of applications for the *INSTR-ON...GOSUB* combination in the program. In terms of both memory usage and speed, this is preferable to a series of *IF...THEN...ELSE* statements which are the alternative.

```
216 IFFB=1 THEN FG=0:GOTO210ELSE IF I$(">")="R" THEN
GOTO240ELSE FG=TF
217 RETURN
```

If J=0 the program falls to 216. FG was set to zero on entering edit and edit expects it to be zero at Line 210, so if FG=1, it must be reset to zero. The program then goes to Line 210. If FG=0, the program will go to 240 to get the next field.

Now, the question is can the final element FG=TF ever be executed? Ha! A bug is found! This may explain some funny behavior I have seen on returning from edit. Let's change the lines as follows.

```
216 IFFB=1 THEN FG=0:GOTO210ELSE 240
217 FG=TF:RETURN
```

We won't change the version number just yet. There are certain to be other changes for a while.

```
220 PRINT@224,"I:GOSUB1:VI=VAL(I$):GOSUB22:
RETURN
```

Line 220 deals with changing the check number. In the *INPUT* mode, entry of a single digit signaled the program that a new number was being entered, rather than just incrementing the last check number.

Line 22 contains the code to get the remainder of the new check number, so we will use *GOSUB1* to get the first digit into I\$ and use Line 22 to do the rest of the work. This routine, as well as those on lines 26 and 28 which enter DEP or ADJ rather than a check number, has been previously discussed.

```
225 FORX=CR TOLR-2:A$(X)=A$(X+1):A$(X,0)=A$(X+1,0):
IFCC$(">")DEP THEN A$(X,1)=A$(X+1,1)+CA:
CB=CB+CA ELSE A$(X,1)=A$(X+1,1)-CA:CB=CB-CA
227 NEXT:PRINT@96,STRING$(95,32);:CC$="":CD$="":
CA=0:CS$="":CN$="ITEM DELETED":CR=CR-1:
LR=LR-1:FG=1:RETURN
```

Lines 225 and 227 delete a transaction. This entails quite a bit of work, and is one of the tasks BASIC is not particularly fast at doing. All the data relative to all entries from the deleted member to the end of the file must be moved. In addition, all the balances for each of the affected members must be changed.

All the string data relative to a particular entry is kept in an array member A\$(X). Transaction amounts are kept in the array A(X,0). Moving

the data from the next array members down into the array spot of the deleted members, and then moving all succeeding array members down one to fill the resulting voids handles everything but the balance members.

This work is done in a *FOR...TO...NEXT* loop whose range is carefully chosen. LR is the number of the next transaction to be entered. LR-1 is the last transaction in the file. In the code *A\$(X)=A\$(X+1):A(X,0)=A(X+1,0)*, data from array locations X+1 is moved into array locations 'X'. When 'X' reaches LR-2, the last data in locations LR-1 is moved and that is where the loop must stop.

Balances must be increased if the deletion involved a check or adjustment, or reduced if a deposit is involved. The *IF...THEN...ELSE* code in 225 deals with this.

The *NEXT* must be in 227 so it will be operative regardless of whether the balance was adjusted for a check or a deposit. The remainder of Line 227 does housekeeping, most important of which are decrementing the current record number CR and the last record number, LR.

```
230 CC$="":CD$="":CS$="":CA=0:TA=0:
CN$="MAKE NEW ENTRY":FG=1:
FORX=LR TO CR+1 STEP -1:A$(X)=A$(X-1):
A(X,0)=A(X-1,0):A(X,1)=A(X-1,1):NEXT:
CB=A(X-1,1):LR=LR+1:GOSUB38
```

Line 230 manages the addition of a transaction to the file. First, it performs the opposite function done in delete. All records are moved up in the file to make room for the new record. Note that the *FOR...TO...NEXT* loop works from the top down, the last record is moved up, then the next to last, etc. Again, the end point needs some thought. Since the last record moved is numbered X-1, the loop must stop at CR+1. It is quite easy to get confused or simply overlook what is happening in data moves of this sort and end up moving too many or too few records.

Finally, the program goes to Line 38 which makes a new data string and fills the arrays. The only thing other than spaces in the string array member is the message "MAKE NEW ENTRY."

```
232 PS=96:GOSUB16:GOSUB15:PRINT@416,"NEW ",dEP,
aDJ,"-DELETE":PRINTSTRING$(28,32);:
PS=224:GOSUB1:FB=0:J=INSTR(1,"NDA-",I$):
ONJ GOSUB220,26,28,225
234 IFJ>0 THEN 240ELSE 232
```


In Line 232, the blank data we just put into the arrays is pulled back out and printed in the unedited space. This sends the user the message to edit the blank transaction to produce the new record. Command options are now limited to only those that pertain to the new record. The ability to scroll through the database is denied. Otherwise, our strategy is identical with Line 215.

```
235 FB=1:IFCR<1:THENCR=CR+1:GOSUB16:PS=96:
    GOSUB15:PS=224:RETURNELSERETURN
237 FB=1:IFCR<LR-1:THENCR=CR+1:GOSUB16:PS=96:
    GOSUB15:PS=224:RETURNELSERETURN
```

Lines 235 and 237 manage the scroll through the records, the print position of the unedited record and positioning of the cursor to edit the record. Scrolling is limited to the range of CR=1 to CR=LR-1. Here again, Line 16 takes the string data apart and Line 15 prints it.

```
240 PRINT#416,STRING$(45,32):GOSUB30:
    IFCT#="DEP"THENIFCC#="DEP"THENTA=CA-TA:
    GOTO242ELSETA=-TA-CA:GOTO242
241 IFCC#="DEP"THENTA=TA+CA ELSETA=TA-CA
```

Once the check number (or DEP or ADJ as the case may be) has been handled, Line 240 starts dealing with editing the rest of the record. The prompts at the bottom of the screen are cleared and Line 30 is called to get the date. Remember that CT\$ and TA hold the original check number string and amount. Now a new TA is calculated. If CT\$="DEP", TA is calculated

one way if the entry is still a deposit, and another if it is not and the program control is handed to Line 242. The alternate situation, where CT\$ was not "DEP", is handled in Line 241 where again there are two possibilities to be handled.

```
242 PRINT"TA"TA,"CA"CA:FORX=1TO2000:NEXT:
    FORX=CR TOLR-1:A(X,1)=A(X,1)+TA:NEXT:
    CB=A(CR,1):PRINT#247,USINGSS#1CB:
    LINEINPUT1:IFI#<>"THENC#=#1
```

The code that starts Line 242 is not a bug, it's an embarrassment. During program debugging, I had to know what CA and TA were. I put in code to print them and delay the program long enough for me to check the numbers. This is a good way to check out what is happening when you are unsure of the cause of a problem. Another way is to put a STOP in a line. This breaks the program and allows you to type in commands from the keyboard like PRINT TA,CA, then you can resume at the command after the STOP by typing CONT. Unfortunately, your screen formatting is destroyed in the process. Of course, any debugging code put in the program must be taken out. It's still not too late.

```
242 FORX=CR TOLR-1:A(X,1)=A(X,1)+TA:NEXT:
    CB=A(CR,1):PRINT#247,USINGSS#1CB:
    LINEINPUT1:IFI#<>"THENC#=#1
```

That's better! Now the adjustment factor: TA is added to each balance

from the current record, CR to the last record in the file LR-1. The new balance is printed and the status character obtained in I\$. If no status character is entered, the one already assigned to CS\$ is unchanged.


```
244 PRINT#256,USINGSN#1CS#1:LINEINPUT1:
    IFI#<>"THENC#=#1
246 PRINT#259,CN#1:GOSUB38:GOTO210
```

Line 244 prints the status and looks for a new note. Line 246 prints the note, goes to Line 38 to reassemble the data string and then goes back to 210 for instructions on what to do next.

The complexity of edit lies in the variety of changes that must be supported, and the fact that some of these changes affect the balance in different ways. The problems are in the logic; once that is figured out, the code is fairly simple.

We were able to use many of the subroutines we developed for the input mode. This will follow naturally if you make some effort to keep your subroutines fairly general. For example, records are printed at two different places on the input screen and at a different place again on the edit screen. The format is identical in each case. The use of PS to identify a print start location lets us use fewer subroutines to handle a variety of needs.

Next month we will finish up the new month and printer routines, and prepare to move on to different programming challenges.



FOUR STAR SOFTWARE

GALACTIC FIGHTER

A fast-paced arcade game with great graphics and sound. CoCo at its best!

Save earth by fighting your way to Dracoz, the home world of the invaders. Fly earth's secret weapon, 'The Galactic Fighter'. Overcome alien ships, missiles and meteor showers. Try and survive the deadly laser trench.

32K, one joystick required.

CASS. \$19.95 (U.S.)
DISK \$24.95 (U.S.)

\$24.95 (CDN.)
\$29.95 (CDN.)

Write for free catalogue
Dealer enquiries welcome
Overseas orders add 10%

COCO PAINT

A very advanced, easy-to-use graphics development system for a 64K, single-drive CoCo!

- Supports: keyboard, single joystick, mouse or X-pad
- Mix graphics and text, using built-in or user-definable characters and textures
- Create stamps: rotate, mirror, shrink, expand or invert
- Screen dump to most common printers
- 300 — 1200 baud modem communications capabilities
- Plus many more excellent features

DISK \$39.95 (U.S.)

\$49.95 (CDN.)

P.O. BOX 730
STREETSVILLE, ONTARIO
CANADA
L5M 2C2

BUGS II

An adventure game with all the excitement of arcade action.

Earth is infested with intelligent killer bugs. Find your way through the maze and destroy their reactor. However, you must fight the bugs all the way!

New and improved version of the game that won the Color Computer Magazine® programming contest. 64K required.

CASS. \$19.95 (U.S.)
DISK \$26.95 (U.S.)



\$24.95 (CDN.)
\$32.95 (CDN.)

Cheque or Money Order



Add \$2.50 shipping
Ont. Residents add 7% tax

STRATEGY ADVENTURE FUN



MAJOR ISTAR

MAJOR ISTAR

Under the Doomed Sea

The *ultimate* adventure! The *biggest* and most *complex* adventure ever! ★ 104 rooms ★ 3 arcade games ★ 116 words ★ 33 objects. Save & Load feature for disk or tape. Can you be the hero? In 3 months, 6 months, a year...

SCENARIO: You travel to TRIDENT RESEARCH DOME because an urgent call for help is received from one of the service droids stationed there. He said help was urgently needed, but before he could say why, his transmission was cut off!

OBJECT: Solve the mystery at TRIDENT in as few moves as possible.

SETTING: In the beginning of the 21st century, undersea cities, interstellar spaceships, colonies in other planets & solar systems, worker droids, super computers, are all realities. One hero of the time is MAJOR ISTAR. In the late 1990's when space exploration & colonies began, it was necessary to form a task force to offer help to all that needed it in these hostile environments. You, Cameron J. Istar, are a highly rated member of that team and you have never failed to solve a mystery! (Requires 32K & joystick)

cass \$24.95

disk \$27.95

MIDDLE KINGDOM



In this real-time graphic adventure, your goal is to become ruler of the Middle Kingdom, which can be achieved only by returning the three magic Rings to the Sanctuary. You must search the rooms of the Catacombs, Temple, & Pyramid.

You choose your character of a Magician, Merchant, or Warrior, each having their own weapons & abilities. You will face monsters of all types, Lizardmen, Trolls, Goblins, & worse. You'll find treasures of all kinds too, as well as new weapons along the way!



Try this medieval adventure if you dare! (Requires 32K)

cass \$24.95


disk \$27.95



STAR TRADER



MIDDLE KINGDOM



SAM SLEUTH

STAR TRADER

As a merchant ship captain in the far future, you travel in real-time between solar systems, trading cargo, encountering pirate ships, stopping at starports for fuel or repairs, & making money! Your goal is to earn 1,000 credits to retire in luxury!

Your graphic cockpit shows readouts of your location, damage status, credit balance, cargo destination & due date, the location of nearby starships, fuel & laser power levels, & the current date. With your joystick, you choose your next move or transaction. As you travel, transport, trade, & battle, you develop a reputation which affects your future activities & rewards.

With different skill levels & many variable factors, this simulation offers excitement & the challenge of a new game every time you play! (Requires 32K on cassette or 64K on disk, with one joystick or mouse, & Ext. Basic)

cass \$24.95

disk \$27.95

SAM SLEUTH

As the detective Sam Sleuth, you are given 3 cases (of increasing difficulty):

Case of the Missing Cat
Mystery at the Museum
Baffling Bank Robbery

Using your sleuth skills (& joystick or mouse), you search the town (displayed in hi-res graphics), interviewing townspeople, collecting evidence, examining the grounds, & gathering data to solve the mysteries & apprehend the culprits. The games change every time you play, so you will want to play again & again!

Investigate the bank, museum, school, offices & homes, market, gas station, ... Talk to Mike, Willy, Roy, Sue, Chrissy, ... And keep track of those addresses & clues!

The unique graphics presentation & mouse/joystick control are as intriguing as the mysteries! (Requires 64K & mouse or joystick)

cass \$24.95

disk \$27.95



Get Organized for 1985

HARDWARE

SALE

DISK SYSTEMS

The biggest investment you'll make in your computer system will be a disk system. It will widen your computing horizons considerably and should be chosen carefully. Computerware configures systems to include the most **reliable** components at the best prices available. We do not try to be the cheapest by compromising quality!

We offer **complete systems** assembled and tested by **expert technicians**. We've been selling disk systems since 1977 so we know what you need and we make sure you get it! We use the highest quality components including **TEAC** and **Hitachi** drives. **J & M Systems** controller, all **GOLD** connectors, **heavy duty** cabinet, power supply, and cable. Our power supplies are totally adequate to insure reliability, we know dual drives need heavier power supplies! All of our TEAC and Hitachi drives come with a **6ms** step rate, full **40 tracks**, slim line size, and a one year warranty. In addition to the DOS manual, you receive a 20-page **technical manual** documenting every detail of disk drive performance and specification.

Also available from Computerware is the new **Amdisk**. Compatible with Radio Shack Drive O, it is perfect for adding extra storage. Our software is available on Amdisk format for only \$4 extra. (Remember every Amdisk cartridge is equivalent to two floppy diskettes.)

DISK SYSTEMS

Include J & M Controller, DOS Manual, cabinet, power supply, half-size double density drive, & all cables. (Prices quoted for JDOS. Add \$10 for RSDOS.)

Single drive, Single sided	\$349.00	Dual drives, Single sided	\$509.00
Single drive, Double sided	\$399.00	Dual drives, Double sided	\$599.00

ADD ON DRIVES

Each drive add-on includes half-sized drive(s) in cabinet with extender.

Single drive, Single sided	\$229.00	J & M Controller	
Single drive, Double sided	\$269.00	with JDOS	\$130.00
Dual drives, Single sided	\$399.00	with RSDOS	\$140.00
Dual drives, Double sided	\$469.00		

AMDISK III

Complete Dual Drive System including controller, cable & manual.

(Price quoted for JDOS. Add \$10 for RSDOS.)

	\$499.00
Dual Drive and cable only.	\$375.00

DISKETTES

Computerware double density diskettes with hub rings are of the highest quality. We love them and so will you!

5 pak	\$10.95	10 pak	\$19.95	Amdisk cartridges	\$5.50 each
-------	---------	--------	---------	-------------------	-------------

NEW! IMPROVED! HIGHER RESOLUTION

We proudly introduce a **new** model of our popular NAP monochrome monitors with **higher resolution** and a more **compact** stylized case. Of course they will have the **built-in audio** - no need to add expensive amplifier or go without sound.

NAP Green Screen	\$109.95	NAP amber screen	\$114.95
		Color with audio	\$275.00

PUT A MONITOR ON YOUR COCO WITH VIDEO PLUS!

Yes! You can enjoy the crisp display of a **composite video monitor** using Computerware's **Video Plus** interface. Each is fully **assembled and tested**. Installation is quick, easy, and requires **no soldering**. Your TV output is not disabled. **Audio output** available. Choose the model right for your computer and monitor.

VIDEO PLUS	\$24.95
Interfaces the original model of Color Computer to any composite video monitor (color or monochrome).	
VIDEO PLUS II M	\$26.95
Interfaces the CoCo II with a monochrome composite video monitor.	
VIDEO PLUS II C	\$34.95
Interfaces the CoCo II with any composite video monitor (color or monochrome).	
VIDEO PLUS II U	\$34.95
Interfaces the new CoCo II (model with power switch next to the TV output and chips soldered, not socketed) with any composite video monitor (color or monochrome).	

SOFTWARE

BUSINESS APPLICATION

- They have been in use for over 4 years on many 6809 systems. This means they are well tested.
- Complete manuals accompany the systems.
- User-friendly menus make them easy to use.

System Requirements

- 64K memory
- Dual Disk Drives (Payroll requires double-sided drives)

GENERAL LEDGER

This is a comprehensive double entry accounting system with complete audit trails, closing procedures, and full reporting. The chart of accounts is flexible and the system easy to use. Reports include the General Ledger, Trial Balance, Balance Sheet, Income Statement, and Transaction Register. Your financial information is at your finger tips!

\$125.00

CHECK LEDGER

This is a single entry bookkeeping system which allows the user to define a chart of income and expense accounts. Year-to-date totals are maintained for each account as well as complete checking account history. By just entering your checking account information, you can have always-current visibility over your income and expense ledgers. Financial statements and taxes are a snap!

\$125.00

INVENTORY CONTROL

This system is designed to help the retailer, distributor, or businessman to keep control of this important factor. It stores your cost and quantity information, updates it immediately, and offers your key management reports with useful summaries at any time. With four costs, four locations, selling history, and vendor information for each item, you will always have the facts!

\$125.00

PAYROLL

This is the most comprehensive payroll you'll find on a microcomputer. Besides collecting key employee information, it allows entry of pay rates for standard hours, overtime, and salary. Hourly, salary, and commissioned employees may be paid weekly, bi-weekly, semi-monthly, and monthly. Two types of special monthly deductions are also accommodated. Year-to-date, quarterly, monthly and current totals are maintained. All federal reporting is done automatically and your state computations are also included.

\$175.00

ACCOUNTS PAYABLE

This system can give you the tools to plan your business' growth by controlling expenditures and forecasting cash requirements. It helps a small business manage and track its cash liabilities by collecting vendor invoice information and reporting the business' cash commitments and payment history. Along with standard payables reports it also includes a check writer and payment forecast reports.

\$125.00

ACCOUNTS RECEIVABLE

All businesses need to know who owes them money! This system provides reliable and timely information regarding the status of all customer accounts. You can know instantly which accounts are past due, forecast how much money to expect to receive for cash flow planning, and keep on top of your customers' credit positions. Customer name, address, credit limit, invoice, and payment information is recorded and reports of all information including customer statements are available upon your request.

\$125.00



PERSONAL FINANCE SYSTEM

The Personal Finance System makes it fun and easy to organize, control and understand your personal finances. It's many programs in one. It balances your checkbook. It compares your actual expenses with your budget. It gives you a personal financial statement of income and expenses with your own accounts. It has many reports to let you "see" where your money is coming from and going to. It can make tax time much easier with convenient financial summaries. It includes a special investment and loan module that helps you calculate all the details like mortgage payments, principal amounts, amortization tables, interest rates and more so you can analyze your current and future investments quickly and easily. With PFS you will not only keep your finances organized but can do important planning and analysis as well. So start 1985 right with your own Personal Financial System! (Requires 32K Extended Basic with 1 Disk Drive and an 80 column printer.)

\$27.95

COCO COOKBOOK

- Can be used for ANY free-format filing system (not just recipes). Try it for periodicals and article synopsis, product reviews, real estate descriptions, etc.
- Store & retrieve a large number of recipes.
- Up to 270 recipes on a single disk using a special compression technique.
- Up to 3040 characters per recipe including title, ingredients, & instructions - all in easy to use "free form" format.
- Access each recipe by title, number, or with special keyword search (like all the recipes using "chicken!") List on the screen or printer.
- 50 recipes included FREE!
- Requires 32K and a disk drive.

32K disk \$27.95

with

COMPUTERWARE®

DATA BANK

for OS-9 and other 64K users

If you want a data base that does it YOUR WAY, then DATA BANK is the data management system for you! With DATA BANK, you are the boss. You define your own display screens, record formats, calculated fields, sort sequences, selection criteria, and report formats. Even with all its power, Data Bank is very easy to use! It goes several steps beyond the average data base by adding features like calculated fields, three level sorts, easy interface with DynaCalc, and special file manipulation utilities.

STORING YOUR DATA - the way YOU want to see it!

Remember, with Data Bank you determine how your information is stored and displayed. You can design up to 9 different screen formats for display, making data entry and retrieval simple. Each record can contain up to 512 characters in up to 35 fields, ample for nearly every application. Data types include alphanumeric (for strings of all kinds), math (for real numbers), date, and "derived" (values calculated by your own defined formulas)! These derived formulas can use values from other fields and mathematical functions. There isn't anything you can't store with these formats! The size of your data base is limited only by your disk space, and you can maintain multiple data bases on the same disk. Expansion of record files is made very easy with sophisticated file manipulation utilities. You can also transfer data between files - all records or selected subfiles, which is handy for revising record layouts!

SORTS & SELECTIONS - organizing your data

To aid in sorting and selecting, you can define up to 9 different "access keys," each with up to 3 levels. These access keys are used for accessing a specific record, sorting an entire file, or selecting subsets of files. The generic search will find any occurrence of a given value in a key field throughout the data base. Using logical operators (less than, greater than, equal, or, and) you can select any subset of your data base for printing. All or any selected subset of records can be sorted in order. You can organize your data in any way you can think of!

REPORTING - all the right stuff!

Printing your information in a format useful to you is the most important function of a data base system. Data Bank allows you to design customized reports to fit your individual needs and can save up to 9 defined formats for repeated use. You may include page headings with titles, automatic page numbers, column headings, totals for numeric fields, and more. Reports will print to the output path you specify and use any of your pre-defined access keys.

SPECIAL FEATURES

Data Bank offers even more with:

- Access to all OS-9 commands from the program.
- Easy access to user programs.
- Reads DynaCalc OS-9 files.
- OS-9 not required

64K Disk \$79.95



FLEXI-FILE™

This is the most comprehensive and flexible data management system available. It is easy to use and very powerful. (Requires 32K disk & RSDOS.)

Collect up to 35 fields per record, with up to 240 characters per record. You designate the name of each field, its position, and its format, (alphanumeric, numeric, money, date or exponential). The size of your data base is unlimited - only your disk space will limit your files.

Organize your way. You determine how the information is displayed and stored by designing your own entry screens. Your format can be changed any time. Easy screen definition makes data entry simple. The quick assembly language keyboard routine insures that you can't type faster than Flexi Filer!

Select, using logical operators (less than, greater than, equal, and, or) any subset of your data base with up to 36 different criteria. A generic search feature finds any occurrence of a given string in the key field throughout the data base!

Sort all or any selected subset of records in ascending or descending order by any of your 35 fields with a very FAST assembly language sort!

Design customized reports and labels to fit your individual needs, including page headings with titles, automatic page numbers, and column headers. Store up to 10 often-used formats. Numeric fields can be totaled automatically for summaries. Printing your information in the format most useful to you is a snap! And you can set the baud rate for faster printers too. Reports will print to the printer or screen.

A File Manager with sophisticated file manipulation is the sign of a true data base manager. With Flexi Filer you can archive and/or delete records via selected sub-files. (For example, archive records with an old date into a separate file and delete them from your working data disk. This frees up disk space without losing important data.) You can also transfer data between files - all records or selected sub-files. This is handy for adding fields to old database layouts or revising records without re-entering data! Also included is password protection, automatic expansion of record files, and easy access to user programs.

Disk \$54.95

Canadian Dealer Distributor: Kelly Software
P.O. Box 11932 Edmonton, Alberta T5J3L1



MERGE 'N MAIL

Merge 'n Mail was specially designed to do one job and do it very well - maintain, merge, and print mail list information. Mail 'n Merge is perfect for clubs, Christmas card lists, newsletter writers, party givers, or anyone with a personal address file for relatives, doctors, insurance agents, emergency numbers.

A lot of information is stored. The eight preset fields include Last Name, First Name, Company Name, Address, City, State, Zip-Code, and Phone Number. Twelve additional programmable fields allow you to store extra information according to your personal needs. Names are automatically sorted by last name when entered, so no special sort is needed. A zip-code sort is also available. Merge 'n Mail can store over 2500 records per file; over 800 is possible on a single drive; the files may be on 1-4 drives.


Look-up is easy and fast. Logical selection allows you to search for records by any field with six different qualifiers. The binary search algorithm makes access very fast. The unique "soundex search" feature lets you look for a name without knowing how to spell it correctly - just type what it sounds like!

Printing is a snap! Label formats are easy to specify at print time or your own custom label formats may also be saved and loaded from disk. Labels and listings may be sorted by name or zip-code. The logical selection feature allows you to specify a subset of your mailing list by any field with six different qualifiers for printing. Printer baud rate, compression and uncompression codes may be changed and saved to disk to tailor it to your personal printer.

The mail-merge feature is especially useful. You can create letters with your word processor and embed mailing list info automatically! It can be used with any ASCII editor including Scribe, Telewriter, Scripsit, and Super Color Writer II.

Mail 'n Merge is sophisticated yet easy to use. If you maintain a mailing list for any purpose, this is a tool that can save you time! It requires 64K and one disk drive and sells for a very reasonable price.

64K disk \$27.95



DON'T FORGET!

Personal Time Management System
and Event Recorder with Memos

You won't forget **Don't Forget!** You'll actually enjoy getting organized with this personal time management systems. The Macintosh-like icons make entering your personal schedule simple and fun. But if you need instructions, there are help screens to assist you.

You'll never miss a birthday or important appointment again! With **Don't Forget!** you can record the entire year's occasions and daily appointments ahead. Each day has spaces for 4 Special Occasions, 2 Memos, and hourly notes for 6 am through 9 pm. The built-in 51 x 24 upper and lower case hi-res display makes it very easy to read. You can display or print any daily schedule - or a whole week at a time - so you'll remember every important event. You can even print a blank monthly calendar page with big boxes to scribble notes in!

So use your CoCo's memory and **Don't Forget!** as your personal secretary. Designed for mouse, joystick, or keyboard entry. **Don't Forget!** requires 32K and one disk drive.

Disk \$27.95

Computerware® is a federally registered trademark of Computerware®.



Call or Write to:

(619) 436-3512

Box 668 • Encinitas, CA • 92024

Name _____
Address _____
City _____ State _____ Zip _____

Yes! Send me your FREE catalog! ☐

VISA _____ MasterCard _____ Check _____ COD _____
Card # _____ Exp. _____
Signature _____

Item	Format	Price
Shipping:		
Surface — \$2 minimum.		
2% for orders over \$100		
Air or Canada — \$5 minimum.		
5% for orders over \$100		
6% Calif. Sales Tax		
COD Add \$5		
Shipping*		
TOTAL		

Checks are delayed for bank clearance

How Not To Let The Bugs Bite In Your Cassette Merge Program

By John D. Boyle

There have been several articles on merging cassette-based programs in various CoCo magazines. All of these I have seen have a common bug which has the potential for bombing any attempted merges. The bug will appear in only 0.8 percent of the programs, and is a function of the length of the initial program.

Bug apart, there is an excellent introductory article on the merge procedure by John Nicolettos in the January 1983 *80 Micro*. Another good reference is "A Mixed Bag Of BASIC" in the August 1983 RAINBOW by Richard A. White.

The method operates by modifying the start of BASIC pointers contained in RAM locations 25 and 26 to be two less than the current end of BASIC pointers contained in RAM locations 27 and 28. This fools the BASIC loader into putting the second program behind

the first. The subtraction of two is needed to eliminate the two locations used to identify end of program to the BASIC interpreter.

The method described works as long as the value in 28 is two or higher. When 28 is one or zero, there is a need to borrow one from Location 27 and this capability is not included in the published programs. Since any single byte (eight-bit) location has 256 possible values for its contents, the problem can show up 2/256 or around 0.8 percent of the time.

The bug is relatively obvious to anyone who did assembly language programming for the 6800 (the 6809 predecessor). For those who started on the 6809 with its double precision (two-byte) instructions, the difficulty may be less clear. Compare the two assembly language programs shown in listings 1 and 2.

Listing 1: 6809 Assembly Code

```
LDD 27 get values in 27 & 28
SUBD #2 subtract 2 -borrow is automatic
STD 25 save result
```

Listing 2: 6800 Assembly Code

```
100 LDAB 28 fetch low byte
200 LDAA 27 fetch high byte
300 SUBB #2 subtract 2 from low byte
400 SRCA #0 take any borrow from high byte
500 STAB 26 save low byte
600 STAA 25 save high byte
```

The 6809 code is simpler and shorter because the 'D' instructions handle two bytes at once, and automatically take care of the borrow between the two bytes. The 6800 code requires one line to cater for the borrow possibility. Unfortunately, the *PEEK* and *POKE* capabilities of BASIC are like the 6800 in that they can only handle a single byte at a time. Hence, any attempt to carry out the double precision subtraction used in the merge procedure must build the capability for handling a borrow situation into the BASIC code.

Possibly the most elegant solution is to include the 6809 code shown above as a machine language subroutine. However, only BASIC solutions will be discussed in this article.

Listing 3 contains the simplest equivalent of the 6800 instructions in BASIC. The only real complexity comes in the determination of whether or not

(John Boyle holds an electrical engineering degree from Dundee in Scotland, and is currently working in a quality assurance position. He and his wife, Sheila, have two daughters.)

DYNACALC®

CoCo's Best & Fastest Spreadsheet System

ACCLAIMED BY THE EXPERTS

"DYNACALC is my choice for a CoCo spreadsheet."

Dan Downard, RAINBOW, September, 1984.


"Eat your heart out, Lotus 1-2-3!"

Scott Norman, HOT CoCo, October, 1984.

Built-in Features:

- 51 x 24 Display with Lower Case
- Super-fast Smart Screen Refresh
- Auto-Repeat Keyboard Driver
- Keysaver (TM) repeats last command x times
- Disk Operating System (works just like ROM DOS)
- Easy communication with BASIC/DOS programs
- Two-way communications with PRO-COLOR-FILE ★Enhanced★
- Outputs to ASCII Word Processors like Telewriter-64
- Fast 16-Digit Arithmetic with Scientific Functions
- Summation, Mean, and Standard Deviation Functions
- Logical Functions with String & Numeric Comparison
- String locate command to navigate large worksheets
- Sort full or partial worksheet by columns or rows
- Line, Bar, Hi/Lo/Close, Circle Graphs
- Full Graphics captioning and overlay facility
- Graphics Drivers for all popular Printers
- Joystick/Mouse Driver for Cursor Movement
- Works with any ROM versions, even JDOS
- 33k Available Worksheet Space
- Up to 256 Columns or 256 Rows
- Can use VisiCalc worksheets & training materials
- On-screen Help Messages

**NOW
ONLY
\$99.95**




**now with
GRAPHICS!**

FOR 64K DISK SYSTEMS

available from

COMPUTER SYSTEMS CENTER

42 Four Seasons Center #122
Chesterfield, MO 63017
(314) 576-5020



**NEW
ADDRESS**

10 to 6 Mon.-Fri.

or your local DYNACALC dealer

Price US\$99.95

Outside North America add \$10 postage

DYNACALC Reg. U. S. Pat. Off.

PRO-COLOR-FILE is a trademark of Derringer Software

Telewriter-64 is a trademark of Cognitec

VisiCalc is a trademark of VisiCorp.

CANADA- CDN\$129.95

RGS MICRO INC.

759, VICTORIA SQUARE 405

MONTREAL H2Y 2J3

TEL.: (514) 287-1563

ORDER LINE ONLY ★ ★ ★

QUEBEC-ONTARIO-MARITIMES

800-361-5338

WESTERN CANADA 800-361-5155



QUALITY HARDWOOD CABINET FOR YOUR COLOR COMPUTER

INSIDE THIS SOLID HARDWOOD CABINET YOU
CAN INSTALL:

- * YOUR COLOR COMPUTER CIRCUIT BOARD
- * DISK DRIVE CONTROLLER
- * TWO HALF HEIGHT DISK DRIVES
- * ANY OTHER 5" X 7" CIRCUIT BOARD
(SUCH AS AN 80 COLUMN VIDEO BOARD)



INCLUDED WITH THIS FINE CABINET
IS AN EFFICIENT SWITCHING POWER
SUPPLY THAT CAN POWER YOUR
COMPUTER, DISK DRIVES, DISK
CONTROLLER, AND ACCESSORIES
WITH POWER TO SPARE


ALSO INCLUDED IS A SEPARATE
HARDWOOD KEYBOARD ENCLOSURE
WITH CONNECTING RIBBON CABLE
(SPECIFY YOUR KEYBOARD)

AVAILABLE IN YOUR CHOICE
OF HARDWOODS :

OAK, MAPLE, CHERRY..\$ 189
WALNUT.....\$ 209
TEAK.....\$ 229

WE CAN INSTALL YOUR COMPUTER
AND ACCESSORIES. WE ALSO
CARRY TEAC DISK DRIVES AND
JSM DISK CONTROLLERS AT
COMPETITIVE PRICES. - CALL

PARALLEL PRINTER INTERFACE



MODEL CCP-2 **\$ 84**
(with modem switch & connector)

MODEL CCP-1 **\$ 69**

UPGRADE YOUR CCP-1 TO A CCP-2
\$17 including shipping

- * RUNS ANY PARALLEL PRINTER FROM
THE SERIAL I/O PORT
- * NO HARDWARE MODIFICATIONS OR SOFTWARE
PATCHES NEEDED. WORKS WITH ALL
STANDARD COLOR COMPUTER COMMANDS
- * SWITCH SELECTABLE BAUD RATES
FROM 300 TO 9600
- * ALL CABLES AND CONNECTORS INCLUDED
- * 1 YEAR WARRANTY

Either Model without power module
DEDUCT \$3.00.

Shipping costs included in price
Mich. residents add 4% sales tax.

BOTEK INSTRUMENTS

313-739-2910 4949 HAMPSHIRE UTICA, MICHIGAN 48087 DEALER INQUIRIES INVITED

a borrow occurred. This is done in Line 400. If FL is negative (less than zero), a borrow is needed from the upper byte. The lowest bit of the upper byte is worth 256. Therefore, when it is borrowed from FH, it is added to FL as 256. This is guaranteed to make FL positive and it can then be *POKED* into the answer location.

Listing 3: BASIC Program

```
100 FL=PEEK(20) fetch low byte
200 FH=PEEK(27) fetch high byte
300 FL=FL-2 subtract 2
400 IF FL>= 0 THEN 500 borrow needed?
450 FH=FH-1:FL=FL+256 yes!
500 POKE 26,FL save low byte
600 POKE 25,FH save high byte
```

Other methods are possible. Listing 4 gives an example. Here, the two bytes are combined into one using the 256 factor between bytes by multiplying and adding. The subtraction is then carried out before separating the bytes, again using BASIC's divide and *INT* (integer) functions.

Listing 4: Alternate BASIC Program

```
100 FL=PEEK(20) fetch low byte
200 FH=PEEK(27) fetch high byte
300 FC=FH*256+FL combine bytes
400 FC=FC-2 subtract
500 FH=INT(FC/256):FL=FC-256*FH separate bytes
600 POKE 26,FL:POKE 25,FH
```

Why are alternates important? They are most commonly investigated to obtain the best solution in terms of either execution speed or memory usage, but another important reason is for test purposes.

By running a program such as shown in Listing 5, which directly compares the results of two alternate methods, it is possible to use the computer to exhaustively test routines like this one and avoid obscure bugs. Such tests are time consuming, but are essential for commercial software. A bug in a commercial or industrial package can

Listing 5: Test Program

```
100 CLS:POKE1020,10:POKE1021,0
200 FORX=1TO256
300 T1=PEEK(1020):T2=PEEK(1021)
400 T2=T2-2
500 IF T2<0 THEN 800
550 T1=T1-1:T2=T2+256
600 T3=PEEK(1020):T4=PEEK(1021)
700 T5=T3+256+T4
800 T5=T5-2:T3=INT(T5/256):T4=T5-256*T3
900 IF T1-T3=0 AND T2-T4=0 THEN 1200
1000 PRINT"TEST FAIL"
1100 STOP
1200 POKE1020,T1:POKE1021,T2
1250 PRINT00,X
1300 NEXTX
1400 PRINT"TEST O.K."
1500 END
```

be very expensive in terms of time, money and reputation. This and good documentation are two reasons for the often higher cost of good *software*.

Line 100 sets up start conditions for two consecutive memory bytes. Line 200 sets up a loop which will cycle the program through all possible values of the lower byte. Lines 400-550 carry out one method of subtraction. Lines 700 and 800 carry out the second method. Line 900 compares and takes appropriate action.

Because the methods are both correct, this test will always show a successful completion. During the test the value of 'X' is printed on the screen to allow progress to be monitored. If lines 500 and 550 are deleted, thus ignoring the borrow situation, the test will fail at two values (zero and one) of Location 1021. The program halts with an error in this case. It can be run successfully by starting with a value of two for location 1021 in Line 100, thereby duplicating the error in the original program.

This method of testing does not apply to all types of programs, but where applicable it is a powerful tool in the software quality armory. The cassette merge procedure is a useful one, too, and I would encourage readers to learn and use it. It can also be used with advantage in some disk situations as an alternate to the *MERGE* command.

One-Liner Contest Winner . . .

Remember those big all-day suckers? This program draws an ever-changing lollipop.

Paula Vaske
Beloit, WI

The listing:

```
10 PMODE1,1:SCREEN1,1:D=RND(54):
C=RND(8):CIRCLE(128,54),D,C:DRAW
"C7BM124,184U80D80R10U80L10":PAI
NT(129,158),7,7:DRAW"C6BM0,0R245
D245L245U245":RUN
```

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book Of Simulations* and its companion *Rainbow Simulations Tape*.)

One-Liner Contest Winner . . .

This 32K program shows you what popcorn looks like during the actual popping process. (Actually, it draws popped kernels over eight *PMODE 0* graphics screens, then switches screens at random.)

Mike Kilby
Englewood, OH

The listing:

```
0 PCLEAR8:FORP=1TO8:PMODE0,P:PCL
S:FORN=1TO60:X=RND(250):Y=RND(18
0):DRAW"BM"+STR$(X)+"","+STR$(Y)+
";R2DRFL4UDL2DGDFU2ED5R2UL2U3RUD
R2UDL":NEXTN:NEXTP:FORL=1TO5000:
P=RND(8):PMODE0,P:SCREEN1,0:SOUN
DP,1:FORT=1TO100:NEXTT:NEXTL
```

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book Of Simulations* and its companion *Rainbow Simulations Tape*.)

Price Changes
Occur On A
Daily Basis.
Please Call
1-800-343-8841

PRICE BREAKTHROUGH

Price Changes
Occur On A
Daily Basis.
Please Call
1-800-343-8841

MEGADISK™ HARD DISK DRIVE SYSTEMS

TOLL FREE ORDERING 1-800-343-8841

For the IBM/PC, Tandy 1000, TRS/80 Models I/III/IV/4P, Compaq, Eagle, Sanyo, Tava, PC Workalikes, Color Computers, Apple/Franklin, Heath/Zenith, Max/80
Complete with Hardware, Cables, Software and Quikfit Installation

5 Megabytes Internal Mount	starting at \$ 449.95
10 Megabytes Internal Mount	starting at 599.95
20 Megabytes Internal Mount	starting at 999.95
5 Megabytes External System	starting at 649.95
10 Megabytes External System	starting at 849.95
20 Megabytes External System	starting at 1,299.95
3.3 Megabytes Kodak Backup System	starting at 599.95
Streaming Tape Backup System	starting at 699.95

DOS Systems Available: IBM/Heath — DOS, 1.0, 2.0, 2.1, 3.0, or later — Apple Franklin — DOS 3.3, ProDOS
TRS/80-LDOS, TRSDOS 6.x, Newdos/80, Dosplus, CP/M, COCO DOS, Max/80 LDOS, OS9

WARRANTIED FOR ONE FULL YEAR — PARTS AND LABOR — 24 HOUR SERVICE — CALL TOLL FREE — 1-800-343-8841

FLOPPY DISK DRIVES

Our Disk Drives are UL approved — Our Floppy Drive Cabinets and Power Supplies are Underwriters Laboratory Listed and have passed the required Federal Communications Part 15 Section B-EMI/RFI tests.

Warranty on all disk drives is one full years parts and labor. Warranty on floppy disk drive power supplies is five (5) years. In warranty or out of warranty service is 24 hour turn-around on all disk drives.

Tandon — Full Height Drives	
100-1 Single Sided 40 tk Bare	\$128.00
In Case with Power Supply	169.95
Dual Drives in One Cabinet	329.95
100-2 Dual Sided 40 tk Bare	165.00
In Case with Power Supply	209.95
Dual Drives in One Cabinet	384.95
Half High Drives	
65-1 Single Sided 40 tk Bare	125.00
In Case with Power Supply	159.95
Dual Drives in One Cabinet	309.95
65-2 Dual Sided 40 tk Bare	145.00
In Case with Power Supply	179.95
Dual Drives in One Cabinet	349.95
65-4 Dual Sided 80 tk Bare	165.00
In Case with Power Supply	199.95
Dual Drives in One Cabinet	359.95
TEAC Half High Drives	
55A Single Sided 40 tk Bare	140.00
In Case with Power Supply	169.95
Dual Drives in One Cabinet	319.95
55B Dual Sided 40 tk Bare	160.00
In Case with Power Supply	199.95
Dual Drives in One Cabinet	359.95
55F Dual Sided 80 tk Bare	180.00
In Case with Power Supply	219.95
Dual Drives in One Cabinet	389.95
Apple/Franklin Disk Drives	
35/40 Track in Case with Cable and Software	159.95
Controller Card for Two Disk Drives	49.95
Combination Price for Disk Drive and Controller	199.95
Commodore Disk Drives	
	239.95

COMPUTERS

All of our computers come with a full one year Warranty — Parts and Labor — 24 Hour Service on all in stock parts.	
IBM/PC-256K Two Floppy Drives, One Year Warranty	\$1,895.00
With Monitor Card and High Resolution Monitor	2,195.00
IBM/PC-256K 5 Megabyte Drive, One Floppy Drive	2,495.00
With Monitor Card and Monochrome Monitor	2,695.00
10 Megabyte System	2,695.00
With Monitor Card and Monochrome Monitor	2,995.00
IBM Lookalike Monitor 800h x 650v resolution w/cable	199.00
TRS/80 Model IV Computer 128K Dual Drive RS232	1,095.00

PRINTERS

Dot Matrix	
Star Micronics	
Gemini X-Series Parallel 120 CPS	starting at \$259.95
Delta 10/15 160 CPS	starting at 424.95
Radix 10/15 200 CPS	starting at 649.95
Panasonic 1090	249.95
Daisy Wheel	
Silver Reed 440 80 Column 12 CPS	315.95
550 132 Column 19 CPS	439.95
770 132 Column 36 CPS	895.00
Olympia 132 Column 14 CPS with Form and Tractor	399.95
Star Micronics 100 Column 18 CPS	352.95
Apple/Franklin Printer Interface w/Graphics and Cable	84.95
Printer Cables	starting at 19.95
Printer Paper — Microperf Edge 1000 Sheets	16.95

ELECTRICAL

Surge Protectors — Line Filters — SL Waber — 6 Outlets with Switch	\$ 39.95
Uninterruptable Power Supplies — 225 Watt	399.95

MODEMS

Volkmodem 300 Baud	\$ 59.95
Signalman Mark X Autodial	123.95
Mark XII 1200/300 Baud Autodial	284.95

ADD IN BOARDS FOR THE IBM

STB — Rio Plus 128K	\$299.95
Super Rio 128K	219.95
Graphix Plus	283.00
Graphics Plus II	355.00
Parallel Printer Port	74.95
Serial Port	84.95
Monochrome Board with Parallel Printer Port	210.00
Quadram — Quadboard 512 128K	269.95
Quadcolor I	215.95
Quadcolor II	439.95

MISCELLANEOUS

Diskettes in 10 Pack	from \$ 12.95
Twoprint Switches	from 99.95
Disk Drive Cables	from 16.00
Maintenance Cleaning Kits	12.00
Parallel Printer Buffers 8K	149.95
Floppy Disk Drive Cables	
1 Drive	16.00
2 Drives	18.95
Heath/Zenith 2 Drive Cables — Shielded	39.95

©1985

SOFTWARE SUPPORT, INC.

1 Edgell Road, Framingham, MA 01701 (617) 872-9090 Telex-383425

Hours: Mon. thru Fri. 9:30 am to 5:30 pm (E.S.T.) Sat. 10 am to 3:30 pm

SERVICE POLICY — Our Professional Technical Staff Is Available To Assist You Monday Through Saturday.

WARRANTIES — Disk Drives — One Full Year Parts And Labor. Floppy Disk Drive Power Supplies — Five (5) Years.

SERVICE — 24 Hour Turn-A-Round On All In-Stock Parts. Dealer Inquiries Invited

Toll Free 1-800-343-8841

Please call for Shipping, Handling and Insurance

*Speed up typing of machine language programs
with this monitor*

CoComon Junior

By Steve Roberts

There are plenty of monitors available out there in the program world, and you're probably saying to yourself, "Not another monitor!", but *CoComon Junior* has some advantages the beginning machine language programmer is looking for to make typing in programs easier.

It can also be used to examine machine language programs. It can be used to execute programs already in memory, or something you have just typed in, so you can see the results immediately. If you already have a program in memory and you want to examine it, but you don't know where the program starts in memory, you can use the find section of the program. *CoComon Junior* has everything I needed and wanted in my "beginner days," and it should help to give you a good start in machine language.

I will first explain how to use the program, then I'll explain how the program works.

CoComon Junior will first go to the main menu and ask you what you would like to do. There are four choices:

- 1) Type in a machine language program.
- 2) Examine a machine language program.
- 3) Find a machine language program.
- 4) Execute a machine language program.

Press '1' first; you will see instructions on how to type a machine language program into memory. Then press 'L' and you are now ready to start typing in your program.

Typing in machine language with this monitor is unique. Since data in machine or assembly language programs is usually a maximum of four bytes or eight bits or digits in one line, the program is designed so you can input up to four bytes at one time to speed up typing in those long programs, instead of having to press ENTER after each byte (as it is with most monitors).

The program is made so it will work with as few keystrokes as possible; you will rarely have to press the ENTER key. On an average, you can type in a program up to one-third faster than with normal monitors. Next, press 'M' to go back to the main menu.

Press number '2' and see what happens next. Press 'E' and start examining by using the left and right arrow keys to look through memory. You have now entered the examining mode. Do not let that scare you. I know it sounds a little scary at first, but do not worry. In reality, a beginning programmer would not have to use this function very often, but I do suggest it for checking machine language programs for errors after you have typed them in. (You could also use it just to snoop around if you have a

curious nature, maybe check out some of the ROM to see what makes your CoCo tick.) Now, go back to the main menu by pressing 'M'.

Press number '3' and you will now see the instructions on how to use this section. Press 'F' and you will see the starting, ending, and executing addresses of your program. This is not always really accurate, but get the starting address, then go to the examine mode and see if that is, indeed, your program. Press 'M' to go back to the menu.

Now press '4' and you will see the instructions on how to execute your machine language program. Press 'X' and type in the executing address. Press 'M' to go back to the menu.

Pressing '5' will make the program end.


Input Requirements

- 1) You will not have to press ENTER when typing in the addresses if you input four digit numbers. If they are not four digit numbers, put a zero before the number, or you can just press ENTER if you like.
- 2) All inputs *must* be in hexadecimal!

Program Summary

Line Numbers	Function
10-30	The title, my name and the copyright.

40	GOTO the main menu.		Get the starting address.	640-670	Change the input to decimal, define <i>USR</i> then execute.
50	The start of the load section.	390-450	Convert to decimal then back to hexadecimal, then print out to the screen.	680-770	Main menu section.
80-150	The <i>INKEY\$</i> input routine. Get the Hex bytes.	460	Start of the find section.	780-830	Directions for the load section.
160-270	Convert to decimal then back to hexadecimal, then print out to the screen.	470	A=start address, B=end address, C=execute address.	840-890	Directions for the examine section.
280	End of the load section.	480-530	Change them to hexadecimal then print them on the screen.	890-930	Directions for the find section.
290	The start of the examining mode.	540	Start of the execute section.	930-980	Directions for the execute section.
320-380	The <i>INKEY\$</i> input section.	550-630	The <i>INKEY\$</i> input section.		



The listing:

```

10 *****COCOMON JUNIOR*****
20 **BY STEVE ROBERTS**
30 **COPYRIGHT (C) 1983**
40 GOTO 670
50 CLS:PRINT"   LOADING MACHINE
  LANGUAGE":PRINTSTRING$(32,"="):
PRINT:PRINT@136,"ADDRESS   BYTE
":PRINT@419,"PRESS (ENTER) TO LO
AD":PRINT@450,"INPUT (M) TO RETU
RN TO MENU"
60 PRINT@67,"STARTING HEX ADDRES
S"
70 SCREEN 0,1
80 FOR X=1 TO 4
90 AV$=INKEY$:IF AV$="" THEN 90
100 IF AV$="M" THEN 40
110 IF AV$=CHR$(13) THEN 160
120 PRINT @87+X,AV$
130 SCREEN 0,1
140 AD$=AD$+AV$
150 NEXT X
160 AD$="&H"+AD$:Q=VAL(AD$):Q=Q-
1
170 PRINT@64,STRING$(31," "):PRI
NT@75,STRING$(10," ")
180 PRINT@66,"HEX BYTES"
190 FOR X=1 TO 8
200 SCREEN 0,1
210 AV$=INKEY$:IF AV$="" THEN 21
0
220 IF AV$="M" THEN 40 ELSE IF A
V$=CHR$(13) THEN 260
230 PRINT@76+X,AV$
240 A$=A$+AV$
250 NEXT X
260 PRINT@196,STRING$(120," "):P
RINT@136,"ADDRESS   BYTE":IFA$=
"M" THEN 670 ELSE 270

```

```

270 FORA1=1TOLEN(A$)STEP2:SCREEN
0,1:A5$=MID$(A$,A1,2):Q=Q+1:A5$=
"&H"+A5$:A4=VAL(A5$):POKEQ,A4:PR
INTTAB(10);HEX$(Q);TAB(20);HEX$(
A4):NEXTA1
280 A$="":AD$="":AV$="":GOTO 170
290 CLS:PRINT"   EXAMINE MACHIN
E LANGUAGE":PRINTSTRING$(32,"=")
300 PRINT@64,"STARTING HEX ADDRE
SS"
310 SCREEN 0,1
320 FOR X=1 TO 4
330 AV$=INKEY$:IF AV$="" THEN 33
0
340 IF AV$=CHR$(13) THEN 390 ELS
E IF AV$="M" THEN 40
350 PRINT@85+X,AV$
360 SCREEN 0,1
370 A$=A$+AV$
380 NEXT X
390 PRINT@355,"PRESS M TO RETURN
TO MENU":Z$="&H"+A$:A=VAL(Z$)
400 A$="":AV$=""
410 Q2=PEEK(A):PRINT@160,"ADDRES
S   ASCII   BYTE":PRINT@226,HEX$
(A):PRINT@236,CHR$(Q2):PRINT@243
,HEX$(Q2)
420 SCREEN 0,1
430 Z3$=INKEY$:IFZ3$=CHR$(9)THEN
440ELSEIFZ3$="M"THEN670ELSEIFZ3$
=CHR$(8)THEN450ELSE430
440 A=A+1:GOTO410
450 A=A-1:GOTO410
460 CLS:PRINT"   FIND MACHINE LA
NGUAGE PROG.":PRINT@32,STRING$(3
2,"=")
470 A=PEEK(487)*256+PEEK(488):B=
PEEK(126)*256+PEEK(127)-1:C=PEEK
(157)*256+PEEK(158)
480 PRINT"STARTING ADDRESS=";HEX
$(A)
490 PRINT"ENDING ADDRESS=";HEX$(
B)
500 PRINT"EXECUTING ADDRESS=";HE
X$(C)

```



```

510 PRINT@355,"PRESS M TO RETURN
    TO MENU"
520 SCREEN 0,1
530 A2$=INKEY$:IFA2$="M"THEN670E
LSE530
540 CLS:PRINT"EXECUTING MACHI
NE LANGUAGE":PRINTSTRING$(32,"="
)
550 PRINT@128,"EXECUTING ADDRESS
"
560 SCREEN0,1
570 FOR X=1 TO 4
580 AV$=INKEY$:IF AV$="" THEN 58
0
590 IF AV$=CHR$(13) THEN 640 ELS
E IF AV$="M" THEN 40
600 PRINT@145+X,AV$
610 SCREEN 0,1
620 F$=F$+AV$
630 NEXT X
640 F1$="&H"+F$:X7=VAL(F1$):DEFU
SR0=X7:X=USR(0)
650 SCREEN 0,1
660 PRINT@352,"PRESS M TO RETURN
    TO MENU":I$=INKEY$:IFI$="M" THE
N 670 ELSE 660
670 CLS:SCREEN0,1
680 PRINT:PRINT"THIS IS A MONITO

```

```

R PROGRAM FOR THE COLOR COMPUT
ER. IT HAS FIVE MAIN FUNCTIONS.
690 PRINT" (1) TYPE IN A MAC
HINE LANGUAGE PROGRAM."
700 PRINT" (2) EXAMINE A MAC
HINE LANGUAGE PROGRAM."
710 PRINT" (3) FIND THE STAR
TING, ENDING AND EXECUTING
ADDRESSES OF A MACHINE LANGUAGE
PROGRAM."
720 PRINT" (4) EXECUTE A MAC
HINE LANGUAGE PROGRAM."
730 PRINT" (5) END THIS PROG
RAM."
740 PRINT" enter 1, 2, 3
, 4 or 5"
750 SCREEN0,1
760 I$=INKEY$
770 IF I$="1" THEN 780 ELSEIF I$
="2" THEN 840 ELSE IF I$="3" THE
N 890 ELSE IF I$="4" THEN 940 EL
SE IF I$="5" THEN END ELSE 760
780 CLS:PRINT:PRINT"TO TYPE IN A
MACHINE LANGUAGE PROGRAM WIT
H THIS MONITOR JUST TYPE IN THE
HEX AS YOU SEE IT APPEAR ON Y
OUR COPY."
790 PRINT:PRINT"THEN PRESS enter

```

Aurora Computing

49 Brookland Ave., Aurora, Ontario Canada L4G 2H6

FAMILY GAMES

The popular **STOCKBROKER** and **CRIBBAGE 32K** \$14.95 each.
ADVENTURE GAMES: Sea Quest and Shenanigans from MARK DATA only \$24.95(C); \$27.95(D) each
 From BRANTEX, **PIRATE TREASURE 16K** \$13.95
SCAVENGER HUNT 16K \$18.95

EDUCATIONAL GAMES

COLORMIND, CONCEN - improve your memory and logical thinking - **16K** \$10.95 each

Also from **BRANTEX**

EDU-COMBO (Math Derby, Peek 'N' Spell Metric Converter) **16K** only \$29.95
BUSINESS: HOUSEHOLD EXPENSE MANAGER 16K \$19.95
LOAN ANALYSIS 16K \$20.95

NEW from MARK DATA

The amazing **TIME FIGHTER 16K** \$24.95(C)
32K \$27.95(D)
 Also the ever popular **GLAXXONS 16K** \$24.95(C)
32K \$27.95(D)

UTILITIES: ROMDISK: Run your rom pack games from a disk! **64K** \$15.95
MR. COPY - make up to 99 copies of one program at once! **16K** \$15.95

BASIC COMPILER

MLBASIC 1.0 - BASIC COMPILER

WASATCHWARE is pleased to introduce what we feel is the most comprehensive BASIC Compiler available for the Color Computer. This BASIC compiler, called MLBASIC, is for programmers who want to create machine language from BASIC programs. Written in machine language, MLBASIC will prove to be the most powerful utility on your shelf.

COMMANDS SUPPORTED

- I/O -Commands**

CLOSE	CLOADM	CSAVEN	DIR	DRIVE	DSKIS
DSKOS	FIELD	FILES	GET	INPUT	KILL
LSET	OPEN	PRINT	PUT	RSET	
- Program Control Commands**

CALL	END	EXEC	FOR	STEP	NEXT
GOSUB	GOTO	IF	THEN	ELSE	ERROR
ON..GO	RETURN	STOP	SUBROUTINE		
- Math Functions**

ABS	ASC	ATN	COS	CNV	EOF
EXP	FIX	INSTR	INT	LEN	LOG
LOC	LOF	PEEK	POINT	PPPOINT	RND
SGN	SIN	SQR	TAN	TIMER	VAL
- String Functions**

CHRS	INKEY\$	LEFT\$	MIDS	MKNS	RIGHT\$
STR\$	STRINGS				
- Graphic/Sound Commands**

COLOR	CLS	CIRCLE	DRAW	LINE	PAINT
PCLEAR	PCLS	PLAY	PMODE	PRESET	PSET
RESET	SCREEN	SET	SOUND		
- Other/Special Commands**

DATA	DIM	LLIST	MOTOR	POKE	READ
REN	RESTORE	RUN	TAB	VERIFY	DLD
DST	IBSHFT	LREG	PCOPY	PMODD	PTV
REAL	SREG	SWP	VECTD	VECTI	

WASATCHWARE believes that the 6809 based microcomputer is powerful enough to warrant such a compiler. MLBASIC is a BASIC compiler that allows structured programs (using SUBROUTINES), full floating point arithmetic and other features not available with Interpreter Basic programs.

Tape- \$69.95
 Disk- \$69.95
 Both- \$74.95

64K Required



WasatchWare

7350 Nutree Drive
 Salt Lake City, Utah
 84121

Add \$4.00 Postage and Handling
 Send check or Money order.
 No C.O.D.. Utah res. add 5% tax.

Call (801) 943-6263

Free Offer

HOW TO EARN EXTRA MONEY
WITH YOUR HOME COMPUTER.

See Details Below.

I'M WORKING HARD
TO SAVE YOU MONEY.



BUY, SWAP AND SELL

MOM'S CLASSIFIED BULLETIN BOARD OF COMPUTER ITEMS IS YOUR OPPORTUNITY TO LIST FOR SALE OR SWAP-ITEMS THAT YOU NO LONGER NEED. ALSO, IT'S THE PERFECT PLACE TO SHOP FOR BARGAINS OFFERED BY OTHER MEMBERS OF MOM'S FAMILY.

NEW PRODUCTS

MOM CAN SAVE YOU MONEY ON NEW HARDWARE, SOFTWARE PRINTERS, MODEMS, MONITORS, DISC DRIVES AND MUCH MORE - MANY OF THE SAME ITEMS ADVERTISED HERE IN RAINBOW MAGAZINE.

DISCOUNTS

SAVE 5% TO 35% ON ALL NEW ITEMS YOU BUY THROUGH MOM - BEFORE YOU BUY, CHECK WITH MOM FOR LOWEST PRICES.

SPECIAL OFFER

FREE WITH MEMBERSHIP - YOUR PERSONAL COPY OF "18 WAYS TO EARN EXTRA MONEY WITH YOUR HOME COMPUTER" JOIN TODAY AND YOU CAN START EARNING EXTRA MONEY USING MOM'S GUIDE.

MOM PROMISES

PERSONALIZED SERVICE - TO MOM YOUR NOT JUST AN-OTHER NAME . . . YOUR PART OF HER FAMILY. SHE'S INTERESTED IN YOU AND HOW YOU USE YOUR COMPUTER. WRITE TO HER ABOUT PROGRAMMING, EQUIPMENT, SOFTWARE, PROGRAMMING AND YOUR OWN IDEAS. HAVE COMPUTER PROBLEMS? WRITE MOM - SHE CARES !!

Software Programmers

Mom can help you Market YOUR programs.

Others have benefited - why not You ?

BECOME A MEMBER OF MOM'S FAMILY

Yes, I want to become a member of MOM'S COMPUTER CLUB FAMILY and enclose my personal check for \$14.95 for which Mom will rush my MEMBERSHIP CARD and my CERTIFICATE along with complete details and benefits of membership. Also included will be my FREE issue of "18 WAYS TO EARN EXTRA MONEY WITH YOUR HOME COMPUTER." I understand that my membership will be entered promptly and that there will be no delay due to payment with personal check, or money order.

Name _____ Date _____

Address _____ Apt # _____

City/State/Zip _____

Phone() _____ My computer is a _____

Make checks payable to:

COMPUTER MOM

4111 Lincoln Blvd. #319

Marina del Rey, CA 90292


```

TO LOAD THE HEX INTO MEMORY."
800 PRINT:PRINT"YOU CAN input UP
TO EIGHT DIGITS AT A TIME BEFOR
E YOU HAVE TO PRESS enter."
810 PRINT:PRINT" INPUT (L)OAD /
(M)ENU"
820 SCREEN 0,1
830 L$=INKEY$:IF L$="L" THEN 50
ELSE IF L$="M" THEN 670 ELSE 830

```

```

840 CLS:PRINT:PRINT"THIS SECTION
WILL HELP YOU SEARCH THRO
UGH YOUR MACHINE LANGUAGE PR
OGRAM TO FIND ERRORS OR JUST Loo
K THROUGH IT."

```

```

850 PRINT:PRINT"TO USE IT, INPUT
THE STARTING ADDRESS, AND TH
EN USE THE LEFT ARROW KEY TO GO
BACKWARD IN MEMORY OR THE R
IGHT ARROW KEY TO GO FORWARD I
N MEMORY."

```

```

860 PRINT:PRINT" INPUT (E)XAMINE
/ (M)ENU"

```

```

870 SCREEN 0,1

```

```

880 E$=INKEY$:IF E$="E" THEN 290
ELSE IF E$="M" THEN 670 ELSE 88
0

```

```

890 CLS:PRINT:PRINT"THIS PART SI

```

```

MPLY GIVES YOU THE STARTING, E
NDING AND EXECUTING ADDRESSES O
F YOUR MACHINE LANGUAGE PR
OGRAM."

```

```

900 PRINT:PRINT"SOMETIMES THIS M
AY NOT WORK BECAUSE OF GARB
AGE IN THE MEMORY WHICH CA
N CAUSE IT TO GIVE FALSE READ
INGS."

```

```

910 PRINT:PRINT" INPUT (F)IND /
(M)ENU"

```

```

920 SCREEN 0,1

```

```

930 F$=INKEY$:IF F$="F" THEN 460
ELSE IF F$="M" THEN 670 ELSE
930

```

```

940 CLS:PRINT:PRINT"THIS SECTION
WILL EXECUTE YOUR PROGRAM THR
OUGH THE USR FUNCTION."

```

```

950 PRINT:PRINT"INPUT THE STARTI
NG ADDRESS OF YOUR PROGRAM TH
EN PRESS ENTER AND IT WILL EXE
CUTE IT FOR YOU."

```

```

960 PRINT" INPUT E(X)ECUTE / (M)
ENU"

```

```

970 SCREEN 0,1

```

```

980 X$=INKEY$:IF X$="X" THEN 540
ELSE IF X$="M" THEN 670 ELSE 9
80

```

PAYROLL

Includes 1985 New Tax Tables

PAYROL/BAS®

Ready to run on a system with 64K Extended Basic (w/printer and one disk drive), Howard Payrol/BAS® has everything you need to do payroll for a business of up to 50 employees, including:

Entering employee information: name, address, SS#, wages or salary, starting date, year-to-date earnings.

Summary program: monthly listing of all checks' gross income, FICA, taxes, profit sharing, insurance.

Cutting checks: usable with either pin-feed or friction-feed printers. (We can supply checks.)

We don't leave you alone out there, either! An order puts you on our list for quarterly updates of tax information, etc.

\$79.95
(\$2 shpg.)



HOWARD MEDICAL

SEND TO: HOWARD MEDICAL COMPUTERS
Box 2, Chicago IL 60690

Name _____
Address _____
City, State, Zip _____
Please send (desc. & qty.—Ill. res. add 8% sales tax):



include card # _____

exp. date _____

DEALER INQUIRIES INVITED RB1284a

Other Helpful Programs

941 Program: gives individual summaries (and totals) of check information for preparing federal 941 and state unemployment forms.
\$29.95 (\$2 shpg.)

W-2 Program: for cutting your year-end W-2's.
\$29.95 (\$2 shpg.)

EXAMPLES OF PAYROL/BAS® OUTPUT

HOWARD MEDICAL COMPANY
FAMILY ACCOUNT
714 100/10/84 *****950.31

Payroll Summary for 1984

DATE	TIME	DATE	TIME	CHECK NO.
1/1/84	12:00	1/1/84	12:00	1
1/2/84	12:00	1/2/84	12:00	2
1/3/84	12:00	1/3/84	12:00	3
1/4/84	12:00	1/4/84	12:00	4
1/5/84	12:00	1/5/84	12:00	5
1/6/84	12:00	1/6/84	12:00	6
1/7/84	12:00	1/7/84	12:00	7
1/8/84	12:00	1/8/84	12:00	8
1/9/84	12:00	1/9/84	12:00	9
1/10/84	12:00	1/10/84	12:00	10
1/11/84	12:00	1/11/84	12:00	11
1/12/84	12:00	1/12/84	12:00	12
1/13/84	12:00	1/13/84	12:00	13
1/14/84	12:00	1/14/84	12:00	14
1/15/84	12:00	1/15/84	12:00	15
1/16/84	12:00	1/16/84	12:00	16
1/17/84	12:00	1/17/84	12:00	17
1/18/84	12:00	1/18/84	12:00	18
1/19/84	12:00	1/19/84	12:00	19
1/20/84	12:00	1/20/84	12:00	20
1/21/84	12:00	1/21/84	12:00	21
1/22/84	12:00	1/22/84	12:00	22
1/23/84	12:00	1/23/84	12:00	23
1/24/84	12:00	1/24/84	12:00	24
1/25/84	12:00	1/25/84	12:00	25
1/26/84	12:00	1/26/84	12:00	26
1/27/84	12:00	1/27/84	12:00	27
1/28/84	12:00	1/28/84	12:00	28
1/29/84	12:00	1/29/84	12:00	29
1/30/84	12:00	1/30/84	12:00	30
1/31/84	12:00	1/31/84	12:00	31

Telephone 312/278-1440
Computer Bulletin Board
312/278-9513

NEW!

'HOME COMMANDER' \$49.95

BSR
CONTROL
MEETS THE
CoCo



CONTROL YOUR WORLD

Give yourself piece of mind while on vacation by programming the HOME COMMANDER to control lamps, radios, TVs and more. Or make life easy on yourself by turning on the coffee pot before you wake up. You can do this and more with the HOME COMMANDER.

NO WIRES NECESSARY

The HOME COMMANDER uses your home's existing electrical wiring to control virtually anything. Appliances are controlled via small control modules (sold separately). The LAMP DIMMER MODULE allows you to turn a lamp on or off and control 16 brightness levels. The APPLIANCE MODULE is used to control appliances up to 400 watts such as a TV, radio, stereo system, fan or motor.




ON FRIDAY 7:42 PM, OFF SUNDAY 1:26 AM

Included FREE is a program to allow you to control up to 256 devices and specify the time and date they are to be activated. That's right, the software has its own built in accurate clock.

LAMP DIMMER MODULE \$16.95 APPLIANCE MODULE \$16.95

NEW! PRECISION TIME MODULE



Now your computer will always know the correct time and date. This amazing precision time module is calibrated to the National Bureau of Standards (WWV) atomic clock and you should never have to change it.

Use the PRECISION TIME MODULE to add the time element to your game. Or use on your BBS so that the time will always be perfectly accurate.

BATTERY BACKUP

Even when your computer is off, the clock keeps correct time by operating using the internal battery backup system.

~~\$59.95~~
\$49.95
INTRODUCTORY PRICE
ENDS FEB. 15

FREE
TALKING CLOCK
PROGRAM
requires VOICE,
SUPER VOICE,
or
SPEECH & SOUND PAK



MONTHS, LEAP YEARS & DST

The PRECISION TIME MODULE automatically adjusts for the different number of days in each month as well as leap years. And believe it or not, it adjusts for DST so you don't have to remember if it's SPRING FORWARD or FALL FORWARD.

LOWEST
PRICE
ANYWHERE

Y-CABLE \$28.95

Why pay \$100 to \$200 for a multi-pak. With the Y-CABLE, you can connect your disk system to your computer along with either our STEREO PAK music synthesizer, our VOICE, SUPER VOICE speech synthesizers, or our PRECISION TIME MODULE. All connectors gold plated.



NEW! ATTENTION EXPERIMENTERS!

Interested in building your own project? Our oversized board gives plenty of room for construction while the sturdy aluminum case with black satin finish assures protection and a professional appearance.

Prototype Board only \$19.95
Prototype Enclosure only \$19.95
Buy both for \$29.95

Advanced
Speech
Chip
SSI-263
(SC-02)
\$34.95

Need an
SC-01? \$29.00

Disks	(any quantity)	\$1.49
Tape C-10, C-20		\$0.69
Hard Tape Box		\$0.29
6821		\$2.95
74LS138		\$0.79
7407		\$0.79
IC sockets 14, 16, 22 pin		\$0.29
IC sockets 24, 28, 40		\$0.39

FREE
BLANK DISK
OR TAPE
WITH EVERY
ORDER



Dealer Inquiries
Invited

Speech Systems

38W 255 DEERPATH ROAD
BATAVIA, ILLINOIS 60510
(312) 879-6880 (VOICE)
(312) 879-6811 (24 HR. BBS)

CALL ANY DAY, ANYTIME TO ORDER. ALSO ORDER BY MAIL OR BBS.

We accept CASH, CHECK, COD, VISA and MASTER CARD orders.
Shipping and handling US and Canada \$3.00
Shipping and handling outside the US and Canada \$5.00
COD charge \$2.00
Illinois residents add 6 1/4% sales tax

NEW!

MUSICA 2


~~Tape \$34.95~~
~~Disk \$39.95~~

Offer ends
Feb. 15 **\$29.95**
Tape or Disk




- High resolution graphic display, looks just like sheet music.
- Loudness of each voice may be individually specified.
- Memory available is constantly displayed.
- Voice waveshapes may be exchanged between voices at any point.
- Tempo may be specified and may even be altered as the music plays.
- Flats and sharps supported.
- Billions of timbre combinations.

- When in stereo mode, music is played through our STEREO PAK (purchased separately).



- Voice timbre (waveshape) may be altered by specifying harmonic content just like stops on an organ.
- During editing, voice being inserted is displayed.
- Each measure is numbered for easy reading of music.
- Measure bars aid in reading and developing music.
- Each voice may be visually highlighted for easy identification.



Output your music to any dot matrix printer (Gemini 10X, Epson, R.S. printers, Okidata, etc.)

"Musica 2 is GREAT!"

Stephen Wilson

"It's the best four part harmony composer on the market and the most used program in my files."

R.G. Wrights

"Of all the music programs, and I've had them all, there is no comparison in flexibility, simplicity of operation and in the warm vibrant tones that it produces. I went out and spent \$700.00 on stereo equipment just so I could more thoroughly enjoy Musica 2 and the Stereo Pak!"

Howard Lentz
TCI Industries



THERE'S MORE

- 4 Voices produced simultaneously
- Input notes from keyboard or joystick
- Play music from your own BASIC program
- Block copy music for easy music development
- 100% machine language so it is lightning fast
- Vibrato effect easily produced
- With STEREO PAK, voices may be switched between left and right speakers as music plays
- MUSICA 2 is 100% software, no need for hardware unless you want music produced in STEREO. In that case, the STEREO PAK may be purchased separately. It's a must for the audiophile!
- Durations include: whole, half, quarter, eighth, sixteenth, thirty second, sixty-fourth, and triplet.
- 30 page manual describes all.



'I THOUGHT ONLY AN APPLE SOUNDED THAT GOOD'

That's what I was told after I gave a seminar and demonstration of MUSICA 2 and the STEREO PAK at the Chicago Rainbowfest. I smiled and thanked the young man for the "supposed" compliment, but upon reflection, I became angered by the apparent belief that the CoCo is inferior in this regard. Nothing could be further from the truth.

To help fight this false belief, we've decided to lower the price of MUSICA 2 to help spread the word.

We will also keep the STEREO PAK price at \$39.95 and give you a complete refund if you are not 100% satisfied with the STEREO PAK.

NEW!

STEREO PAK™

Plug this gem into your computer, connect to your home stereo system and sit back and enjoy music realism. The STEREO PAK is a hardware music synthesizer that plays our MUSIC LIBRARY and MUSICA 2 music in stereo. Because it was designed specifically with music reproduction in mind, the sound is superb. The highs are crisp and clear while the bass notes will rattle your walls.

The STEREO PAK is all hardware. It is intended as an enhancement for MUSICA 2 and our MUSIC LIBRARY. Disk owners may use the STEREO PAK with the R.S. Multi-Pak or our Y-CABLE (\$28.95)



NEW! MUSIC LIBRARY™ — 3 VOLUMES

You get over 100 voice songs with a combined playing time of 3 hours. That's right, 3 hours of music. You won't believe your CoCo could sound so good. To fit over 100 songs required both sides of 5 C-20 tapes and the disk version uses 5 full disks (that's a half box of disks).

A JUKE BOX selection program is included to allow you to select specific songs or automatically play each. These songs are ready to go, you don't need MUSICA 2 or a knowledge of music.

These songs were developed using the best music program available for the CoCo; MUSICA 2. The tunes may be used as source files for MUSICA 2 and changed by the user. When coupled with the STEREO PAK the songs are reproduced in stereo with unsurpassed realism.

MUSIC LIBRARY 100 categories:

Stage, Screen, and TV	Classical
Music of the 70's	Christmas (popular)
Music of the 60's	Christmas (traditional)
Music of the 50's	Patriotic
Old Time Favorites	Polka Party

MUSIC LIBRARY 200

Our second volume of 100 tunes, 3½ hours of music.

MUSIC LIBRARY 300

Our third volume of 100 tunes, 3 more hours of music.

MUSIC LIBRARY (Each Volume) .. (32K Tape) ... **\$34.95**
(Specify 100, 200, or 300) (32K Disk) ... **\$39.95**



FREE SOFTWARE

NEW! SPEECH SYSTEMS DATAPEN only . . . \$29.95

HIGHEST QUALITY

Two programs are provided free with each DATAPEN. SKETCH is a superb high resolution color drawing program allowing precise drawing and freehand sketching, painting and much more. SHAPE CREATE is a high resolution library shape drawing program. You can even save your work to tape or disk for later display or editing.

The software is shipped on tape and may easily be moved to disk. Included is complete documentation to allow you to integrate the DATAPEN into your own BASIC program.



EASY TO USE!

The DATAPEN is a lightpen, but unlike other light pens, it is far more sophisticated.

- Insensitive to ambient light.
- Responds to different colors
- Program accessible LED lamp readout
- Switch for program control

WE STAND BEHIND OUR PRODUCTS

Like all our other products, if it is not the best, we won't sell it. If you're not 100% satisfied, merely return the DATAPEN for a complete refund.

FREE BLANK DISK OR TAPE WITH EVERY ORDER

VISA®

MasterCard

Dealer Inquiries
Invited

We accept CASH, CHECK, COD, VISA and MASTER CARD orders.

Shipping and handling US and Canada	\$3.00
Shipping and handling outside the US and Canada	\$5.00
COD charge	\$2.00
Illinois residents add 6¼% sales tax	

Speech Systems

**38W 255 DEERPATH ROAD
BATAVIA, ILLINOIS 60510
(312) 879-6880 (VOICE)
(312) 879-6811 (24 HR. BBS)**

CALL ANY DAY, ANYTIME TO ORDER. ALSO ORDER BY MAIL OR BBS.

'TALKING SOFTWARE'

FOR THE VOICE, SUPER VOICE™, RS SPEECH & SOUND PAK

RADIO SHACK® SPEECH & SOUND TRANSLATOR

FREE
When you buy
any 5 of our
Talking Programs

We believe that no COCO speech synthesizer gives you the power and flexibility of the SUPER VOICE. Nevertheless, some have decided to go with the Radio Shack SPEECH & SOUND PAK. For those we've decided to open our TALKING LIBRARY by offering the SPEECH & SOUND TRANSLATOR. Just load this program and our entire library is open to you.

But that's not all, this program adds features. You get increased intelligibility, the power of an exception table to specify specific pronunciations, \$12.81 is spoken in dollars and cents, 1,234,567 is spoken in millions, thousands, and hundreds, and much more.

\$24.95

TERMTALK All the features of an intelligent telecommunications program plus what appears on the TV is spoken.

- Upload and Download programs
- Control Xmit Protocols
- Full or Split Screen
- Buffer Editing
- Normal or Reverse Video
- It talks

Please specify version (VOICE or RS SPEECH & SOUND PAK)
Tape **\$39.95** Disk **\$49.95**

TALKING BINGO BINGO was never like this. The VOICE or SUPER VOICE makes all the calls while you sit back and play. Comes with 20 playing cards and 200 markers. High Resolution graphic screen, 3 timing level, ball count and pause control.

\$24.95

ESTHER the talking psychoanalyst. An excellent example of artificial intelligence. She may not solve all your problems, but her insight will amaze you. Just like the original Eliza.

\$24.95

SCORE E-Z A yahtzee type game. Up to six can play.

\$24.95

ADVENTURES

CULT OF THE CAVE BEAR You're a stranded time traveler 50,000 years in the past. Can you fix your time machine while still surviving in this alien environ, and make it back?

\$29.95

SHIP HUNT Play Battleship with your CoCo. All status reports are spoken. Ready battery, aim, fire at will!

\$24.95

FINAL COUNTDOWN You must stop the mad general from launching a missile at Moscow and causing WW III. Has multiple voices for added realism.

\$24.95

STAR TALK You're the Star Fleet Captain. Your mission...destroy the enemies' Dragon Star Ships. All status reports are spoken!

\$24.95

ADVENTURE GENERATOR Create talking adventure games that are 100% Machine Language. Up to 99 rooms, 255 objects, 70 command words and 255 conditional flags.

64K Disk **\$39.95**

EDUCATION

CONTEST
WINNER

ANIMATED SENTENCES The child builds complete sentences from a graphic menu using keyboard or joystick. The action is then spoken and acted out graphically. It's a great way to learn the parts of speech (ie. verb, subject, noun, etc.)

\$24.95

Congratulations
Glenn
Chamberlin

PRE-SCHOOL

TALKING COUNT TO ONE HUNDRED A program designed to teach the child counting to 100 by 1, 2, 5, and 10 forwards and backwards.

\$29.95

TALKING ALPHABET A program designed to help the pre-schooler master the alphabet.

\$29.95

TALKING NUMBERS & COLORS A must program for the very young. High Resolution graphics to insure attention and concentration.

\$29.95

TALKING NUMBER SKILLS The child becomes familiar with the shape and meaning of numbers.

\$29.95

TALKING CLOCK In these days of the digital clock, children miss an important education. This program aids the student in mastering the traditional analog clock. High Resolution graphics.

\$29.95

GRADES 2 - 6

TALKING SUBTRACTION A program specifically designed to help the student learn subtraction.

\$29.95

KING AUTHOR'S TALES A creative writing tool to allow a child to write compositions, or short stories. Q & A option is also included.

\$29.95

COLOR MATH Addition, Subtraction, Multiplication, and Division are mastered. Student may specify difficulty level.

\$24.95

SPELL-A-TRON Student builds a dictionary of words to be quizzed on. Perfect for Spelling B.

\$24.95

SPELLING TESTER A graphic spelling game. The student is shown objects to be spelled.

\$9.95

POETRY CREATOR The VOICE speech unit is used to speak poetry that is created.

\$9.95

SHORT STORY MAKER A program to create and speak stories created by the child.

\$9.95

FOREIGN LANGUAGE Learn a foreign language. French dictionary is included.

\$9.95

PRESIDENTS The student is able to master the Presidents of the US.

\$9.95

STATES A program designed to aid the student in learning correct spelling of the states.

\$9.95

CAPITALS Learning the State's Capitals is made more interesting using speech.

\$9.95

HANGMAN A word guessing game. You must guess the word before you hang.

\$9.95

MATH DRILL A program to help teach arithmetic.

\$9.95

All software, except as noted, shipped on tape but may be moved to disk.

'SUPER VOICE' T.M.



In 1979, VOTRAX brought us the SC-01 chip which made inexpensive speech synthesis possible. Speech Systems was proud to bring the COCO community the first speech synthesizer using this miracle device.

Now Silicon Systems Inc. brings us the SSI 263 (sometimes called the SC-02). Once again Speech Systems is happy to be the first to bring you this breakthrough in speech synthesis. The SSI 263 is the most advanced speech chip available. Read "Build a Third Generation Phonetic Speech Synthesizer" in the July 84 issue of BYTE magazine for details of this amazing chip.

**COCO'S MOST ADVANCED
SPEECH SYNTHESIZER.**

**NOW IT TALKS,
SINGS AND MORE.**
only . . . \$79.95

The SUPER VOICE gives you COCO's most intelligible speech. In addition, the free TRANSLATOR text-to-speech program allows you to easily write your own BASIC programs. Highest quality speech may be achieved by specifying inflection, intonation, articulation, and filtration. But that's not all, the SUPER VOICE can actually sing over a 6 octave range. And while the SUPER VOICE was intended for speech synthesis, the fact that you can specify complex speech parameters means you can even create sound effects.




YOU DECIDE

	SUPER VOICE	BRAND X	BRAND Y	BRAND Z
Synthesizer Device	SSI-263	SC-01	SP-256	SC-01
Speaking Speeds	16	1	1	1
Volume Levels	16	1	1	1
Articulation Rates	8	1	1	1
Vocal Tract Filter Settings	255	1	1	1
Basic unit of Speech	64 phonemes 4 durations each	64 phonemes	64 allophones 5 pause lengths	64 phonemes
Pitch Variations	4096 (32 absolute levels with 8 inflection speeds)	4	1	4


SUPER VOICE SONGBOOK VOL. 1

SUPER VOICE sings many of your favorite songs. Start your singing library today!
ONLY ...\$24.95

SUPER TALKING HEADS



Two heads are better than one.



When the SUPER VOICE speaks in a low pitched voice, the man speaks, when a high pitched voice is used the woman speaks.
\$24.95
(see special offer)

Radio Shack® SPEECH & SOUND PAK version

\$24.95



Dealer Inquiries
Invited

We accept CASH, CHECK, COD, VISA and MASTER CARD orders.

Shipping and handling US and Canada \$3.00

Shipping and handling outside the US and Canada \$5.00

COD charge \$2.00

Illinois residents add 6 1/4% sales tax

Speech Systems

**38W 255 DEERPATH ROAD
BATAVIA, ILLINOIS 60510**

(312) 879-6880 (VOICE)

(312) 879-6811 (24 HR. BBS)

CALL ANY DAY, ANYTIME TO ORDER. ALSO ORDER BY MAIL OR BBS.

128K


THE EASY WAY

SOLDERLESS MOD FOR

ALL 64K COCOS*

ONLY \$99.00

INCLUDES ADDITIONAL 64K OF RAM



**LOGIC BOARD WITHOUT
64K RAM ONLY \$34.95**

BUSINESS

VIP WRITER W/ SPELLER	69.95
TELEWRITER-64 TAPE	49.95
DISK	59.95
PRO-COLOR-FILE	59.95
SMALL BUS. ACCOUNTING	89.96
ACCOUNTS RECEIVABLE	59.96
PAYROLL	69.96
DYNACALC	99.95
DYNAGRAPH	19.95
UTILITY FOR DYNACALC	
MASTER DESIGN	29.95
UTILITY FOR TELE-64	
SIDEWISE	39.90
SPREAD SHEET UTILITY	

UTILITIES

FULL SCREEN EDITOR *	19.95
64K SPOOLER *	9.95
SUPER DISK/TAPE *	19.95
GRAPHIC SCREEN PRINT	9.95
SPECIFY PRINTER	

SPECIAL

BUY 2 INTARCOLOR GET THIRD ONE AT HALF PRICE	
CANDY CO TAPE/DISK	34.95
ROBOTTACK TAPE/DISK	24.95
GRAND PRIX TAPE/DISK	34.95
WILLY'S WAREHOUSE TAPE/DISK	34.95
OFFER ENDS 1/31/85	

APPLICATIONS

GRAPHICO M	29.95
AUTO TERM TAPE	39.95
DISK	49.95
DFT/TAPE	25.95
DFT/DISK	25.95
VIP TERMINAL	49.95
SUPER SCREEN TAPE	25.95
DISK	32.95
FHL O-PAK	34.95
SPECTRUM VOICE PAK	69.95
TERM TALK TAPE	39.95
DISK	49.95
TALKING EDUCATIONAL	24.95
TALKING FINAL COUNTDOWN	24.95
TALKING SCORE-EZ	24.95
COMPUSEVE STARTER KIT	39.95

HARDWARE

RHAPASODY CASSETTE RECORDER	24.95
M/D KEYBOARD	64.95
HJL KEYBOARD	79.99
M/D MONITOR INTERFACE	29.95
SERIAL/PARALLEL INTERFACE *	59.95
LP VII/DMP 100 RIBBONS	6.95
32K WORDSTORE	199.77
PRINTER BUFFER	
EPSON/LEGEND RIBBONS	7.49
OKI/GEMINI PRINTER RIBBONS	2.95
COLOR GEMINI RIBBONS	4.95
(RED, GREEN, BLUE, PURPLE & BROWN)	
PERFECT DISK HEAD	
CLEANING KITS	19.95
MEMTEK MAINTENANCE KIT	19.95
SS/DD DISK (PKG. OF 10)	19.95
COLOR DISK (BOX OF 12)	24.95
DISK STORAGE BOX (HOLDS 10)	2.95

GAMES

SAILORMAN TAPE	29.95
DISK	34.95
DRACONIAN TAPE	27.95
DISK	30.95
GRABBER TAPE	27.95
DISK	30.95
WORLDS OF FLIGHT TAPE	29.95
DISK	30.95
TREKBOER TAPE	24.95
DISK	27.95
SEAQUEST TAPE	24.95
DISK	27.95
SHENANIGANS TAPE	24.95
DISK	27.95
CALIXTO ISLAND TAPE	24.95
DISK	27.95
BLACK SANCTUM TAPE	24.95
DISK	27.95
VOCABULARY MGMT. SYSTEM	39.95

DSL COMPUTER PRODUCTS INC.

313-582-8930

P.O. BOX 1176 DEARBORN, MI 48121



Michigan Residents Add 4% Sales Tax to Order. Please include \$2.00 for S. & H.

* In Canada you can order these items from:

R&R COMPUTER PRODUCTS
P.O. BOX 354 STATION A
WINDSOR, ONT. N9A 6K7
519-255-9113

Unlike Disk BASIC's BACKUP command, this program merges the contents of one disk to another without erasing the contents of the destination disk.

Get It Together With Disk Merge

By Paul Gani

Having finally transferred all of my programs from cassette to disk, I was left with a new problem. I had put the contents of each of my cassettes onto a different diskette, and I suddenly found out I was running out of empty ones.

Since each of my diskettes had at least 30 free grants left, I decided to merge them all together. But that left me with a huge task, for that would necessitate typing the syntax for COPY dozens of times. To alleviate that problem I wrote *Disk Merge*.

Disk Merge is a form of Disk BASIC's BACKUP routine. However, it does not obliterate the data on the diskette to which you are transferring the programs, but rather, as the name suggests, merges the contents of the two together.

To run it, simply enter the program and type RUN. If you are using two drives, the program will work automatically. If you only have one drive, you

will be prompted to exchange diskettes when necessary. You will have to switch diskettes for every program on the source disk. It may be annoying if you have a few dozen of them, but the other alternative is typing COPY "name/ext" for each program. Here, you just have to press ENTER when prompted.

The program listing is rather short because I realize most of you do not want to type in a long program if you have not seen it. Thus, you may run across a few problems when using *Disk Merge*. First, if you have a program on the destination disk with the same name as on the source disk, you will get an error and the program will crash. Just be sure to check for matching names.

Another bug you may find is if the destination disk becomes full, you will also get an error and the program will crash again. Check beforehand using the FREE command.

The final "bug" is not a bug in the program, but rather in the Disk BASIC COPY command. If for some reason a file is unreadable, you will not get an I/O Error, but rather the computer will freeze up. If the disk has stopped moving and there is no prompt, this has happened. Press Reset to get back to BASIC. To reduce the chance of an I/O Error, keep your drive(s) far away from each other and your TV or monitor. They are usually the main causes of I/O Errors.

The first two bugs mentioned can be fixed by putting in a few routines using FREE and DISK\$. However, as I have said, I didn't want the program to be too long so I have left those projects for you to do.

If you have any questions about this program, feel free to write me at the address shown at the top of the program. I hope all of you find this program useful.

The listing:

```
10  " *****
20  " ***** DISK MERGE *****
30  " *****
```

28071
END140

```
40  " ** BY PAUL GANI *****
50  " ** 812 N. COLUMBUS AVE. **
60  " ** MARSHFIELD, WI 54449 **
70  " *****
100 CLS:GOTO 580
110 " MENU AND SELECTIONS
120 PRINT @ 3,"***** DISK TRANSF
```




FOR THE COLOR COMPUTER FROM

triad pictures corp.

P.O. Box 1299 Sequim, WA 98382

THE ANIMATOR SERIES

Create your own FULLY ANIMATED CARTOONS!

THE ANIMATOR - Command a Hollywood style animation studio. 32 cels & 620 frames for over 1.5 min. of animation! Film style "cel" animation for smooth results. Extensive manual & 3 cassettes. 32K/EXT. \$35

ANIMATOR JR. - a simplified version in semigraphics. 16 cels, 500 frames (1.5 min. +). Animation can be called from your own BASIC program! 16K/EXT. \$16

ANIMATOR COMMERCIAL (for professional use) - 12 FULL-SCREEN cels stored in upper 32K. Can be called from BASIC or fed to a VCR! Variable-speed SCROLL (any direction)! SPITES! TEXT! Hi-res & "block" versions supplied. Up to 3 min. & 24 frames/sec. 64K/EXT. \$50

ROBOT BASIC

Kids 7 & up can write graphics programs!

A computer language for beginners. Much EASIER to learn than LOGO. Very similar to EXTENDED BASIC, so when you're ready to advance you don't have to learn all over again. Create dazzling graphics; "CLONE" multiple robots; even TEACH the robot your own commands! Develops problem-solving skills; makes math and geometric concepts come alive! "Doodle Mode" for easy experimentation. 16 & 32K/EXT. \$18

TRI-GRAF

Hi-res graphics for your OWN programs!

Get rapid graphics development & still maintain FULL CONTROL over every pixel, not just blocks. Create dazzling title screens. ML routine included lets you load & call your own graphics from BASIC, even chain-feed from tape AT WILL (great for adventure writers)! Variable-size TEXT. WINDOW mode for move or copy. Automatic CIRCLES. Compatible with THE ANIMATOR. BONUS "SLIDE-SHOW" PROGRAM INCLUDED! 16K/EXT. \$16

ALL PROGRAMS COME ON CASSETTE, WITH BACK-UP. Orders shipped within 24 hours! Call or write for catalog of many other great programs. C.O.D. phone orders OK.

Please send me:

order form

<u>The Animator Series</u>	\$ <u>35.00</u>
<u>Tri-Grat</u>	\$ <u>16.00</u>
_____	\$ _____
_____	\$ _____
Add \$2 SHIPPING AND HANDLING	\$ <u>2.00</u>
(3 or more - we pay s/h)	TOTAL \$ <u>53.00</u>

<u>Ronnie van Scherpe</u>		send this to:
name	<u>1504 Day Ave. Apt. D</u>	TRIAD PICTURES
address	<u>San Mateo, CA 94402</u>	P.O. Box 1299
city	state	zip
		Sequim, WA 98382
		(206) 683-6459

ER *****

```

130 PRINT @ 100, "SOURCE DRIVE:";
140 A$=INKEY$: IF A$="" THEN 140
150 S=VAL(A$): IF S>3 THEN 140
160 PRINT S
170 PRINT @ 132, "DESTINATION DRI
VE:";
180 A$=INKEY$: IF A$="" THEN 180
190 D=VAL(A$): IF D>3 THEN 180
200 PRINT D
210 PRINT @ 225, "PRESS <ENTER> T
O START....."
220 IF INKEY$="" THEN 220
230 * LOAD DIRECTORY-4 PER VAR
240 Y=3: FOR X=1 TO 17 STEP 2
250 DSKI$ S, 17, Y, A$(X), A$(X+1)
260 Y=Y+1: NEXT X
270 * SEPARATE INTO SINGLE FILES
280 FOR X=1 TO 18
290 B$(X*4-3)=MID$(A$(X), 01, 11)
300 B$(X*4-2)=MID$(A$(X), 33, 11)
310 B$(X*4-1)=MID$(A$(X), 65, 11)
320 B$(X*4-0)=MID$(A$(X), 97, 11)
330 NEXT X
340 * SORT OUT FILES TO TRANSFER
350 FOR X=1 TO 72
360 IF LEFT$(B$(X), 1)=CHR$(0) TH
EN 540
370 IF LEFT$(B$(X), 1)=CHR$(255)
THEN 560
380 NA$=LEFT$(B$(X), 8)+"/"+MID$(
B$(X), 9, 3)
390 PRINT @ 296, NA$
400 IF S=D THEN 460
410 * MULTI-DISK COPY
420 A1$="": +RIGHT$(STR$(S), 1)
430 A2$="": +RIGHT$(STR$(D), 1)
440 COPY NA$+A1$ TO NA$+A2$
450 GOTO 540
460 * SINGLE DISK COPY
470 A1$="": +RIGHT$(STR$(S), 1)
480 COPY NA$+A1$
490 SOUND 100, 5: CLS
500 PRINT "INSERT SOURCE DISKETT
E AND"
510 PRINT "PRESS 'ENTER'";
520 LINE INPUT A$
530 GOTO 540
540 * INCREMENT TO NEXT FILE
550 NEXT X
560 * END PROGRAM
570 PRINT @ 359, "FINISHED....."
:END
580 * SET UP SYSTEM CONTROLS
590 PMODE 0: PCLEAR 1: CLEAR 5000
600 DIM A$(18), B$(72): GOTO 120
  
```


Don't bang your head
against a brick wall looking
for that perfect gift!

the Rainbow 9529 U.S. Highway 42
502/228-4492 P.O. Box 385
Prospect, Ky. 40059

**I would like to send a gift certificate for a one year (12 months)
subscription to:**

Name _____
Address _____
City _____ State _____ Zip _____

+++++

From:

Name _____
Address _____
City _____ State _____ Zip _____

☐ Payment Enclosed

Charge ☐ VISA ☐ MasterCard ☐ American Express

My Account# _____ Interbank# (MC only) _____

Signature _____ Card Expiration Date _____

GIVE 'EM THE RAINBOW!
THE SOLID MONTHLY
FOR COCO USERS!!

Subscriptions to THE RAINBOW are \$31 a year in the United States. Canadian rate is \$38 U.S. Surface rate to other countries \$68 U.S.; air rate to other countries \$103 U.S. Kentucky residents add 5% sales tax. All subscriptions begin with the current issue. Please allow up to 5-6 weeks for first copy. U.S. FUNDS only. We do not bill in order to hold down costs.

Just for your
TRS-80® COLOR
TDP System 100
Dragon-32
MC-10

RAINBOW

Give us your best: Join the ranks of these courageous CoCoists in showing the Color Computer world your high score at your favorite micro-diversion. We want to put your best effort on record in THE RAINBOW's Scoreboard column. All entries must be received 60 days prior to publication. Entries should be printed — legibly — and must include your *full* name, address, game title, company name and, of course, your high score. Each individual is limited to three score entries per month. Send your entries to Scoreboard, c/o THE RAINBOW.

★ Current Record Holder

ADVENTURELAND (Adventure International) 100 ★Scott Lawrence, Kill Devil Hills, NC	114,140 Cheryl Pratt, Moab, UT	19,200 James Hall, Castlewood, VA
ANDRONE (Radio Shack) 40,030 ★Matthew W. Swadling, North Vancouver, British Columbia	110,475 Andrew Truesdale, Ferguson, MO	GALAGON (Spectral Associates) 995,800 ★James Faircloth, Evanston, IL
37,410 Chris Dobson, Victoria, British Columbia	72,650 Helene Gilbert, Rouyn-Noranda, Quebec	GONE FISHING (THE RAINBOW) 29 ★Eric Burk, Williamsburg, NY
27,805 John Marcogliese, Eastchester, NY	COLOR BASEBALL (Tandy Corporation) 89-0 ★Peter Greenen, Sterling Hts., MI	15 Ken Krejca, Chicago, IL
27,500 Alan Bucior, Victoria, British Columbia	61-0 Paul Brouwers, Ontario, Canada	12 Lisa Ballinger, Uxbridge, Ontario
18,290 Bill Sain, Charlotte, NC	COLORPEDE (Intracolor) 10,001,051 ★Mark Smith, Santa Ana, CA	12 Kevin Oberberger, Sparks, NV
AREX (Adventure International) 29,794,900 ★Barbara Blumenberg, St. Francis, WI	5,756,808 Scott Oberholtzer, Lexington, MA	11 Brian Austin, New Salisbury, IN
ATOM (Radio Shack) BR 35 ★Jean-Francois Morin, Loretteville, Quebec	3,355,248 Scott Drake, Pine City, NY	11 Emily Doubt, Deep River, Ontario
BAG-IT-MAN (Aardvark) 535,550 ★Timothy Ruggles, Hialeah, FL	2,614,230 Jerry Petkash, Warren, MI	GRABBER (Tom Mix) 147,600 ★Brian Foley, Blackstone, MA
418,790 Cornelius Caesar, Hofheim, West Germany	2,547,299 Rich McGervey, Morgantown, WV	129,100 Blossom Mayor, East Greenbush, NY
310,400 Eric Lecrouart, Ottawa, Ontario	CRAZY PAINTER (Cornsoft) 9,500 ★Bernad Pruetting, Scheibenhart, West Germany	70,600 Michael Corman, Lafayette, IN
237,750 Claude Cote, Herbertville, Quebec	3,650 Arlene Kochanec, Windsor, Ontario	55,350 Ellen Ballinger, Uxbridge, Ontario
109,620 Ronald Gates, Grand Rapids, MI	1,950 Patrick Kochanec, Windsor, Ontario	31,900 Stephane Asselin, Hauteville, Quebec
BASEBALL (Radio Shack) 464-0 ★Dave Fisher, St. Downey, CA	CRUISING (Sunshine) 3,936 ★Paul Hotz, Herzlia, Israel	GRAN PRIX (Computerware) 2,717 ★Apollo Latham, Rich Square, NC
460-0 Walter Trainlups, Janesville, WI	DEFENSE (Spectral Associates) 48,350 ★Jeff Kennedy, Scottsburg, IN	HEIST (THE RAINBOW) 2,100 ★Sergio Waisser, Mexico City, Mexico
324-0 Michael Rosenberg, Prestonsburg, KY	40,000 James Kennedy, Scottsburg, IN	1,500 Susan Ballinger, Uxbridge, Ontario
297-0 Joe Milligan, Julian, PA	37,000 Kevin Hawkins, Scottsburg, IN	1,500 Julio Comello, Scarborough, Ontario
296-0 Seth Newman, Yardley, PA	DEVIL ASSAULT (Tom Mix) 4,569,305 ★David Fitzpatrick, Ogallala, NE	1,500 Kirstie Compton, Suffield, CT
121-0 Helene Gilbert, Rouyn-Noranda, Quebec	3,096,900 Chad Barry, Rochester, NH	1,500 Andy Dater, Medford, OR
71-0 James Hall, Castlewood, VA	3,048,400 Brent Murphy, Mesa, AZ	1,500 David Figel, Sardis, OH
BATS AND BUGS (THE RAINBOW) 24,600 ★Michael Rosenberg, Prestonburg, KY	2,890,000 Rich Van Manen, Grand Rapids, MI	1,500 Diego Gallina, Summit, NJ
7,200 Lezlee Bishop, Salt Lake City, UT	2,014,600 Steven Rutkowski, Sterling Hts., MI	1,500 Tim Hoven, Eckville, Alberta
3,600 Apollo Latham, Rich Square, NC	DOODLE BUG (Computerware) 3,472,000 ★Joe Bironas, Crestwood, KY	1,500 Joel Lombardi, Newark, DE
3,350 Eugene Watanabe, Salt Lake City, UT	DOWNLAND (Radio Shack) 45,659 ★Todd Witter, Chicago, IL	1,500 Jeff Roberg, Winfield, KS
3,300 Joey Lewis, Cabin Creek, WV	44,113 Jean-Francois Morin, Loretteville, Quebec	1,500 Brendan Smith, Coral Springs, FL
BIRDS (Tom Mix) 73,650 ★Darren Kouhi, Brampton, Ontario	42,188 Joe Stanford, Jackson, MI	1,500 Kevin Speight, Bridgewater, Nova Scotia
BUZZARD BAIT (Tom Mix) 2,983,350 ★Blossom Mayor, East Greenwich, NY	41,896 Jeff James, Roswell, GA	HYPER ZONE (Computerware) 59,830 ★Mario Asselin, Hauteville, Quebec
2,902,700 Michael Popovich, Nashua, NH	38,954 Mary Ward, Groton, CT	INVASION (Spectral Associates) 88,000 ★Kevin Hawkins, Scottsburg, IN
2,087,650 Edmund Greene, Nashua, NH	35,227 Derek Hall, North Bay, Ontario	35,420 Jeff Kennedy, Scottsburg, IN
CANYON CLIMBER (Radio Shack) 8,990,000 ★Glen Giacomelli, Woodbridge, Ontario	20,071 Michael Ellison, College Station, TX	THE JUNGLE (THE RAINBOW) 2,054,212 ★Apollo Latham, Rich Square, NC
2,326,200 Scott Oberholtzer, Lexington, MA	14,335 Ralph Ritchey, Laclede, ID	1,923,390 Greg Williams, Victoria, British Columbia
1,603,400 Shen Mansell, Calgary, Alberta	13,466 Joseph Smith, Bayside, NY	1,110,729 Tony Boring, Armagh, PA
1,571,300 Jeff Weaver, Gordonville, PA	DRACONIAN (Tom Mix) 395,400 ★Peter Kral, Arcata, CA	1,030,582 Denise Morin, Hudson, MA
1,426,600 Sean Whitley, Arvada, CO	326,180 George Hoffman, Shavertown, PA	644,694 Matt Hazard, Columbia Station, OH
CASHMAN (MichTron) \$31,260 ★Fred Naumann, Hailey, ID	191,340 Bernard Lamer, St-Joite, Quebec	54,131 Jon Clevenger, Lima, OH
\$27,530 Sally Naumann, Hailey, ID	190,840 Kyle Keller, Overland Park, KS	25,717 Jon Hobson, Plainfield, WI
\$25,320 Chris Dunlap, Springfield, MA	167,170 Jamie Spreng, Dartmouth, Nova Scotia	JUNK FOOD (THE RAINBOW) 64,750 ★Bryan Bell, South Lyon, MI
\$20,750 Melvin Pettuk, Nampa, Alberta	DUNKY MONKEY (Intellectronics) 2,116,200 ★Dan Price, Tacoma, WA	39,300 Aaron Snyder, Hazleton, PA
\$19,330 Dan Ralston, Janesville, WI	1,936,000 Tim Greenen, Sterling Hts., MI	37,550 Lenny Rockwell, Crouseville, ME
CAVERN COPTER (THE RAINBOW) 1213 ★Doug Schwartz, Glendale, AZ	1,244,400 Jack Baran, Bensalem, PA	KATERPILLAR ATTACK (Tom Mix) 50,342 ★David Mulvey, Lancaster, CA
1124 Sean Conner, Summit, NJ	1,015,000 Kyle Keller, Overland Park, KS	38,676 James Lafave, Williamstown, MA
968 Michael Mefferd, Wren, OH	ELECTION '84 (THE RAINBOW) 525 to 13 ★Ken Krejca, Chicago, IL	31,672 Scott Fairfield, Williamstown, MA
790 John Rivers, North Adams, MA	ELECTRON (Tom Mix) 14,625 ★Mike Sieradski, La Verne, CA	18,949 Vadim Gotovsky, Toronto, Ontario
760 David Figel, Sardis, OH	FIRE COPTER (Adventure International) 112,550 ★George Dougherty, Hampton, VA	6,241 Bryan Bell, South Lyon, MI
CAVERNS OF DEATH (THE RAINBOW) 2,850 ★Jon Hobson, Plainfield, WI	107,370 Chris Hafey, Auburn, CA	THE KING (Tom Mix) 75,550 ★Ken Krejca, Chicago, IL
CHAMELEON (Computerware) 38,800 ★William Triplett, Tampa, FL	97,390 Sam Hughes, Colton, CA	THE KINGDOM OF BASHAN (Owls Nest) 200,259 ★Greg Dorsha, Casper, WY
CHOPPER STRIKE (MichTron) 162,400 ★Andrew Figel, Sardis, OH	78,860 Woody Farmer, Acme, Alberta	KLENDATHU (Radio Shack) 1,069,934 ★Javier Manzano, Los Angeles, CA
130,200 Benny Pischke, Lloydminster, Saskatchewan	53,280 Kevin Marsh, Bokeelia, FL	LANCER (Spectral Associates) 74,250 ★Matthew Crabtree, Pittsburgh, PA
111,300 Paul Mahoney, Inver Grove Hts., MN	FOODWAR (Arcade Animation) 104,075 ★Mike Scharf, Fremont, OH	41,700 Susan Ballinger, Uxbridge, Ontario
87,600 David Figel, Sardis, OH	94,905 Stephane Asselin, Hauteville, Quebec	LASERWORM & FIREFLY (THE RAINBOW) 45,194 ★Theodore Latham Jr., Rich Square, NC
83,300 Doug Masten, Macon, MO	FROGGIE (Spectral Associates) 86,660 ★David Garozzo, Morrisville, PA	LUNAR—ROVER PATROL (Spectral Associates) 185,950 ★Mark Jansen, Franklin, WI
CLOWNS & BALLOONS (Radio Shack) 143,300 ★Moe Tindell, Sebring, FL	84,440 Bill Ide, Newark, DE	179,350 Thomas Green, Natchez, MS
116,475 Jeffrey Kochs, Grove City, OH	74,050 Mike Garozzo, Morrisville, PA	79,950 Paul Hotz, Herzlia, Israel
116,470 Colin Kerridge, Ladysmith, British Columbia	73,190 Brendan Smith, Coral Springs, FL	45,600 Bryan Jenner, Calgary, Alberta
	FURY (MichTron) 113,700 ★Bernad Pruetting, Scheibenhart, West Germany	7,200 Arlen Kochanec, Windsor, Ontario
	GALACTIC ATTACK (Radio Shack) 52,380 ★Diego Gallina, Summit, NJ	MAZELAND (Chromasette) 5,500 ★Todd Knapp, Prairie du Chein, WI

SCOREBOARD

MICROBES (Radio Shack)

178,550 ★Apollo Latham, Rich Square, NC
144,350 Theodore Latham Jr., Rich Square, NC
98,450 Kent Jakway, Garrett, IN
59,960 Steven Allen, Sharpsburg, MD
40,850 Joey Lewis, Cabin Creek, WV

MONSTER MAZE (Radio Shack)

115,130 ★Theodore Latham Jr., Rich Square, NC

MOON HOPPER (Computerware)

116,490 ★Ellen Ballinger, Uxbridge, Ontario
114,540 Susan Ballinger, Uxbridge, Ontario
93,420 Arlene Kochanec, Windsor, Ontario
78,820 Brian Austin, New Salisbury, IN
59,970 Cole McDonald, St. Cloud, MN

MOON SHUTTLE (DataSoft)

9,200 ★Arlene Kochanec, Windsor, Ontario
7,380 Curtis Frazier Jr., Enterprise, AL

MR. DIG (Computerware)

3,259,750 ★Ellen Ballinger, Uxbridge, Ontario
2,520,650 Thomas Henry, Boca Raton, FL
2,441,700 Jeff Davis, Ridgecrest, CA
2,371,550 Ann MacKery, Port Hardy, British Columbia
2,301,000 Jeff Roberg, Winfield, KS

MUDPIES (MichTron)

365,900 ★Glenn Wasson, Castleton, NY
185,200 Bertha Jeffries, San Bernardino, CA
181,200 Anthony van Dijk, The Pas, Manitoba
173,900 Andrew Chin, Austin, TX
164,000 Paul Baker, Pittsburgh, PA
146,100 Mike Sieradski, La Verne, CA
NINJA WARRIOR (Programmer's Guild)
351,900 ★Jay Carr, Indianapolis, IN
157,400 Sandra Maguire, Port Elgin, Ontario
151,100 Douglas Rodger, Harvard, MA
106,300 Bud Seibel, Tumbler Ridge, British Columbia

105,200 Martin W. Grimm, Elkview, WV

OFFENDER (American Business Computers)

99,250 ★Andrew Urquhart, Metairie, LA

PAC 'EM (THE RAINBOW)

2,372 ★Stephanie Gregory, Coco Solo, Panama
2,301 Lawrence Gore, Glencoe, AL
2,106 Dr. James Peterson, Radcliff, KY
2,059 Art Hartsough, Ft. Wayne, IN
2,028 Dick Mattox, Chattanooga, TN

PAC-TAC (Computerware)

71,500 ★Bernard Lamer, St-Joite, Quebec
33,600 Chris Melbye, Thief River Falls, MN
15,635 Curtis Frazier Jr., Enterprise, AL
10,570 Jon Clevenger, Lima, OH
8,800 Aimee Purcell, Uppersaddle River, NJ
8,560 David Bryan, Kentwood, LA
7,825 Judy Fahy, Central City, PA
4,450 Joe Bironas, Crestwood, KY

PANIC BUTTON (First Star)

820 ★Mike Sieradski, La Verne, CA

PARACHUTE JUMP (JARB Software)

62,650 ★Dan Sobczak, Mesa, AZ

PARA-JUMPER (THE RAINBOW)

5,028 ★Jon Clevenger, Lima, OH
822 Peter MacLeod, Montague, Prince Edward Island
783 Ronald Gates, Grand Rapids, MI

PIPELINE (THE RAINBOW)

478 ★Susan Ballinger, Uxbridge, Ontario
405 Joe Bironas, Crestwood, KY
302 Lisa Ballinger, Uxbridge, Ontario

PLANET INVASION (Spectral Associates)

32,350 ★Susan Ballinger, Uxbridge, Ontario

POOYAN (DataSoft)

1,546,000 ★Jeff Connell, Winona, MN
194,800 Helene Gilbert, Rouyn-Noranda, Quebec

POPCORN (Radio Shack)

64,380 ★Susan Rushing, Tucson, AZ
57,660 Jeffrey Kochs, Grove City, OH
57,740 Helene Gilbert, Rouyn-Noranda, Quebec

54,280 Wyatt Godines, Lawrence, MI

51,930 Nathan Wallace, Waldorf, MD

24,410 Kevin Klein, Plainwell, MI

PROJECT NEBULA (Radio Shack)

1,705 ★Ken Krejca, Chicago, IL

PYRAMID (Radio Shack)

220/113 ★John Dupre, Mobile, AL

220/130 Cornelius Caesar, Gundelhardtstr, West Germany

220/130 George R. Fairfield, Victoria, British Columbia

220/133 Robert Dickau, Sacramento, CA

220/136 Andy Nelson, Winona, MN

Q-NERD (THE RAINBOW)

6,512,020 ★Ray Ravalitera, Bethune, France

326,810 David Chabot, Granby, Quebec

240,360 Apollo Latham, Rich Square, NC

181,920 Susan Bennington, Pensacola, FL

130,000 Robert Dickau, Sacramento, CA

20,610 Sean Conner, Summit, NJ

QUIX (Tom Mix)

525,633 ★Clayton Foxworth, Florence, SC

RAAKA-TU (Radio Shack)

50 ★Mike Bubb, Grafton, OH

50 ★Chris Cope, Central, SC

50 ★Aaron Flaughner, Hamilton, OH

50 ★Richard Gain, Tyler, TX

50 ★John Kidd, Clarksboro, NJ

50 ★Barney Lavery, Gauley Bridge, WV

50 ★Michael Thomas, Flint, MI

40 Ellen Ballinger, Uxbridge, Ontario

40 David Bryan, Kentwood, LA

25 Joel Flaughner, Hamilton, OH

25 Patric Flaughner, Hamilton, OH

20 Russ Auld, St. Petersburg, FL

RADIO BALL (Radio Shack)

1,103,090 ★Mike Sengstock, Meriden, CT

RAINBOW ROACH (THE RAINBOW)

1,766,900 ★Nicky Rockwell, Crouseville, ME

REACTOIDS (Radio Shack)

12,114,140 ★Linda Mobbs, Pt. Huron, MI

3,781,815 Rusty Johnson, Des Moines, IA

702,125 Jeff Loeb, Mobile, AL

203,800 Andrew Lehtola, Mound, MN

88,615 Robbie Anderson, Monrovia, CA

RETURN OF THE JET-I (ThunderVision)

406,788 ★Chris Russo, Miami, FL

395,029 Joseph Russo, Miami, FL

389,453 Gary Bachtel, Huntsville, AL

208,602 Robert Buerkle, Conway, PA

188,000 Todd Kaplan, Lawrenceville, NJ

ROADRACE (THE RAINBOW)

5416.4 ★Jon Hobson, Plainfield, WI

ROBOTACK (Intracolor)

7,528,100 ★Mike Scharf, Fremont, OH

3,242,812 Edwin Prather & Cory Soper, Oxnard, CA

2,516,050 Horace Hamilton, Calgary, Alberta

2,216,950 Randy Hankins, Tabor, IA

1,922,200 Erik Merz, Noblesville, IN

539,200 Scott Lawrence, Kill Devil Hills, NC

300,600 Bryan Bell, South Lyon, MI

123,000 Andrew Urquhart, Metairie, LA

SAILOR (Tom Mix)

378,800 ★Andy Dater, Medford, OR

SCARFMAN (Cornsoft)

429,580 ★Bern Pruetting, Scheibenhart, West Germany

SCOOPER PACK (Spectral Associates)

5,000,000 ★Jeff Kennedy, Scottsburg, IN

2,400,020 Kevin Hawkins, Scottsburg, IN

SEA QUEST (Mark Data Products)

100/147 ★Harry Price, Tacoma, WA

SHOOTING GALLERY (Radio Shack)

232,340 ★Robert Wallace, Waldorf, MD

85,120 Lezlee Bishop, Salt Lake City, UT

80,220 Vernell Peterson, Radcliff, KY

44,870 Mark Nichols, Birsay, Saskatchewan

44,480 R. Duguay, St. Bruno, Quebec

SKIING (Radio Shack)

01.10 ★Mike Scharf, Fremont, OH

05.85 John Hopkins, Greenville, SC

12.02 Brian Austin, New Salisbury, IN

12.08 Kelly Kerr, Wentzville, MO

12.58 Kevin Hawkins, Scottsburg, IN

SKRAMBLE (Tom Mix)

61,020 ★Paul Holtz, Herzlia, Israel

46,440 Steve Schutjer, Hazel Green, WI

SLAY THE NEREIS (Radio Shack)

344,115 ★Ed Meyer, Vancouver, British Columbia

47,442 Joseph DiBattista, Brooklyn, NY

34,089 Craig Alexander, Heflin, AL

SLAKER (THE RAINBOW)

1:26 ★Dan Sobczak, Mesa, AZ

1:57 Susan Ballinger, Uxbridge, Ontario

1:59 Baiju Shah, Deep River, Ontario

2:21 Eric Burk, Williamsburg, NY

STARBLAZE (Radio Shack)

11,000 ★Steve Schutjer, Hazel Green, WI

9,950 Albert Diaz, Canoga Park, CA

9,700 Robbie Sablotny, Mt. Zion, IL

9,050 Mark Welte, Baxter, TN

6,850 Craig Alexander, Heflin, AL

6,850 Javier Manzano, Los Angeles, CA

STAR TRADER (Computerware)

32 days ★Mark Mulvey, Lancaster, CA

STELLAR LIFE-LINE (Radio Shack)

100,070 ★Alex Gatlin, McKinleyville, CA

33,100 Kenn Booth, Grand Rapids, MI

29,670 Craig Alexander, Heflin, AL

22,610 David Sullens, Cabool, MO

16,920 Jeff Loeb, Mobile, AL

STORM ARROWS (Spectral Associates)

35,000 ★Stephane Asselin, Hauteville, Quebec

SUB HUNT (THE RAINBOW)

815 ★Susan Ballinger, Uxbridge, Ontario

TIME BANDIT (MichTron)

457,460 ★Mark Wooge, Omaha, NE

413,620 Doug Seibel, Tumbler Ridge, British Columbia

248,530 Sally Naumann, Hailey, ID

225,950 Chris Oberholtzer, Lexington, MA

142,200 Fred Naumann, Hailey, ID

27,720 Jamie Spreng, Dartmouth, Nova Scotia

15,600 Stephanie Morgan, Centerville, OH

TOUCHSTONE (Tom Mix)

98,500 ★Glenn Wasson, Castleton, NY

88,300 Michael Mefferd, Wren, OH

65,520 Kevin Marsh, Bokeelia, FL

TRAILIN' TAIL (THE RAINBOW)

105,300 ★Jerry Dill, Frankfort, MI

102,930 Philip Parent, Smiths Falls, Ontario

94,810 Jean-Marc Parent, Smiths Falls, Ontario

76,275 Michael Rosenberg, Prestonsburg, KY

33,454 Kenneth Bergham, Lawton, MI

TUT'S TOMB (Mark Data)

163,060 ★Michael McCafferty, Oceanside, CA

158,000 Chris Russo, Miami, FL

106,460 Eileen Kaakee, Royal Oak, MI

104,360 Gary Marshall, Layton, UT

60,780 Stephane Asselin, Hauteville, Quebec

WACKY FOOD (Arcade Animation)

241,200 ★Todd Kaplan, Lawrenceville, NJ

227,900 Jon Jenkins, Milner, GA

135,800 Mario Asselin, Hauteville, Quebec

105,100 Stephane Asselin, Hauteville, Quebec

WHIRLYBIRD RUN (Spectral Associates)

63,000 ★Andrew Urquhart, Metairie, LA

WILDCATTING (Radio Shack)

250,450 ★John Kidd, Clarksboro, NJ

33,090 Jack Ballinger, Uxbridge, Ontario

31,973 Lisa Ballinger, Uxbridge, Ontario

WILLY'S WAREHOUSE (Intracolor)

93,700 ★Craig Kluger, Miami, FL

ZAXXON (DataSoft)

2,057,800 ★Chris Oberholtzer, Lexington, MA

1,510,000 James Quadrella, Brooklyn, NY

666,000 Andy Green, Whitehall, PA

401,900 Mike Hughey, King George, VA

370,400 Chris Coyle, Selden, NY

350,500 Mark Jansen, Franklin, WI

198,300 Bernard Lamer, St-Joite, Quebec

172,400 Jean-Francois Morin, Loretteville, Quebec

134,800 Sean Conner, Summit, NJ

133,000 Diego Gallina, Summit, NJ

108,600 Theodore Latham Jr., Rich Square, NC

74,400 David Finch, Godfrey, IL

— Debbie Hartley

SCOREBOARD POINTERS

In conjunction with THE RAINBOW's Scoreboard, we offer this column of pointers for our game-playing readers' benefit. If you have some interesting hints and tips, we encourage you to share them by sending them to the Scoreboard, c/o THE RAINBOW.

POLTERGEIST PERJURY

Scoreboard:

Something I would like to bring to your attention is that the highest possible score on *Poltergeist*, by Radio Shack, is 5,205 points. Two people listed in December '84's "Scoreboard" had 6,730 and 6,600 points. This is impossible!

Ken Krejca
Chicago, IL

GONE WITH THE WIND

Scoreboard:

I have some hints for people with *Madness and the Minotaur*. To get the first spell, you need the food and the mushroom. If a strong gust of wind blows the lamp out of your grasp, use this spell to restore it to you. Another tip: when you first start a new game, do W,W,N, and LOOK POOL.

I have solutions to this Adventure as well as to: *Raaka-Tu*, *Pyramid*, *Bedlam*, *Sands of Egypt*, *Dungeons of Daggorath*, and *Keys of The Wizard*. If you need a clue, or the complete solution, please write to me at 318 Brady Circle, 32055.

Steve Danielson
Lake City, FL

SÃO PAULO PEN PAL

Scoreboard:

I have answers to the following Adventure games (Hi-Res version): *Black Sanctum*, *Shenanigans* and *Sea Quest*. Anyone needing help for these Adventures, or wanting to exchange letters, please write to me at Rua General Osorio, 1526 Campinas.

I'd like to say thanks, and I'm waiting that my wish will be done as soon as possible.

Henrique Porto
Sao Paulo, Brazil

CALLING ALL COCO NUTS

Scoreboard:

Recently, I have been to RAINBOWfest, and let me say it was great for my first time going. I bought *Trekboer* by Mark Data, and solved it in one week.

If anyone needs answers or clues, please

send a SASE to Mike's Room, 208 Osage Ave., 08083. I am interested in talking to people who are "into" CoCos. I will be happy if you write me a letter sometime.

Mike Rebbecchi
Somerdale, NJ

A GOOD DEAL

Scoreboard:

I've done it. I have finally solved *Madness and the Minotaur*, and so can you. If anyone has trouble, don't worry. I have the answers. I will give you five pages of information on solving *Madness and the Minotaur*, including how to obtain all the spells. I will give you a map of all four levels, answers to the oracles' riddles, and lists of all the verbs, objects, treasures and spells in the game. Just sent \$1 and a SASE to me at 18 Chapin Road, 11735.

Rich M. Apollo
Farmingdale, NY

FLASK FLAP

Scoreboard:

I have recently solved the Adventure game *Dungeons of Daggorath*. I have a word of warning to people who use any ol' flask. The Abye flask is very dangerous. If you look in the Webster dictionary Abye means to pay or punish for using. The hale and thews flasks aid you by making your heart slow to the slowest [rate] or giving you strength. If you have any questions on how to win or need help or tips send a letter stating your problem and I will help you as best as I can. I have also completed *Bedlam* but need help on *Raaka-Tu*. Write me at 2347 Grace Avenue, 95521.

Alex Gatlin
McKinleyville, CA

BUG TRAFFIC

Scoreboard:

I have solved these Tom Mix graphics Adventures: *Sea Quest*, *Calixto Island*, *Black Sanctum*. If anyone is hung up in one of those, you are welcome to send me a SASE and I'll give you the clue you need. But I hit a snag in *Shenanigans* when I landed in the pub. I tried ordering the Gaelic

beer, but it didn't seem to work any better than the other brands. I would appreciate some tips, as I seem to have run plumb out of ideas.

A suggestion for *Megabug*: keep changing direction; never pass up an intersection without sending a spur every way you can. Proceed from loop to loop, and save the dead ends until it is safe to try them (meaning there are no bugs nearby.) Write to P.O. Box 15564, 20003

John Tiffany
Washington, D.C.

BEAT BASHAN

Scoreboard:

I purchased *The Kingdom of Bashan* after reading your review in the November '84 issue of THE RAINBOW. *The Kingdom of Bashan* is yet another very good Adventure from Owls Nest Software.

Having solved the Adventure with 200 points and 259 turns I realized that it is not an unbeatable score but it will give other Adventurers something to shoot for. If anyone needs help with *The Kingdom of Bashan*, send me a SASE and state your problems. My address is 316 W. 15th St., 82601. I will answer as soon as possible.

THE RAINBOW is the most dedicated computer magazine I have ever seen, truly something for everyone. Keep up the great work.

Greg Dorsha
Casper, WY

PANEL DISCUSSION

Scoreboard:

I have a clue for *Pyramid*. If you go in the room with the Lamp, Bottle, and Food, type PANEL and you will teleport to the large room with the broken rock wall. Type PANEL again and you will go back. This will save you a lot of time and trouble.

I have also solved *Raaka-Tu*, *Bedlam*, *Calixto Island*, *Black Sanctum*, and the Scott Adam's *Adventureland*. If you need any clues or solutions send a SASE to P.O. Box 2581, 27948.

If anybody can tell me how and where to get the drinking container in *Sands of Egypt* it would be greatly appreciated.

Scott Lawrence
Kill Devil Hills, NC

Using Your Computer To Help Develop Classroom Material

By Michael Plog, Ph.D.
Rainbow Contributing Editor

The use of the computer in education is not limited to computer assisted instruction, computer managed instruction and administrative programs. One often overlooked use of computers is the preparation of materials for students. When using the computer to prepare materials for a classroom, students do not ever have to see or touch a computer. In fact, teachers can use their home computers to prepare materials to be brought into class.

Let me give you a few examples from personal experience. My wife is a teacher for students with learning disabilities. She spends many hours at home preparing materials for her students. One type of material is a word find puzzle, using spelling words of the week. Since only three or four of her students would have the same list of words, this meant a lot of different

puzzles. The first program I ever wrote on the Color Computer would take a list of words and create a word find puzzle. The program has undergone several revisions and improvements, but still produces the same output. Instead of spending all that time preparing the word find puzzles, I now type in a list of her words, and the computer produces a matrix of letters, with words hidden among random letters.

Another type of exercise she prepared for students is a word scramble. A word is provided for the students, spelled correctly and then repeated four times, with the letters scrambled in all the repetitions except one. The students have to select the correctly spelled word. The Color Computer is ideal for this task. All I do now is type in her list of words, and turn on the printer; the computer then produces the word scramble.

These may sound frivolous to you, but they are not simple tasks for students with perceptual problems. The word find puzzles are providing experience with figure/ground relationships, which is a major problem for some students. The word scramble is a visual discrimination and visual sequencing

while a child without realizing it, but children with a visual discrimination and sequencing disability need practice before they can read and spell effectively.


Preparation of such materials using the computer is not limited only to lessons for students with learning disabilities. The computer can help prepare materials for any type of student. Consider a simple example for students in primary grades. One duty for educators is to teach kids how to write, that is, draw letters that can be recognized. It does not require much advanced knowledge of graphics to program a computer to use the period key on a printer to make big letters — which can be “filled in” by students. The practice of drawing correct letters is necessary before students can write adequately. (If you doubt this, check with your mother. She probably has some early efforts of yours tucked away somewhere.)

Of course, the use of a graphics printer can produce some wonderful materials for students. Instead of having all students in the class draw (or color) that same dumb leaf in the fall, pumpkin at Halloween, or snowflake in the winter, why not produce different designs for students? A graphics

(Michael Plog received his Ph.D. degree from the University of Illinois. He has taught social studies in high school, worked in a central office of a school district, and currently is employed at the Illinois State Board of Education.)

Sugar
Software

Sugar Software



RAINBOW SCREEN MACHINE

SUPER SCREEN MACHINE

- **The Rolls Royce of graphics/text screen enhancers** — more screen features than all others combined!
- Add these features to your computer/program: ML extension of Basic loads on top of 16, 32, or 64K machines to enable easy mixture of **hi-res graphics and text** in your programs. Dense text or large lettering for children, visually impaired or VCR title screens with no programming!
- User definable 224 character set featuring lower case descenders, Greek, cars, tank, planes, etc., completely interfaced with **all keys, commands, and PMODES**. 12 sizes (most colored) from 16 x 8 to 64 x 24. **PRINT @, TAB and comma fields are fully supported.**
- 2 distinct character sets automatically switch for sharpest lettering featuring **underline, subscript, superscript, reverse video, top and bottom scroll protect, double width, colored characters in PMODE 4, and help screen.**
- Simple 2-letter abbreviated commands inside your program or **control key** entry from keyboard, even during program execution!
- Includes demo program, **character generator** program and manual. 16K Ext. Basic required — 32K recommended. **\$29.95 Tape; \$32.95 Disk.**
- **Revolutionary** — heralded as the most useful, powerful and versatile state-of-the-art utility ever developed for the Color Computer!
- All of the features of Screen Machine and more:
- Variable **SMOOTH Scroll** for professional displays, listings, business use.
- Variable volume **KEY Click** (tactile feedback).
- **EDTASM + command** for instant compatibility with cartridge EDTASM
- **Superpatch + command** for instant compatibility with the Superpatch + Editor-assembler
- True **Break key** disable and recognition.
- 10 User Definable commands used to activate your special drivers or subroutine.
- Dynamic **Screen Dump command** for use with Custom Software Engineering's Graphic Screen Print program for simple printer "Snapshots" of your screen even during program execution!
- **The new standard** — Upgradeable at any time from previous Rainbow-Writer or Screen Machine purchase. Return old program, manual, plus cost difference and \$7.00 shipping and handling.
- Super Screen Machine **\$44.95 Tape; \$47.95 Disk.**

Screen Machine can be used in games, word processors, utilities, etc. In addition, the custom graphics characters can be used to develop easy, effective hi-res character-graphics programs. The potential is truly unlimited.


Screen Machine can be used to directly create video recorder title screens or large lettering for children or the visually impaired simply by typing.

Screen Machine is fully interfaced with all keys and commands. Although some Basic programming knowledge is recommended just a few minutes spent studying and referencing your computer's Basic manuals will turn you on to the power of computing with Screen Machine.

Sugar Software Gift Certificate	
Pay to the order of _____ Amount _____ Memo _____	No. _____ available in any amount!

A complete catalog of other sweet Sugar Software products is available.

SUGAR SOFTWARE
 2153 Leah Lane
 Reynoldsburg, Ohio 43068
 (614) 861-0565
No refunds or exchanges.



Add \$1.00 per tape for postage and handling. Ohioans add 5.5% sales tax. COD orders are welcome. CIS orders EMAIL to 70405, 1374. Dealer inquiries invited.

printer (and some good programming) can eliminate the sameness of classroom worksheets. Wouldn't it be wonderful to visit a second grade classroom and see different pictures instead of the same design, altered only by choice of colors?

Do not think that computer generated materials are to be used only by primary grade students. Materials can be developed for any age and grade. The computer makes an ideal way to print tests, for example.

Consider a mathematics test. The same process (multiplication, for instance) can be tested, but with different (random) numbers used for each test. This provides a very good protection against cheating, too. Each student has the same type of problem as the student in the next seat, but should get a different answer. The teacher is providing a variety of test items, but all related to the same skill.

Tests could be individualized in any subject matter. A social studies teacher may want to store over 100 questions on a computer for a single class. At test time, the computer could select a 20 item test (at random or not) for each student — but each student would receive a different set of items. The bank of test items could be continually updated by the teacher at home, without having to constantly create new exams.

By creative use of a database program, it is possible for a literature teacher to individualize test items to optional readings for students. For example,

each student could be required to read any four of 10 optional pieces. Exam items for all 10 readings are stored in the computer, along with student names and the selections for each. The computer would then select a group of test items for each student, depending on the passage read.

Imagine the ease of test construction for a foreign language teacher using the item bank concept. Each individual student can only be tested on a small vocabulary list, compared to all the foreign words they are required to know. Using a database and an item bank, teachers can develop individual tests for students, as well as get some idea about what topics need greater coverage for the class as a whole.

With any test form printed by the computer, scoring can be simplified for the teacher. It is not difficult to have the computer print two pages for each test form. The first could have the correct answers printed; the second would have blanks for student responses. Naturally, individual student names could be printed on each test form.

The concept of an item bank for tests can be applied to other uses for computer generated materials. Work assignments, for example, can also be an application of an item bank. A teacher of a writing class might use an item bank for work assignments. Each student could be assigned themes on five topics, with no student having the same five topics, but each topic being assigned to at least three students.

While humans may consider the logistics of this type of assignment to be unwieldy, a computer can deliver the correct mix with no complaints.

Many teachers already keep student grades on home computers. Instead of providing quarterly grade cards, it might be worthwhile for students (and parents and teachers) to have more frequent progress reports. Students could be shown their grades every month (or even more often). This simple procedure can eliminate surprises at the end of a grading period. In addition to students knowing their progress, parents can be informed quickly about problems, and the teacher can easily identify difficulties before it is too late for correction. (Just consider the public relations benefits to be gained by teachers with this type of information to parents.)

In all the examples listed above, the major emphasis is on individualization of materials for students. With increased demands being put on teachers' time, it is more and more difficult to provide individual challenges for students. Yet, individualization is necessary in order for education to accomplish its multiple goals. The microcomputer offers a new opportunity for teachers to individualize materials for students.

Your comments and thoughts on these articles are always welcome. If you wish to share your experiences or ideas, please write me at 829 Evergreen, Chatham, IL 62629.

Compugenis
presents
"The CoCo Complete"
A Videotape for all CoCo users,
90 minutes in color
from beginner to advanced
Special Introductory Offer
Buy Now and Save!
\$59.95—VHS and Beta II
\$99.95—3/4"
plus \$2.50 shipping
and handling
NY residents
add local
sales tax

"The CoCo Complete" is for

Home and Office Use

- ☐ CoCo hardware and software demonstrations
- ☐ how to perform CoCo upgrades, maintenance
- ☐ hook up procedures
- ☐ all CoCo applications

Educators

- ☐ Classroom support package available, write for details

Foreign CoCo Users

- ☐ the tape is obtainable in any world standard, write for prices

Compugenis
41-48 40th St. Sunnyside, NY 11104
Call: 718-937-7061

Name _____
Address _____
City _____ State _____
Zip _____
Please allow 8-10 weeks for delivery.
☐ VHS ☐ Beta ☐ 3/4"
☐ check or ☐ money order enclosed

THE NEW GENERATION

COMPLETE SG-10 PRINTER SYSTEM

GEMINI-10
GEMINI-10X
SG-10

All the performance, features, and reliability of the
Star Micronics GEMINI-10X PLUS:

120 CPS with true descenders.

NLQ (Near Letter Quality).

2K BUFFER accessible.

HEX DUMP for Machine Language listings.

ULTRA HI bit image graphics.

20% INCREASE in throughput.

1 YEAR MICRONICS WARRANTY

Servicable at over 4000 locations.

COMPLETE
SYSTEM

NOTHING MORE TO BUY

- SG-10 PRINTER
- BLUE STREAK INTERFACE
- SUPER GEMPRINT
- TYPE SELECTION/TUTORIAL


\$299⁹⁵ + \$10 Shipping
and Insurance
SG-15-439⁹⁵

BLUE STREAK SERIAL TO PARALLEL INTERFACE

- RUN COCO I or II to PARALLEL PRINTER
- 300, 600, 1200, 2400, 4800, 9600 SWITCHABLE BAUD RATES
- AC POWER OPTIONAL-NOT NEEDED WITH SG-10 PRINTER
- COMPLETE WITH ALL CABLES AND CONNECTORS
- 180 DAY WARRANTY



54⁹⁵ SHIPPING (SPECIFY PRINTER)
PAID!



SUPER GEMPRINT
A FULL
8" x 11"
SCREEN DUMP PROGRAM

FOR ALL GEMINI, DELTA & RADIX PRINTERS
WITH USER
DEFINABLE
COLOR SHADING!

- Prints all 5 Pmodes
- Machine language position independent code
- Tape transferrable to disk
- Requires 16K extended color basic



SUPER GEMPRINT SCREEN DUMP PROGRAM

"Overall, Super Gemprint is very well-written and documented."
—Rainbow December 84 review.

BONUS! TYPE SELECTION/TUTORIAL PROGRAM FREE WITH SUPER GEMPRINT

Menu driven program for the CoCo. Teaches and shows the new
user the numerous features of the SG-10.

SUPER GEMPRINT AND
TYPE SELECTION/TUTORIAL PROGRAM **\$17⁹⁵** + \$2 Shipping
and Handling

DAYTON ASSOCIATES, INC.

DUN & BRADSTREET LISTED

7201 CLAIRCREST BLDG. C • DAYTON, OHIO 45424

(513) 236-1454


OHIO RESIDENTS ADD 6% SALES TAX

C.O.D. ADD \$2.00

Star
MICRONICS INC.
AUTHORIZED
DEALER

Air Traffic Control Simulator	
Excels With Precise Features/ <i>Betasoft Systems</i>	229
The Archivist	
Make Cassette Backups From Disk/ <i>Sonburst Software</i>	205
Auto Run 64	
Avoid Crashing/ <i>Sugar Software</i>	224
BASIC Programming Tricks Revealed	
Unleash Your CoCo/ <i>Spectrum Projects, Inc.</i>	226
Big B Pro Quarterback	
Kickoff On Your CoCo/ <i>Big B Software</i>	219
Big Bird's Special Delivery	
Excellent For Teaching Classification Concepts/ <i>Radio Shack</i>	218
Burner+	
A Great Tool For The Avid Tinkerer/ <i>Pollak Electronics</i>	228
Colorforth Version 2.0	
Good Compiler Made Better/ <i>Armadillo International Software</i>	198
The Enhancer	
Expand Your CoCo's Vocabulary/ <i>H.D.R. Software</i>	213
Flip Side	
Develop Game-Playing Strategy/ <i>Radio Shack</i>	192
Floppiclone	
Cleans CoCo's Disk Drives/ <i>Automation Facilities Corp.</i>	233
Graphicom Joystick	
Solves A Problem/ <i>Spectrum Projects, Inc.</i>	221
Megamunk	
Offers A Challenging Spectacle/ <i>Color Connection Software</i>	200
Ms. Maze	
Arcade-Like Performance/ <i>Tom Mix Software</i>	216
Number And Color Words	
A Good Early Reader Program/ <i>CY-BURNET-ICS</i>	202
PP Color Dump	
The Screen Dump You've Awaited/ <i>Derby City Software</i>	194
The Peeper	
Monitors Machine Language Program Operations/ <i>Spectrosystems</i>	217
64K Spooler	
Can Be Used With Printer Related Projects/ <i>DSL Computer Products, Inc.</i>	220
SOLVE	
Remedies OS-9 Blues/ <i>Dugger's Growing Systems</i>	215
Space Escape	
Offers Two Great Adventures In One/ <i>Pal Creations</i>	212
Spectrum Analyzer	
A Fast Fourier Program/ <i>Ankia Research</i>	196
Teasers By Tobbs	
Improve Math Skills/ <i>Sunburst Communications</i>	227
Text Master And Graphic Master	
Transform CoCo's Screen/ <i>Dataman</i>	231
VIP Calc	
Spreadsheet For The Color Computer/ <i>VIP Technologies</i>	222
Versa Mail	
Features Efficiency And Versatility/ <i>Computerware</i>	211
Workbase	
An Excellent Database Management System/ <i>Workbase Data Systems</i>	207

SIGHT...



Combine the Color Computer 2 and the new



At \$219.95, Our Best Color Computer 2 Has a Lot of People Talking

Radio Shack's most powerful Color Computer 2 has always been a popular topic among computer enthusiasts. Our new low price of \$219.95—a savings of \$40—makes it an even hotter one. But now there's a new voice in the crowd, because our Color Computer 2 can speak for itself.

Get Sound and Speech for Just \$99.95

Add sound effects and up to three voices to your BASIC programs with our Sound/Speech Cartridge (26-3144, \$99.95). Put special sound effects in your personal game programs—or create your own stories and animated programs with the computerized voice of a narrator!

Our new cartridge is easy to use and plugs into your computer's Program Pak port or Multi-Pak Interface to add brand new challenges to your home programming. Simple PEEK and POKE commands let you access the Sound/Speech Cartridge for an almost endless number of exciting programming possibilities.

Get a Computer Designed for Serious Programmers

Our 64K Color Computer 2 was designed for the serious programmer—but it's easy enough to use for a beginner to learn on! It's the ideal choice for your family's first venture into computing or for upgrading your present "out-dated" home system for new challenges.

This is no kiddie computer: the 64K Color Computer 2 has enough power and room for expansion to

& SOUND!



Sound/Speech Cartridge and hear what you see

see you through high school, college and beyond. But we've made it easy to start home computing with the Color Computer 2 right away. Just connect it to your TV set and start programming in Extended BASIC (we include an easy-to-use manual to show you how), or choose from our ready-to-run software for games, educational programs and more.

The 64K Color Computer 2 makes it easy to create stunning color graphics with simple one-line commands. For even more challenge, try color animation—or create your own arcade-style games with music and sound effects.

For advanced programmers, the 64K Color Computer 2 can handle string arrays up to 255 characters, trigonometric functions and multi-character variable names, full-featured editing and more.

The Color Computer 2's Extended BASIC also lets you access 32,000 characters of memory right away. Just add a disk drive and operating system and you'll have a full 64K to work with.

Expand Your Computer As Your Needs Grow

Your Color Computer can grow as your needs do. Add a disk drive and you can choose from our large selection of educational, entertainment and professional software. Or add a printer, plotter, modem, joysticks, Color Mouse and more for even greater versatility.

See the Color Computer and Accessories Today

Radio Shack makes it easy to start home computing with the Color Computer 2 and our new Sound/Speech Cartridge. Visit your nearby Radio Shack Computer

Center or participating Radio Shack store or dealer today for a hands-on demonstration. Be sure to see all the Color Computer accessories while you're there.

Radio Shack®
The Technology Store™
A DIVISION OF TANDY CORPORATION

New! 1985 Computer Catalog RSC-14. Send me a free copy.

Mail To: Radio Shack, Dept. 85-A-348
300 One Tandy Center, Ft. Worth, TX 76102

Name _____
Address _____
City _____
State _____ Zip _____
Telephone _____

Prices apply at Radio Shack Computer Centers and at participating Radio Shack stores and dealers. 64K Color Computer 2 (26-3127) was \$259.95 in Cat. RSC-12.

RECEIVED & CERTIFIED

The following products recently have been received by THE RAINBOW, examined by our magazine staff and approved for the *Rainbow Seal of Certification*, your assurance that we have seen the product and have ascertained that it is what it purports to be. This month the *Seal of Certification* has been issued to:

MICRO-GRIP V, a retrofit mechanism for the purpose of obtaining single sheet correspondence from Epson MX/FX/RX 70/80 tractor feed printers to achieve maximum friction feed capability. Bill Cole Enterprises, Inc., P.O. Box 60, Wollaston, MA 02170-0060, kit \$39.95

Primary Number Skills, a 32K ECB program covering numeration skills for children preschool through second grade. Two versions are available: *TALKING* (requires *The Voice*) with synthesized voice on all parts; *MUSIC* which rewards completion of 10 problems with melody. Both versions include Quit and Help key options. CY-BURNET-ICS, 5705 Chesswood Dr., Knoxville, TN 37912, cassette \$29.95, disk \$32.95, *The Voice* \$79.95 cassette or disk, plus \$1.50 S/H, Tennessee residents add 7% sales tax

The Talking Clock and Clock Arithmetic, two 32K ECB programs to promote time telling skills for children preschool through third grade. Rewards are provided for each problem and the completion of 12 problems. *The Talking Clock* uses *The Voice* and both programs load automatically and are menu driven. CY-BURNET-ICS, 5705 Chesswood Dr., Knoxville, TN 37912, cassette \$29.95, disk \$32.95, *The Voice* \$79.95 plus \$1.50 S/H, Tennessee residents add 7% sales tax

PRO-COLOR-FILE *Enhanced* Ver. 2.0, an all new version of *PRO-COLOR-FILE* including 60 data fields, fast ML sort (750 records in less than five minutes), possible creation of up to 16 indexes for sorting or reporting records and password protection. Derringer Software, Inc., P.O. Box 5300, Florence, SC 29502-2300, disk \$59.95 plus \$3 S/H

Galactic Fighter, a 32K arcade style game with graphics and sound. This futuristic scenario pits you and your single ship against the invaders from Dracoz. Only a highly alert and strongly motivated (you're the human race's last hope) avenger can succeed against asteroids, enemy fighters and defense lasers. Four Star Software, P.O. Box 730, Streetsville, Ontario, Canada L5M 2C2, cassette \$19.95 (U.S.), \$24.95 (CND.), disk \$24.95 (U.S.), \$29.95 (CND.) plus \$2.50 S/H

Bugs II, a 64K Adventure that casts you in the role of Captain of the deep space vessel Andromeda, presumed lost. After accidental cryogenic suspension lasting five centuries, you bring the Andromeda home only to find Intelligent Insects have subjugated the human race. You must find and destroy these pernicious vermins' power base. Four Star Software, P.O. Box 730, Streetsville, Ontario, Canada L5M 2C2, cassette \$19.95 (U.S.), \$24.95 (CND.), disk \$26.95 (U.S.), \$32.95 (CND.) plus \$2.50 S/H

CoCo Paint, a 64K graphics development system for single drive CoCos that mixes graphics and text using built-in or user-defined characters, screen dump to most printers and 300 to 1200 Baud modem communications capabilities. Four Star Software, P.O. Box 730, Streetsville, Ontario, Canada L5M 2C2, disk \$39.95 (U.S.), \$49.95 (CND.) plus \$2.50 S/H

JDG Kalends, a 32K Disk BASIC date book and calendar which features a full-screen editor, auto-repeating keys, Help screen with all keys defined and print-screen option. Jade Products, 519 N. Scott, Wheaton, IL 60187, disk \$28

Bumble Games, two 16K cassettes for youngsters aged 4 to 10 to explore basic mathematical concepts containing *TIC-TAC-TOC*, *Bumble Dots*, *Find the Bumble*, *Find your Number*, *Butterfly Hunt* and *Visit from Space*. The Learning Company, 545 Middlefield Rd., Menlo Park, CA 94025, cassettes \$39.95

EASY-EDIT, a 32K text editor requiring at least one disk drive. *EASY-EDIT* is designed for convenience for both assembly language and BASIC programming and offers these text handling capabilities: built-in DOS, 32-64K memory sense, auto key repeat and 51 by 24 character line screen. Mark Data Products, 24001 Alicia Parkway, No. 207, Mission Viejo, CA 92691, disk \$34.95

Addition & Subtraction of Fractions & Mixed Numbers, a 16K ECB program to guide a student through every step of the problem. Advice is given to allow immediate

corrections of errors. There are nine levels of difficulty with student performance determining the level offered. Timothy McIlwee, R.R. 2, Box 462A, Dundee, IL 60118, cassette \$10

The Ideal Host and Teleremote Executive, a 32K ECB communication complex requiring two disk drives. Capabilities include conversion of any 16K (and up) computer to a remotely operated mainframe computer. It can be accessed and operated by either smart or dumb terminals and has a two- or optional three-way security check. TITAN Software, 508 West Avenue, Northvale, NJ 07647, \$85 plus \$4.50 S/H

Juggles' Rainbow, a 16K ECB package for introducing very young children (ages 3 through 6) to the computer. Dancing rainbows and twirling windmills teach reading and math skills. The Learning Company, 545 Middlefield Road, Suite 170, Menlo Park, CA 94025, cassette \$29.95

The Sailor Man, a 64K arcade game that pits Sailorman against Bigfatbadguy in a fight to the finish to determine who will win the heart of Elsie. It features nine screens (levels of difficulty). Tom Mix Software, 4285 Bradford, N.E., Grand Rapids, MI 49505, cassette \$29.95, disk \$34.95

Dan Tucker's Mine, a 32K ECB Adventure that casts you as sole inheritor of ol' Dan Tucker's legacy: a rumored lost fortune on a vast expanse of forest, mining tunnels, wilderness and abandoned prospecting sheds. Deductive reasoning, logic and a keen sense of purpose can bring you fame and fortune. PAL Creations, 10456 Amantha Ave., San Diego, CA 92126, cassette \$14.95

Stone of ROKAN, a 32K Adventure wherein you are Krog, chieftain of the Jamuras, in the land of Caladar. Your deity is ROKAN and after the theft of his sacred stone you must journey through lands of legends and wonders to retrieve the stone before famine and pestilence befall your people. PAL Creations, 10456 Amantha Ave., San Diego, CA 92126, cassette \$19.95

The Spanish Armada, your CoCo can become Mr. Peabody's Way-Back machine as this 32K strategic Simulation relives the summer of 1588 on the precarious, always unpredictable, English Channel. Can your English Commanders outmaneuver, outfire and outrun the Duke of Parma's "invincible" Armada? Picosoft Games, P.O. Box 85, Eighty Four, PA 15330, cassette \$24.95, Pennsylvania residents add 6% sales tax

Library 2, a 32K graphics library, this second program in the library series for Color Disk *EDTASM* users requires disk

drive(s). Capabilities include: 12 commands to draw lines, boxes and circles, GET, PUT, PCOPY and PCLS, single line assembler commands. Sadare Software, P.O. Box 3891, Gaithersburg, MD 20878, disk \$24.95

VIP Integrated Library, an applications package containing six stand-alone programs requiring 64K and at least one disk drive. Included are: *VIP Database*, an ML program featuring the *Library* memory sense with bank switching and selectable lowercase displays; *VIP Disk-Zap*, a repair and retrieve utility for bashed, crashed and dashed files, disks and hopes; *VIP Calc*, a worksheet and financial modeling program with memory sense and bank switching allowing 33K of workspace in 64K; *VIP Speller*, a 50,000 word indexed dictionary with add or delete facility; *VIP Terminal*, a communications smart terminal utility featuring selective Baud rates from 110 to 9600, word mode, full 128 ASCII keyboard and automatic graphics mode for sending and receiving programs, messages and other *VIP Library* files; *VIP Writer*, a word processor program with true format and edit windows, printer control codes and on-screen help. Softlaw Corporation, 132 Aero Camino, Goleta, CA 93117, \$149.95

BASIC Programming Tricks Revealed, a book by John Gabbard covering useful techniques for BASIC programmers seeking the most from the ever-obliging CoCo. Included are explanations and examples of *PEEKs*, *POKEs* and *VARPTR*. Spectrum Projects, Inc., P.O. Box 21272, Woodhaven, NY 11421 or P.O. Box 9866, San Jose, CA 95157-0866, \$14.95 plus \$3 S/H

ColorMath, a 64K educational guide requiring a disk drive. Math fundamentals; addition, subtraction, multiplication and division, are presented from beginning concepts to complicated problems with skill level placement. Comes with recommended lesson plans and parents' guide. Tandy Home Education Systems, Radio Shack stores nationwide, disk \$19.95

Graphicom Joystick is a special joystick designed for use with the *Graphicom* graphics design program. Spectrum Projects Inc., Box 21272, Woodhaven, NY 11421 or Box 9866, San Jose, CA 95157-0866, \$24.95 plus \$3 S/H

VIDEO*CLEAR, a kit containing a video cable, its filter block, a coaxial 'F' connector adapter and a 300 ohm BALUN connector to hook up between your computer and your TV set to reduce or eliminate picture interference caused by the computer itself. Spectrum Projects, Inc., P.O. Box 9866, San Jose, CA 95157-0866, or P.O. Box 21272, Woodhaven, NY 11421, \$19.95 plus \$3 S/H

HQ-Screen-Dump, a 32-64K ECB ML program for the Gemini-10X printer allowing printouts of the images of the Hi-Res *PMODE 4* screen. Zoltan Szili, 2490 Rue Bourdages, Longueuil, Quebec, Canada, J4M 1N9, cassette \$12, disk \$15

TRI-GRAF and **SHOWMAKER**, two 16K ECB programs compatible with *The Animator*. *TRI-GRAF* functions as a computer graphics studio to develop charts, graphs, artwork, reports, presentations and background scenes for your title screens, games, programs and animated cartoons. *SHOWMAKER* compiles and displays any number of *TRI-GRAF*-generated picture panels. Triad Pictures Corp., P.O. Box 1299, 134 Simders Rd., Sequim, WA 98382, cassette \$16 plus \$2 S/H

**RAINBOW
CERTIFICATION
SEAL**

The *Seal of Certification* program is open to all manufacturers of products for the TRS-80 Color Computer, the TDP-100, or the Dragon-32, regardless of whether they advertise in THE RAINBOW.

By awarding a *Seal*, the magazine certifies the program *does exist*, but this *does not* constitute any guarantee of satisfaction. As soon as possible, these hardware or software items will be forwarded to THE RAINBOW'S reviewers for evaluation.

— Monica Dorth

SOFTWARE THAT DOES SOMETHING!

NOT SHOOT-EM-UP GAMES
NOT ANOTHER LANGUAGE
NOT MORE UTILITIES

ANKIA RESEARCH Software lets your Color Computer do something for you NOW!

Our **PROFESSIONAL 3-D PLOTTER** will draw a "landscape" in 6 seconds! This ML program lets you generate the surface using BASIC and almost instantly your picture appears. **\$24.95**



Our **SPECTRUM ANALYZER** will calculate a Fast Fourier Transform (spectrum) over 10 times faster than BASIC. **\$24.95**

Do you run a small business or a large home? **PROPRIETOR'S ACCOUNTANT** is a complete double-entry bookkeeping system. **32K Disk Only \$29.95**

WE'VE TAKEN THE WORK OUT OF SOLVING YOUR MATHEMATICS PROBLEMS!

Do you have a series of points that you want fit to a line or curve?

Get **FUNCTION FINDER*** **\$12.95**

Do you want to solve an equation or a set of linear equations? You need

EQUATION EVALUATOR* **\$12.95**

Do you need to invert, add, and multiply matrices? **MATRIX MATH*** can handle a 37x37 matrix in 32K. **\$12.95**

Do you need to solve a finite integral or differentiate a function?

CALCULUS* can do it. **\$12.95**

ALL 4 MATH PROGRAMS \$44.00

EDUCATIONAL SIMULATIONS

STRATEGY POLITICS **\$16.95**
The 1984 Election

STRATEGY INVESTING **\$16.95**
Today's market or 1929

STRATEGY FOOTBALL **\$16.95**
NFL, NCAA, USFL Play-by-Play

STRATEGY BOXING **\$12.95**
Coach the Olympic Team

IMAGE PROCESSING **\$16.95**
64 x 48 Pixels with 16 gray scales
ALL FIVE SIMULATIONS \$69.95

Check or money order, add \$2.00 shipping. Specify Disk or Tape, #32K or *16K Req'd.

Florida Residents add 5% Sales Tax
WRITE FOR FREE CATALOG



**ANKIA
RESEARCH**

901-19 INDIANTOWN RD.
SUITE R
JUPITER, FL 33458

VIP CALC

Editor:

We would like to thank RAINBOW for this opportunity to respond to the excellent review of *VIP Calc* by Stuart Hawkinson. It is this type of devotion to fairness and objectivity which will keep RAINBOW as the undisputed leader in Color Computer magazines.

There is really very little to add to this excellent review. We would mainly like to point out how the problems brought up by the reviewer have been corrected. The copy of *VIP Calc* which THE RAINBOW received was one of the initial releases, and therefore had some bugs, all of which have long since been corrected.

The problem Mr. Hawkinson had with the sort feature was not due to the program, but was due to a poor explanation in the manual of how to use the sort function. The manual has since been corrected. The replicate problem was also easily taken care of, as was the locate command bug, and the problems with some of the more arcane trigonometric functions.

While we're here, we would also like to point out one feature which Mr. Hawkinson did not mention, but which is important when comparing the spreadsheet programs on the market. *VIP Calc* has up to eight display windows so that the screen can be split up to show different portions of the worksheet. This feature, which is standard with spreadsheet programs such as *VisiCalc*, *MultiPlan* and *Lotus 1 2 3*, allows the user to juxtapose portions of the worksheet which cannot be seen at one time, even with the high resolution screens, for comparison and easy reference.

More importantly, *VIP Calc* is now a major part of *VIP Integrated Library*. This adds integration to the other advantages pointed out about *VIP Calc*.

Thanks again to RAINBOW.

Tom Nelson
VIP Technologies
Goleta, CA

ADOS

Editor:

There are a couple of comments I'd like to add concerning Dale Shell's fine review of our enhanced Disk Basic *ADOS* that appeared in the December 1984 issue, Page 211.

Since Mr. Shell's review, we have added a major new feature to *ADOS*: error

trapping (the equivalent of an ON ERROR GOTO command). This feature was added in response to a surprising number of requests for it that we encountered, particularly from those running BBSs, when *ADOS* was demonstrated at the recent Princeton RAINBOWfest.

Secondly, we would like to clarify Mr. Shell's correct statement that burning *ADOS* into an EPROM may result in loss of the ability to use the high speed poke. In actuality, whether or not the high speed poke is retained depends on the type of EPROM used. We supply a list of sources that will burn *ADOS* into an EPROM (after the user has customized it using the provided utilities) for a total cost of \$20, including the cost of the chip. The type of EPROM used by these suppliers will almost invariably allow the high speed poke to be retained. No soldering is involved in the installation of the EPROM; it is simply a matter of unplugging one chip from its socket inside the disk controller and replacing it with the EPROM, an operation for which we provide full instructions.

Arthur J. Flexser
SpectroSystems
Miami, FL

SPECTRUM ANALYZER

Editor:

In regard to the review of *Spectrum Analyzer* by Stuart Hawkinson, let me comment. First, let me thank THE RAINBOW for obtaining such a professional, intelligent, and qualified reviewer for a technical program such as *Spectrum Analyzer*. The program was not designed for "the game-player;" it was written for the serious user of the Color Computer. My description in the Catalog states that this program is for "the professional scientist or engineer or a student in the scientific field." Although the reviewer received a copy supplied on disk, this program, as well as all other scientific or educational programs from Ankia Research, are available on disk or tape. They will work with either medium; however, since data files are more easily stored on disk, that medium is recommended.

Mr. Hawkinson makes three remarks concerning possible drawbacks of the program operation. The first concerns the "fixed length (256)" of the data samples. This has been changed in version 2.0 available at this writing. All owners of version 1.0 have been sent, free of charge, a copy of version 2.0 which lets you vary

the length of the sample. Any length of sample from 2 to 256 is allowed (as long as it is a power of 2; i.e., 2,4,8,16, etc.). Mr. Hawkinson mentions the "bothersome . . . display." I would like to announce that version 2.0 also has a reformatted display and the "bug" was corrected which caused an error if data-altering followed a screen output.

Please let me emphasize the comments made in the last paragraph of the review. "The program does compute FFTs correctly. And the machine language version certainly speeds the process." This is no mean feat. The program was written in assembler and uses the floating-point calls to BASIC where necessary. A 256-point FFT takes 16 seconds; a 128-point FFT takes 7 seconds; and all FFTs less than 32 points take less than one second! For comparison, a 256-point FFT in BASIC, with the same algorithm, takes nearly two minutes. Besides, this program is not copy-protected so that users might use it in other specialized software. The good points must certainly outweigh the fact that — you need to know what the program does — before it becomes useful. This is the requirement of any software, especially the professional and educational software of Ankia Research.

Robert K. Tyson
President, Ankia Research
Jupiter, FL

SUPER SPOOLER

Editor:

Thank you to Sandy and Barry Smith for their excellent review of our product *SuperSpooler* on Page 219 of the December 1984 issue.

The review contained only one small error. The reviewers stated that the manual does not show how to change the size of the buffer. However, pages 14 and 15 of the manual explain how to modify the size and location of the buffer.

Also, perhaps space constraints required a shorter review, so the Smiths were unable to mention the powerful features included in *SuperSpooler*; such as reprinting the buffer, checking the status of the buffer and fine-tuning *SuperSpooler* to the user's printer.

Once again, thank you to the Smiths and THE RAINBOW.

R. Lainevooll
Tandar Software
Agincourt, Ontario

Editor:

I would like to reply to Ed Ellers' review of *AUTOTERM* (November 1984, Page 229). While Mr. Ellers' comments on this program were primarily complimentary, I feel he was not entirely fair in his criticism. He states that the one drawback to the program was the lack of its ability to delete unwanted logon/off protocol. The truth is that the program has a built in provision to handle this or most other user requirements. The KSM function (programmable function keys) allows the user to set up, prior to going online, any combination of deletes/saves he wishes. All the user has to do after this set up is push two keys and stand back. Personally I appreciate the lack of the automatic "header" delete mode. Several of the mainframes charge per minute and assess an additional charge if they have to bill you. The logon time is generally printed in the upper right immediately after logon. Incidentally, I have no connection with PXE Computing other than being a very satisfied customer.

Larry Goldwasser
DeSoto, MO

Editor:

Thanks for whatever time you spent on reviewing *AUTOTERM*. I'm sure that you have other things that make demands on your time.

I did notice one misunderstanding in your review. You implied that the user cannot delete text while in the Send/Receive operating mode, saying that it is a lot of trouble to jump into text editing mode in order to get rid of unwanted text accumulated in the buffer. Actually, the user can delete, edit, etc. while in the Send/Receive mode. Perhaps the manual isn't so good at emphasizing such capabilities. It also appears that you may not realize that CLEAR up-arrow toggles SAVE-TO-MEMORY on and off. The 'M' in the upper right of the screen tells you when SAVE-TO-MEMORY is on.

Hope that these comments make *AUTOTERM* a little more usable for you.

Phil Zwart
PXE Computing
Richardson, TX

Editor:

Mr. Ellers' review of *AUTOTERM* failed to mention several features of the new disk version of that program. He did not mention the new FIND feature, which will search for any string. And although he did discuss the new Hi-Res screen displays, he neglected to discuss some of the screen features, such as the scroll/no scroll mode. Let's give *AUTOTERM* the credit and recognition it truly deserves. I've been using *AUTOTERM* for well over a year, having upgraded from the cassette version to disk (which PXE Computing sent me free). Hats off to author

Phil Zwart and PXE for making the best terminal program for any computer.

Robert Cody
Northboro, MA

Editor:

I would like to comment on Ed Ellers' review of *AUTOTERM* by PXE Computing. The review did not specify which version of the program was reviewed. The disk version that I have been using does not have any of the shortcomings that the reviewer pointed out. *AUTOTERM* offers a convenient method of continuously maintaining a disk file of your session. The MAINTAIN command lets you easily copy to disk only the not-yet-saved portion of your current session. Using the MAINTAIN command has allowed me to download files too large to store in memory.

So far I have only found one operational deficiency. When I try to correct my typing errors on some of the Apple bulletin boards, they echo the "backspace character" and it is displayed on my screen as an "inverse (''").

I have been using the program for some time now. As a matter of fact, the first version (2.0D) I received did not have the high-resolution screens. As soon as it was ready, the high-resolution version (3.0D) was sent to me, free of any charges. Only it had a problem, which PXE took care of by sending me version 3.2D; also free of any charges.

Bobby Joe Harrison
El Dorado, AR



CALL FOR CURRENT PRICES: 800-245-6228

CALL 215-682-6855 IN PA. OR FOR TECHNICAL NOTES

DISK DRIVES

ALL PRICES INCLUDE
CASE AND
POWER SUPPLY!

DRIVE 0 \$265

COMPLETE WITH JDOS OR RSDOS
INCLUDING MANUAL

DRIVES \$159 SINGLE SIDED **\$199** DOUBLE SIDED

2 SINGLE-SIDED DRIVES: \$265

(ADD \$20 FOR
TEAC D-8)

ALL DRIVES ARE 1/2 HEIGHT, DIRECT DRIVE, 40 TRACK &
6 MILLISECOND AND ARE FULLY ALIGNED, TESTED
AND CERTIFIED AT NO EXTRA CHARGE.

ALL DRIVES ARE TEAC OR PANASONIC

6 MONTH
WARRANTY ON
PANASONIC.

12 MONTH
ON TEAC
DRIVES



M.C. AND VISA ACCEPTED
OWL-WARE

P.O. BOX 116-F
MERTZTOWN, PA
19539

(CPA residents include 6% tax)

call TOLL-FREE: 800-245-6228
in Pennsylvania: 215-682-6855

"TIGRESS" -- THE WINNER
of CompuServe's Cocco SIG
Graphics Programming Contest
DRAWN USING "MASTER ARTIST",
BY THE AUTHOR OF THE PROGRAM



GET IT ALL IN ONE PROGRAM:

* TOUCH-PAD INPUT
* X-PAD INPUT
* MOUSE INPUT
* JOYSTICK INPUT
* PRINT COMMAND
* TEXTURES
* "RUBBER STAMP" PAINTBRUSHES
* LETTERING IN ANY SIZE
* COLOR SCREEN DUMP TO INK-JET
MASTER ARTIST (V.2.0)
64K disk..... 29.95

FREE-HAND
DRAWING!

MAGNIFY!!

See our ad in December or
January RAINBOW for other
graphics programs:

3D-DESIGNER.....29.95

ANIMATOR'S TOOLBOX..24.95

2-PROGRAM DISCOUNT -- 10%

3-PROGRAM DISCOUNT -- 15%

Develop Game-Playing Strategy With *Flip Side*

Flip Side is a creative strategy game for children aged 10 and older. It is written and produced by the Children's Computer Workshop, an activity of Children's Television Workshop (the people who have given us *Sesame Street*, *The Electric Company* and *3-2-1-Contact*).

To play this game requires a Color Computer with Extended BASIC, a cassette recorder and joysticks. A color television or monitor is necessary as a display (I first tried this game with a black-and-white receiver, but could not differentiate between the red and blue player pieces).

Flip Side is a board game for one or two players. It is remotely similar to Othello and Reversi games, in that players place markers on the board and flip the opponent's pieces (and those of the computer, as well) according to rules established at the start of each game. At the end of each round, the computer flips the pieces of each player according to the same rules. It then displays the score of each player and the number of rounds remaining. Each player tries to fill as much of the screen with his colored markers as he can. The player must use strategy to analyze the continually changing pattern and place his marker to maximize his score.

At the beginning of each game, the player is given the option to play the "standard" game, or he may modify the rules. He can change the number of markers each player may play in any one round, the number of rounds in the game, the number of times the computer will flip at the conclusion of each round, and the rules for flipping markers. (These rules define flips based on the colors of the eight squares surrounding a player's marker. Depending on these colors, a player's piece may be flipped to the opponent's color, unflipped to the background color, or remain unaffected.)

The 15-page instruction book supplied with this game is excellent. It includes detailed setup instructions and a diagram. It also includes a step-by-step procedure to be followed in the event of a loading problem. Detailed playing instructions are included, with numerous diagrams to illustrate game play. And finally, detailed instructions explain how to modify the game.

As you can probably tell, I enjoyed reviewing this game. Although a 10-year-old (remember, this game is recommended for children aged 10 and older) would not be able to develop a sophisticated playing strategy, he would, I think, enjoy the game. And older children would find themselves really challenged to improve their previous scores by developing a more complicated playing strategy.

(Radio Shack stores nationwide, cassette \$19.95)

— Jerry Oefelein

MUL-T-SCREEN



COLOR CHARACTER GENERATOR

A NEW DIMENSION IN COLOR COMPUTING



- Now includes a character generator and sample graphic space game at no extra cost.
- Full 224 text and graphic characters. Underline in all PMODES. Prints vertically.
- All machine language, user transparent. Supports all BASIC, EXTENDED BASIC and DISK commands.
- Automatic loader recognizes 16K, 32K & 64K computers.
- Mix up to 5 character sizes in 4 colors all on one screen. A total of 10 sizes available from 8x4 to 42x24 or 32x32 in vertical mode.
- Use up to 4 defineable window screens of any size. Also includes horizontally scrolling (crawling) one line screens.
- Includes positive & negative screen dumps in 2 sizes for R/S, Epson & Gemini printers. (Please specify)
- Special Trace Delay can be used to debug programs one line at a time (even graphics).
- A special printer control can output characters to the screen & printer simultaneously.
- A must for all color computer owners. Once you try it you won't write another program without it.

INCENTIVE SOFTWARE

(519) 681-0133

P.O. BOX 323
STATION B
LONDON ONTARIO
CANADA N6A 4W1

P.O. BOX 7281
PORT HURON
MICHIGAN 48301
U.S.A.

MINIMUM REQUIREMENT 16K BASIC
TAPE - 24.95 US or 29.95 CDN
DISK - 27.95 US or 32.95 CDN



Tape to Disk upgrade available for \$8US or \$10CDN. We pay postage within US & CANADA on orders over \$20, otherwise please add \$1. Other countries please add \$2. Charge orders please add \$1.

Federal Hill Software

FINE PRODUCTS FOR THE COLOR COMPUTER, DRAGON AND MC-10


If You Pay Taxes

You Need Coco-Accountant II

Were your taxes a mess last year? Do you look at your bank balance and wonder where all the money went? Then you need Coco-Accountant II. This 32/64K home and small business accounting program is all you need to answer the Three Big Questions about your money: Where did it come from? Where did it go? And what can I deduct from my taxes?

Spend a few minutes with your canceled checks, credit card receipts and payroll stubs. Here's what Coco-Accountant II will do:

- ★ List and total expenses or income by account.
- ★ List and total expenses and income by month, with net cash flow report.
- ★ List and total expenses or income by payee/income source.
- ★ Year-to-date summary by account.
- ★ List and total tax deductible expenses.
- ★ List and total expenses subject to sales tax—even compute the sales tax you paid!
- ★ Print a spreadsheet showing activity by account and month for a whole year (Seeing is



believing!). ★ Balance your checkbook. ★ All reports (except spreadsheet) to screen or printer.

★ Store data on tape or disk.

The 32K tape version stores 450 entries in a single file; 32K disk stores 500. The 64K versions store 900 entries on tape or disk. Our happy customers say this is the most useful program they own, and you'll agree! Only \$34.95, tape or disk. Please state memory requirements.



The Handicapper

If you like racing, you'll love The Handicapper! These 16K programs for Thoroughbred and Harness horses combine the power of your computer with the savvy of a veteran horseplayer. Spend a few easy minutes entering data and get rankings for the horses in each race!

All information is readily available from the thoroughbred Racing Form or Harness track program. We even provide a diagram showing you where to get the data you need! Factors include speed, past performance, post position, class, weight (for thoroughbreds), jockey or driver's record, beaten favorite, stretch gain, breaking tendencies and parked out signs (for trotters).

The Handicapper programs come with complete instructions and betting guide. We tell you which races to bet and which to avoid—one of the secrets of good handicapping. For all Color Computers and Model 100's. Thoroughbred or Harness, \$34.95 each on tape or CoCo disk. Both programs only \$49.95.

Greyhound Handicapper



NEW GREYHOUND HANDICAPPER! Now use your Color Computer for greyhounds, too. This fine program, written by a veteran trainer, uses speed, breaking tendencies, favorite box, kennel performance, maneuvering ability and other factors to rank the dogs in each race. Recommends quinnella, trifecta and exacta bets, too. For CoCo only, \$27.95 tape or disk.

SPECIAL—All three Handicappers only \$64.95!



Play Blackjaq!

This lightning-fast, full casino Blackjack simulation will boggle your mind! Up to 5 players and 9 decks. The computer deals and plays vacant hands—by card-counting rules! Blackjaq keeps track of winnings and losings, displays two card-counting algorithms and card distribution. It can even print out the results of every hand! Great for beginners or advanced players. Requires 16K Ext. Bas. Only \$27.95, tape or disk.



Federal Hill Software

FINE PRODUCTS FOR THE COLOR COMPUTER, DRAGON AND MC 10



We accept checks, money orders, Visa and MasterCard. Add \$1.50 for shipping. Make foreign orders payable in U.S. funds. Credit card orders should include card number, exp. date and signature.

825 William St. Baltimore, Md. 21230 301-685-6254

PP Color Dump Is The Screen Dump You've Awaited

The old saying says that "a bird in the hand is worth two in the bush." A similar expression is true with computer artistry: "a picture on paper is worth several on the screen." Everyone who owns a printer wants the capability of duplicating an interesting graphics screen in hard copy form. Surprisingly, there are very few "screen dump" programs currently available for the popularly priced CGP-115 color printer/plotter. This review is about a new screen dump, called *PP Color Dump* which, if you own a CGP-115, may be the software you have been looking for.

One of the most important characteristics of this type of software is speed. The reason for this is there are potentially over 49,000 pixels (picture elements) of information to reproduce. *PP Color Dump* achieves the desired speed by utilizing machine code. This program is

unique in my experience because it is a product of a BASIC program which has been compiled with the Color BASIC Compiler sold by Computerware. This means the program was originally written in BASIC and converted by the compiler program into a form of machine language. The result in this application is quite satisfactory. The speed and quality of this software reflects the capability of the compiler program, as well as the BASIC programming skills of the author.

PP Color Dump is a menu-driven program allowing a variety of options. Among other features you can flip through graphics memory pages, change a particular color, set a different graphics mode and reverse the colors. All this while previewing the results on the screen. You also have the ability to set the high speed poke, which increases the output speed slightly, but the speed of the printout with this program is limited mostly by the plotting rate of the CGP-115. Be prepared to spend about 15 to 20 minutes per color pass.

One of the key features of this screen dump program is its double size printout. One pixel on the screen is reproduced as four points on the plotter. The screen is scanned vertically while the output is printed horizontally. This orientation creates a picture which is nearly the full width of the paper.

Derby City Software has obviously tried very hard to please the customer with this product. This is apparent with a very detailed five pages of instructions on how to use the software. There are also hints on how to save time by eliminating the drawing of the background color (i.e., use white), as well as trouble-shooting hints if something goes wrong.

There is very little to be critical about with this program. I suppose it would have been nice if the program included a 1X as well as 2X printing mode. This would save time for some applications. Also, it should be mentioned that the primary disadvantage of a compiled program is the inefficient use of memory space. Unfortunately for 16K RAM machine owners, a 32K system is needed to run *PP Color Dump*.

There does appear to be one minor bug in the program. This occurs if the space bar is hit after the program has been loaded and *EXEC* typed. The program hangs up with a "TURN THE PRINTER ON" prompt shown on the screen. Turning on the printer at this point does not solicit a response. This minor problem is avoided by hitting *ENTER* immediately after typing *EXEC*.

PP Color Dump is supplied on tape, but functions equally well with disk. Instructions are included to save the program to disk. Also, according to the instructions, any CoCo can use this screen dump. This means Extended BASIC is not required.


Overall, I believe this program, with a few minor exceptions, is well worth consideration if you are in the market for a decent, easy to use, and reasonably fast screen dump for the CGP-115 printer/plotter. It definitely fills a current need.

(Derby City Software, 3141 Doreen, Louisville, KY 40220, cassette \$19.95 plus \$1.50 S/H)

— Tom Szlucha

FLY at MACH 2!

F-16 Instrument Flight Simulator



DON'T CHUG AROUND AT 90 KNOTS WITH OTHER SIMULATORS - F-16 FLYS MACH 2.6, IS FULLY AEROBATIC, VERY REALISTIC.....\$21.95

DESCENDERS - FIX RADIO SHACK® LPVII, DMP100, TDP-1, AND GORILLA BANANA® CHARACTERS.....\$17.95

TSPOOL - SOFTWARE SPOOLER FOR TELEWRITER-64® ONLY. INCLUDES DESCENDERS.....\$24.95

TELEWRITER-64 TAPE.....\$49.94 Disk.....\$59.95

ELITE CALC THE BEST CoCo SPREADSHEET.....\$59.95

ELITE FILE THE BEST CoCo DATABASE.....\$74.50

NEW: CoCo WORLD™

OUR SOFTWARE CATALOG

TIRED OF SEEING FABULOUS AD PICTURES THAT DON'T RESEMBLE THE PROGRAM AT ALL? WONDER WHAT THE PROGRAMS REALLY DO? OUR CATALOG IS ON TAPE OR DISK AND CONTAINS DETAILED EXPLANATIONS OF PROGRAMS, DEMO PROGRAMS & GRAPHICS, ALONG WITH REVIEWS & ARTICLES FOR YOU. SEND \$2.00 & WE WILL RUSH YOU OUR LATEST INFORMATION. PLEASE SPECIFY 16/64K TAPE OR DISK. NOTE: ANY SOFTWARE AUTHOR MAY ADVERTISE IN OUR CATALOG AT NOMINAL COST; CONTACT US FOR DETAILS.

CALL (813) 321-2840 9-5 PM EST FOR ORDERING OR INFORMATION.



KRT Software Inc.

P. O. Box 41395

St. Petersburg, Florida 33743

DIGISECTORTM DS-69 VIDEO DIGITIZER FOR THE COCO



Give your COCO the gift of sight!

The Micro Works is happy to introduce the newest member of our DigisectorTM family — the DS-69 Video Digitizer for your COCO. It has all the standard features of its big brothers but comes with a price tag that's right for you.

- **High Resolution** 256 by 256 spatial resolution.
- **Precision** 64 levels of grey scale.
- **SPEED!** 1/2 second for a full screen of video.
- **Compactness** Self contained in a plug in Rompack.
- **Ease of Use** Software on disk will get you up and running fast!



The DS-69 Digisector opens up a whole new world for you and your COCO. Your computer can be a security system, take portraits, analyze signatures, inspect assembly work . . .

the DS-69 is your COCO's eyes. Use the DS-69 and a TV camera to get fast, precise conversion of video signals into digital data.

Powerful C-SEETM software.

C-See is a menu-driven software package included with your DS-69. It provides high speed 5 level digitizing to the screen, high precision 16 level digitizing for superb hard copy printout, and simple software control of brightness and contrast. Or call our driver routines from your own Basic program for easy 64 level random access digitizing. Pictures taken by the DS-69 may be saved on disk by C-See and then edited by our optional MAGIGRAPH package for enhancements and special effects.



The DS-69 comes with a one year warranty. C-See supports both cassette and disk operation with the Multi-Pak adaptor and requires 64K. Cameras and other accessories are available from The Micro Works. Let your COCO see the World!

- DS-69 Digisector & C-See Software \$149.95
- MAGIGRAPH Graphics Package on disk \$ 39.95

Terms: Visa, Mastercard, Check or C.O.D.

Purveyors of Fine Video Digitizers Since 1977.

The **MICRO
WORKS**

Established 1977

P.O. Box 1110 Del Mar, CA 92014 (619) 942-2400

Spectrum Analyzer: A Fast Fourier Program

Spectrum analysis involves transforming a signal into its frequency components. From a spectrum, you can tell what frequencies are present and their relative strengths. You can also see the effects of filtering various frequency bands. Normally, spectrum analysis is beyond the means of the casual computer hobbyist.

The Radio Shack Audio Spectrum Analyzer program pack allows you to see the frequency components in an audio signal, but the program itself has no facilities for experimenting with various filter functions, or for transforming the frequency response back into a signal. In fact, the program uses a simple "zero-crossing count," rather than an actual Fourier transform to present its approximate results.

The Spectrum Analyzer, from Ankia Research, provides the basic facilities for experimenting with the ideas of spectrum analysis and Fourier transforms. You can input data from the keyboard from a previously saved data file on disk, or you can generate a data set using BASIC statements within the program. The options include

displaying the results, computing forward and inverse Fourier transforms, and editing (or generating) the data for a signal. The editing section of the program provides various scaling options and the facility for applying either basic frequency cut-off filters or a custom-designed filter.

The program is supplied on disk in unprotected BASIC format. The program contains a machine language section which implements the fast Fourier transform (FFT) as a subroutine. The simple two-page instructions assume a great deal of knowledge about Fourier transforms and signal analysis; no sample problems or exercises are described, so you are really on your own.

While the material supplied is correct and details all the program's operations, it would be difficult to master without previous experience with signal analysis. The instruction sheet recommends several books for study. These are definitely college level engineering texts. The remainder of this review will focus on features with which the experienced signal analyst might be concerned.

Spectrum Analyzer is really a misnomer. The program only computes FFTs. Spectrum analysis usually refers to taking the log magnitude of the Fourier transform after applying a suitable window sampling function.

The program only computes transforms of fixed length (256). There is no provision for samples of other lengths. You are forced to pad the signal data with zeros. The input editor makes this process frustrating, since you must enter all 256 points (128 for a symmetric signal) before exiting the input section of the program.

The display is also bothersome at times. If you list the data to the monitor, the numbers are displayed as 10 complex pairs per screen. You must view all 256 pairs before exiting the display routine. Many times the numbers will cause the display to scroll so that you miss the heading and several lines of output. You can also send the display to your printer, or produce a high resolution plot on the monitor. The plot option is really the best way to display the data until you're ready for a permanent copy.

The program has a bug that surfaces when you use the screen display option. The section that produces the display prematurely exits a *FOR/NEXT* loop. This causes an NF Error to occur when you next try to scale the data. The instructions fail to mention how to recover from errors without losing data. I found that entering *GOTO 70* in the command mode will return you to the main menu. From there, most options will work correctly. This method will also allow you to rerun the program without waiting for the machine language FFT to be poked into memory.

Another small problem with the program concerns the user prompts. Many times it isn't clear when the program has gone off to compute, in response to keyboard input. This is particularly frustrating for the first-time user.

The program does compute FFTs correctly, and the machine language version certainly speeds the process. You could use this program to form the basis of your personal signal analysis library. However, it will only serve the needs of the serious experimenter with considerable modification.

(Ankia Research, 901-19 Indiantown Rd., Suite R, Jupiter, FL 33458, disk \$19.95)

—Stuart Hawkinson

YORK 10[®]

CASSETTES



COMPUTER GRADE • DATA TRAC • BLANK CASSETTES

C-05, C-06, C-10, C-12, C-20, C-24, C-32

From the leading supplier of Computer Cassettes, new, longer length C-12's (6 minutes per side) provide the extra few feet needed for some 16K programs.

- BASF-LHD (DPS) world standard tape.
- Premium 5 screw shell with leader.
- Internationally acclaimed. Thousands of repeat users.
- Error Free • Money back guarantee.

Call: 818/700-0330
FOR IMMEDIATE DELIVERY
on Credit Card Orders.

BUY THE BEST, AT FACTORY-DIRECT PRICES

* 500 C-12's or C-10's — 38¢ each
w/labels, add 1¢ • Shipping \$17/500
500 Boxes 13¢ ea. • Shipping \$10/500
(Free Caddy offer does not apply)

NEW TRACTOR FEED • DIE-CUT
BLANK CASSETTE LABELS
WHITE \$3.00/100 \$20.00/1000
COLORED LABELS • Pastels —
Red, Blue, Green, Yellow, Lavender
\$4.00/100 \$30.00/1000

CASSETTE STORAGE CADDY
Holds 12 cassettes \$2.95
w/6 boxes
Includes edge labels
and index card

FREE
1 CADDY WITH EVERY
4 DOZ. CASSETTES PURCHASED
(does not apply to 500 quantity offer)

ORDER NOW... MAIL TO —
YORK 10
 9525 Vassar Ave. #R1
 Chatsworth, CA 91311

ITEM	1 DOZEN	2 DOZEN	TOTAL
C-05	7.00	13.00	
C-06	7.00	13.00	
C-10	7.50	14.00	
C-12	7.50	14.00	
C-20	8.75	16.50	
C-24	9.00	17.00	
C-32	11.00	21.00	
Hard Box	2.50	4.00	
Wht Labels	3.00/100	20.00/1000	
Color Labels	4.00/100	30.00/1000	
Color			
Sk. rge Caddy @ 2.95 ea. Qty			
Calif. residents add sales tax			
Shipping/handling			3.50
Outside 48 Continental States — Additional \$1 per caddy, per doz. cassettes or boxes			
TOTAL			

ORDER FORM

Each cassette includes 2 labels only. Boxes sold separately. In Continental U.S. shipment by U.P.S. If Parcel Post preferred, check here. ☐

Check or M.O. enclosed ☐ Send Quantity Discounts ☐
 Charge to credit card: VISA ☐ MASTERCARD ☐

Card No. _____ Exp. _____

Name _____

Address _____

City _____ State/Zip _____

Signature _____ Phone _____

Ask about our DUPLICATING SERVICE

MOVING UP

The Color Computer is good-but-when you need more power:

LEADING EDGE COMPUTER

- * MADE BY MITSUBISHI
- * 99% IBM COMPATIBLE
- * 128K RAM MEMORY
- * 2 DOUBLE SIDED DISK DRIVES
- * 80 x 24 DISPLAY MONITOR

\$ 1695



PRINTERS

- C-Itch 8510AP Prowriter-- \$ 319.
120 c.p.s.
- C-Itch 8510BPI Prowriter- \$ 389.
IBM compatible
- C-Itch 8510SP Prowriter-- \$ 429.
new!! 180 c.p.s.
- C-Itch 8510SCP Prowriter- \$ 499.
new!! 7 colors
- Gemini 10X----- \$ 249.
120 c.p.s.
- Gemini 15X----- \$ 399.
120 c.p.s.
plus shipping

DISK DRIVES & ACCESORIES




- TEAC FD54A----- \$ 99.
single sided, 40 track
- TEAC FD55A----- \$ 129.
single sided, 40 track
- TEAC FD55B----- \$ 155.
double sided, 40 track
- TEAC FD55F----- \$ 169.
double sided, 80 track
- J&M Disk Controller- \$ 125.
(JDOS or RSDOS)
- Dual Drive Case & Ps.- \$ 59.
- Dual Drive Cable----- \$ 23.

PARALLEL PRINTER INTERFACE

POWER SUPPLY
not needed with
Gemini and C-itch
printers

WORKS WITH ALL STANDARD
PARALLEL PRINTERS

SWITCH SELECTABLE
BAUD RATES FROM
300 TO 9600



COMPUTER
CONNECTOR

BUILT-IN MODEM
CONNECTOR
same pinout as
Color Computer
serial I/O port

MODEM-PRINTER
SWITCH

PRINTER CONNECTOR
highest quality
with metal shell
and gold contacts

MODEL 1

\$ 59.95

with modem connector
& switch

without power \$ 54.95

MODEL 2

\$ 49.95

without modem connector
& switch

without power \$ 44.95

ADD 3.00 FOR SHIPPING AND HANDLING

New Years Special

COMPLETE DRIVE 0 SYSTEM

- TEAC FD54A DISK DRIVE
- J&M DISK CONTROLLER
(JDOS or RSDOS)
- DUAL DRIVE CASE &
POWER SUPPLY
- DUAL DRIVE CABLE
- COMPREHENSIVE MANUAL

\$ 275.

plus shipping

DRIVE 0 DISK SYSTEMS



- J&M DISK CONTROLLER
(JDOS or RSDOS)
- DUAL DRIVE CASE & POWER
SUPPLY, CABLE, & MANUAL
- PLUS YOUR CHOICE OF ONE
OF THE FOLLOWING DRIVES.

- TEAC FD55A----- \$ 305.
- TEAC FD55B----- \$ 330.
- TEAC FD55F----- \$ 345.
- plus shipping

TRI-TECH ELECTRONICS

P.O. BOX 8100 ROCHESTER, MICH. 48308 (313) 254-4242

Colorforth Version 2.0 — A Good Compiler Made Better

Colorforth Version 2.0, by Armadillo International Software, is a revised version of a FORTH compiler which RAINBOW reviewed in the May 1982 issue. Since the review was short, we will reprint it here:

"The 16K program works very well and is easy to operate. It comes with extensive documentation, although it doesn't teach you the language.

"Our first brush with FORTH was a very positive experience. This was no doubt helped a great deal by the program, which behaved flawlessly and made our preliminary ventures into the language easy.

"If you're interested in a second language, FORTH and *Colorforth* would be a good bet."

Two other FORTH compilers were reviewed in the December 1982 issue of THE RAINBOW. *Color-Forth* (similar name), by Hoyt Stearns Electronics, comes in two versions costing \$58.95 or \$123, while *ccForth*, from the Frank Hogg Laboratory, is \$99.95 and is available only on disk. Armadillo's program has a distinct advantage over the others in that, for \$49.95, you get both tape and disk versions supplied on a single cassette. On the other hand, the more expensive programs contain a variety of sound

and graphics routines not supplied in *Colorforth*. However, the nature of the FORTH language is such that you can create such routines yourself.

The instruction manual (82 pages, spiral-bound, 5½ by 8½ inches) clearly states that you will not learn FORTH from the manual. It recommends two books and points out several minor, but important, variations from the dialects taught in the books. For example, when the book *Starting Forth* tells you to write VARIABLE CATFISH, *Colorforth* requires 0 VARIABLE CATFISH. Similarly, WORD in the "standard" version becomes WORD HERE in *Colorforth*.

There is an introductory section that will give novice users an idea of command syntax (very heavy on spaces), and of how new commands are defined. Clear and complete instructions are given on how to make backups and save "screens" in which your source code and other data is stored. There is also a thorough description of the editor, which bears a strong resemblance to the ED text editor used in CP/M. But, most of the remainder of the manual will be difficult to understand unless the user knows the language.

For those who have some knowledge of machine language, instructions are given for incorporating ML routines into your programs so that you can have graphics, sound, control of I/O ports, etc.

The original *Colorforth* was a 16K program. *Version 2.0* requires a minimum of 16K, standard BASIC, but if you have 32K or 64K, it will take maximum advantage of available memory. There is even a provision to bank-switch the upper 32K in a 64K CoCo between RAM and ROM.

Version 2.0 also contains certain "vectored" words, and an optional faster LIST that the original did not have. "Vectoring" means that some words can be redirected where needed. For example, if you sometimes use a printer that requires an extra linefeed after every carriage return, you have only to type '<CRLF> IS CR when using that printer. You can also create your own vectored words.

For those without Extended BASIC, *Colorforth* contains its own *CSAVEM* command for making backups and storing data to cassette.

The word FREEZE allows you to install your own definitions so they will be in effect automatically whenever you load *Colorforth* from disk or cassette.

(Armadillo International Software, Box 7661, Austin, TX 78712, \$49.95 plus \$2.50 S/H)

— Neil Edward Parks

NEED AN INEXPENSIVE SERIAL-PARALLEL INTERFACE?

SP-2 INTERFACE for EPSON PRINTERS:



- 300-19,200 BAUD rates
- Fits inside printer — No AC Plugs
- Optional external switch (\$5⁰⁰ extra) frees parallel port for use with other computers
- \$49⁹⁵ (plus \$2⁰⁰ shipping)

SP-3 INTERFACE for MOST OTHER PRINTERS:

- 300-19,200 BAUD rates
- External to printer — No AC Plugs
- Built in modem/printer switch—no need for Y-cables or plugging/unplugging cables
- \$64⁵ (plus \$2⁰⁰ shipping)

Both also available for RS-232, Apple IIC and MacIntosh computers.
Co Co Serial Cables 15 ft.—\$10.
Co Co/RS-232 Cables 15 ft.—\$20. Other cables on request.

**C
N
R ENGINEERING**
P.O. Box 492
Piscataway, NJ 08854
(201) 752-0144
DEALER INQUIRIES INVITED!

See You At
RAINBOWfest IRVINE
Feb. 15-17

THE COLORSOFT™ BUSINESS SYSTEM

INTEGRATED BUSINESS SOFTWARE DESIGNED FOR THE COLOR COMPUTER
WRITTEN FOR USE BY THE NON-ACCOUNTING ORIENTED BUSINESSMAN
CONCISE USERS MANUAL WITH SAMPLE TRANSACTIONS TUTORIAL
PROFESSIONALLY WRITTEN AND FULLY TESTED
HIGHLY USER FRIENDLY AND MENU DRIVEN
AFTER THE SALE SUPPORT

SMALL BUSINESS ACCOUNTING (Version 2.0) This sales-based accounting package is designed for the non-accounting oriented businessman. It also contains the flexibility for the accounting oriented user to set up a double entry journal with an almost unlimited chart of accounts. This package includes Sales Entry, transaction driven Accounts Receivable and Accounts Payable, Journal Entry, Payroll Disbursement, and Record Maintenance programs. Screen and hardcopy system outputs include Balance Sheet, Income Statement, Customer and Vendor Status Reports, Accounts Receivable and Payable Aging Reports, Check Register, Sales Reports, Account Status Lists, and a Journal Posting List. The number of accounts is limited only by the number of disk drives. \$89.95

ACCOUNTS RECEIVABLE (Version 2.0) This package is designed to meet the requirements of most small business users. The system includes detailed audit trails and history reports for each customer, prepares invoices and monthly statements, mailing labels, aging lists, and an alphabetized customer listing. The user can define net terms for commercial accounts or finance charges for revolving accounts. This package functions as a standalone A/R system or integrates with the Small Business Accounting package to build a complete accounting/receivables system. \$59.95

PAYROLL (Version 2.0) This integratable package is designed for maintaining personnel and payroll data for up to 200 hourly and salaried employees with 8 deductions each. This system calculates payroll and tax amounts, prints checks and maintains year-to-date totals. These amounts can be automatically transferred to the SBA package for financial reporting. It computes each pay period's totals for straight time, overtime, and bonus pay and determines taxes to be withheld. Additional outputs include mailing list, listing of employees, year-to-date federal and/or state tax listing, and a listing of current misc. deductions. This system is suited for use in all states except Oklahoma and Delaware. \$69.95

All programs require a minimum of 32K and 1 disk drive but will take advantage of 64K and multiple drives. Each package features a hi-res 51 x 24 black on green screen. 16K versions available without hi-res screen. Specify 16K or 32K versions when ordering. Future integrated packages will include: Inventory Control, Sales Analysis, Accounts Payable.

INCLUDE \$5.00 Shipping/Handling Per Order

Write for Free Catalog

BRANTEX, INC.

COLOR SOFTWARE SERVICES DIV.

BUSINESS SOFTWARE GROUP
P.O. BOX 1708
GREENVILLE, TEXAS 75401



TELEPHONE ORDERS
(214) 454-3674
COD/VISA/MASTERCARD

ATTENTION DEALERS: WE OFFER THE BEST DEALER PLANS AVAILABLE

Megamunk Offers A Challenging Spectacle

Megamunk is a strategic, arcade game which requires 32K of memory and is available on tape or disk. If you get the cassette you can follow the instructions to transfer to disk, which were included with my copy. It is a 100 percent machine language game in which you play the part of a soldier monkey sent on a mission by the king of Ledonia. In this daring venture you will see 11 different screens with multiple colors and four-voice music (then again, you may not see the 11 screens!).

This game is, to say the least, a real challenge. You must save the forest of Ledonia from the monster spiders of Dagath. To do this you need to fully cross all sections of the web with your monkey and be careful not to touch the spider. The spiders cannot be killed, only chased away. As you cross a section of the web it will turn from white to red, which means you have drained it of power and at the same time stored the power for your teleportation to the next web. Finally, when all the web is red the dangerous spider will exit quickly since the web will self-destruct. At this time you must rapidly move to recover the Treasures of the State, i.e., the signet ring, and then press your joystick button to depart to the next, more complicated web.

Simple you say? Wrong, dragonbreath! I forgot to mention that while you are climbing around, you must also chase away the sacred birds of the State that approach

or land in the web. If they land, the spider will attack the birds and they will disappear. But, there is yet another danger! You must continually dodge the coconuts that keep falling due to your moving about on the web. A direct hit will do the obvious: kill your monkey. Fortunately, a glancing blow will only make you see stars. (The web has been spun between two coconut trees and that is the reason for the falling menaces.)

As mentioned earlier, you must not touch the spider or you will die. But, you must not let the spider get you, either. You have a limited cloak of invisibility, which, when your time is up, will let the spider see you and he will attack *you*, instead of the silly birds. And that is the last of the perils (as if that isn't enough!).

I will admit that I was not able to see all the screens through normal play; even with a trick which allowed me to see or get to the tenth screen, I was never able to go to the eleventh. I kept getting killed each time. For the trick allowing you to advance to higher screens, be sure to read the whole instruction book.

So if you relish a challenging arcade-style game, spending endless hours dodging coconuts and spiders, feeling the wonderful satisfaction of beating the computer and a well-designed game, then *Megamunk* is definitely for you. But remember, I warned you it isn't easy!

(Color Connection Software, 1060 Buddlea Drive, Sandy, UT 84070, tape \$21.95, disk \$23.95)

— Douglas Pirro

TRS-80+ MOD I, III, COCO, TI99/4a
TIMEX 1000, OSBORNE, others



GOLD PLUG - 80

Eliminate disk reboots and data loss due to oxidized contacts at the card edge connectors.

GOLD PLUG 80 solders to the board edge connector. Use your existing cables. (if gold plated)



COCO Disk Module (2)	\$16.95
Ground tab extensions	INCL
Disk Drives (all R.S.)	\$7.95
Gold Disk Cable 2 Drive	29.95
Four Drive Cable	39.95

new
SPECIAL
PRICE

USA shipping \$1.45 Can/Mex \$4.
Foreign \$7 Don't wait any longer TEXAS 5% TAX

Available at your favorite dealer or order direct from



E.A.P. CO.
P.O. BOX 14

KELLER, TEXAS 76248

(817) 498-4242

+ trademark Tandy Corp



MC/VISA

BRITISH COLUMBIA

For all your COCO needs

write or call:



DATAFACT SOFTWARE LTD.
BOX 5356 STATION B
VICTORIA, B.C. V8R 6S4

Orderline: (604) 595-2312

Mon. - Sat. 9am - 5pm PST

AFTER HOURS BBS



FEELING HELPLESS? YOU NEED TO LEARN A LESSON!



MICRO LANGUAGE LAB: LEARNING THE 6809

Feeling at the mercy of a programmer somewhere? Mystified by a machine? My Micro Language Lab will give you the power to end those helpless feelings.

Here's why. The heart of *any* computer program *anywhere* is machine language. Every piece of software uses it — your favorite game, spreadsheet, word processor, data base manager, or recipe file. Every time you hit "Enter", it's working. All the languages and operating systems are created from it. Basic, Fortran, Pascal, Flex, OS-9,

TRSDOS... they're 6809 machine language, the whole lot!

And you can learn the language of the 6809, the programming heart of your Color Computer, with my Micro Language Lab.

Not everyone can program. Writing a few lines in Basic now and then doesn't make you a programmer. But if you *can* program, then my Micro Language Lab will teach you — the right stuff, the right way.


I'll teach you in 24 half-hour lessons on 12 audio cassettes, with a 220-page textbook, with data booklets, with 35 sample programs, and with a programming reference card. You'll spend 50 hours or more with my course, listening, watching, and working. And when

you're done, you'll be programming your Color Computer in the 6809's language.

Stop ignoring those gnawing feelings of helplessness. The 6809 is where the power lies in your computer. Turn on that power with the Micro Language Lab.

- **Micro Language Lab**, \$99.00 (plus \$3.50 shipping and handling)
Requires 16K Extended Basic EDTASM +

Not sure? Write or call for a Table of Contents and sample pages — and your "I'll Teach You A Lesson" button!



ALSO AVAILABLE FROM GREEN MOUNTAIN MICRO

(Add \$2.50 shipping and handling to your order)

Lowerkit III

- Full-time upper and lowercase installs in 15 minutes.
- Normal and reverse video standard
- Fully compatible with all Alpha and Graphic modes

\$79.95 assembled and tested

\$49.95 complete kit of parts

Important! Specify Color Computer or Color Computer II

TV Buff II, clear image for video monitors, \$19.95 (specify CoCo or CoCo2)

CoCoPort parallel interface (now includes plastic case), \$54.95 / \$44.95 kit

ColorPack ROM/RAM pack, \$29.95 (specify configuration) / \$19.95 kit / case \$3.00 extra

64K memory upgrade kit with full instructions, \$49.95 / with memory test on tape, \$54.95

Color Quaver Software Music Synthesizer on tape (requires 32/64K), \$19.95

Color Burner EPROM Programmer (2716/32/32A/64/64A/128, 68764/66) with software, \$69.95 / \$56.95 kit

User Group, Educational, Club and Dealer Discounts are available.

TRS-80 and TRSDOS are trademarks of Tandy Corporation. Flex is a trademark of TSC, Inc. OS-9 is a trademark of Microware Corporation.

Green Mountain Micro
Bathory Road, Box R
Roxbury, Vermont 05669
802 485-6112

Hours: 9am - 5pm EST, Monday - Friday
COD/VISA/MASTERCARD

Number And Color Words — A Good Early Reader Program

By Kenneth D. Peters

Number and Color Words, by CY-BURNET-ICS, is an educational program for preschool/kindergarten through second grade children designed to provide practice with recognition and spelling of the number words zero through 19, and the color words red, green, blue, orange, yellow and white. Rewards are given for correct answers, and a menu provides selection of eight levels of play. Together, they motivate a desire to use the program and make it easy for young kids to use with minimum supervision.

Number and Color Words is available in either a "talking version" or a "music" version (non-talking). The talking version was designed to be used with *The Voice*, a speech synthesizer from Speech Systems. The music version provides random selection of three songs in four-part harmony as a reward for completion of 10 problems. I have used both versions. The two versions are essentially the same, and therefore comments pertain to both unless otherwise noted.

Number and Color Words is loaded and auto-run by *CLOADM*. The program itself is in BASIC and contains a list-disable poke, so if you're someone who likes to see how the program is written or wish to modify the program, you will have to know how to restore the normal listing (*POKE 383,0*). The documentation seems complete and is well-written. It suggests using a setting of 6-7 on the recorder for loading the programs. I encountered difficulty loading the programs at that setting, but would like to remind you that a recommended setting on one system may be entirely wrong for another. As it happened, I could not load the music version at any setting above 3-4, but had no problem at levels of 2-3.

The program is loaded and a menu appears with eight options or levels of play, not necessarily in the order of difficulty:

- | | |
|----------------------|------------------------|
| 1) 0-9 Sequential | 5) 10-19 Random |
| 2) 0-9 Random | 6) 10-19 You spell 'em |
| 3) 0-9 You spell 'em | 7) Match colors |
| 4) 10-19 Sequential | 8) Spell colors |

At the bottom of the menu screen four special keys and their functions are listed as a convenience to help you with the program: ENTER, CLEAR, arrows, space bar. Use of these keys will be described shortly.

Pushing any number one through eight on the keyboard selects your level of play. I started my kindergarten daughter on Level 1, which I thought to be the easiest. On levels 1, 2, 4 and 5 a number word is displayed in the middle of the screen in large (one inch on a 13-inch TV) graphics letters, either sequentially or randomly, according to the menu selection. The student must then enter the correct numerical response. The number selected appears above the number word in a larger (one and one-half inch) graphics display as soon as the number is pushed. If the student decides the number s/he has chosen is the wrong number, s/he can push any of the four arrows to erase

the number and select another, until s/he enters his final choice.

An incorrect response automatically erases the graphics number and "beeps" a quick error note. A correct answer gets and different note and removes one of 10 little trains at the bottom of the screen. The bottom of the screen is initially filled with 10 little train engines or locomotives (two rows of five each) with smoke bellowing from each stack. Removal of each train with a correct answer is part of the graphics reward. Perhaps this is suggestive of "the little engine that could?"

If the child doesn't know what number the word represents, s/he can press the space bar at any time for help. Help in the "music" version is a visual display of the correct number for approximately one second. The "voice" version provides a spoken pronunciation of the correct number in addition to the visual presentation of the number. The "talking version" utilizes speech as a help mode on all levels of play.

After all the numbers have been either randomly or sequentially used and the child has completed 10 correct answers, the child is rewarded with a selection of one of three songs, all having something to do with trains: "Chattanooga Choo-Choo," "Wabash Cannonball," and "Old Ninety-Seven." Unfortunately, the talking version of *Number and Color Words* does not have musical rewards. I say unfortunately, because both of my kids who used this program (ages 5 and 7) started out using the talking version. After quite a bit of coaxing, I convinced them to try the "music" version and was never able to get them to go back to the talking version because of the attraction to the musical rewards! They loved the music so much they would sway and dance in front of the computer. It would be nice if the programmer could combine the music and voice together in one program for those who have the Voice Pak, as the voice does have its advantages, especially for the younger children.

At any time and for whatever reason, the child can hit CLEAR and return to the menu, no matter where s/he is in the game. Let's discuss options 3, 6 and 8 of the menu. These will generally be for the older children in the range group, as my older son in second grade can testify, since they deal with spelling tasks. He thought matching colors and numbers with the words had been "easy," but spelling the colors and numbers was another story.

A numeral or a box of color is displayed at the top of the screen in inch and one-half characters, and the child must enter the correct spelling of the number or color word. Again s/he has every opportunity to erase the spelling using the arrows and correct it before entering it, or ask for help (space bar), or quit altogether by hitting the CLEAR button and returning to the menu. Help in the spelling options consists of displaying the correct spelling of the words for approximately one second, and if using *The Voice* the word will also be spoken.


The final option, 7, is Matching Colors. A color word is displayed in the center of the screen in one-inch letters. The child must match the word with one of four colored boxes numbered one to four at the top of the screen. My 5-year-old was a little upset with this option, as she couldn't read enough to match the colors, yet wanted to do it in the worst way! We ended up writing the color words on a sheet of paper using the color of the word to write the word. After a day or two, I noticed she was no longer using her paper!

NOVASOFT™

★ A TOM MIX COMPANY ★

AT LAST!

TOP QUALITY SOFTWARE AT AFFORDABLE PRICES!
WRITTEN BY WELL-KNOWN AUTHORS IN 6809 MACHINE LANGUAGE ESPECIALLY FOR NOVASOFT™




BUZZWORM

This one will drive you nuts. Guide the snake around the screen eating the snakebait for points; but don't bite yourself! Lots of fun awaits you with this one.

REQUIRES 32K & JOYSTICK

**TAPE \$15.95
DISK \$18.95**




BREWMASTER

Move along the end of the bars serving beer to your thirsty customers. Watch for falling glasses and rowdy customers. Loads of fun.

REQUIRES 32K & JOYSTICK


**TAPE \$14.95
DISK \$17.95**



BLACKBEARD'S ISLAND

A brand new high res graphic adventure. This one will blow your socks off! Wander around Blackbeard's Island being ever mindful of the hazards while your lust builds for Blackbeard's buried treasure. Taint easy, matey!

**REQUIRES 32K DISK ONLY
DISK \$19.95**




PANIC

Climb the ladders and fight the "meanies". Dig holes and bury them. Hours of fun await you in this outstanding graphic arcade game. Enjoyment for all ages.

REQUIRES 32K & JOYSTICK

**TAPE \$14.95
DISK \$17.95**




MONEYOPOLY

Now! Play this popular board game on your computer. Probably the most realistic computer board game simulation ever. Contains all the features of the original. Buy, rent or sell properties and become a wealthy land baron with this program.

REQUIRES 32K & JOYSTICK


**TAPE \$19.95
DISK \$22.95**



BATTLE STATIONS

BATTLE STATIONS is a remake of a popular board game. Without a doubt the most outstanding sound and graphics you have ever heard or seen. **BATTLE STATIONS** is a one player interactive simulation of skill, strategy and luck. The player pits his tactical skills against the cold, cunning logic of the computer.

**REQUIRES 32K DISK
TAPE \$21.95
DISK \$24.95**




VEGAS GAME PAK

Have you ever wanted to bring Las Vegas home with you? Now you can! Six different games in this package: Blackjack, Keno, Poker, plus three slot machine lookalikes. You'll swear you are at the table or the slots when you see the outstanding graphics we have created.

**REQUIRES 32K
TAPE \$24.95
DISK \$27.95**

6 games



COLOR CAR

You asked for it and now here it is! Fast-moving Grand Prix style racing. With your computer sit at the wheel of your racer through the difficult racecourse. Smash into other cars but be careful because they'll return the favor. Jump your car through the air, over water, and other hazards.

**REQUIRES 64K & JOYSTICK
TAPE \$19.95
DISK \$22.95**

NO DEALERS PLEASE

**Phone Orders (616) 957-0444
4285 Bradford N.E.
Grand Rapids, MI 49506**



CHECKS OK

*Add \$2.00 shipping & handling

SOFTMART FEBRUARY SALES

SALE PRICES GOOD UNTIL FEBRUARY 26.

HARDWARE

BOTEK PARALLEL INTERFACE — SAVE 15.00 IF ORDERED WITH ANY PRINTERS	69.95
VIDEO PLUS	22.45
VIDEO PLUS IIM	24.25
HJL 57 PROFESSIONAL	79.95
J&M DISK CONTROLLER	139.00
64K UPGRADE KIT	45.95
SPECTRUM LIGHT PEN	17.95
PHELAN SWITCH BOX (FOR CONNECTING PRINTER AND MODEM AT THE SAME TIME/DATA TRANSFER LIGHT)	39.95
PHELAN 10 FT. EXT. CORD FOR PRINTER: MALE TO MALE	15.00
FEMALE TO MALE	15.00
PHELAN 10FT COCO JOYSTICK CABLE	15.00
PEEKES AND POKES CAT. FOR COCO	15.00
VIDEO CLEAR	15.95
VIDEO IIC	35.00
PRINTERS ALL TYPES	CALL
DISK DRIVERS ALL TYPES	20.95 (C)/25.95 (D)
MONITORS (MONOCHROME & COLOR)	CALL
DISK CABLES	29.95
DISK CONTROLLER EXTENDED CABLE	25.95
BOX 10 SDD MEMOEX DISKETTES	19.95

SOFTWARE

CANDY CO. (INTRACOLOR)	30.50 (C/D)
WILLY'S WAREHOUSE (INTRACOLOR)	30.50 (C/D)
GALAGON (SPECTRAL ASSOCIATES)	21.50 (C)/25.40 (D)
NINJA WARRIOR (PROGRAMMER'S GUILD) (GET SNOWFLOW FREE)	25.50 (C)
MOON SHUTTLE (DATASOFT)	29.95 (C/D)
POOYAN (DATASOFT)	25.95 (C/D)
GRAPHICOM	26.95 (D)
GRAPHICOM PICTURE DISK I-V	17.25 ea. (D)
ELITE CALC	51.95 (C/D)
ELITE FILE	69.00 (D)
NEW WORLDS OF FLIGHT (TOM MIX)	27.95 (C)/30.95 (D)
WAREHOUSE MUTANTS (TOM MIX)	21.95 (C)/24.95 (D)
SALVAGE (PROPER PROGRAMS)	20.95 (C)/25.95 (D)
COCO CALIGRAPHER (SUGAR)	21.95 (C)/25.95 (D)
TUT'S TOMB (MARK DATA)	24.95 (D) 32K EXT.
THE NORTH CAROLINA CARTOGRAPHER	21.95 (C)/25.95 (D)
ANY MARK DATA GRAPHIC ADVENTURE	21.95 (C)/24.95 (D)
MAJOR ISTAR (COMPUTERWARE)	21.95 (C)/24.95 (D)
STAR TRADER (COMPUTERWARE)	21.95 (C)/24.95 (D)
SAM SLEUTH (COMPUTERWARE)	21.95 (C)/24.95 (D)
MIDDLE KINGDOM (COMPUTERWARE)	21.95 (C)/24.95 (D)
TELEWRITER-64 (COGNITEC)	45.95 (C)/54.95 (D)
MR. DIG (COMPUTERWARE)	23.20 (C)/25.50 (D)
JUNIOR'S REVENGE (COMPUTERWARE)	23.50 (C)/25.50 (D)
PENCON (SPECTRAL ASSOCIATES)	21.95 (C)/25.50 (D)
CASHMAN (MICHTRON)	22.50 (C)/24.95 (D)
TIME BANDIT (MICHTRON)	22.50 (C)/24.95 (D)
DEMON SEED (MICHTRON)	22.50 (C)/24.95 (D)
OUTHOUSE (MICHTRON)	22.50 (C)/24.95 (D)
COLOR FURY (MICHTRON)	22.50 (C)/24.95 (D)
RAINBOW SCREEN MACHINE (RAINBOW)	25.45 (C)/28.00 (D)
SUPER SCREEN MACHINE (RAINBOW)	38.20 (C)/40.40 (D)
64K DISK UTILITY (SPECTRUM PROJECTS)	18.95 (D)
HOMEBASE (WORKBASE DATA SYSTEMS)	49.95 (D)
WORKBASE I (WORKBASE DATA SYSTEMS)	61.95 (D)
WORKBASE II (WORKBASE DATA SYSTEMS)	75.00 (D)
DEJAVU (BEAR GRIP SOFTWARE)	13.95 (C)/15.95 (D)
YACHTSEE (BEAR GRIP SOFTWARE)	16.95 (C)/17.95 (D)
MATHS - TREK	15.95 (C)
COLORBOWL FOOTBALL (COMPUTERWARE)	21.95 (C)/24.95 (D)
ICE HOCKEY (COMPUTERWARE)	21.95 (C)/24.95 (D)
GRAN PRIV (INTRACOLOR)	27.95 (C/D)
ROBOTTACK (INTRACOLOR)	21.95 (C)/24.95 (D)
BJORK BLOCKS (MORETON BAY)	29.95 (C/D)
VEDIT-OS-9 EDITOR (SOFTMART)	49.95
CUSTOM COLOR SCREEN EXPANDER (PHELAN ENTERPRISES)	21.95
TREKBOER (MARK DATA)	21.95 (C) / 25.95 (D)
SEA SEARCH (MARK DATA)	21.95 (C) / 25.95 (D)
SAILORMAN (TOM MIX)	27.95 (C) / 31.95 (D)
SPEED RACER (MICHTRON)	31.45 (C/D)
SAM DIAMOND (MORETON BAY)	25.95 (D)
NEW: RETAIL BUSINESS GAME (SOFTMART)	24.95 (C) / 27.95 (D)
AUTOTERM (PXE COMPUTING)	35.00 (C) / 45.95 (D)
COCO-ACCOUNTANT II (FEDERAL HILL)	24.95 (C/D)
RAM DISK DRIVER FOR DSL 12 EK BOARD (BASIC OR US-9)	CALL AND MORE!!

SEND FOR OUR FREE MONTHLY SALES SHEET. SALES IN MOST CATEGORIES: ARCADE, ADULT, BUSINESS APPLICATION, UTILITY, FLEX, OS-9, ADVENTURE, DATABASE, LANGUAGES, SPREADSHEETS, EDUCATION, HARDWARE, BIBLE STUDY, INVESTMENT, SCIENCE/ENGINEERING, HAM RADIO, MUSIC, WORD PROCESSING, HOME, COMMUNICATION, AND BOOKS.

WE ARE ACTIVELY LOOKING FOR GOOD PROGRAMS TO DISTRIBUTE. WRITE FOR AUTHORSHIP/DISTRIBUTORSHIP PACKAGE.

DESCRIPTIVE CATALOG — \$14.95 (C) / 17.95 (D)
CATALOG LISTING — \$2.00

- MONTHLY SALES SHEET • ACCEPTANCE OF CHECKS WITH NO DELAY
- RALEIGH, NC STORE LOCATION COMPLETE WITH LIBRARY AND COMPUTER DISPLAYS.

MAIL ORDERS: \$3.00 - 1ST CLASS / \$3.00 - UPS GROUND /
\$4.00 2ND DAY AIR \$2.00 - C.O.D. / NC SALES TAX 4 1/2%
MC & VISA WELCOMED

SOFTMART

5024E Departure Drive - Raleigh, NC 27604

ORDER ONLY

1-800-334-0854, EXT. 879

INFORMATION

(919) 876-6124

I guess I would like to see a ninth option added, in matching colors, that would give a "color clue" for the children to help match colors with the color words. For example, the graphics letters used for the color words could be shaded with the appropriate color, or the little trains could be shaded with the correct color. Alternatively, the "color clue" could be incorporated into the help mode. For example, the letters could be shaded briefly with the correct color and then returned to normal. Currently, the help in this option is a small arrow that appears and points to the correct colored box for a second, then disappears. And, of course, the talking version says the color in addition to pointing to it.

Number and Color Words provides a good variety of options for children to practice recognition and spelling of number and color words. Not only is there a variety of things to do within the program, but each option provides a variety of excellent graphics and musical rewards. There is even an occasional change in the background color of the game's graphics screen. The trains also change colors along with the background change. In effect, a change of scenery occurs without changing the routine.

My only disappointment with *Number and Color Words* was going from the "music" version to the "talking" version and finding the musical rewards had been sacrificed for the advantage of the voice! Apparently both of my kids felt the same way since they have almost always used the music version. However, it is my understanding both versions are included on the same media if the talking version is purchased.

Aside from that, neither my kids nor I had any problems using the program. Watching my preschooler while she was trying to "read" the words for the colors and the numbers, I thought this was very like an early reader or "I Can Read" book. I decided *Number and Color Words* must be an early reader program. *Number and Color Words* is very easy to use and provided hours of entertainment and learning for the kids.

(CY-BURNET-ICS, 5705 Chesswood Dr., Knoxville, TN 37912, 32K ECB, cassette \$29.95, disk \$32.95. Add \$5 for Talking Version with copy of Music Version)

NEW! NEW! NEW!

Draw flow charts, diagrams, or pictures! Use optional mouse and/or keyboard to draw lines, squares, circles, polygons, rectangles and different size text. Like MacPaint! Pictures can be printed, saved and loaded.

Cassette . . . \$24

Print, plot or input from any of up to 16 WINDOWS of any size using 9 new BASIC commands. Each window can mix graphics and characters and has automatic scrolling. Demo program included.

Cassette . . . \$24

MUSIC SYNTHESIZER: Create quality sounds by controlling 30 harmonics. Easy to create and play impressive sounds. Uses graphics with optional mouse or keyboard to modify sounds. Sounds can be saved and loaded.

Cassette . . . \$24

All are written in machine language and have full documentation.

ESSENTIAL ENGINEERING

P.O. Box 26516

San Francisco, CA 94126

(California residents please add 6% sales tax.)

(Bay area & LA please add 6.5% sales tax.)

Make Cassette Backups From Disk With *The Archivist*

By Frank J. Esser

How many times have you lost a disk only to find out that the backup either could no longer be read or for some reason no longer existed? It has been known for a long time by the computer industry that magnetic tapes provide one of the best long term backup media. They can be stored in environments not as strictly controlled as those required for long term floppy storage. How does all this affect the Color Computer? Well, the Color Computer can access a cassette recorder; although it is not a 9-track magnetic tape unit, it will work very well. *The Archivist* program, from Sonburst Software, will give you the ability to make those backups to cassette tape and not have to worry about the type of files on the disk. As far as I could tell, *The Archivist* handled all types, including BASIC data files.

The Archivist comes on a 5¼-inch diskette and includes a spiral-bound instruction manual. The diskette comes write protected, but can be backed up using the standard disk BASIC BACKUP command. *The Archivist* is a machine language program which will take the contents of any disk and back it up to cassette tape. It will also restore any disk it has backed up. Thus, it gives you the ability to

keep tape backups of your important software and do it quite easily.

The Archivist also allows for the placing of a 256-byte information block on the front end of each cassette tape. The purpose of this block is to provide information about what is stored on the rest of the tape. *The Archivist* will read this block first from the tape and display it for you before going on with the restore function. With the proper use of this block, it becomes unnecessary for one to search the entire tape to determine if it is the right one or not — a very neat feature. The disk I received for review contained six programs, four of which were copies of the other two.

The manual is broken down into seven chapters. They are: 1) Variables List, 2) Warranty, 3) Introduction, 4) Instructions, 5) Examples, 6) Question and Answers, and 7) Index.

The variables list is not what the name implies. *The Archivist* has the ability to perform two very important functions besides backing up and restoring diskettes. It has the ability to change the disk stepping rate to six, 12, 20 or 30 ms. It also has the ability to double the speed data that is sent to the tape recorder. The variables list section shows how you can modify the BASIC loader to set both the stepping rate of the drives and the tape recorder. You are warned that the double-speed will not work with all recorders. The CTR-80 and CCR-81 sold by Radio Shack are recommended if double-speed is desired. I own a CTR-80 and tried it at double-speed and had no problems whatsoever. I also have MPI and Tandem disk drives, and set them up for a step rate of six ms. All worked very well.



COLOR COMPUTERS

CALL TOLL FREE 1-800-248-3823

COLOR COMPUTER, DISK DRIVE AND PRINTERS

COLOR COMPUTER SOFTWARE

	LIST PRICE	OUR PRICE
26-3136 16K Extended Color Computer 2	\$ 139.95	\$ 120.00
26-3127 64K Extended Color Computer 2	\$ 199.95	\$ 169.00
26-3029 Disk Drive 0 for Color Computer	\$ 349.95	\$ 295.00
26-1161 Disk Drive 1, 2, 3 for Color Computer	\$ 279.95	\$ 230.00
26-1276 DMP-105 80 cps Dot Matrix	\$ 199.95	\$ 169.00
26-1271 DMP-110 50/25 cps Triple Mode Printer	\$ 399.95	\$ 299.00
26-1255 DMP-120 120 cps Dual Mode Matrix	\$ 499.95	\$ 385.00
26-1257 DWP-210 14 cps Daisy Wheel Printer	\$ 459.00	\$ 485.00

	OUR PRICE
Teletype 64 Tape	\$ 49.95
Teletype 64 Disk	\$ 59.95
VIP Writer	\$ 59.95
VIP Speller	\$ 49.95
VIP Database	\$ 59.95
VIP Terminal Disk	\$ 49.95
TOM MIX Software	\$ CALL
RADIO SHACK Software	15% Off

OTHER PRINTERS AND ACCESSORIES

MONITORS

	OUR PRICE
EPSON Printer	\$ CALL
OKIDATA Printer	\$ CALL
STARGEMINI 10X Printer	\$ 275.00
COMREX CR-II Daisy Wheel Printer	\$ 415.00
C.I.TOH 8510 Prowriter Printer	\$ 335.00
BOTEK Serial to Parallel Interface	\$ 59.00

	OUR PRICE
COMREX 12" Green Monitor	\$ 95.00
COMREX 12" Amber Monitor	\$ 110.00
COMREX 13" Color Monitor	\$ 285.00
AMDEK 300A Monitor	\$ 155.00
VIDEO PLUS Monitor Adaptor	\$ CALL
GORILLA Monitor	\$ 85.00

COLOR ACCESSORIES

	LIST PRICE	OUR PRICE
26-2226 RS-232 Program Pak	\$ 79.95	\$ 68.00
26-3012 Deluxe Joystick (EACH)	\$ 39.00	\$ 34.00
26-3017 64K RAM Kit	\$ 69.95	\$ 59.00
26-3008 Joysticks	\$ 24.95	\$ 21.00
26-3016 Keyboard Kit	\$ 39.95	\$ 34.00

	LIST PRICE	OUR PRICE
26-3018 Extended Basic Kit	\$ 39.95	\$ 34.00
26-1175 Direct-Connect Modem I	\$ 99.95	\$ 85.00
26-1173 Direct-Connect Modem II	\$ 199.95	\$ 169.00
Signalman Modem 300/1200 Baud	\$ 399.00	\$ 275.00
Hayes Modems		\$ 215.00

All prices and offers may be changed or withdrawn without notice. Advertised prices are cash prices. For shipping, add 2% (minimum shipping charge \$3.00). C.O.D. accepted. (\$4.00 charge per carton on C.O.D. Call for further COD information.) M.C., Visa, A.M.X. add 3%.

PERRY COMPUTERS • 137 NORTH MAIN STREET • PERRY, MI 48872

The chapter on warranty explains the exact terms under which the software has been purchased and the purchaser's responsibilities. They go into great detail, which leaves little room for confusion or misunderstanding.

The introduction tells how to get the program up and running, and just what the terms are that are used throughout the manual: terms such as upperleft, subject, next line and escapes. Again, the change in speed parameters is explained. It is also mentioned that a full disk can be backed up in nine to 11 minutes using the tape at double speed. Not bad in the time department. Also, typical errors that might be encountered are explained and what should be done about them.

The instruction section takes you through the process for saving and restoring a diskette to cassette tape. Typing *RUN AR* gets *The Archivist* up and running. You are presented with a menu requesting you to enter one of the following:

- D — Presents the directory in the default drive and allows killing files or alphabetizing the entire directory.
- A — Presents archive and format menu of four choices
 - 1) Erase and format the disk
 - 2) Verify the tape copy
 - 3) Disk to tape archive
 - 4) Tape to disk restore
- U — Allows the selection of the default drive.
- V — Toggles verify write operation off/on. The verify operation is the same as disk BASIC's *VERIFY* operation.

T — Allows input of today's date in MM/DD/YY format. The date appears as the first bytes in the message buffer for later reference.

K — Toggles the keyclick off/on.

Selecting the 'D' response will get you into the Directory function. You will be presented with a listing of the directory of the disk in the default drive. Using the arrow keys, you have the ability to scroll through the entries. Pressing the 'A' key will sort the directory entries in alphabetical order. At this point the directory on the disk is not replaced. Using the arrow keys and positioning to a directory entry, then pressing the CLEAR key will kill that file. Again, this is only done to the memory directory. Pressing 'W' will write the memory directory back to the disk in the default drive. If you make a mistake and kill a file you do not want to kill, all you have to do is exit this section and reenter it. The old memory directory will be destroyed, will not be written back to the disk, and upon reentry a new memory directory will be built.

The examples section of the manual will walk you through both a disk to tape backup and the reverse process, a tape to disk restore. The examples are straightforward and easy for almost anyone to follow. Once through these examples no one should have any trouble running the programs. They are that simple and easy to use.

The question and answer section is sort of a technical section. The people at Sonburst Software used this method to put forth the more technical details of the program. Such questions are: "How is the tape formatted?", "What is a sector, track and gran?", "What is a collated backup?" and so on. This section is a somewhat novel way to explain the inner workings of your software.

The Archivist does everything it is advertised to do and more. It performs very well. I backed up seven of my full disks and had absolutely no trouble recalling them, and all programs worked after the restore process. The format used by *The Archivist* is such that you can only place or perform one backup on one side of a tape. But, when you think about it for a minute, you really don't want more than one on a side; it sort of defeats the purpose of the header block. A full disk, one that has all 68 grans allocated, would not fit on one side of a 30-minute tape, but would fit on one side of a 60-minute tape.

The Archivist works very well, is reasonably priced and provides an excellent manner to back up your disks onto a good storage media without regard to the type of file or files on the disk. It would be an excellent addition to any library.

(Sonburst Software, 233 Rogue River Hwy., Grants Pass, OR 97527, \$14.95 plus \$1.50 S/H)

THE SOFT SHOP

"For all your personal computer needs"

64K Ram Chip Set	\$ 55.95
HJL-57 Keyboard Kit	75.95
Prowriter Printer (8510A) w/Interface	419.95

-- ARCADE ACTION --

	TAPE	DISK
King Tut (Tom Mix)	(16K) 25.95	28.95
The King (Tom Mix)	(32K) 23.95	--
Pooyan (Datasoft)	(32K) 26.95	29.95
CU*BER (Tom Mix)	(32K) 25.95	28.95
Draconian	(32K) 25.95	28.95
The Touchstone	(32K) 25.95	28.95
Crash	(32K) 23.95	26.96

** BUY 2 GET 1 AT 1/2 PRICE **

** For the Serious User **

	TAPE	DISK
Basic09 (Requires OS-9)	(64K) --	89.95
VIP Writer w/Speller (Softlaw)	(32K) **	65.95
VIP Terminal (Softlaw)	(16K) **	45.95
VIP CALC (Softlaw)	(32K) **	65.95

** - Tape Version Included

Call or write for a catalog

Call our BBS on-line from 10 p.m. to 7 a.m. EDT!

Phone (803) 288-0613

Terms: Money Orders and Personal Checks welcome (Please allow an additional 3 weeks for personal checks.) S.C. Residents add 5% sales tax. (All Funds U.S. DOLLARS Please.)

Shipping: \$3.00 for Software, 3% for Hardware.

C.O.D.: Please add \$3.00 (No COD's outside the continental US and Canada!)

Blue Label: Add \$4.00

Handling: Handling Charges will be added to orders outside the continental U.S. (Minimum \$5.00)

VISA and MASTERCARD ACCEPTED.

THE SOFT SHOP

P.O. Box 878 Mauldin, S.C. 29662
10 a.m. (803) 297-1067 8 p.m.

See You At

RAINBOWfest IRVINE

Feb. 15-17

Workbase — An Excellent Database Management System

By Frank J. Esser

Today there exists a number of database systems for the Color Computer. Some of them are quite simple to operate but are not as flexible as one would like. Others require more time to learn to operate them, but in return offer greater flexibility. The more complex a program is, the longer it will take to become familiar with it. Please notice I did not say the more complex a program is, the harder it is to operate. That simply is not always true.

Workbase is a database management system, which is somewhat complex in nature, but very flexible in its uses. The most flexible portion of *Workbase* is the report section. It is possible to easily produce a report, in almost any format you desire. Most database systems will provide you with a columnar format. That is, you can produce a report in which the data stored in the database is displayed in columns with the data field name at the head of each column. *Workbase* can do this also, but it has a custom report section, which allows you to format a report in almost any way you want. It even allows you to create form letters, using your database to extract the needed names and addresses. The entire section is very well done and really has to be seen to be appreciated. The entire package, from the programs to documentation is well done. I fell in love with *Workbase* and think it is a real winner. It is not as full blown a database manager as one might find on a larger machine, but it sure doesn't fall very far short.

Workbase comes in two levels, *Workbase I* and *Workbase II*. Since *Workbase II* is essentially *Workbase I* with the ability to handle larger databases, this review will cover *Workbase* and the differences will be listed at the end. *Workbase II* comes enclosed in a three ring binder. The documentation is subdivided by functions with each of the system menus receiving its own section. Thus, if you need help with any given menu, it is easy to find the section explaining it. The system comes with two diskettes — a system and a demo diskette. Both diskettes can be backed up using the standard BASIC backup command. The documentation was produced on a matrix printer with free use made of the elongated print and overstrike features. The demo diskette contains 10 sample databases and associated report files. Each of these sample databases is fully explained in the introduction section along with the file layout and the report formats. The introduction section also contains an overview of the entire system and what it will do for you in more general terms. *Workbase* requires a 32K Extended BASIC computer with at least a single disk drive and a printer. *Workbase* supports the following printers:

Epson—Gemini—LPVII—DMP100—LPVIII—
DMP—200—NEC—Prowriter—Okidata 83A

If you do not own one of the above printers, *Workbase* has provisions to add two additional printers without disturbing the above list. If you should need more than

that, for some reason, then simply delete one of the above listed printer codes and substitute the one you want. The entire process is quite simple and easy to do. Just another example of the extra steps taken to make *Workbase* a good solid system. The introduction section also describes, in detail, the different types of data formats supported by *Workbase*. The data types supported are:

Amount — is limited to nine digits, with two decimal places and will always appear with a dollar sign and decimal point.

Other — is the same as the amount data type except a dollar sign is not used and it has three decimal places.

Integer — used for numeric data fields that do not require a decimal point.

Date — used for storing the date in the format of mm/dd/yy and will always be printed in this manner.

Clock — used to store the time of day in 12 hour notation. The format is hh:mm AM or PM.

Phone — used to store a seven digit phone number and will be stored in a format of xxx-yyy.

Text — used to store any type of data and can be from one to 255 bytes long. The length is specified at definition time.

Workbase is activated by placing the system disk into drive 0 and typing *RUN "WORK"*. Once *Workbase* is loaded and running, it enters the initialization or system definition stage. You will be asked the number of drives your system has. If you respond with two, you will then be instructed to remove the system disk from drive 0 and place it in drive 1. One of the faults I found with *Workbase* was the inability of the system to determine what drive the original module was loaded from. Thus, if you leave *Workbase* for some reason, you will be required to move the system disk from drive 1 to drive 0. *RUN "WORK"*, answer the number of drives prompt, and then move the system disk from drive 0 to drive 1 and continue. It is not a major point, since it does not affect the running of the program, but it sure would have been more convenient if the system disk could have remained in drive 1. You will now be asked to identify the type of printer you are using, or if you wish to add a new printer or change a given printer's codes. If you are using one of the predefined printers, then enter the number that corresponds to your printer, or a 'D' to define a set of or modify an existing set of printer codes. Once that has been accomplished, you will be asked for the printer Baud rate. Simply enter the number corresponding to the set Baud rate of your printer. With this complete, *Workbase* is ready to go to work.

Workbase is divided into nine major sections, each section being selectable from the main menu. These sections are:

- 1) Data Management
- 2) Calculations
- 3) Standard Report
- 4) Custom Report
- 5) Utilities
- 6) System definitions
- 7) Conversion
- 8) Quick Edit
- 9) End



LABEL III — Name and address file-print system. With LABEL III you can develop and maintain a mailing list. Print lists or mailing labels in your choice of 1, 2, or 3 wide. Supports 3 or 4 line addresses with phone optional, FAST machine language sort by last name, first name, or zip code.

Cassette 16K EXT - Postpaid \$19.95



FILEIII - Data Management System
With FILEIII you can create and maintain records on anything you choose. Recipes, coupons, household records, financial records - you name it. You create records containing up to five fields you define. You can search, sort, modify, delete, save on tape and display on the screen or send to a printer. The program is user friendly and user proof. Prompting is extensive. A comparable program could cost much more. This one is a bargain!

Cassette 16K EXT - Postpaid \$19.95



PROGRAM FILE (Reviewed in Oct. '83 Rainbow)
Organize your cassette programs. With PROGRAM FILE you create a file of your computer programs. You can search, sort, modify, add, delete, save on tape, and display on screen or printer.

Cassette 16K EXT - Postpaid \$14.95

NEW!!

INTRODUCING! - CODE CONVERTER Security System
CODE CONVERTER will protect your basic and ML programs from unauthorized use. A simple code of your choice encodes your programs. Basic program listings will be scrambled and inoperative. Machine Language will not operate. Coded programs can be copied but are useless until properly decoded.

Cassette 16K EXT - Postpaid \$19.95



ADVENTURE STARTER (Reviewed in Feb. '84 Rainbow)
Learn to play those adventures the painless way. You start with a simple adventure and move into an intermediate. Two complete separate adventures plus hints and tips on adventuring. Finish this and you are ready for ATLANTIS!

Cassette 16K EXT - Postpaid \$17.95



ATLANTIS ADVENTURE (Reviewed in May '84 Rainbow)
This one is tough! We challenge you to complete this in 30 days! If you can we will send you any program we sell - Postpaid - at absolutely no charge. You start on a disabled sub near the lost city of Atlantis. You must get the sub (and yourself) safely to the surface.

Cassette 16K EXT - Postpaid \$21.95



ESPIONAGE ISLAND ADVENTURE (Reviewed June '84)
You have been dropped off on a deserted island by submarine. You must recover some top secret microfilm and signal the sub to pick you up. Problems abound in this 32K adventure.

32K EXT - Postpaid Disk - \$20.95 Cassette \$17.95



KINGDOM OF BASHAN
Our most involved adventure to date. Bashan has a large vocabulary and some unique problems to solve. You must enter BASHAN (not easy), gather the ten treasures of the kingdom while staying alive (even harder), and return to the starting point (harder yet). If you can get the maximum 200 points in this you are an expert!

32K EXT - Postpaid Disk - \$20.95 Cassette \$17.95



FOUR MILE ISLAND (Reviewed May '84)
You are trapped inside a disabled nuclear power plant. The reactor is running away! You must bring the reactor to a cold shutdown and prevent the "China Syndrome". Can you save the plant (and yourself)? It's not easy!

Cassette 16K EXT - Postpaid \$17.95

*C.O.D. orders please add \$1.50

*No delay for personal checks

IN A HURRY? CALL OUR HOOT LINE: (615) 238-9458

VISA®

OWLS NEST SOFTWARE

P.O. BOX 579, OOLTEWAH, TN 37363

MasterCard

The Data Management section of *Workbase II* is the heart of the system. It is through this section you will create your database files, edit or update existing files and reorganize existing files. Each of these sections has its own submenu that will guide you through its use. The menus are easy to read and a little tricky to get used to, but once you have them mastered, life becomes very simple. After I got over the initial familiarization cycle, I found that I had all the options I could desire available to me. This section is really well done and requires some getting used to, but the time is well spent. "Update a file" allows you to look at given records, or scroll through the database a record at a time. Each record is displayed and you have the opportunity to modify any of the fields in that record before it is put back. "Reorganize a file" gives you the ability to add, change or delete data field definitions. Suppose you wanted to add a data field to your database that you forgot when the file was created. Using this section, that forgotten field can be added. From this section, as well as others, a directory listing can be obtained from any of the drives.

The Data Edit section supports adding new records or data fields, changing a data field or record value, deleting a record or data field, listing a data field or record, initialize/clear a record or data field, select a data field or record, change the title line, move a data field or record, sort records or data fields, print records, calculations, copy records, end session and display file characteristics. The add, delete, list and initialize functions can be performed at either the record level or at the data field level. Thus, all one type of data field could be deleted or initialized/cleared through one command. The move command allows you to alter the order in which the records will be displayed if a sort has not been run, and also the order in which the fields will be displayed. Normally the fields will be displayed in the order in which they are created. The sort command allows you to define the order in which records will be displayed, according to the fields sorted on and the type of sort used. I was able to get a three level sort to function quite nicely. I am the secretary for a Friday night couples bowling league. I set up a database and entered the roster. Using the sort routine, connected with the report facilities, I was able to sort the database on the team number, the last name of each team member, and then the first name of each team member. It worked perfectly. I was really impressed with the ease with which all this was accomplished.

The Calculation section provides the ability to update a database through calculations on fields contained within the database. A calculation in *Workbase* is entered in the form of a simple formula. The first step requires identifying the data field in which the calculation is to be stored. The following format is used.

Result = Operand (operation) Operand (operation) . . .

Net Amnt = Extnd Amnt + Tax + . . .

The supported operations are add, subtract, multiply and divide. Once the calculation procedure has been entered, it can be stored and executed. Thus, it becomes a part of the data disk, ready to be used at any future time. The procedures can be listed to the printer or screen. They can also be loaded, modified and saved.

The Standard report section can be used to produce reports which consist primarily of columnar data. Standard

reports contain parameters describing multiple reports as well as the record selection and sorting requirements for each report. Each report defined in a standard report consists of 14 BASIC options. Some of these options are page length, page width, top margin, normal or compressed print, print record names, print data names, key data name and page per key value. From these options I think you can start to get the idea of the flexibility that has been built into the *Workbase* system. The standard report section has all the features necessary to create, save, load, edit, print and execute the report procedures. With the given options it is very easy to put together a report procedure which will handle label printing for a mail list database. The quality of reports that can be produced is striking.

The Custom Report section is used to produce those reports that cannot be handled by the standard report section. A custom report procedure consists of several report/documents as well as record sort and selection criteria. Each report included in a custom report procedure will print once for each record in the database. Multiple copies may be printed for any report. Multiple report/documents can be merged to create a report. Available to help you create your document procedure is a full screen editor which will edit a buffer of 2400 characters and has excellent cursor control functions. The custom report section also has all the features necessary to create, save, load, edit, print and execute these procedures. Also you can get a draft copy of the report. You can get a printout of how the document/report will look without having to run any actual data through it. The data fields you wish to be printed in the report/document are enclosed in "/" marks. Thus, suppose I wish to create a form letter using a mailing database. I might start out with:

Dear Mr. //LAST NAME//

For each record in the database, the text stored in the data field LAST NAME would be placed between the / /. Using a figure of 80 bytes per line, 2400 bytes would allow for 30 lines if each line required a full 80 bytes. Usually this is not the case and a full page of 66 lines can usually be accomplished without too much trouble. The manual fully explains, in plain language, the cursor control functions that are available and the accepted embedded printer control codes. Some of these printer codes are: advance to next line; advance to next page; right justify; double space; quit printing; tab; set left margin; double width print; compressed print; emphasized print and overstrike. All the functions found in most word processors. These features are enough to turn an average report into something that will demand attention. The editor functions included full cursor control, jump to beginning or end of line, jump to top or bottom of screen, print the screen, jump backward/forward a word, scroll up/down a line, scroll up/down a full screen, jump top/bottom of document, enter insert/delete mode and end text editing. Again all the functions one would expect of a full word processor. All of these printer codes and editor functions are available for you to use when creating your custom report/document. A really impressive addition.

The Utilities section provides the following utility functions: generate a new file; merge files; copy files; update files; summarize numeric data fields; kill/delete a database file; rename a database file and post numeric fields to another file. The generate utility will create a new database file from an old database file. However, the new file is not a simple copy of the original file. Only those data

fields and records selected are moved to the new file. This utility can be used for a number of purposes which include an accounting database for a new period or the framework for a new file. The merge utility will move data from file 1 to file 2, extending file 2 in the process. Only those fields and records selected will be moved to file 2. Data fields must match between file 1 and file 2 in terms of the data field names and data type. The copy utility will copy a file using the standard BASIC copy command. With this utility you can make a backup copy, which is a mirror image of the original. The update utility is used to update matching fields from file 1 in file 2. The summarize utility will total the selected records and create a record for storing the totals. A separate total record will be created for each value of the data field identified as the key. The delete and rename utilities are identical to the BASIC commands of kill and rename files. The post utility will summarize selected data fields in file 1 and the totals are used to update matching data fields in file 2. Each record in file 2 which has a matching record in file 1 will be updated. A single data field or record name is used as the key for matching records between the two files.

The Quick Edit section allows you to perform the following functions: add a record; change a data field or record; list/display a data field or record; select a data field or record; enter calculator mode; sort records or data fields; print records or data fields selected and list file statistics. These options are similar to those in the Data Management section except they are more limited and a little faster to use. All else remains the same.

The conversion section is used to convert a *Homebase* database to a *Workbase* format. The conversion process

★★★ NEW ★★★

Formaker 2.0

the fastest, most complete
office package yet!

Totally Menu Driven

Customize with company information & printer
Complete "on screen" instructions

FORMS

letter
invoice
quote
purchase order
mail order
confirm order
receipt

STORES

complete forms
item list
subquotes
letters
footnotes
customer info

FIGURES

quantity
list
net
discount
subtotals
tax
freight, etc.

SEPARATE CONFIGURE PROGRAM

for company info
printer options
quote & inv. #
w/auto sequencing
auto date

PRINTS

form feed
letterhead
envelope
multiple copy
emphasized

Challenger Software

3703 131st Ave N
Clearwater, FL 33520
or Call (813) 577-3998

\$49

32K disc

VISA / MC

send for more information
and catalog of other
fine software

includes reformatting and compression of data records so it is possible that after the conversion process additional free/unused records will be available.

I purchased my Color Computer in August 1982. At that time there just wasn't much available for the Color Computer in terms of word processors and database management systems. I have watched the level and sophistication of the software continue to grow until there are now first rate packages available. One of these packages I think is *Workbase*. I had originally done the review on the *Homebase* database management system, published in the March 1983 RAINBOW, so I was familiar with the concepts of *Workbase*. However, with the added functions and the level of the report capabilities I think a good program just got a lot better. As with any database management system, *Workbase* requires that time be spent on learning its ins and outs before tackling any serious applications. Also one needs to spend some time defining just what it is that he/she wants to accomplish with *Workbase*. Through the utilities, errors in the original design can be accommodated and corrected; it is much easier to eliminate them before beginning. But once these steps have been mastered, the database manager is a pleasure to use. It is error forgiving and error trapping is used where possible. The programs, and there are many, are written for the most part in BASIC. My experiences were that if the programs had an error it was due to a bad file (most likely due to not exiting the programs properly). Once I got over the primitive learning stage I had no problems whatsoever. I was impressed with the ease with which I could get data in and out of the database. The programs are well done, the menus are clear and easy

to read, the documentation is easy to follow and the options are excellent. I believe *Workbase* to be a system of good design and very well written programs that perform in a similar manner. On the other side, there are a couple of improvements that I think would make *Workbase* just a little more versatile. I think it would be nice if the print process could be interrupted and stopped or resumed by the user. Thus, if for some reason, the data being printed was not wanted, you would not have to wait for the process to complete before continuing. Also, you are required to place the system disk in drive 0 to load the initial program. If you are using two disk drives, like I do, then midway through the initialization process you are asked to move the system diskette to drive 1. If, for some reason you leave *Workbase* and return, you must move the system diskette back to drive 0 and repeat the process. The drive number last accessed is available in low memory and could be used to force load all other modules from that drive. The last and final suggestion is to force exit through the warm start procedure of the BASIC interpreter. As it stands now, you must either power cycle the computer or perform the following to rerun *Workbase*. You can force the interpreter through the warm start procedure by *POKE 113,3:EXEC 40999*. Other than those few items, I think that *Workbase* is a database manager of very good quality and reliability. Once I got over the original learning curve, not once did I crash the system. And I am not known for my excellent typing skills. The difference between *Workbase I* and *Workbase II* is the number of records allowed in any one file. *Workbase I* allows for a maximum of 400 records while *Workbase II* allows for 1200. I think the Color Computer and *Workbase* make a winning combination.

YOUR TRS-80* SPECIALISTS IN CANADA

COCO SOFTWARE FROM

ADVENTURE INTERNATIONAL
COMPUTERWARE
PRICKLEY PEAR
COGNITEC
EIGEN
MICHTRON

TOM MIX
SPECTRAL
SILVERWARE
SOFTLAW
MARK DATA
SKYLINE

ACCESSORIES

PRINTERS
BOTEK INTERFACES
MODEMS
JOYSTICKS

SUPER PRO KEYBOARDS
EAP GOLD CONNECTORS
BOOKS, MAGAZINES
AND MORE

WE HAVE BEEN SERVING TRS-80* USERS FOR
3 YEARS WITH THE LARGEST SELECTION OF SOFTWARE
AND ACCESSORIES AVAILABLE IN CANADA.

WRITE OR PHONE FOR A FREE CATALOGUE
MASTERCARD AND VISA ACCEPTED



CMD MICRO COMPUTER SERVICES LTD.
10447 124 ST. EDMONTON
ALBERTA T5N 1R7
PHONE: 403 488-7109

*TRS-80 is a trademark of Tandy Corp.

(Workbase Data Systems, P.O. Box 3448, Durham, NC
27702, *Workbase I* \$64.95; *Workbase II* \$79.95)

One-Liner Contest Winner . . .

Richard Carey says that "this program has two purposes: 1) creates random music, and 2) drives little brothers up the wall." That may well be true.

Richard Carey
Marshall, TX

The listing:

```
Ø T=RND(-TIMER):P=RND(255):FORX=
P TORND(255)STEP RND(5):SOUNDX,RN
D(5):NEXT:RUN
```

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book Of Simulations* and its companion *Rainbow Simulations Tape*.)

Versa Mail Features Efficiency And Versatility

By Eldon Doucet

Do you have a need for a good mailing list program? Well, you've come to the right spot. *Versa Mail*, by Computerware, is a very versatile mailing list database. It requires a 64K disk system and a printer (80-132 column). It has the ability to span up to four drives to store a database on. This adequately gives a capacity of over 2,500 records per file with four drives; over 800 with just one drive. I found one drive to be plenty, as any mailing list I have is less than 200 names.

Versa Mail stores the first name, last name, address, company, city and state, ZIP code and phone number for each record produced. You also have the option of creating 12 additional fields. These fields are given a title by the user up to eight characters long and can store any kind of data up to 20 characters long. The more space used for each record by adding more fields will cut down the number of records that can be stored on each disk.

The manual is well-written and leads the user through the program quite effectively. The first thing to do to set your database is configure it. This involves setting the Baud rate of your printer; defining compression and uncompression codes for your printer, so that an 80-column printer can use 132-column print, and switch back; defining any additional fields for each record; allocating disk space to be used to store text files for "mail merging" them with your mailing list, and for label formats used to print mailing labels from the database; defining how many records the database can use, and on which drives; and setting the date. Most of the items that are configured can be changed when the main program is running by selecting a specific menu item. The ones that can't be changed are the extra fields set up initially.

Once the configuration process is complete, you can move into the main program which has the following options: Add Record; Delete Record; Change Record; Display Record; Print Listing; Print Labels; Mail Merge; Utilities/Defaults; and Return to BASIC. The menu screen also shows how many records are currently in the database, the maximum allowed, and the last date the database was used.

All input screens are user-friendly and have default answers which can be used by hitting ENTER. They also give the option of changing anything before any action is taken. For example, on the first screen when adding a record is completed, a prompt asks which field to change, or hit ENTER if none are to be changed. Prompts like this are throughout the whole program — a good feature since it also prevents an accidental erasure of a record in the Delete Record section. One nice feature of *Versa Mail* is that a deleted record can be "Unkilled," provided the record number is valid (all records have numbers), and you have not yet exited the program.

Display Record has some very nice features incorporated into it. Since all the records are automatically sorted as they are added, a sequential search of the database produces an alphabetical display starting at the name you choose (last name only). But two other displays are available.

One is a Soundex search, and the other a Logical search. The Soundex search is unique, and I have not come across it anywhere else; it allows you to find records that sound similar to the name or word you are looking for. For instance, the names "Jonson" and "Johannsen" would both be displayed if you use the name "Johnson" to search by Soundex. The other search, Logical, is more familiar, especially if you have used a database program such as *VIP Database*. It allows you to select records based on a logical code, for example, as field #6 equal to California. You would type 6 EQ CA, and the program would find only records where field 6 equaled the letters CA. The other qualifiers are GT (greater than), LT (less than), NE (not equal to), GE (greater than or equal to), and LE (less than or equal to). The only thing missing from this search is the ability to AND or OR one field with others.

Printing can be done in several ways. A wide listing of records can be produced, using the compression codes that were previously defined; a short or long listing can be produced, i.e., the programmed fields can be printed or not; and records can be selected for printing using the selective criteria from the display routine. Another printing feature is the mailing labels. Labels from one to 12 lines and either one- or two-wide can be used. All of the main fields can be used and up to three of the programmed fields. In place of a programmed field, you can define straight text to print on the label on any line. The label format is saved as a separate file (which is why you reserved space in the configuration program). An alignment label can be printed first, and the records to print on labels can be selected using the selective criteria from the display routine.

Mail merge is a feature I've also seen before and is very handy. A form letter can be produced by any word processor capable of producing ASCII files, and space can be left to insert data from *Versa Mail*. Any field can be inserted anywhere in the letter and the manual describes this feature fully.

A file can also be expanded at a later date by adding a disk drive. *Versa Mail* will not increase a file on a disk it is currently using, but will allow more drives to be added to the database.

Versa Mail is an excellent mailing list database with plenty of features to boot. A 64K disk system may not be in the hands of everyone yet, but here's another excuse to get it!

(Computerware, P.O. Box 668, Encinitas, CA 92024, disk \$39.95)

JoySticks/plus

Quality Game and Graphics Controls for the Color Computer

Deluxe Graphicom Controller	\$24.95
Standard Game Controller	\$18.95 each / 34.95 pair
States of the Union Educational Hi-Res M/L	D \$49.95
State Lottery Utility	T \$10.95 D \$14.95

add \$3.00 Shipping
COD, Money Order or
Certified Check ONLY
WV Residents Add 5% tax

JoySticks/plus
120 East Point Dr.
Charleston, WV 25311
304-755-9623

Space Escape Offers Two Great Adventures In One

Space Escape is another great BASIC Adventure on tape from Pal Creations. When you buy one of Pal Creations' 32K Adventure programs, you have a selection of more 32K Adventure programs to receive as a free bonus. Usually, a free program means a sloppy job that is only meant to entice you to buy the company's product. Well, *Eno*, one of the free Adventures from Pal, is just as good or better than *Space Escape*. Both run in 32K, but if you own a disk system, you'll have to unplug it because both programs use up all the available memory and just won't run with a disk configured system. Perhaps if Pal compiled their BASIC programs into machine language they would use less memory and run on a disk system. Otherwise, the programs are fine the way they are. I'd rather unplug my drives than play an edited version of either Adventure.

First, I'll describe generally what can be said about both programs, then go into specifics. Both programs are terribly hard Adventures (all the better). They list all of the possible commands available, and you don't have to memorize them or write them down. If you type in an invalid command, the list of vocabulary words will be displayed. Now to the specifics.

In *Space Escape*, you have been taken prisoner by an alien UFO. You've been poked and prodded for many days

now, but today you haven't been bothered, and your door has been left open. When you leave your room you find a control panel with 16 symbols on it. You will find a tabloid with a key as to what each symbol stands for. The symbols are the names of planets. When you push one, the forward wall rotates (all directions are in terms of forward, aft, port and starboard, instead of traditional directions). It seems the control panel operates a "rotating jail." The cell is either facing the opening or it isn't; only one cell can be opened at a time, preventing a mass escape. When examining all the cells you will find many strange enemy creatures. All dead, but not all harmless. You will also find an android named Noxol with one eye torn out. He is nonfunctional, as well as Zoxol, a robot you will find.

To escape you have to activate Noxol and Zoxol. Both will follow simple commands such as Follow, Stay and Destroy. While you explore the ship you must find a device that lets you translate the alien language, because there are clues everywhere written in alienese. There is even a clue on a monitor screen in a laboratory (I wonder if it's a CoCo!). There is another alien still alive on the ship. All the others were killed by a disease brought from Earth when you were picked up. To win, you have to leave the ship and return to Earth. I was eventually able to leave the ship, but I was stranded on an asteroid for eternity.

Eno has a totally different setting. You have an eccentric aunt who died and left you a fortune — you only have to find it. Clues are given which you have to decipher. The directions give the clue that the money is hidden in the living room. This is a lot of help since the entire Adventure takes place in the living room.

This Adventure is written with a humorous note. It is such a hard Adventure I didn't come close to solving it. I did figure one thing out: there is a safe behind a picture of a black cat (how classic). If you try to open the safe, and don't type in the correct numbers, you will be arrested because you set off an alarm. I won't give away all the funny things you will find in this Adventure, but if you go to the NE corner of the living room, you will see a large fishtank. If you aren't careful, you'll break it and drown. The program then tells you it was a very large fish tank and that you should have listened!

Both *Space Escape* and *Eno* are excellently written. Any program by Pal Creations means great Adventure. This is a fine product and worth purchasing.

(Pal Creations, 10456 Amantha Ave., San Diego, CA 92126, cassette \$14.95)

— Scott Sehlhorst

GRAF PLOT

TURNS THIS INTO THIS

With GRAF PLOT you can be a graphic artist! Get your point across by turning dull rows and columns of numbers into dazzling high resolution graphs. You'll never need to use graph paper, rulers or messy ink again. Improve your image and impress your boss!

- * NO RISK! MONEY-BACK GUARANTEE!
- * FREE R/S SCREENPRINT PROGRAM!
- * FULLY AUTOMATIC OPERATION!

"A great package gets even better ... totally impressed ... equally useful in the home and office ... meticulous, hand-holding documentation ... very easy to use" RAINBOW, 6/84 & 7/83
 "A high quality product ... slick presentations" Hot CoCo, 8/84

- * Universal Screenprint Loader for non-Radio Shack printers.
- * Full ASCII upper and lower case in 4 on-screen labels.
- * Automatically scales and labels axes with "neat" tic marks.
- * Full function data editing: add, change, delete and sort.
- * Graphs and data output to screen, printer, tape or disk.
- * Calculates user-defined functions, moving averages (binomial smoothing), cumulative totals and integrals (areas).
- * Saves completed graphs for instant reloading.
- * Works with all CoCo models - requires Extended BASIC.
- * Disk Only: display or print directory, kill or rename files.

16K TAPE - \$35.00, 32K TAPE - \$40.00, 32K DISK - \$45.00 (US)

ASK YOUR DEALER FOR GRAF PLOT OR ORDER DIRECT FROM:

HAWKES RESEARCH SERVICES, 859 STANFORD AVE, OAKLAND, CA 94608

YOUR PERSONAL CHECK IS WELCOME! SHIPMENT WITHIN 48 HOURS!
 \$3.00 SHIPPING ON ALL ORDERS. CA. RESIDENTS ADD SALES TAX.

• IRA FORECASTS • • MARKET VALUE ESTIMATES • • MORTGAGES • INTEREST DEDUCTIONS • • RETIREMENT PLANS • BOND YIELDS •

Analyze any fixed rate — fixed payment investment and do Monte Carlo estimates for capital needed to inflation proof investments. You type inputs on the "WORK SHEET" (new help messages appear at the top of the display for each input). The computer displays your answers and amortization schedules adjusted for taxes and inflation. One key save and print. Uses 16K EXT BASIC. Cost is \$30. Send check to:

BELOX TECH
 26060 W. Cuba Road • Barrington, IL 60010

Expand Your CoCo's Vocabulary With The Enhancer

By C.L. Pilipauskas

A software utility is just a tool, like a screwdriver or a saw. Everybody needs a screwdriver (how else could you hook up your CoCo to the TV?), but not everybody needs a saw. Since a utility is a tool, you'll have to decide whether or not you need it and, hopefully, I'll give you enough facts here to decide.

A recent arrival on the utility scene is a program called *The Enhancer* from H.D.R. Software and written by David Skoll. It "enhances" Extended Color BASIC on a 64K CoCo by adding nine new commands and one new function. The program is available on cassette or disk.

The disk I received auto-executed after *LOADing* it into memory. I was greeted by both a new copyright notice and prompt. I barely skimmed the five-page manual before typing in my favorite test program (10 PRINT "HELLO WORLD", 20 GOTO 10) and running it. It worked just fine. Now back to the manual to see what this program could really do.

Here is a brief summary of what I found.

- 1) RECOVER — use this when you mistakenly type NEW before SAVE and want to recover your program.

- 2) REPEAT ON (or OFF) — turns on the key repeat mode. Holding any key repeats it — FAST. (I thought it started repeating a little too soon.)
- 3) BREAK OFF (or ON) — disables the BREAK key to prevent accidentally crashing your program. It can still be used from your program as it returns an ASCII 6 when pressed.
- 4) DESPACE — removes all spaces from a BASIC program; be sure to have another copy of the program saved as the EDIT and ASCII SAVE may not work. A long program may take three minutes to "despace."
- 5) KEYDEF — defines keys 'A' through 'Z' as special keys when used with the control key (down-arrow). Each key can represent up to 100 characters. The author preprogrammed each key as a BASIC keyword (like D.A.+E=EDIT). Unfortunately, there is no way to save them for future use.
- 6) HIPRINT ON (or OFF) — this is the heart of the utility - TEXT WITH GRAPHICS, allowing 32 columns (or characters) in 24 rows to be displayed on a PMODE 4 screen. It even has true lowercase letters but no descenders; 90 characters are defined.

The last three commands and the one function can be used only while HIPRINT is active.

- 7) CURSOR — replaces the PRINT @ function on the Hi-Res text screen.
- 8) SCROLL — scroll protects from zero to 22 lines at the top of the screen.



CINSOFT



PROGRAMS • PERIPHERALS • SUPPLIES • SERVICE
Since 1982 Now in our 3rd year

Free gift with any order placed on our exclusive "Electronic Shopping Service."

• Call •
513-396-SOFT



• Write •
**2235 Losantiville
Cincinnati, OH. 45237**

• Shop by Modem •
513-396-SHOP



COD

SHIPPING will be charged at our ACTUAL COST
Ohio residents add 5.5% Sales Tax COD add 2.00

PROGRAMS...

VIP

Integrated Library

\$149.95

10% discount
if you mention this ad!

Over 150 titles in
stock from.....
VIP, Elite, Tom Mix,
Mark Data, Eigen Systems,
Sugar Software, Deft,
Michtron, Speech Systems
and others.

Buy	Save
1	10%
2	15%
3	20%

PRINTERS...




star

Gemini 10X.....	279.00
with Metric Industries	
interface.....	329.00
with pbh interface.....	349.00
Delta 10.....	399.00
Power Type, daisywheel	
Serial Cable for Power Type	379.00
or Delta 10.....	14.95

AUTHORIZED STAR-MICRONICS
SERVICE CENTER
We will gladly perform any
warranty or out-of-
warranty service on your
Star printer.

Our Best Value Dot Matrix Printer SMITH-CORONA® D-200



\$499

- 140 cps normal print
- 70 cps NEAR LETTER QUALITY
- 2K Buffer
- Bidirectional, logic-seeking
- Proportional spacing
- Serial and parallel ports
- Friction and tractor feed
- High resolution graphics
- Serial Cable.....\$14.95

DISKETTES...

5 1/4" SS/DD	
Ultra Magnetic.....	19.00
BASF.....	21.00
3M.....	23.00
Maxell.....	25.00
5 1/4" DS/DD	
BASF.....	25.00
3M.....	27.50

*Order
Today!*

- 9) **CUSTOM** — allows you to define your own **character** or even your own character set. Unfortunately, there is no way to save them for later use.
- 10) **CHAR** — is a function that returns the ASCII value of a character on the Hi-Res text screen, much like **PPOINT** is used for graphics.

Though the manual is only five pages long, anyone with a little experience in computers should be able to figure out how to use these features. I would like to have seen some sample programs using all the **HIPRINT** options as that would have made it easier to understand.

Unlike some other programs I've used that put the **BASIC** ROMs in RAM, this one is Reset proof. It also loads itself into the upper 32K of the memory map, so it uses virtually none of **BASIC's** RAM space.

The only "bug" I found was getting an **?AO** error on the first **LOAD** after *The Enhancer* was running. A second **LOAD** or **DIR** works fine.

There are several things I would like to have seen done differently or better to enhance *The Enhancer* program. The inability to save redefined keys and characters is, in my opinion, a major flaw. The density of the text characters on the Hi-Res screen is a little disappointing, especially considering the state of the art with other programs. Without descenders, some of the lowercase letters took awhile to recognize.

WANTED!

Young men and women seeking adventure, excitement and thrill-a-minute action. No experience necessary—just you and your Color Computer. See below:

FOR THE 32K THRILLSEEKER

	TITLE	DISK	CASS.
NEW!	MR. DIG	\$27.95	\$25.95
NEW!	CANDY CO.	29.95	29.95
NEW!	WILLIE'S WAREHOUSE	29.95	29.95
NEW!	ICE HOCKEY	—	21.95
	ZAXXON	29.95	—
	PROTECTOR II	—	29.95
	DESERT PATROL	—	21.95
	ICEMASTER	—	21.95
	FOODWAR	—	22.95
	WACKY FOOD	—	19.95
	CASHMAN	—	24.95
	CHOPPER STRIKE	—	24.95
	TIME BANDIT	—	24.95

LOTS OF PLAY FOR 16K

	MOONSHUTTLE	—	\$26.95
	FROG TREK	16.95	14.95
	3-D TIC-TAC-TOE	18.95	16.95

Interested applicants send check or m/o to:
OELRICH PUBLICATIONS, INC.

**4040 N. NASHVILLE
CHICAGO, IL 60634**

Credit card orders call: 800-621-0105
(In Illinois call: 312-545-9286)

NO SHIPPING CHARGES!!!

As just a reminder, writing programs that use the features provided by *The Enhancer* can be run only while it is active. Also, some graphics games I loaded apparently interfere with this program while in **HIPRINT** mode; this is not a problem, just a warning. This program was also Copy-Backup protected, but can be replaced if damaged (but not tampered with) by sending back the original plus 50 cents to cover postage.

I received version 3.0 of *The Enhancer* from **THE RAINBOW**, and spent about three weeks testing it and writing this review. In response to a letter I sent to Mr. Skoll concerning pricing, I received an updated revision of this program (V4.3). There are several changes to the program and the manual. Time didn't permit me to test the new revision as thoroughly as the original and I'll just mention the new features:

- 1) New cursor — a black blinking square.
- 2) An expanded character set for **HIPRINT** (now 223 characters) which includes graphics, Greek letters, etc.
- 3) One more new command — **SWAP** which quickly exchanges two **BASIC** variables.
- 4) Information is now included on how to use *The Enhancer* with **ML** programs.
- 5) A complete ASCII table for the character set is included in the manual.
- 6) It will now run on both the original **CoCo** as well as the new **CoCo 2**.
- 7) The program is copyrighted by **H.D.R. Software**.
- 8) Underlining and bold characters are now available in **HIPRINT** mode.

All in all, I found this program to be well thought out, with the exception of the inability to save the redefined keys and characters. The program functioned as described in the manual and, if you write a lot of **BASIC** programs for your own use, *The Enhancer's* features could make your tasks a little easier.

To enhance or not to enhance . . . I'll leave that up to you!

(**H.D.R. Software**, 27 Doyle St., St. John's, Newfoundland, Canada, A1E 2N9, tape \$18.99, disk \$22.99; make check or money order payable to David Skoll.)

SWITCHABLE DOS IS HERE!

No Traces To Cut — No Soldering
Uses **J&M** OR **RS** Disk Controller,
JDOS AND RS DOS at your fingertips.
*DOS's not included.

DOS Switches \$39.95 plus \$2.50 S/H
(WA Res. Add 7.8% sales tax)

Multi
Venture

Multi-Venture
P.O. Box 6157
Alderwood Manor, Wa.

98036

SOLVE Remedies OS-9 Blues

Are you sick and tired of that Debug module that is packaged with OS-9? Does the standard assembler Radio Shack supplies give you fits? Do you wish you had a disassembler for OS-9 that supported symbolic disassembly? Are you still reading these questions? If your answer is "yes" to any of these questions (except possibly the last one) then chances are *SOLVE* (Symbolic Object/Logic Verification and Examination), by Dugger's Growing Systems, is probably meant for you.

Although the full name is slightly more involved than piloting the space shuttle blindfolded through an asteroid belt, the program is very easy to use and operate, assuming that 6809 machine language is already familiar territory. The purpose of the debugger/assembler/disassembler is to allow program development and debugging in the OS-9 machine language environment. *SOLVE* serves this purpose quite well and effectively replaces the OS-9 system Debug and Asm modules, and some of the duties of the Edit module. Also note that *SOLVE* is completely memory resident, and is one large integrated package, so the large amount of file transfers normally required to develop a

program is virtually eliminated.

SOLVE serves as a Monitor and a Disassembler/Assembler. To get a better perspective of each of these aspects, I will evaluate them separately.

The Monitor command set controls the manipulation of the stack, memory and registers. Commands included are:

- M — Display Memory
- C — Examine and Change Memory
- F — Fill Memory
- ? — Search For Bytes
- X — Transfer Memory
- = — Calculate Expression
- : — Examine and Change Stack Contents
- B — Set and Display Breakpoints
- K — Kill Breakpoints
- @ — Change Current Nest Level
- N — Set Maximum Nest Level

Commands included for execution and simulation of execution are:

- L — Link to Module
- E — Prepare Module for Execution
- T — Trace Program
- G — Jump to Program (Unmonitored)
- S — Simulate Program

As one can see, this is a very complete command set for any monitor, and probably one of the best available

Canadians
Can you imagine it?
It's free



Send for your free copy of our catalog/newsletter.
It will contain articles, rumors and letters of interest to all Canadians. We stock all of the latest products available for the color computer, and the best news is that it will usually cost you less than importing from the United States. Kelly Software is Canada's largest distributor of CoCo Software.

Dealer inquiries invited.

Kelly Software Distributors Ltd.

P.O. Box 11932
Edmonton, Alberta
T5J-3L1

Telephone (403) 421-8003.

Receive our free
Catalog/Newsletter.

FREE

To receive our free catalog/newsletter
please fill in the following information.

Type of Computer.

- | | |
|---|--------------------------------------|
| <input type="checkbox"/> CoCo | <input type="checkbox"/> Memory 64K |
| <input type="checkbox"/> CoCo-2 | <input type="checkbox"/> Memory 128K |
| <input type="checkbox"/> Basic | <input type="checkbox"/> Tape |
| <input type="checkbox"/> Extended Basic | <input type="checkbox"/> Disk |
| <input type="checkbox"/> Memory 16K | <input type="checkbox"/> Modem |
| <input type="checkbox"/> Memory 32K | <input type="checkbox"/> _____ |

I am interested in the following Products and Software

- | | |
|---|--|
| <input type="checkbox"/> Business Application | <input type="checkbox"/> Education |
| <input type="checkbox"/> Graphics | <input type="checkbox"/> Communication |
| <input type="checkbox"/> Games | <input type="checkbox"/> Adventure |
| <input type="checkbox"/> Music | <input type="checkbox"/> Amdek Drives |
| <input type="checkbox"/> Utilities | <input type="checkbox"/> Hard Drive |
| <input type="checkbox"/> Voice | <input type="checkbox"/> 128K |
| <input type="checkbox"/> Home and Family | <input type="checkbox"/> Model 111/1V. |

Name: _____ Date: _____

Address: _____

City: _____ Province: _____

Postal Code: _____ Telephone: _____

Mail the coupon to:

Kelly Software Distributors Ltd.

P.O. Box 11932
Edmonton, Alberta
T5J-3L1
Telephone (403) 421-8003.

for the CoCo. Although most of these commands are self-explanatory, some require further elaboration. The "Search for Bytes" command, or "?", is very helpful if a particular byte pattern is known, but the exact location is not. The search can locate patterns up to 16 bytes long which will probably accommodate any needs.

Another very notable command is the Simulate program, of 'S' command. This command allows the program to run at about six to seven percent of its normal speed, while the debugger traces the program and its register contents. Conditions can be set up for the cessation of the simulation, which include setting the number of instructions to be executed before termination, setting values for the registers to be at before halting, setting an address to halt execution upon, and many others. This command is very useful in the debugging process, and possibly the best designed program simulation function I have ever used.

The Disassembler command set is quite compact, and I will consider the miscellaneous commands part of this set for convenience's sake. These commands are:

- A — Assemble
- P — Print Symbol Table
- D — Disassemble
- \$ — Pass command to OS9
- Q — Quit
- ! — Set Program Base Address
- < — Set Data Base Address

These commands are fairly straightforward, yet the 'A' and 'D' commands appear to be much less sophisticated than they actually are. The 'A' command allows the construction of a symbol table, as well as a full-blown assembler complete with pseudo-ops and all the standard 6809 mnemonics. The 'D' command will likewise disassemble, with as little error as possible, any portion of memory. The symbols can be placed and defined anywhere in memory, and can also be loaded in from the disk drive.

The manual is very well-written and each command is covered quite sufficiently. The last five pages also include a sample session, in which the source code is included on the program disk. The sample session takes the user through almost every command and does it quite effectively. In fact, the only problem I could find with the entire package was a slight discrepancy in the addresses — the addresses listed in the manual are not necessarily the ones that will appear when the user uses the program, because the loading address will probably be different than the sample's loading address. Although nothing is wrong with this, I feel it should be pointed out in the manual so the user can adjust accordingly.

SOLVE is top-notch, and the Color Computer would do well to have programs of equal quality and design. I would recommend this program to anyone who wants a well-designed, integrated development system for the OS-9 environment.

(Dugger's Growing Systems, P.O. Box 305, Solano Beach, CA 92075, \$99.95 plus \$3 S/H. Supplied on OS-9 disk)

— Eric W. Oberle

Arcade-Like Performance Makes *Ms. Maze* A Winner

Ms. Maze is the Tom Mix version of the well-known arcade game, *Ms. PacMan*, for the Color Computer. According to the current Tom Mix ad, "Anything that could be done to make the Color Computer look and play like the arcade version has been done." The graphics certainly reflect this — they are sharp, with good color and movement. Played with a Kraft joystick, the game has a nice, crisp feel to it. With the Radio Shack joystick, play is somewhat sloppier but not unduly so.

The "look" of this game is very similar to the arcade version. There are four screens, each with a different maze. The first two boards must each be cleared twice, and offer side passages that allow *Ms. Maze* to "wrap around" to the opposite side of the maze for purposes of escape. The third and fourth boards (cleared once each) have no side passages. The fourth board is actually the same as the third, but the walls are invisible. The dots give you an outline to follow, but as these are eaten your outline disappears, making things downright exasperating. Additional points are given for eating the monsters that pursue *Ms. Maze* with such tenacity. These are vulnerable only when *Ms. Maze* eats one of the four flashing power dots, and then only for a short time.

Four options are offered at the beginning of play: BREAK, which gives a demonstration of the four boards; 'X', which gives a silly, speeded-up version of the game; 'P', which allows a practice game with 10 tokens instead of the usual four; and any other key, which starts the regular game.

Music plays a part in this game, signaling either death of one of your tokens or advancement to the next level. The tunes are well-done, but like any tune heard over and over, they soon pall. Of course, the TV volume can be turned down or off, but this does not eliminate the delay while the tune plays; this delay only seems longer with the sound off and can be annoying. A desirable option on games like this would be a "music on-music off" toggle that would also eliminate the delay caused by the tune playing. This is the only drawback to an otherwise excellent game.

(Tom Mix Software, 4285 Bradford N.E., Grand Rapids, MI 49506, cassette \$24.95, disk \$27.95)

— Mark Williams

See You At
RAINBOWfest IRVINE
Feb. 15-17

The Peeper Monitors Machine Language Program Operations

"The Peeper is an interrupt-based program tracer that lets you monitor operation of a machine language program while it is running." In other words, *The Peeper* runs at the same time as another machine language program. "The Peeper is designed to let you inspect any desired portion of the Color Computer's memory, even while BASIC or machine language programs are running. With *The Peeper*, you can display any part of memory, using any of the Color Computer's 26 documented display modes (test, graphics, or semigraphics). You can freeze the action at any time, or slow it down by practically any desired amount."

"The Peeper is capable of providing a running trace of the 6809's registers and stack, and supports single-stepping, breakpoints, and other useful program-monitoring functions." But *The Peeper* also caters to the non-machine language programmer. By looking "behind the scenes" at what BASIC is doing, you can get a better understanding of how BASIC winds its way through the computer and how various *POKEs* can change things. Also, *The Peeper* can be used to just watch machine language games running in the computer; seeing how the programs draw things on the screen, how some use hidden screens, etc., all by using *The Peeper* to control how the game is running.

To use and appreciate *The Peeper* to its fullest extent, I recommend some knowledge of machine language and the hexadecimal system, as the program is geared towards this. To get an idea of how powerful and extensive *The Peeper* is, here is a brief summary of *The Peeper's* commands.

Display Mode commands — change the display to the next mode in a cycle of 13 display modes and the two color sets.

Display Window commands — control what portion of memory is displayed on the screen. They allow you to scroll up and down through memory, go back to page zero, go back to the text screen and text mode, and go back and forth between *The Peeper's* status display page and the current display page you are looking at.

Speed commands — allow you to freeze the execution of the program being monitored, select a slow motion speed mode from one of seven (of which all can be altered, giving a very broad range of speed controls), and select slow motion speed after a 1/60 second delay so the ENTER key can be processed by BASIC.

Breakpoint command — allows the entry of up to three breakpoints. (Used by machine language programmers to halt the execution of a program at a specific address in memory.)

Trace commands — allow the trace of the program by either the address or the registers. You can display the register values and the current address being executed.

Examine Mode commands — can display any address' contents and change its value.

Other commands allow you to enable or disable output to the printer, exit *The Peeper*, and define your own

"custom" functions. *The Peeper* is easy to load and comes on a cassette which can be transferred to disk. It will run in any system 16K or higher; it does not require Extended BASIC and will run with both versions of Disk BASIC. The cassette also includes two companion programs: "The first, *Rompeep*, supplements *Peeper* in that it allows you to inspect the contents of the BASIC ROMs and of ROM pack cartridges. The second program, *Find*, is a utility to aid in locating interrupt-disabling instructions that must be removed from some machine language programs in order to achieve *The Peeper* compatibility."

The manual supplied with *The Peeper* is one of the best I have seen so far for a utility program. It is long and detailed and describes every aspect of the program. It includes instructions for 64K operation and user modification as well. Also included with my review copy was a source code listing which can be purchased with the program for a couple of extra dollars — well worth it.

One part of the manual I enjoyed was the section on using *The Peeper* with commercially available machine language games. It goes into great detail on interrupts and interrupt servicing routines, and explains how to make *The Peeper* work with quite a list of games from all companies. The ones not included are left up to the user to see if they will work with *The Peeper*, but after a thorough reading and understanding of the manual for *The Peeper*, one should be able to append the list of games provided by *The Peeper*.

If nothing else, the manual is an excellent learning and teaching tool for many aspects of the Color Computer and the 6809 processor. It answered a few questions I had come across while disassembling various programs and should become a highly used publication in your library.

For the price, buy it! Order the version with the source code because even if you're not a machine language programmer yet, you will be some day, and hopefully *The Peeper* will bring that day a little closer.

(Spectrosystems, 11111 N. Kendall Drive, Suite A108, Miami, FL 33176, \$21.95, \$24.95 with source, plus \$2 S/H)

— Eldon Doucet

One-Liner Contest Winner . . .

Pinwheel draws random circle segments; diameters, angles and colors are all random and everchanging.

Kenneth Budnark
Oakville, Ontario, Canada

The listing:

```
1 PMODE4,1:SCREEN1,1:PMODE3,1:S=
RND(100)/100:E=RND(100)/100:R=RN
D(130):C=RND(4):PLAY"V15;T25505C
04BAG":CIRCLE(128,96),R,C,1,S,E:
GOTO1
```

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book Of Simulations* and its companion *Rainbow Simulations Tape*.)

Big Bird's Special Delivery Is Excellent For Teaching Classification Concepts

Big Bird's Special Delivery is another in the series of programs that are presented by Radio Shack and the Children's Computer Workshop. It is an instructional program in a game setting that provides practice in classification. Attributes are examined and compared in regard to form, class and function. The 3 through 6-year-old is the intended user. It must be stressed that these are family oriented games. For best results, an adult should be present to supervise the activities on the computer.

A small loader program is first loaded into the computer. (A Color Computer with Extended Color BASIC is needed to use the program.) After running the loader program, the title screen and opening credits are displayed. The time to load this information is long, so it is a good idea to do this before the session with the child.

There are two games on the opening menu. The first game is called the "Same Game." The child must pick the pictures that exactly match. Four pictures are displayed in the upper portion of the screen. The object to be delivered appears and the child uses the arrow keys to help Little Bird move the picture to the store that contains the same picture in the window. The up-arrow is then pressed and

the picture is delivered to the store. Little Bird does a little dance of joy to let you know the goal has been achieved. If the delivery is not correct, the shopkeeper shakes his/her head and the child receives another chance to make the right delivery. The person supervising the child may need to help the child identify and name the pictures in the store windows. The graphics are as good as they could make them, but some of them are confusing. After Little Bird does his thing, the child is ready to help make another delivery.

The second game contained in the program is called "Find the Right Kind." In this segment, the child must find the object that is of similar kind. For instance, an apple appears for Little Bird to deliver. The four pictures in the upper portion of the screen are a leaf, an umbrella, a banana and a car. The apple must go to the store with the banana because they are both fruits. The same procedures are followed as in the first game and Little Bird does his dance.

The program uses nine categories for the pictures that are displayed. There are 63 pictures available for selection by the computer. The categories are clothes, ways to travel, buildings, sports, food, instruments, plants, kitchen things and animals. As mentioned earlier, the pictures may be difficult for the child to identify so assistance may be needed.

Big Bird's Special Delivery is an excellent tool for teaching concepts of classification. I found the younger children, aged 3 and 4, enjoyed the program more than the 5- and 6-year-olds. Program quality follows the same high standards of the other programs in this series. A 12-page parent's manual is included for program operation. Additional ideas are presented for follow-up activities for family enjoyment.

(Radio Shack stores nationwide, Cat. No. 26-2525, requires 16K ECB, \$19.95)

—Rick Cobello

Reye syndrome is a rare but dangerous condition that can develop from flu or chicken pox. It occurs mainly in children under 16, usually when they appear to be recovering. Watch for these signs:

- Persistent vomiting
- Fatigue
- Confusion and belligerence.

If your child displays any of these symptoms, consult a doctor immediately.

Some studies indicate that there may be an association between the use of aspirin for flu and chicken pox and the development of Reye syndrome. Further studies are being conducted on this possibility. In the meantime, the U.S. Surgeon General suggests that you check with your doctor before using aspirin or any medication when your child has flu or chicken pox.

—A message from the Food and Drug Administration.

REYE SYNDROME

One-Liner Contest Winner . . .

The object here is to make a single line without crossing your path, using the joystick to change directions.

Tom Smallwood
Sierra Vista, AZ

The listing:

```
1 CLS:PMODE4,1:PCLS:SCREEN1,1:LI
NE(0,0)-(255,191),PSET,B:X=127:Y
=97:FORZ=0TO99999:IFPOINT(X,Y)=
5THENPRINT"SCORE:"Z:ENDELSEPSET(
X,Y):X=X+INT(JOYSTK(0)/31)-1:Y=Y
+INT(JOYSTK(1)/31)-1:NEXT
```

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book Of Simulations* and its companion *Rainbow Simulations Tape*.)

Kickoff On Your CoCo With *Big B Pro Quarterback*

My football playing era ended in high school when I spit out my four front teeth after an unexpected encounter of the painful kind with a face guard from a member of an opposing team.

Although my physical involvement with the pigskin has ended, my interest in the game has not. To the consternation of my wife, too many weekends are spent in front of the tube rooting my favorite team on the gridiron.

When there is no game on TV, to relieve my anxiety, I have even resorted to a quick game with a Mattel hand-held football game. I will admit that moving a blip on a 1-inch by 3-inch screen on a hand-held toy, avoiding the game's opposing blips is not a whole lot like the game of football.

With my current addiction to football, I was elated to hear that I was assigned the football Simulation *Big B Pro Quarterback* for review. The only involvement my CoCo had with football, so far, was using it to run the *Pigskin Predictions* program to generate a computerized point-spread prediction. I had visions of plotting end-runs around electronic blockers skillfully piloted by my CoCo.

Upon arrival, I anxiously shoved the cassette in and loaded the program. A menu appeared on the screen giving the options available. It may be played with two players or one against the computer.

When playing, you first choose a name for your team. If you are playing against the computer, you are asked to enter how fast you wish the computer to flash the plays it selects on the screen.

When the game begins, a coin flip determines which team receives the kick. The kicking team must decide whether to kick away or onside. If the ball is kicked into the end zone, the receiving team will automatically return the ball.

After the kickoff, a screen will appear showing where the ball is, the down, yards-to-go and plays left in the quarter. A game is composed of four quarters of 50 plays per quarter.

The plays available for the offensive team are:

- | | |
|----------------------|--------------|
| Running plays | -Short Pass |
| -Handoff | -Medium Pass |
| -Draw Play | -Long Bomb |
| -Dive (over the top) | Other plays |
| Passing plays | -Punt |
| -Screen Pass | -Field Goal |

The instruction sheet suggests that you try a little experimentation to get an idea of the average yardage, completion rate, etc.

Another option available is "Scoreboard," which gives rushing, passing and total yardage statistics. Also available is a "Save Game" option which will *SAVE* a game in process so it may be finished at a later date. (I know many coaches who would like to have that option in real life.)

Upon scoring on the Extended BASIC version, the screen flashes TOUCHDOWN and sounds a little victory charge tune.

The description of the game sounds exciting; actually while playing it, boredom set in quite rapidly. This is due to many things. Primarily, there is no playing field shown on the screen. The status is shown using words on the screen rather than showing your players on the gridiron.

While your play is occurring, the screen tells you what is happening. Gains and losses are determined by seemingly preset random variables. You have no control over the success or failure of a play except choosing an appropriate play for the situation. Yardage gains and turnovers are representative of actual football situations, but you also have no control during the play.

Conversely, when you are on the defensive side, there is no active defense. The computer randomly determines whether the opposing team gains or not. In real football, offensive and defensive strategies are combined to win the game.

Overall, I found *Big B Pro Quarterback* to be a poor Simulation of the strategies involved in football, which is just as well, for with the NFL Sunday games, the Saturday college games, Monday Night Football and the USFL second season, my wife's reaction to more football time in front of a screen would cause me to wear a helmet and pads in the house.

(Big B Software, P.O. Box 91, Broomfield, CO 80020, 16K ECB or non-Extended BASIC, cassette \$16.95)

— Bruce Rothermel

"Tape Tamer"
(T.UTIL)
and
"A Snappy Zapper"
(DAPPER)
by Sadare Software

T.UTIL
Appends • Indexes • Copies • Verifies
...I haven't seen any tape utility that can compare to
T.UTIL. Rainbow, June 1984 Only \$12.95

DAPPER
Allows complete control of disk system.
...I highly recommend DAPPER...performed flaw-
lessly...It's a winner! Rainbow, October 1984 \$14.95
ROM Runner—Allows any ROM pack-based program
to run from tape or disk. Requires 64K and a cassette
drive. Easy-to-use. \$7.95

Library 1—The ultimate productivity tool for all Color
EDTASM users. Requires 32K, a disk drive and disk
EDTASM. Priced at only \$24.95
MDCOPY/NODISK—ease the transition from tape to
disk. Both for only \$9.95

DISCOUNTS on brand-name disks—send for price list!

**COMPARE
PRICE &
PERFORMANCE**



Sadare Software
programs are
Rainbow-certified.

**Sadare
Software**
P.O. Box 3891
Gaithersburg, MD 20878

Please send the following. Check/money order enclosed.

Price	Name
T.UTIL	_____
DAPPER	Address
ROM	_____
Runner	City
Library 1	State
MDCOPY/ NODISK	Zip
Postage & Handling	Please send:
\$1.50	<input type="checkbox"/> free catalog <input type="checkbox"/> disk price list
TOTAL \$	Mail to: Sadare Software P.O. Box 3891, Gaithersburg, MD 20878 Maryland residents add 5% sales tax.

64K Spooler Can Be Used With Printer Related Projects

The year is 1985 and the Color Computer has been on the market for how many years? I think it was 1980 when I brought my machine home for \$399. Yet here is a piece of software with little explanation as to what it is supposed to do and how and with what you can use it! I've seen some excellent documentation and software for the Color Computer in recent months and I know that this computer can compare well with the others. Perhaps DSL Computer Products should be looking at how far documentation has advanced for the CoCo and take some lessons!

64K Spooler, from DSL, comes on a cassette with a folded card on which a brief explanation is written of how to load it and what to expect. It requires a 64K Color Computer and claims it will save the user "hours of frustration." "When you print to the printer" reads the documentation, "you'll return to BASIC almost immediately." The documentation tells you to clear some memory and type EXEC. It does not tell you to CLOAD or CLOADM, but since you have to EXEC the user must assume to CLOADM. This is only one example of the kind of explanation you can expect from 64K Spooler.

So what does a "spooler" do and how well does 64K Spooler do it? My understanding of a spooler is that it allows the user to return to normal keyboard functions while the computer takes care of feeding a printer with

material to be printed. Thus a spooler's usefulness will be based around printer-based software such as word processors and other printer related projects. The problem with 64K Spooler is that most of the software in this category already uses the full 64K memory (such as Telewriter-64) and won't work with it. The documentation for 64K Spooler mentions no optional software to use with the program so the user is left to his/her experimentation. The only popular word processor that uses only 32K of memory I can think of is Color Disk *Scriptsit* from Radio Shack. I would assume this is the word processor of choice for 64K Spooler.

Since I don't use Color Disk *Scriptsit*, I decided to test 64K Spooler on a mailing list program written in BASIC I often use for our local users group. I use a printer with a large buffer so waiting for the printer to absorb a large amount of data does not depend upon printhead speed. Without 64K Spooler it took my computer 45 seconds to dump to the printer and return to keyboard operations. With 64K Spooler my computer returned to keyboard input in 30 seconds, a savings of 15 seconds. Sorry, but I don't consider saving 15 seconds of computer time compared with two or three minutes of loading time and \$9.95 a very good deal.

Perhaps I gave 64K Spooler an unfair test. Perhaps if I spent two or three weeks reading between the lines of the 64K Spooler documentation I would discover the optimum usefulness of this program. But this is 1985 and documentation for computer programs has advanced past this point. The explanation of this program is the major problem in this software. Until DSL can advance its documentation I cannot recommend 64K Spooler.

(DSL Computer Products, Inc., 4950 Schaefer, Dearborn, MI 48121, requires 64K memory, cassette \$9.95)


— Brian James

EXCITING! AMAZING! HUMOROUS!

Meet "Professor AL"

(Copyright 1984)

Friend, Confidant,
Advisor, Playmate!!



Two years in the making. Now available for the first time!! Both BIG & LITTLE "Kids" love "Professor AL." YOU will, too !!!!!!!

- *Exciting, unique, unpredictable
- *Simulates human thinking through combined logic & data.
- *The "Prof" can teach you, AND you can teach him! (Even change his personality if you want to!)
- *He has good solid morals & can handle insults.
- *Program easy enough for a child; sophisticated enough for adults!!

(Must be run on at least a 32K TRS-80 Color Computer with Disk Drive)

ORDER TODAY! Disk & Explanation Literature

\$30.00 + \$3.00 shpg. & hdlg.

(Texas residents add 5% Tax)



SANCHER ENTERPRISE
3720 Brookside Dr.
P.O. Box 260213
Corpus Christi, TX 78426

One-Liner Contest Winner . . .

This shows how you can scale what you draw in a DRAW command string. It draws a number of air-planes; they are all alike, but some are large and some are small.

Bryan Copeland
Keithville, LA

The listing:

```
1 PMODE4,1:PCLS:SCREEN1,1:FORT=8
TO170STEP15:L$="S"+STR$(RND(5)+1)
)+"BM"+STR$(RND(170)+10)+", "+STR
$(T)+"R9U3R6D6G3L15D1F2G2H2E2U1L
3H3D3U6D3E3D3R8L8U3R8U3L8R2D2":D
RAW L$:NEXT T:FORP=1TO900000:FOR
O=1TO900000:NEXTO:NEXTP
```

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book Of Simulations* and its companion *Rainbow Simulations Tape*.)

Graphicom Joystick Solves A Problem

Cheshire Cat's *Graphicom* is a very versatile graphics package, but its "user interface" (a popular buzzword meaning the way in which you operate the program) is very strange. The worst thing about it has been the two joystick buttons. *Graphicom* uses the right joystick for drawing and moving cursors, but it also uses the button on the left stick to switch between menu and drawing modes, and you have to hold it down to stay in menu mode. I've ended up holding the left stick in my left hand with index finger on button, the right joystick similarly in my right hand, and working the stick with my right thumb!

One solution to the problem has been to wire a foot switch to the left joystick socket, but this is still awkward. Spectrum Projects has now come up with a new joystick especially for *Graphicom*, and it looks like the ideal solution to the problem.

The Graphicom Joystick is a lot like some of the CoCo joysticks that have come out in that it's based on one of those little joystick mechanisms you might see advertised in the electronics magazines. It's a good mechanism, roughly the same as Radio Shack's two-for-\$30 joysticks, but the few really fussy people who can't use anything less than a Deluxe Joystick or a Hayes Mach II won't

like it. (I didn't have any trouble with it myself.) The fire button is large, round and very much like the buttons on arcade machines. This acts as the pen button in *Graphicom*.

Now for the real trick. This housing also has an on-off push button wired as the left joystick button; this lets you toggle between drawing mode and menu mode without having to hold anything down. The cord has two plugs coming out at one end; the one with the thicker cable (more wires inside) going in is the right plug.

This little blue box, with the menu switch, pen button and stick neatly arranged from left to right, gives you full control of *Graphicom* in one unit. It also can be used as a single joystick, or you could even write programs that use both buttons. Spectrum's Graphicom Joystick really improves a popular program.

(Spectrum Projects Inc., Box 21272, Woodhaven, NY 11421; Box 9866, San Jose, CA 95157-0866, \$24.95 plus \$3 S/H)

— Ed Ellers

See You At
RAINBOWfest IRVINE
Feb. 15-17

TRS-80 COMPUTER DISCOUNTS

COLOR COMPUTERS

26-3134 16k color II	110.00
26-3136 16k ext color II	130.00
26-3127 64k color comp	185.00
26-3029 1st disk drive	289.95
26-1161 2nd disk drive	229.95

PRINTERS

26-1276 DMP 105	169.95
26-1271 DMP-110	299.95
26-1255 DMP-120	395.00
26-1257 DWP-210	500.00

MODEL 4 and 1000's

25-1000 mod 1000	999.95
26-3211 Monochrome monitor	125.00
26-1069 mod 4 64k 2dr.	1020.00
26-1080 mod 4 p	1020.00
25-1005 2nd drive mod 1000	215.00
25-1004 128K memory board	250.00

**We Carry the Complete Line of TRS-80
Computer Products at Discount Prices**
CALL FOR A FREE PRICE LIST 800-257-5556
IN N.J. CALL 609-769-0551

WOODSTOWN ELECTRONICS

Rt. 40 E. WOODSTOWN, N.J. 08098

VIP Calc: Spreadsheet For The Color Computer

By Stuart Hawkinson

VIP Calc, a professional spreadsheet program for the Color Computer, offers more usable features than most existing CoCo spreadsheets. *VIP Calc* works almost identically to *VisiCalc*, the original spreadsheet program, so you can use the many books and articles on *VisiCalc* to learn about spreadsheets. In addition, *VIP Calc* adds mini-operating system commands to allow disk and tape operation from within the program. This provides the same display, formatting, and disk/tape operations provided in the other *VIP* family programs.

VIP Calc operates on both 32K and 64K CoCos, with separate versions for each in the package I reviewed. The 64K version gives you over 32K memory (with some options removed), a large amount of user area for your spreadsheet calculations.

Several options are available for tailoring the display to your taste. A high-resolution display allows you the choice of 51, 64 or 85 characters per line. In addition, the normal 32 character low-resolution display is available and gives an extra 6K of user memory. You can also select either 21 or 24 lines instead of the normal 16 lines per screen. Combined with options for narrow or wide characters, green or buff background, and inverted images, you have practically unlimited display choices.

Command modes are clear and easy to use. The main program operates with multilevel, single-key command sequences. Most have help facilities to explain your choices at each level. You reach the special command mode by pressing the CLEAR key twice. In the command mode, you have access to the disk/tape commands and the many formatting and display options.

VIP Calc has a full complement of formatting features for printed output. Included are such options as header and footer lines, line spacing, margins, page numbering, and printer Baud rate and word length settings. Single sheet printing pauses and special pauses to change type wheels are supported. You can embed printer codes in the label fields to get special printer effects such as emphasized or compressed text. The formatted text can be saved to an ASCII file for use by other programs such as a word processor. With this feature, you can incorporate parts of your spreadsheet data into another report.

Program Details

VIP Calc is professionally produced and packaged. The program is supplied on either disk or tape. It comes with documentation in an attractive folio case. The loose-leaf manual is over 175 pages long and typeset with proportionally spaced font. The manual starts with a five lesson tutorial. This provides an introduction to the many features of *VIP Calc*.

The manual contains a complete description of the available commands and options. Summary appendices give a quick reference to the commands and formatting options. Several books are suggested for further study by those not familiar with spreadsheets.

The edition of *VIP Calc* which I reviewed was supplied with both 32K and 64K versions. The 32K version did not support all of the special functions (such as SORT, EDIT and LOCATE), or Hi-Res display. The 32K version will operate on a 64K computer, however, giving a larger user memory. Recent ads for *VIP Calc* indicate the 32K version now supports the SORT and EDIT functions, and Hi-Res displays. The 32K version I reviewed also omitted the trigonometric function.

VIP Calc not only has a full complement of standard spreadsheet functions, but also has some unique features. As with most spreadsheets, you move from cell to cell using the arrow keys. With *VIP Calc*, various combinations of SHIFT and CLEAR with the arrow keys allow you to move over the entire spreadsheet. You can scroll to the start or end of a page, as well as to the start or end of the defined area of the matrix. The GOTO command (>) sends you to a named cell (as explained in a help screen).

VIP Calc simplifies editing your worksheet with two functions. The LOCATE command allows you to search for strings in labels or for values similar to a word processing program. The EDIT command makes changing complicated formulas easier than retyping the whole expression.

The SORT function is a welcome addition to a spreadsheet, available only as an expensive add-on for the original *VisiCalc*. The SORT function allows you to sort numeric or alphabetic data by rows or columns, in ascending or descending order.

A unique feature of *VIP Calc* executes programmable functions. By recording keystrokes in an unused cell, you can execute them with the CLEAR-X command. This form of macro facility is similar to those in second generation integrated spreadsheets such as *Lotus 1-2-3*. You can even embed programmable functions in other functions. Since

FREE 10 DISKETTES OR 20 C-20 CASSETTES

A subscription to the 'Coco-Cassette' gets you a tape or disk full of 10 **quality programs** delivered to you by first class mail every month. The documentation included will help you run great **utilities** like 'Word Processor,' and 'Budget Analyzer,' or enjoy great **games** like 'Frogjump' and 'Caterpillar Cave' **FOR AS LITTLE AS 46 CENTS EACH!**

★ **Limited offer** ★ Subscribe for a year on cassette and receive **20 Free C-20 cassettes** or subscribe for a year on disk and receive **10 Free 5¼ single sided double density diskettes!**



Now available on disk!

PRICES

	TAPE	DISK
1 YR (12 ISSUES)	55 ⁰⁰	70 ⁰⁰
6 MO (6 ISSUES)	30 ⁰⁰	40 ⁰⁰
Single Copies	6 ⁰⁰	8 ⁰⁰

- ★ 16K extended required
- ★ Some programs require 32K, and/or disk
- ★ Over 3000 satisfied customers
- ★ Back issues available from July '82 (over 280 programs to choose from!)
- ★ Also available for Commodore 64.

Mich. Res. add 4%
Overseas ADD \$10 to subscription
and \$1.00 to single issues.

T & D Subscription Software
P.O. BOX 256-C
HOLLAND, MI 49423
(616) 396-7577



the command mode and mini-operating system are available to the programmable functions, you can do an amazing amount of work.

Three macro examples are described in the manual: printing a number of copies of your spreadsheet; customizing complex formulas to save keystrokes; and saving two copies of your work, printing a copy, and clearing the work space to be ready for a new problem. The ability to execute these macros opens up new vistas to the programmer.

In addition to the well-written documentation and help screens, *VIP Calc* has several other friendly features. You can select the number of significant digits to display, and do calculations in single or double precision (16-digit accuracy).

You can also use a simple calculator from the command line (with +/ and power as operations). This allows easy access to a calculator for data entry. I recently saw a \$39.95 option for an IBM PC spreadsheet to give it the same capability. You also have the option of selecting the base (2, 8, 10, 16) of the calculation.

Problems Encountered

I had problems with several of the *VIP Calc* functions. I found a bug in the LOCATE command. If you search for the string ABC and have entries such as XYZABC and XYZAABC, the program will find the first occurrence of ABC but not the second. The double letter combination causes a problem. Apparently the search algorithm resets pointers incorrectly after a partial match.

Several of the trig and log/exponential functions have bugs as well. The ATAN function doesn't give any reasonable answers. The LOG(X) function is incorrect for $X=0.5$, while EXP(X) is wrong for $ABS(X)<0.25$. Also, if you post-multiply a function, such as $SIN(0.25)*2$, you get the function with the argument multiplied instead, as $SIN(0.25*2)$.

A fatal error occurs when you try to abort a replicate command. Normally, you can stop any command by pressing the BREAK key. This is handy when you make a mistake, however, when you are using the replicate command, and you get to the question "Replicate: Relative y/n?", if you hit the BREAK key the system hangs up. I lost an entire spreadsheet to this bug.

Overall Impressions

VIP Calc offers a good value in a spreadsheet for the Color Computer, as it closely follows the *VisiCalc* model. You can use almost any text or article on *VisiCalc* or *SuperCalc* for sample spreadsheet templates. *VIP Calc* will appeal especially to those already familiar with the command structure of *VIP Writer*.

VIP Calc gives you a large user space in a 64K CoCo. Its many display and formatting options will benefit most users. Hopefully, the bugs and limitations of the review copy have been corrected in the current release.

(VIP Technologies, formerly Softlaw Corp., 132 Aero Camino, Goleta, CA 93117, tape or disk, \$59.95 plus \$3 S/H)

The KEY-264K is here!!

DO YOU HAVE A 64K SYSTEM (OR 32K WITH 64K MEMORY CHIPS) ?? ARE YOU BEING TOLD YOU CAN ONLY USE 32K FROM BASIC ??

DON'T BELIEVE IT !! - KEY COLOR SOFTWARE brings you the KEY-264K. An exciting NEW SOFTWARE utility that allows any STANDARD 64K OR 32K COLOR COMPUTER TO ACCESS 64K RAM FROM BASIC, and with NO HARDWARE MODIFICATIONS REQUIRED!!

*** Works with CASSETTE based systems! ***

*** Works with DISK based systems! ***

The KEY-264K divides the 64K ram memory into two 32K banks or sides, each of which can be utilized independently by the BASIC interpreter, with the ability to switch instantly from one side to the other. IT'S LIKE HAVING TWO COMPUTERS IN ONE!! Have your BASIC program on one side and keep your variables on the other side, or have your main program on one side and your subroutines on the other side, or have your program on one side and use the other side for 4 additional HI-RES pages, or any combination you like. The possibilities are endless because the KEY-264K allows full communication between sides plus the ability to switch back and forth at will, all from within BASIC. You could also have different programs in each side and switch back and forth between them using simple keystrokes, even while the programs are running!! Or run them both at the same time in the FOREGROUND/BACKGROUND MULTI-TASKING mode. Don't buy that printer buffer yet! With the KEY-264K you can be printing in the background side while utilizing your computer normally in the foreground side AT THE SAME TIME!!! Debugging a program? Use either a BASIC command or simple keystrokes to instantly duplicate your program, in it's present status, on the opposite side. Switch to the opposite side later and pick up exactly where you were before!

For DISK users, the KEY-264K allows you to alternate between DISK and EXTENDED BASIC on the same side with simple keystrokes. No need to pull your controller or power down. You can be in EXTENDED BASIC on one side and in DISK BASIC on the other side and still switch back and forth and have full communications between the two sides.

The KEY-264K does this and MORE thru extensions to BASIC. No need to learn a new language! The KEY-264K adds 15 NEW COMMANDS and 1 function to BASIC, including powerful new BLOCK MEMORY MOVE and GRAPHICS VIEWING commands.

The KEY-264K works on the 64K COCO or 64K COCO-2 and on older 32K systems with "E", "F", or even modified "D" boards and requires EXTENDED or DISK BASIC with GOOD 64K MEMORY CHIPS!

ORDER YOUR KEY-264K TODAY by sending check or money order for \$39.95 (cassette) or \$44.95 (disk) plus \$2.00 postage U.S.A. (\$5.00 outside U.S.A.) Mass. residents add 5% sales tax.

MASTERCARD, VISA, OR COD
CALL (617) 779-5034

KEY COLOR SOFTWARE
P.O. BOX 360
HARVARD, MA. 01451



Avoid Crashing With Multifaceted *Auto Run 64*

Auto Run 64 is a multifaceted utility program that "generates a machine language loader program that precedes your program." This program has been around for some time, and now Sugar Software has updated it to function with the new 64K CoCo memory. The new addition includes a reset routine to prevent program crashing, relocating ROMs in the 64K CoCo to give you an added 8K of memory usage, and the ability to create loader programs for 64K CoCos on 32K or smaller memory CoCos.

When the program is loaded, it displays a title screen, then a prerecorded "car crash" (this is an audio sound recording, not computer sound), and then the program

menu screen is presented for you to continue.

This utility program is a marriage of BASIC and machine language. The user can interrupt the program and see the BASIC listing, and Sugar Software has provided a source code listing of the machine language part. (Sugar Software does not provide the 64K machine language source code due to a proprietary algorithm.)

The program is recorded on both sides of the tape and the many times I loaded it, I experienced no problems. The main menu lets you select "Create title screen" or a "Program tape" (with *Auto Run*) or "Return to BASIC." (Note: the created or loaded title screen remains in memory until cleared, overwritten, etc.)

The instructions booklet with the tape is well-written and very comprehensive. All the menus and control keys are fully explained. The title screen menu lets you Initialize, Load, Edit and Save the title screen you created or loaded (for edit). You can create and save as many title screens as you want, then select the one for your *Auto Run* program. The *Auto Run* graphics editor lets you create a low resolution title screen with text and graphics. You can select one of eight color borders, or select one of six different border styles.

Using the same arrow keys used to position graphics, you also position the text. Incorrect keys result in an audio beep response; you must respond with an acceptable key code.

Once the title screen is created, you can either save it or proceed to create an *Auto Run* program tape. Selecting from the menu, you can add to your *Auto Run* program a custom sound/audio selection. The program's menu and instructions will guide you all the way.

In the sequence of instructions the program asks if a machine language program or BASIC program is going to be used, and the booklet instructions tell you (when you are in the Define Parameter mode) where in memory your BASIC program (can) will reside. The Parameter mode also lets you select the time for the audio portion of your auto-load program. There is also a provision to test your audio selection before you use it. It is interesting to note that the auto loader program actually consumes no memory from your program.

While you can use this utility as freely as you want on your own private programs, they do require that if you want to use the program in a commercial venture you need only follow the instruction they give, and send them a copy of the software that uses the *Auto Run 64* program.

Lastly, because the largest part of this program is a well-organized BASIC program and can be viewed by the user, one can learn a lot about this fast response graphics program. Those that have a disassembler can also look at the machine language part of the program.

This program is a highly recommended utility for those who want their programs to run *Auto Run* style, privately or commercially. An added bonus, as mentioned above, is the machine language graphics screen saving program built into the utility program.

(Sugar Software, 2153 Lean Lane, Reynoldsburg, OH 43068, 16K ECB required, \$24.95 plus \$1 S/H)

—Stephan A. Brown

Talk is Cheap!

your Color Computer can talk for only

\$29.95

SPEAK UP!™ is a machine language, voice synthesizer program for the TRS-80 Color Computer.* It is 100% software—nothing else to buy. Best of all, **YOU** can make BASIC programs talk!

- 16K, 32K, 64K all on one cassette
- Text-to-speech makes it easy to use
- **SPEAK UP!** will say anything
- Reviewed in April '83 Issue of *Rainbow*
- Reviewed in Oct. '83 *Color Computer*
- COD, VISA, MC, checks—no delay


ORDER NOW 800-334-0854 EXT. 890



Classical Computing, Inc.

P.O. Box 3318
Chapel Hill, NC 27515

*TM by Tandy Corp.



CINC PAC — Battle of Midway 32K

Ark Royal's masterpiece game of naval strategy of perhaps the most important battle in the history of the United States Navy. Hi Res graphics, 75% machine language allows player to control as many as 41 separate units on the screen at one time. Command Task Forces 16 & 17 as they play cat and mouse with the Japanese fleet. Maneuver the Hornet, Yorktown and Enterprise into the best position. Set courses and launch search and attack aircraft then hope for the best. Find the enemy fleet, then pick the targets: Akagi, Soryu, Kaga, Yamato and others in this historically accurate game. Relive history, Admiral, and it won't be any easier this time around. Anchors Aweigh.

Game save. Requires disk version to operate on disk. Cassette \$27.95.



COMPANY COMMANDER 32K

Game module 1 — **House to House**. Ark Royal's squad level WWII infantry combat game.

They said it couldn't be done — a SQUAD LEVEL wargame on a computer — but we've done it. The Line of Sight problem is licked — and the machine language routines really speed things up.

Game Module #1 comes with House to House map and 10+ scenarios involving infantry combat in Aachen, Caen, Arnheim, Stalingrad and other famous WWII city battlegrounds. Combat units include rifle squads, mortar teams, machine gun crews, engineers, and more (depending on the scenario chosen), leaders, vehicles and other weaponry of WWII. Unique design allows incorporation of future expansion modules.

Choose campaign play and put yourself on the battlefield, Corporal Smith or Jones; collect points toward promotion. Order up smoke from the mortar squad, HE for those dug in units. Take the objective and you might make Major someday. Just don't step on a land mine.

Comes with House to House game map, more than 10 scenarios, on 2 cassettes, or all on 1 disk...\$29.95. (Disk included.)



BATTLE OF THE BULGE 32K

Ark Royal's 1 or 2 player game by the author of Battle For Tunis, Bulge recreates operation **Wacht Am Rhein**, Hitler's last desperate gamble of WWII. In none of our games is the fog of war so apparent than in BULGE. You know the Germans have attacked in the Ardennes, but little else. What is their strength? Their objective? Who do you send to repair the huge gap in the American lines? What bridges do you blow? Can you protect the fuel depots? Where are all those Tigers coming from? When will the weather clear?

Historically accurate, and a real challenge whether it be against the computer or a friend. (Just don't humiliate him too badly.) A game you've been waiting for. *Cassette \$25.95.*

OTHER ARK ROYAL GAMES... Some at reduced prices!

Across the Rubicon 32K
(Feb '84)* \$24.95
Across the Rubicon 16K
(Dec '82)* \$14.95
Mission: Empire 32K
(Oct '82)* \$22.95
Mission: Empire 16K* \$17.95
Galactic Taipan 32K
(May '84)* \$17.95
Starblazer 32K
(Apr '84)* \$17.95
Bomber Command 16K
(Jan '84)* \$22.95

Waterloo 32K
(Mar '84)* \$22.95
Guadalcanal 32K \$24.95
Battle For Tunis \$24.95
Legatus
(Disk only) \$29.95
Kamikaze 32K
(Apr '83)* \$19.95
Kamikaze 16K \$14.95

* Denotes Rainbow review month

ARK ROYAL GAMES
P.O. Box 14806
Jacksonville, FL 32238
904-786-8603




Prices on all games include shipping. Florida Residents add 5% tax. All games available on disk, add \$3.00. All programs shipped within 24 hours regardless of check or money order. We pay shipping to U.S. and Canada. Others add 10%. Dealer inquiries invited. COD's accepted. All Programs require Color CompuTm (Tandy Corp) or TDP System 100 CompuTm (RCA).

Unleash Your CoCo With BASIC Programming Tricks Revealed

How to do what Radio Shack says you can't — at least this should be the title of the new book out by Creative Northwest Programming. The real title is *BASIC Programming Tricks Revealed* and is distributed by Spectrum Projects, Inc. In this book are many interesting, powerful, and just plain ol' fun tricks you can play on your CoCo to make it do many of the things it wouldn't ordinarily do.

Chapter 1 contains detailed information about the direct page and variable storage locations. In it are listed many useful addresses and short descriptions of what they are used for. For instance, one two-byte location contains the address of the start of a data line, and another contains the line number of the current data line (both of which are used later in the book to allow a partial restore of data beginning at a specified line number). In the list are included general addresses, Extended BASIC addresses, Disk



THE SPANISH ARMADA

In the summer of 1588 King Philip of Spain's "Enterprize of England" sailed up the English Channel while Europe watched in apprehensive silence. The SPANISH ARMADA recreates the problems faced by the English Commanders as they struggled to defeat the Armada. Only this time it's up to you! Using weapons of the day, can you defeat the Armada? Cope with fickle winds? A relentless current? Difficulty of supply? It won't be easy, but it's fun to try.

The game requires at least a 32K computer and is compatible with either cassette or disc systems. Both versions are shipped on tape.

THE SPANISH ARMADA \$24.95

Send check or money order to Picosoft Games, P.O. Box 35, Eighty Four, PA 15330; (412) 267-3721. Games are shipped postage paid. PA residents add 6% Tax. No delays for personal checks.

BASIC addresses and RAM vectors. At the end of the first chapter is a discussion and example of how to alter the RAM vectors.

The second chapter is titled "Start and End of the BASIC Program," and contains information on how to do a *PCLEAR 0* without destroying a program in memory, as does *POKE 25,6:NEW*, and also how to alter a program to hide program lines, making them invisible, or appear differently when *LISTed*.

Next is a chapter on "The Structure of a BASIC Program" which deals mainly with how BASIC tokenizes program statements and line numbers. Also, there is a one-liner which will show what the tokenized representation of a program line is as it is entered. In addition, there is also a brief discussion of how to conserve memory by combining lines, as well as a numerical example of the memory that can be saved in this manner.

Chapter 4 deals with eliminating the time-consuming "garbage collecting" and gives examples using the two methods covered.

Chapter 5 discusses "Seldom Used Useful Functions" such as the *PEEK*, *POKE*, *AND*, *OR* and *NOT* commands, and how to use them.

Chapter 6 is "Playing With Hi-Res Graphics" and shows how to manipulate the graphics memory by implementing a *PCLS* command which allows user input of the start and end line number. Also included is a program that will allow the user to view the graphics representation of any section of memory, and a brief section on how to use variables within *DRAW* and *PLAY* command strings.

Finally, Chapter 7 is devoted to "Disk Tricks" and contains several examples of how to use the built-in *DSKCON* subroutine to check the validity of a disk and to save the directory in case of a disk crash. Also included are several other routines to make the CoCo allow 35-track access, double-sided drive use without hardware modifications and other tricks of the trade.

Chapter 8 should perhaps be an appendix instead of another chapter since it deals with "Special Things That Can Make Your Program Crash!" These include common mistakes that can take hours to find, since they are so "obviously correct."

As a summary there is a 4½-page program that uses almost all of the routines, tricks and other programming subtleties in the book in the form of a file handling program.

I found the book an excellent help in understanding how the Color Computer works and how to make it work for me. The modifications necessary to cause the computer to ignore what it was originally intended to do, and instead do what I want, are amazingly small programs and subroutines which are easily *MERGED* with an existing program to create a powerful customized utility, game, etc. As is stated in the beginning, *BASIC Programming Tricks Revealed* contains valuable routines everyone can use, but only the moderately advanced programmer will understand. In general, it is an excellent book for *any* BASIC programmer.

(Spectrum Projects, Inc., P.O. Box 21272, Woodhaven, NY 11421, or P.O. Box 9866, San Jose, CA 95157-0866, \$14.95)

— Jim Sewell

Improve Math Skills With Teasers By Tobbs

How good are you at adapting to new concepts? I've found that my kids (Mike, 7 and Bonnie, 10) are quite a bit better at it than I am. The catalyst for this discovery is a math education program from Sunburst Communications.

Having been taught my "Reading, Writing and 'Rithmetic" during the '50s and '60s, my mind was locked into vertical or horizontal positioning of addition or multiplication problems, such as:

$$\begin{array}{r} 2 \times 3 = (\text{or}) \quad 2 \\ \times 3 \\ \hline \end{array}$$

When the digits exceed nine, I have my trusty calculator to bail me out. It's amazing how much we depend on those portable calculators now. I remember when I could add more than single digits in my head.

Teasers By Tobbs, however, faced me with a math problem which looked like this:

$$\begin{array}{r|rr} * & 2 & 4 \\ 3 & 6 & 12 \\ 6 & 12 & \square \end{array}$$

My first reaction was "huh?!" Even after reading the manual, I didn't understand the problem and the relationship of the numbers. As a last resort, I consulted a much more flexible source of knowledge regarding such things to solve this puzzle — my kids. It was no problem for them, and with a great deal of patience, I was running the program with all the skills of someone born in the '70s.

Teasers by Tobbs uses the tic-tac-toe-like grid to present a math problem so a group of numbers interact with each other to solve the problem. Using the above example:

Position reference

Problem

1	2	3
4	5	6
7	8	9

X	2	4
3	6	12
6	12	□

If you multiply 2 times 3 (position reference 2 times position 4), you get a 6 (space 5). The answer is placed where lines drawn inward towards the center of the puzzle intersect. Therefore, the blank box is solved by multiplying 4 times 6 (space 3 times space 7) which is 24.

Once you get the basic knowledge of which numbers interact with each other, it makes sense.

The puzzles get interesting and more challenging at the higher levels. There, more than one number is missing, forcing the pupil to solve more than one math problem to get the necessary information to solve the puzzle completely.

For instance, solve this:

$$\begin{array}{r|rr} X & & \\ 4 & 8 & \square \\ 3 & & 9 \end{array}$$

The answer is 12. If you can't figure out how it is so, I would suggest you let your kids help out.

The program has six levels each for addition/subtraction and multiplication/division. Help is available to the student without parental or teacher assistance by pushing the 'H' key.

The program is made more interesting by the use of a little gremlin called "Tobbs," who appears in the answer block. The screen prompts you to tell Tobbs what answer to put in the square. When the correct answer is entered, Tobbs does a little dance, prance and a flip. When the incorrect answer is entered, he shakes his head sadly and the screen asks you to try again.

The program is a challenge, and the different levels make it usable by a wide variety of age groups (including adult). If I keep giving Tobbs the correct answers, I might eventually be able to wean myself away from my calculator.

This program is released for a variety of computers including Commodore and Apple. Possibly because of this wide usage, it fails to take advantage of all the capabilities of the CoCo.

The graphics are excellent. The characters and numbers generated by this machine language program are very readable, but the program does not use any voice or sound to aid in reinforcing positive responses for the correct answers or negative responses for incorrect answers. Any program which doesn't use the sound capabilities of the Color Computer gets dull very fast and is sadly behind the times.

Other than this lack of full utilization of the sound and speech capabilities, the program is well-designed and even fun. It's expensive and requires a 32K minimum Extended BASIC disk system which limits the number of people who can use the program, but overall it's a professionally done package.

(Sunburst Communications, 39 Washington Ave., Pleasantville, NY 10570, 32K Disk ECB required, \$49.95)

— Bruce Rothermel

FREELANCERS

software & news writers columnists
TOP RATES FOR YOUR WORK

Send for your WRITER'S package No SASE please

Dragonfly
Writings

Box 1340, Fort Qu'Appelle, Sask. — CANADA S0G1S0

Burner+ Is A Great Tool For The Avid Tinkerer

An EPROM programmer is one of the more esoteric tools a hacker might use to further his craft. Using one, you could turn a patch for BASIC that has to be loaded every time you power up into one that's just as permanent as BASIC itself, or put that new machine language arcade game or utility you just wrote into a cartridge you can just plug in, switch on and use.

The EPROM programmer is only a useful tool on the CoCo, though, if you know how to write in machine language and want to do things like BASIC patches and other ROM-based programs. If you also have other computers around, there may be other things you can use an EPROM programmer for, like new display character sets and the like. Burner+ does a first-rate job performing this task.

First, a little information about ROM (read-only memory) chips. The BASIC ROMs in the CoCo, as well as those in many game and other cartridges, are "masked" type chips; the manufacturer takes the desired program and designs a mask that is used to make the actual circuits. This is fine when you need thousands of copies (in fact, it's the cheapest type of ROM), but if you only need one, a dozen or a couple hundred (or if you can't wait for masked ROMs to come back through the production cycle), you need a chip that comes blank and that you program yourself.

After a brief fling with "fusible-link" PROMs, the EPROM (erasable, programmable read-only memory) has emerged as one of the most widely used chips. EPROMs can be programmed with reasonably simple equipment, and when the contents are no longer needed, you can erase them by exposing them to a strong ultraviolet light source. (Black lights won't do; you need special UV fluorescent tubes in a shielded enclosure to avoid exposure to UV rays. Several EPROM eraser units are on the market, including one from Heathkit.)

The Burner+ is a deceptively small gadget housed in a standard cartridge case. There's a special "zero insertion force" socket on top to accept the EPROM, a set of 10 tiny switches to set up the Burner+ for a particular job, one more switch to adjust for fast and slow chips and a power input jack to supply the 24-volt source needed for programming. (The unit comes with a special adapter to connect three 9-volt "transistor radio" batteries in series; an AC adapter is available as an option.)

There's also an edge connector on a short cable to let you connect a disk controller or other cartridge along with the Burner+ without any other adapters. The unit is designed to program the very common 27xx series EPROMs (which range from the 1K 2708 to the 16K 27128); there are a number of socket adapters available that allow the use of other common EPROMs. One of these lets you use the Motorola 68764 8K EPROM, which is "pin-compatible" with the masked ROMs used in the CoCo and therefore plugs in without rewiring.

The driver software, appropriately enough, is contained in a 2K 2716 EPROM. Burning EPROMs doesn't take much in the way of software; you could even write your own driver in BASIC (though it would be rather slow). The supplied driver provides a number of useful functions, but (oddly enough) no way of loading or saving files to tape or disk; you do this yourself with the usual BASIC commands. There are commands to set EPROM size (though you still have to set up the switches), finding blank spaces in an EPROM, speed of programming (there are two speeds, one for fast chips and another for those that are relatively slow) and doing the actual transfer. Transferring data to an EPROM is pretty much the same as just moving it into high RAM, but is done with the 24-volt power supply attached. The process takes about 25 seconds (or eight minutes on a slow chip) for an 8K EPROM like one you would use to replace a BASIC ROM.

The Burner+ is not without its bugs. First of all, the EPROM addresses are at the top of memory; to program a 16K EPROM on a disk system you have to switch the disk ROM out of the way. This also means you can't program anything into the last few hundred addresses on a 16K chip, because the signals will go to the CoCo's SAM and PIA chips instead. (If you're programming a 16K EPROM to replace disk BASIC and add new features, you won't be able to use those addresses anyway for the same reason.) 16K EPROMs aren't commonly used, so this may not bother you.

The other minor bug is that you need to be careful when setting the DIP switches, as it is entirely possible to pull the whole cartridge out and damage the computer. This is easily solved by holding the Burner+ cartridge in with one hand while flipping switches with the other.

The Burner+ is not a bad item. It will program most common EPROMs easily, and if you can live with its minor quirks, it's a good value.

(Pollak Electronics, 13761 Grosvenor Rd., Surrey, British Columbia V3R 5E5, Canadian prices: Burner+ \$157, AC adapter \$23, socket adapter \$4)

— Ed Ellers

One-Liner Contest Winner . . .

This shows a spacecraft rising slowly (and smoothly) off the launch pad, with sound effects.

Steve Schutjer
Hazel Green, WI

The listing:

```
1 FMODE4:PCLS:SCREEN1,0:X=50:DIM
Z(20,25):DRAW"BM0,177R255L95U40L
20D37L30D3R35U5R5D5U5R5D5":DRAW"
BM120,170U5E3U7E2F2D7F3D5H3D4L4U
4G3":GET(118,152)-(133,173),Z:FO
RS=173TO21STEP-1:PUT(118,S-21)-(
133,S),Z:X=X+1:SOUNDX,1:NEXTS
```

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book Of Simulations* and its companion *Rainbow Simulations Tape*.)

Air Traffic Control Simulator Excels With Precise Features

By Larry Birkenfeld

"Pilot to tower. Pilot to tower. Bay Federal 23L requesting instructions. Hey guys, are you down there? I'm getting dizzy circling. When can I land?" Ah, the work of the air traffic controller is never done! That is how I felt when I began my review of *Air Traffic Control Simulator*, hereafter referred to as *ATC*, by Betasoft Systems.

The *ATC* game is a very realistic Simulation of life inside the control tower at your local airport. The game is written for a 32K Color Computer and may be purchased on cassette or disk. The package comes complete with a 27-page, 8½ x 11-inch, bound instruction manual and a quick reference card containing a summary of all communication instructions. For those of you, like myself, who are unfamiliar with "tower talk" there is a section in the manual on basic air traffic control principles. The instructions are simple enough for even the novice to be landing aircraft in no time. The game, however, is a real challenge.

Not being a pilot myself, I decided to enlist the assistance of a pilot friend, Paul Tudor, in order to evaluate the realism of this Simulation. After playing the game for a while, we both agreed with the claims made by Betasoft Systems

that this Simulation is indeed as realistic as possible within the constraints of a 32K CoCo.

To play the game, you must be both tower controller and radar controller. As tower controller you must handle all departing aircraft as expediently as possible. As radar controller you must use your radar screen to vector (controller talk) your aircraft either into landing position or through your airspace. You must control both IFR (instrument flight rules) and VFR (visual flight rules) aircraft. These IFR and VFR craft have a different cruising speed, landing speed and rate of descent. Scoring is based on your ability to land craft, allow craft to depart, respond to craft entering your airspace, and keep an appropriate altitude and distance separation between craft. Believe me, after trying to do all this at one time, you will understand why an air traffic controller's job is so full of stress.

The display uses a high resolution screen and mixes text and graphics. The only complaint I have is that the text used as craft identifiers on the radar screen is extremely difficult to read using a standard television. I even tried three different sets, a Sharp, a Sony and a Zenith black-and-white, with no luck. Other than this one problem, the display was excellent. The Simulation provides a radar screen representing an area 40 miles in diameter. In the center is a backward 'L' representing an east, west, north, and south runway. Outside each runway is an indicator mark representing the outer limit marker five miles from the runway threshold. Around the screen are "tick" marks representing degrees, with 360 degrees being straight up.

Each corner of the screen is also used to display information. The bottom right corner shows an enlarged view of each runway and any aircraft awaiting takeoff.

WORKBASE

BUSINESS SOFTWARE \$ PORTFOLIO \$



BUSINESS DATABASE SYSTEMS

An economical and powerful business management database system. A few of the many features of WORKBASE I & II are: • a spreadsheet module to define and store calculations for updating your database • a report module to define and store unlimited report formats with totals and headings • a word processor to merge a database with custom letters, reports, and mailing labels • utilities for generating, merging, summarizing, and updating • only 1 disk drive and a 32K Color Computer are required • 216 page step-by-step user's manual with tutorial and separate demonstration disk.

WORKBASE DATABASE I—600 Records \$64.95
WORKBASE DATABASE II—1200 Records \$79.95

BUSINESS APPLICATION PACKAGES

Self-contained application programs which can be used independently, in combinations or with WORKBASE DATABASE I or II for additional updating and reporting. The following apply to each application package: • predefined reports • print or display selected records • simultaneous updating of related database files • 600 records per predefined database • built-in calculations • menu driven • complete audit trails • 40 to 50 page step-by-step user's manual. **Packages currently available:** • INVENTORY CONTROL • ACCOUNTS RECEIVABLE • SALES ORDER ENTRY • CHURCH MEMBERSHIP • ACCOUNTS PAYABLE • PURCHASE ORDERS • RENTAL PROPERTY MANAGEMENT • GENERAL LEDGER • PAYROLL
COST PER PACKAGE \$24.95 (\$19.95 when purchasing 2 or more)

BUY WORKBASE DATABASE I or II AND GET ONE APPLICATION PACKAGE FOR \$19.95

• SEND CHECK OR MONEY ORDER OR USE OUR TOLL FREE NUMBER FOR PLACING CREDIT CARD ORDERS: 1-800-334-0854 (Ext. 887)

• PRICE INCLUDES SHIPPING & HANDLING WITHIN USA • ADD \$5 FOR ALL FOREIGN ORDERS • CASH ONLY C/D ORDERS ADD \$2 • NC RESIDENTS ADD 4.5% SALES TAX

WORKBASE

DATA SYSTEMS

P.O. Box 3448, Durham, N.C. 27702 • (919) 286-3445

As many as five craft may await takeoff with only three being displayed at any one time. Here's true realism in every detail. These planes even make a 180 degree turn onto the runway as they depart, just like the big boys do. The bottom left corner contains the temperature, ceiling, sky, visibility, precipitation, and wind speed and direction. One important point here that can save novices hours (I know from experience), the wind direction indicates the direction the wind is coming from, not the direction it's blowing toward. If you're not sure which way to land, just watch in which direction the aircraft takeoff.

Both of the top corners contain communication information. At the left you receive messages from the aircraft and on the right is displayed the last two instructions sent out from the controller. There are also various sounds which are used as notification that a new aircraft has entered your airspace, an aircraft is requesting instructions, or one of your commands cannot be carried out due to one of five possible errors which are listed on your quick reference card. A timer is also displayed and the radar screen blinks every five seconds as its contents are updated.

As I said before, there are both IFR and VFR aircraft to deal with. Some want to land, some to take off and others simply want to pass through your area. Each type has its own specific set of communication and landing rules. For example, IFR craft must be cleared for approach outside the outer marker, but within a 60 degree cone of the runway threshold. If they are not within the cone and at an altitude such that they may descend to 1,500 feet by the time the outer marker is reached, you will hear a loud tone and receive the message "parameter out of range." Once within the outer marker they must be cleared for landing. VFR craft must be inside the outer marker and within a 30 degree cone to be cleared for landing. The same ominous sound occurs if they cannot attempt

a landing. VFR craft must also be requested to "squawk" (more controller talk) before they will accept any communications from the controller at all. Paul the pilot, who flies VFR craft, informs me that this is indeed the way it is!

Communications messages are typed and appear in a scratch pad area below the weather information at the bottom of the screen. They may be edited before pressing return to send them to an aircraft. All messages consist of a three character alphanumeric craft identifier such as "23L" followed by commands and parameters. A few examples would be the following: 23L TH36A40 (23L turn to heading 360 and climb/descend to 4,000 feet) and 23L CL27 (23L cleared to land on runway 27). There is even a command to stack aircraft in a holding pattern if it gets too much for you to handle all at once.

Once you begin playing *ATC* it will become habit-forming. A word of warning is needed at this point: don't begin unless you plan to spend some time at the computer. Everything is true-to-type, including the time it takes to vector a plane into landing position. I spent two days trying to land planes. My longest single sitting was more than three hours straight. I'm glad I wasn't a passenger on any of those planes! All this is on the least difficult mode. There are two other modes, moderate and heavy, providing more air traffic in each mode. After experiencing these, I was ready to go on strike myself.

For anyone wishing to experience the thrill of an airport environment, *Air Traffic Control Simulator* is the one to buy. The realism abounds, right down to the bloodshot eyes. Other than the hard (but not impossible) to read craft identifiers, I found no noticeable software bugs. The documentation is excellent and even provides some training for a novice like myself. A lot of work went into this software to achieve such authenticity. It's a real buy!

(Betasoft Systems, P.O. Box 1174, Smithtown, NY 11787, tape \$34.95, disk \$37.95)

THE SOFTWARE HOUSE

DISKS



DISKS

SS / DD \$.99 ea.
DS / DD \$ 1.29 ea.

Price includes Tyvek Sleeves

100% CERTIFIED
ERROR FREE
5 YEAR WARRANTY

Minimum order 10 disks

Name brand disks but unlabelled.

We bought 'em at a good price and are passing the savings along to you.

Add \$2.50 S/H. In Mich. add 4% sales tax.

Make check / money order payable to:

'DALLAS COX'

THE SOFTWARE HOUSE
9020 Hemingway, Redford, MI 48239
(313) 937-3442



Send card number
& expiration date



One-Liner Contest Winner . . .

This shows the planet Saturn, with its rings, and a few other planets in the background.

Todd C. Hauschildt
Red Wing, MN

The listing:

```
1 PMODE4, 1:PCLS:SCREEN1,0:FORZ=1
T030:CIRCLE(128,100),Z:NEXTZ:FOR
Z=60T092STEP4:CIRCLE(128,100),Z,
.2:NEXTZ:FORZ=1T03:CIRCLE(30,25
),Z:CIRCLE(180,160),Z:CIRCLE(230
,80),Z:NEXTZ:FORZ=1T07:CIRCLE(50
,150),Z:NEXTZ:CIRCLE(140,30),1:F
ORZ=0T01STEP0:NEXT
```

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book Of Simulations* and its companion *Rainbow Simulations Tape*.)

Text Master And Graphic Master Transform CoCo's Screen

By J. Michael Nowicki

This review covers two programs, *Text Master* and *Graphic Master*; each can work alone or be used in conjunction with the other for some pretty impressive results.

Text Master will transform your CoCo text screen into a smart and sophisticated screen that is a pleasure to use.

Getting started is very easy by *CLOADMing* or *LOADMing* the program and *EXECuting* it. The setup takes about 15 seconds after which your screen is transformed into a smart screen with a wide variety of text sizes and special effects.

There are six sizes of character sets: 32 x 24; 36 x 24; 42 x 24; 51 x 24; 64 x 24; and 85 x 24. These can be enhanced by using a proportional mode that produces some of the most attractive and readable character sets I have seen on the CoCo. However, using this mode cancels the left-arrow cursor movement which can be a little confusing when editing program lines.

Other features include underline, inverse video, subscript, superscript, audible key click, bell ring, auto key repeat, screen inversion, screen/prINTER echo, regular or fine text scrolling and upside down printing. You can use any or all of these features on the screen at the same time using the same technique used to initialize a printer with BASIC's *CHR\$* command. To turn on or turn off any feature takes just one *CHR\$* code and by printing a *CHR\$(0)*, you can turn most of them off to start up default mode. There are several useful cursor movement commands with obvious word processing application.

There are two animated cursors for the different size text characters that make it hard to lose your place on the screen. There is an auto key repeat feature, but it moves much too quickly to be of any use unless you have cat-like reflexes. There is no mention of controlling the repeat speed in the manual.

The *PRINT@* and *CLS* instructions have been patched for full compatibility in all text size modes. The *CLS* can be used to clear the video text screen as usual, or you can add a bit pattern parameter such as *CLS(102)*. The upside down printing mode will be appreciated by Spanish speaking users who need to use characters unique to that language.

Any key can be redefined and saved to tape or disk, and you have the ability to switch back and forth between regular keyboard definitions and custom characters stored in memory. A character editor is included that allows you to redefine the character set shapes and their ASCII equivalent codes. A person could easily redefine the keyboard for foreign scripts such as Arabic, Japanese, Cambodian or Cyrillic which use special alphabet symbols, and turn CoCo into an international word processor of your own design.

Text Master is meant to be used with your own BASIC programs; no mention is made in the manual about using it with canned software or the user's machine language programs. I have found, however, that any machine language program that uses the official Radio Shack indexed addresses of \$A000 for keyboard input and \$A002 for screen/device output, and has no memory conflicts, can be adapted. Even copy protected text oriented programs using these ROM calls seem to work just fine.

The documentation comes in a silver three-ring binder just the right size to fit on top of CoCo without mousetrapping closed. A BASIC demo program is also included to show you what can be done, and the user is encouraged to study its listing. The manual itself is very much like a printer manual, giving you the *CHR\$* control codes and general notes about the program. A chart of special purpose memory addresses for use by machine language programmers is included, as well as a reference card with all the *CHR\$* code meanings. The character editor program is simple and easy to learn, and it can load or save keyboard definition to tape or disk.

Text Master requires 64K tape or disk and was tested using all ROM versions with no problems. The program is not copy protected and comes supplied on a tape with simple instructions for disk transfer. It takes up a little over 8K, resides in high memory above the disk ROM space, and uses a *PMODE 4* screen starting at the cold start default location. No instructions are given for changing the screen memory start address, but if you poke the new address into low housekeeping RAM that contains the screen addresses, you can move your graphics screen

UPGRADE NOW!

Unleash the power of your Color Computer!
Sale Packages for every need

- | | |
|---|--------------------------|
| #1 DISK DRIVE SYSTEM—J&M Controller,
JDOS, 1/2 Ht. 40-track TEAC Drive, cable
and manual (2nd Drive add \$159) | SALE

\$379 |
| #2 FULL FEATURE PRINTER—Panasonic
Model 1091, Near Letter Quality,
Dot Matrix Graphics, with Metric Parallel
Interface (PBH Interface add \$20) | \$389 |
| #3 COMMUNICATIONS PACK—Volsmodem
from Anchor, 300 baud, direct connect,
cable and Colorcom-E terminal
program (ROM or Disk) | \$115 |
| #4 MONITOR & DRIVER—New Taxan
Hi-resolution Monitor, Green 12" display
with Video Plus driver (easy to install)
(Swivel base for monitor add \$22) | \$159 |
| PLUS: Full Travel Keyboards from \$64.95
64K Expansion Kits (Prime IC's) \$64.95
Basic 1.2 or Disk 1.1 ROM's, each \$39.95 | |
| SOFTWARE, BOOKS—We carry over 200 titles from
many fine companies. Give us a try! | |



POLYGON COMPUTERS
1316 Wilshire Blvd., Suite 206
Los Angeles, CA 90017
(213) 483-8388



Ca. Res. 6 1/2% tax
Visit our Retail Store

Shipping: \$2 Software
Charges: \$5 Hardware

anywhere in low RAM before *EXECuting* the program.

BASIC and Extended *BASIC* commands work just fine with *Text Master*, so you can combine text and graphics with good effect. The text screen displays black text on a green background. There seems to be no provision to use the black/buff color set without doing some modification to the \$FF22 address contents that control *PMODE4* color sets.

One of my favorite acid tests of a graphics text generator is what it does when you try to format a disk using *DSKINI*. Many other programs of this type I have seen either belly up and crash, or revert to the 32 x 16 text screen and you have to *reEXEC* to program afterwards. *Text Master* will format a disk, but it takes about twice as long to do the verify pass. The display will garbage up during the format process and return to normal operation once the disk is formatted.

One of the first things I did with *Text Master* was convert a drab Disk *BASIC* program I wrote to keep track of my video library. In less than an hour I had reincarnated the program into a very attractive format that flashed the searched-for data on the screen with reverse video and bell sounds. The program also uses a printer and direct access disk commands that can sometimes gum up a poorly designed text generator, but this one did it with no I/O problems.

One of my main uses for CoCo is as a smart terminal for decoding of radioteletype news services, embassy transmissions, and weather stations from around the world using a high frequency communications receiver and a military surplus radio modem. You lock onto a signal and

text scrolls across your screen like an electronic newspaper in English, and sometimes, Spanish. However, many signals to and from Eastern European Warsaw Pact countries are being sent in the Cyrillic alphabet, with its own weird and unique third register character set. I was able to develop a Cyrillic character set with the *Text Master* editor, change the recognition codes and patch it into a commercial machine language RTTY program; these transmissions that I previously thought were unreadable were made clear. This is, I admit, a rather esoteric application, but it does serve to illustrate the versatility of this program and what it can do.

All character sets are generated in *PMODE 4* and you are locked into this Hi-Res mode. Some of you may comment that in *PMODE 4* there are two color sets of two colors each, and what good is a Color Computer without multicolor graphics? This is where the other program, *Graphic Master*, comes into play. In essence, this program lets you design and implement multicolor *PMODE 4* artifact graphics through *BASIC* that execute with the speed of machine language.

The graphics commands found in *BASIC* and Extended *BASIC* are easy to use and powerful, but very slow when large areas are to be painted or animated. This program is a new graphics operating system that does not use the *BASIC* graphics commands unless you want to include them in addition to using this program's commands.

All the new graphics commands are called by using a *USR* call with parameters tagged onto it. It dedicates the *USR0* call for graphics use, but you can still employ the other nine *USR* calls for your own use.

Many commands are like their Extended *BASIC* cousins to reserve memory for graphics screens, flip pages, clear screen, draw lines, paint areas, set points and *GET/PUT*. The difference is the speed. Using Extended *BASIC*'s command to paint an entire *PMODE 4* Hi-Res screen would do it in about 15 seconds. The *DYE* command used in *Graphic Master* does it in the blink of an eye. Not only can you dye in colors, but with bit patterns as well.


The *GET/PUT* equivalent commands work very fast, regardless of the size of the sprite being moved around the screen, with little or no flicker or jerkiness. The *SCROLL* command lets you move an entire Hi-Res screen like a curtain, similar to arcade games that scroll game screens.

My favorite command is *POLYGON*, which allows you to define a geometric shape with up to 255 sides and move it, rotate it and change the size with the speed of machine language. Quite impressive!

The demo program included with this software package really sets the hook in anyone who sees it, especially when you tell them its all done through *BASIC* commands. It really demonstrates the graphics potential of the CoCo using high speed *PMODE 4* artifact colors. Images are created with *DATA* statement tables, and stored in memory as a machine code image table. It's the missing link between pure *BASIC* and pure ML programming, using the best features of both.

Machine language programmers can doodle with arcade game designs through *BASIC* using the same data images tables as they would programming in assembly language, and if the idea works out, the transition to 100 percent ML is very easy.

All that is required of the user is to have a decent working knowledge of variable housekeeping using *BASIC*, and a



KEEP-TRAK "DOUBLE-ENTRY" General Ledger Accounting System Reg. \$69.95 — ONLY \$19.95

"Double-Entry" General Ledger Accounting System for home or business: 16k, 32k, 64k. User-friendly, menu driven. Program features: balance sheet, income & expense statement (current & YTD), journal, ledger, 899 accounts & 2350 entries on 32k & 64k (710 accounts & entries on 16k) disk only. Version 1.2 with screen printouts. For upgrade return original disk & \$5.00. 1.1 Rainbow Review 9/84

"OMEGA FILE" Reg. \$69.95 — ONLY \$14.95

Filing data base. File any information with Omega File. Records can have up to 16 fields with 255 characters per field (4080 characters/record). Sort, match & print any field. User friendly menu driven. Manual included (32k/64k disk only).

"AMT" Reg. \$29.95 — ONLY \$14.95 Rainbow Review 10/84

AMT starts where everyone else ends. AMT calculates almost any sales or purchase outcome. Total interest, total principle, total payment are all figured. AMT is not just an amortization scheduling program, but a cost forecasting and prediction program. Useful to anyone who plans to sell or buy something with interest. (Disk Only).

BOB'S MAGIC GRAPHIC MACHINE

Turns 2 weeks of graphic programming into 2 hours with "rubber band" type graphics. Generate *BASIC* code to use in your programs. Easy drawing and manipulation of circles, ellipses, boxes, lines and ARCS. Single joystick operation with on line HELPS at all times. Allows text on the graphics screen and movement of objects on the screen. Can be used as a stand-alone graphics editor. Great for programmers and LOTS OF FUN for the novice. Reg. \$39.95 — ONLY \$14.95 for cassette and \$14.95 for disk. 64k with ECB required. (includes instruction manual). GRAPHICS EDITOR

PERSONAL INFORMATION FILE—\$14.95 disk HOME INVENTORY—\$14.95 disk CASH-IN (billing)—\$14.95 disk MEMO WRITER—\$14.95 disk

GRADE EASY (teacher data base)—\$14.95 32/64k disk

64 K UPGRADE	\$42.00	VOLKS MODEM	\$59.95
FLIP & FILE 50	\$19.95	RITEMAN PLUS PRINTERS	\$275.00
FUJII-MAXELL SSDD	\$17.95	RITEMAN 15"	\$549.00
DATA DEFENDER 70 w/lock	\$21.95	GENERIC DISKS SSDD	\$14.95

COMPARE FEATURES AND PRICE, then buy "THE OTHER GUY'S Software!"

(add \$2.50 for postage and handling)

Send check, money order or C.O.D., U.S. funds to:

THE OTHER GUY'S Software • 875 S. Main • Logan, UT 84321

PHONE (801) 753-7620 or WRITE for a FREE CATALOG

conceptual understanding of using screen coordinates to direct movement. The program does all the rest for you. Anyone with these fundamental skills can write an arcade game or graphics-oriented program with professional results.

Even more amazing is that the minimum system required is only 16K BASIC with tape. A special *CLOADM/CSAVEM* command has been thoughtfully included for those without Extended BASIC. Program overhead is a little over 2K, so with 16K you can't use all the features, but with 32K or 64K you can do some pretty amazing stuff that you may never have seen done on a CoCo before. A utility program is included to do three-dimensional rotation of complex shapes that gobble up a lot of memory, but produce results similar to drafting programs used in high-end machines.

All is not roses, however. The user's manual is nothing short of user-hostile, and is a classic example of why the programmer should not write the documentation other than to supply technical information to the writer. The reason I suspect the programmer wrote the manual is because too much is assumed without starting at base one, and the page numbers start with Page 0! Only programmers number that way.

Misspellings occur throughout the manual, the most disconcerting being "softwhere" on Page 2. There is no table of contents or index, so you have to page through the manual to find what you're looking for. Two pages contain a summary sheet of commands and syntax for reference. Very serious errors occur, such as on Page 17 where the *QLINE2* command is explained. It should be defined as *USR(13)*, but it is mislabeled as *USR(11)*. The program comes on tape with instructions on Page 52 to transfer the programs to disk. One of the line numbers referenced for changing *CLOADM* to *LOADM* is incorrect and so is the replacement line. You have to add a couple other program lines to input a disk filename, but the manual doesn't tell you this. With *CLOADM* you do not have to specify a filename, but with *LOADM* you do.

The manual does not take you by the hand like the manual that came with your CoCo; you will have to put in many unnecessary extra hours learning to use this outstanding program that could have been avoided by good documentation.

Graphic Master comes with a graphics editor to design graphics figures, but when I tried to run it I got an OM? Error. An inquiry to Dataman concerning this bug brought no response whatsoever. After about an hour of analyzing the program I found the bug and fixed it — another hour down the drain.

Both *Text Master* and *Graphic Master* are useful, well done programs and worth the price. What you can achieve with them is directly proportional to your level of programming skill and imagination.

In summary, *Text Master* is an excellent screen text enhancement program with adequate documentation. The price is right and I would highly recommend it. *Graphic Master* is an absolute gem of a graphics development program that is severely crippled by documentation that has to be corrected, if not completely rewritten for clarity.

(Dataman, 420 Ferguson Ave. N, Hamilton, Ontario, L8L 4Y9, *Text Master*, \$29.95; *Graphic Master*, \$49.95)

Accessory Review

Clean CoCo's Disk Drives With Floppiclene

As one might have expected, since disk drives have become common items a great number of drive cleaning products have come out. Thankfully, most of them have been the "wet-system" type that use a cleaning fluid applied to a non-abrasive disk. Automation Facilities' Floppiclene is one of the more expensive kits on the market, but it's a good one and is worth consideration.

The Floppiclene kit consists of a disk sleeve, a number of cleaning disks (20 in the one I tested), a spray can of Safeclene head cleaner and two Safecleans anti-static screen cleaning wipes. To use the disk drive cleaner, you spray the head cleaner on one of the disks, insert it in the sleeve, put that in the drive and run the drive for 30 seconds. (On the CoCo, doing *DIR* twice takes care of that. Note that *all* of your drives, if you have more than one, run regardless of which one is being accessed.) The cleaning disk is then thrown away, unlike some other kits where you reuse a cleaning disk a dozen times or so.

The Safeclene head cleaner can also be used on audio tape heads; just spray it on an ordinary cotton swab and wipe the heads clean. (I don't think it would be a good cleaner for video recorder heads.) The Safecleans wipes are a good anti-static TV screen cleaner.

Floppiclene is a nice cleaning kit for your disk drives, tape recorder and TV or monitor screen.

(Automation Facilities Corp., 3916 State St., Santa Barbara, CA 93105, \$34.95)

— Ed Ellers

One-Liner Contest Winner . . .

This is a typing test which flashes a random letter on the screen and waits for you to type it. After 25 letters it tells you how many you got right and the total time for all 25.

Dave Koscinski
Waterford, WI

The listing:

```
1 CLS:TIMER=0:FORQ=1TO25:H$=CHR$(
  (RND(26)+64):PRINT@240,H$:FORT=1
  TO99999:A$=INKEY$:IFA$=""THENNEXT
  TT ELSEIFA$=H$THENR=R+1:NEXTQ:PR
  INT"YOU HAD "R" OUT OF 25 RIGHT
  IN"TIMER/60" SEC.":ENDELSENEXTQ:
  PRINT"YOU HAD "R" OUT OF 25 RIGH
  T IN "TIMER/60"SEC.":END
```

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book Of Simulations* and its companion *Rainbow Simulations Tape*.)

GREAT COCO PRODUCTS



SUPER SCREEN

The Color Computer
Supercharger

- A big 52 character by 24 line screen
- 'PRINT @' is fully implemented on the big screen
- Easily combine text with hi-res graphics
- Auto-key repeat for greater keyboard convenience
- The 'ON ERROR GOTO' statement is fully implemented
- Control codes for additional function

Super Screen comes with complete, well detailed instructions and is available on cassette or disc. It adjusts automatically to any 16K or greater, Extended or Disc basic Color Computer or TDP-100 and uses only 2K of memory in addition to the screen memory reserved during power up. Guaranteed to be the most frequently used program in your software library...once you use it, you won't be without it!

Hot CoCo, Jan. '84 "Super Screen represents a quality utility program that fills a definite need for the serious CoCo user. No other programs on the market so far have offered the error-trapping utility of Super Screen."

Color Computer Magazine, May '84 "Super Screen is a worthy addition to anyone's software library. It has become my most used utility and has made programming in BASIC on the Color Computer a joy..."

Cassette \$29.95

Disc \$32.95

NEW!

EASY-FILE Data Management System

- Need a good mailing list or customer list program? How about a program to keep track of your investments, your computer magazines, or record collection? Do you have an inventory of all household items for insurance purposes? **EASY-FILE** will do all of these things and many more.
- **EASY-FILE** makes data managing a breeze with single key menu selections, extensive error handling procedures, a demonstration data file and a detailed, easy to understand instruction manual.
- **EASY-FILE** is powerful, too. It automatically enhances your monitor screen to a full upper and lower case, 51 character by 24 line display. **EASY-FILE** allows up to 30 data fields and provides password file protection, selectable numeric totalling and complete data searching and editing capabilities. You can quickly enter, locate, review and modify data records, and even transfer records from one file to another.
- Sorting? You bet! **EASY-FILE** allows you to sort up to 5 levels of data and allows you to define upper and lower limits as well. You can sort in many different ways and save the results in individual index files. These index files may be used later to determine what will appear on your printed reports.
- Reports are easily prepared with **EASY-FILE** because it offers so many automatic features. There is no need to generate complex report forms. With **EASY-FILE** you simply select from a list of options to determine what your report and header will look like. There are countless variations. **EASY-FILE** takes care of tab stops and field spacing automatically. Prepare horizontal reports (80 or 132 columns), vertical reports or labels! Save your favorite report formats right in a data file so they may be used whenever you need them.
- The **EASY-FILE** master disc and instructions are packaged in an attractive 3-ring binder. Requires 32K and at least one disc drive.

Order yours now! Get organized for only \$59.95!


UNIVERSAL VIDEO DRIVER

Carefully engineered to work with ALL Color Computer models, including the new

COCO II

ENABLES YOUR COCO TO OPERATE WITH A VIDEO MONITOR INSTEAD OF A TELEVISION!

- Works with Monochrome Monitors!
- Works with Color Monitors!
- Audio Connection Included!
- Easy Installation—No Soldering!
- Great Price! **ONLY \$29.95**



SHIPPING: All orders under \$100 please add \$2 regular, \$5 air. All orders over \$100 please add 2% regular, 5% air. California residents please add 6% sales tax. Orders outside the continental U.S., check with us for shipping amount; please remit U.S. funds. Software authors—contact us for exciting program marketing details. We accept MasterCard and VISA. Distributed in Canada by Kelly Software.

FREE - Send for our NEW 24 page catalog!

Mark Data Products

24001 ALICIA PKWY., NO. 207 • MISSION VIEJO, CA 92691 • (714) 768-1551

ORDER ENTRY SYSTEM

Rainbow, Feb. '84 "If you are looking for a program to keep track of your sales and print invoices, then this one will take care of those needs quite well...A good program that would serve the invoicing needs of a small company quite nicely."

The Mark Data Product sales order processing system provides a fast, efficient means to enter orders, print shipping papers and invoices, prepare sales reports, and monitor receivables. The system automatically enhances the monitor screen to a 51 character by 24 line display. 32K of memory is required along with an 80-column printer and one or more disc drives.

The MDP Order Entry System is a family of programs which operate interactively by means of a "menu" selection scheme. Up to 900 products may be defined and a single disc system can hold over 600 transactions. When the operator selects a task to be performed, the computer loads a program designed to handle that task from the system disc. The system disc contains all of the programs required to create, update and maintain data files and prepare the necessary paperwork including shipping and invoice forms, daily sales reports, a monthly (or other period) sales report and a receivables report.

This order entry software equals or exceeds higher priced packages for other computers and includes a detailed operating manual. **ONLY \$99.95**

SUPER PRO KEYBOARD



**ONLY
\$64.95***

- Original key layout
- Fast, easy installation—no soldering
- Individually boxed with full instructions
- Smooth "Touch Typist" feel—no sagging
- U.S. made—high quality, quad gold contacts
- Professional, low profile, finished appearance

* Computers produced after approximately October 1982 require an additional keyboard plug adapter. Please add \$4.95.

ACCOUNTING SYSTEM

Rainbow, May '84 "Considering what it can do to organize a small business, it is quite a value."

Hot CoCo, June '84 "...a serious, professional accounting program and well worth its price. The programs are complete and simple to use."

The Mark Data Products Accounting System is ideal for the small businessman needing a fast, efficient means to process income and expenses, prepare detailed reports and maintain most of the information required at tax time. The system is a family of programs which operate by means of a "menu" selection scheme. When the operator selects a task to perform, the computer loads a program designed to handle that task from the system disc. The system disc contains all of the programs required to create, update and maintain data files and prepare the necessary accounting reports including a transaction journal, a P & L or income report, an interim or trial balance and a balance sheet.

Up to 255 separate accounts may be defined and a single disc system can hold over 1,400 transactions. This system automatically enhances the monitor screen to a 51 character by 24 line display. 32K of memory is required along with an 80-column printer and one or more disc drives.

This accounting software equals or exceeds higher priced packages for other computers and includes a detailed operating manual.

\$\$ SAVE MONEY ON YOUR \$\$ CASSETTE & DISC SUPPLIES

CASSETTES

We buy cassettes and discs in large quantities for our own use and can pass the savings on to you.

C-10 Cassettes w/labels	.59 ea	10 for \$5.50
Cassette storage box	.25 ea	10 for 2.00

5¼ DISCS

High quality, nationally advertised brand. *Guaranteed Performance!* We will replace any disc that fails during normal use. Discs are single sided, double density, reinforced hub with Tyvek sleeve. \$2.25 each 10 for \$19.95

ROMS

Basic 1.2	\$39.95
Extended 1.1 w/manual	69.95
Disc 1.1	39.95

NEED MORE MEMORY?

64K Memory Expansion Kit

All parts and complete instructions (For 'E' and 'F' boards and CoCo II)
\$59.95

COCO DISC DRIVES

COMPLETE SYSTEMS INCLUDE:

- Hi-Quality Teac Thin Line Drives
- Attractive, Beige Dual Drive Cabinet/Power Supply
- Fill Panel for Single Drive Disc Systems
- Radio Shack or J & M Controller
- Cable and Operating Manual
- Full 90 Day Warranty



Single Drive (SSDD) in Dual Cabinet w/Controller	389.95
Additional Drive	129.95
Two Drives (SSDD) in Dual Cabinet w/Controller	499.95
Single Drive (DSDD) in Dual Cabinet w/Controller	469.95
Additional Drive	209.95
Two Drives (DSDD) in Dual Cabinet w/Controller	669.95
Dual Cabinet/Power Supply	79.95
Disc Controller (Radio Shack or J & M)	139.95
Connecting Cable	24.95
Radio Shack DOS ROM 1.1	39.95

NEW! ZOOKEY

It's Fun!
It's Educational!
It's a great new way to learn typing skills! **Cassette \$24.95 Disc \$27.95**

The combination of exciting game-play action and colorful, hi-res graphics in Zookey make it an outstanding typing tutor. Speed and skill levels are fully adjustable to train the beginner or challenge the most experienced typist.

Stimulating for both youngsters and adults...Ideal for classroom or individual instruction.

NEW! SUPER BUG



Mark Data Products **SUPER BUG** is a powerful, relocatable machine code monitor program for your CoCo. If you are a beginner, the program and documentation are an indispensable training aid, helping you to gain a better understanding of your Color Computer and machine code programming. If you are an accomplished computerist, **SUPER BUG'S** capabilities, versatility and convenience will prove invaluable during programming and debugging.

SUPER BUG offers so many outstanding features that we are unable to list them all in this limited space but here are a few: hex and alpha numeric memory display, modify, search, and test; full printer support with baud rate and line feed select; up to 220 breakpoints; mini object code disassembler; 64K mode setup; decimal, hex and ascii code conversion routines and extensive documentation.

Tap \$29.95

Disc \$32.95

INFORMATIVE BOOKS

"Your Color Computer" by Doug Mosher

Over 300 pages of detailed information...an indispensable introduction to your Color Computer, complete with diagrams, photographs, and a BASIC thesaurus and command reference section. A CoCo encyclopedia. **\$16.95**

"Programming the 6809" by Rodney Zaks


One of the best machine language texts available—required reference material. This book explains how to program the 6809 in machine language, covering all aspects progressively and systematically. **\$15.95**

QUALITY VIDEO MONITORS



SAKATA COLOR SC-100-\$299.95

The SC-100 is a streamlined 13" composite monitor which produces sharp, brilliant colors. The cabinet is made of durable styrene and is available in an attractive off-white color. Includes audio with speaker and earphone jack. We highly recommend this color monitor because of its excellent performance and beautiful styling.




TAXAN AMBER SCREEN-\$149.95

A 12" amber screen composite monitor of the highest quality with exceptional reliability and performance. 18 MHz bandwidth. Attractive off-white cabinet. We use this monitor in our offices.

VIP SOFTWARE

We carry the most asked for softlaw products for your convenience.

SUPER NEW GAMES!



NEW!

TIME FIGHTER

Pilot your MD-64 fighter through a hazardous time tunnel. Your mission is to destroy the dreaded Time Guardian who threatens the natural order of the universe. In order to reach this menace you must fight aerial dangers from strange and different time zones. If you like fast action, this one's for you! 16K required.


Rainbow, March '84 "One of the best in your library of computer games. It's a real gem."

CASSETTE

\$24.95

DISC

\$27.95



NEW!

TUT'S TOMB

Explore the ancient, mystical tomb of the great Pharaoh. Find the magical keys which lead you to unbelievable treasures as you out-manuever the creatures that slither and swarm about you. Super fast arcade action—this one will knock your socks off with 16 screens of incredible color and sound. Fabulous! 32K required.

Hot CoCo, April '84 "State of the art CoCo graphics. A first rate game."

CASSETTE

\$24.95

DISC

\$27.95

Mark Data Products

Using Tables To Assist In Programming

By Joseph Kolar
Rainbow Contributing Editor

You never know where you may find an idea to send you off on a frenzy of programming creativity.

Leafing through a Rumanian grammar book, it was noted that interesting tables were included in each lesson to aid the student in creating a variety of practice sentences, so material covered in the lesson could be reviewed.

The method used, though simple, was filled with possibilities for the budding CoCo enthusiast who wishes to enlarge his educational programming capabilities.

The program we shall develop will be ideal for a foreign student studying English, who desires practice in reading sentences or studying their structure. Surely, you will find other uses this program may suggest.

Now to work! First, a sentence must be created to convert into a table. The basic sentence, in this case, is "I see him opening the door." We expand this to

create many possible sentences (see Table 1).

Here is how it works. Read across from left to right, selecting one word from each column, being careful not to cross any horizontal line. For instance, you might choose "We" from Column 1 and "sees" from Column 2, etc.

Look over the table carefully to make sure the possible sentences are grammatically correct and they are not silly or improbable. A grammatically incorrect sentence would be "Joe see him opening the book." If we substituted "Joe" in place of "George" in Column 3, we could get an unlikely sentence as "Joe sees Joe," etc.

You can readily see that an awful lot of different sentences can be made, choosing one word from each of the six columns to comprise a complete sentence.

Let us beginners see what we can come up with!

We shall begin at Line 100, reserving lines 0-99 for a title and instructions. Key in:

```
100 CLS
```

Referring to our homemade Table 1, we note that we have five words in the

first column. In order to select the five words in a random order to begin our sentence, we must resort to the *RND(x)* function. Key in:

```
110 X=RND(5)
```

We must also send the computer to different program line numbers when 'X' is internally selected.

```
120 ON X GOTO 130,140,150,  
160,170,
```

This line tells CoCo that if *X=1*, *GOTO* program Line 130 where the first word, "I," will be found; if *X=2*, *GOTO* Line 140 where the second word, "We," will be found etc.

Now assign each word in Column 1, a line number in pencil on your homemade table using it as a convenient work sheet. Refer to Column 1, Table 2.

```
130 PRINT "I";GOTO 180
```

We indent two spaces, key in the word to which you assigned the line number and skip a space. After the closing quotation mark add a semicolon to indicate the next word follows

(Joseph Kolar is a free-lance writer and programmer dedicated to proselytizing for computers in general, and the CoCo specifically.)

Falsoft to the Rescue with The Rainbow Bookshelf

Don't take it out on your local bookseller if you've been frustrated by his woeful supply of books on the Color Computer. There just haven't been enough in circulation.

Help is on the way. The same folks who bring you THE RAINBOW are, right now, poring over new manuscripts, considering new concepts, and identifying critical areas of need. There will be fun books, packed with all-new games and informative programs, and books of a more serious nature to help you take full advantage of the Color Computer's capacity.



— **The Rainbow Book of Simulations** is the newest addition to the bookshelf, featuring award winners from THE RAINBOW's very first Simulation contest. You will carve your niche in history as the President of the United States, change the course of the Civil War, be on the hot seat as Chairman of a major U.S. corporation, save a town from flooding, learn sailing maneuvers or engage in a sea battle. Twenty new Simulations — realistic, challenging and fun.

Book \$9.95
Tape \$9.95

— Coming soon is **The Complete Rainbow Guide to OS-9**, by Dale Puckett and Peter Dibble. This comprehensive new publication, packed with programs, demystifies the system through a step-by-step process. Two of the foremost authorities fully explore the incredible potential of this multifaceted new operating system.

Book \$19.95
Tape \$19.95

— Copies are still available of **The Rainbow Book of Adventures**, which includes all 13 winners from THE RAINBOW's first Adventure contest. A sure collector's item, the entries include all the elements of the classic Adventures, including the allure of a tropical island, the zany antics of a mad scientist, smoking dragons, winding hallways, never-ending forests, explosions, traps, tricks, mindbenders, and more.

Book \$7.95
Tape \$7.95

Also in the works are books that will make it easier for you to take advantage of some of CoCo's sophisticated business applications, as well as more books with new Adventures and Simulation games. And a whole lot more!

Keep your library up to date. Order **now!**



I want to start my own Rainbow Bookshelf!

Please send me:	<input type="checkbox"/> The Rainbow Book of Simulations	\$ 9.95	_____
	<input type="checkbox"/> Rainbow Simulations Tape	\$ 9.95	_____
	<input type="checkbox"/> The Complete Rainbow Guide to OS-9	\$19.95	_____
	<input type="checkbox"/> Rainbow Guide to OS-9 Tape	\$19.95	_____
	<input type="checkbox"/> The Rainbow Book of Adventures	\$ 7.95	_____
	<input type="checkbox"/> Rainbow Adventures Tape	\$ 7.95	_____

Add \$1 per book Shipping and Handling in U.S.

Canada and Mexico Add \$2.00

All Other Foreign Add \$4.00

Total _____

Name

Address

City State ZIP

☐ Payment Enclosed ☐ VISA ☐ MasterCard ☐ American Express

Account Number Interbank No. (MC Only)

Signature Card Expiration Date

(Allow 4 weeks for delivery)

Falsoft, Inc.
The Falsoft Building
9529 U.S. Highway 42
P.O. Box 385
Prospect, KY 40059

immediately after. Put a colon to separate units of a multiple statement and add a *GOTO* statement with the location of the next word to follow. Mark "see" Column 2, Table 2 on your work sheet, assigning it Line 180.

```
140 PRINT "WE";GOTO 180
150 PRINT "YOU";GOTO180
```

Note that the words to which you assigned lines 160 and 170 require "sees" instead of "see." In pencil, on your worksheet, assign Line 190 to "sees." Lines 160-170 will be similar in format to lines 130-150, except that they will tell CoCo to *GOTO 190*. Key in lines 160 and 170 at this time.

```
160 PRINT "JOE";GOTO 190
170 PRINT "OLIMPIA";
GOTO 190
Add the following lines:
180 PRINT"SEE";GOTO500
190 PRINT"SEES";GOTO500
500 GOTO 500
```

Note: Do not insert a space in front of either "see" in Line 180 or "sees" in Line 190. This space between the first and second words was taken care of by putting the space after each of the five words in lines 130-170.

At this point, check to see if all is well. *RUN* repeatedly until all five words in Column 1 appear randomly on the screen with their appropriate word from the second column. Correct any boo-boos! Do not consult Listing 1 because it is the final program and somewhat different from the work in progress.

When you are satisfied with your work, above the third column, pencil in 200 *RND(5)*. This reserves a line for *RND*. Assign to the five words in this column the next five line numbers.

EDIT lines 180 and 190 to *GOTO 200* instead of 500. The *GOTO 500* was just temporary to allow us to check our work. It is not necessary to direct Line 190 with *GOTO200* because CoCo knows it is the next line in the listing. Add it anyway to make the listing easier to follow.

```
200 X=RND(5)
```

Since we have five words in the third column, we shall make a multiple statement by adding to Line 200 :*ON X GOTO 210,220,230,240,250*. Did you remember to assign the five words in the third column, lines 210-250? Key

1	2	3	4	5	6
I		HIM			DOOR.
WE	SEE	HER		A	WINDOW.
YOU		THEM	OPENING	THE	BOOK.
JOE	SEES	GEORGE	SHUTTING		DICTIONARY.
OLIMPIA		DIANA			

TABLE 1

1	2	3	4	5	6
110 RND(5) 120		200 RND(5)	260 RND(2)	290 RND(2)	320 RND(4)
130 I		210 HIM			330 DOOR.
140 WE	180 SEE	220 HER		300 A	340 WINDOW
150 YOU		230 THEM	270 OPENING	310 THE	350 BOOK.
160 JOE	190 SEES	240 GEORGE	280 SHUTTING		360 DICTIONARY
170 OLIMPIA		250 DIANA			

370

TABLE 2

in lines 210-250 and add *GOTO500* to each of lines 210-250 as a temporary aid so we can check out our work.

RUN and check the spelling, and make sure there is just one space between the second and third words. If the third word does not follow the second properly, but falls on the next line, you may have omitted the semi-colon in lines 180 or 190. If you have two spaces instead of one, check to see if you put a space after the opening quotation mark in any of lines 210-250.

When you are ready to proceed, on your worksheet above Column 4 write 260 *X=RND(2)* because there are only two choices in this column. Assign 270 and 280 to the two words in Column 4.

EDIT lines 210-250, changing 500 to 260. Make a multiple line statement in Line 260 as you had done in Line 200.

```
260X=RND(2):ON X GOTO 270,280
```

```
270 PRINT"OPENING ";
GOTO 500
280 PRINT"SHUTTING ";
GOTO 500
```

RUN and check for mistakes as previously explained. If all is well, drop the sentence to the middle of the screen with either of the Line 105s listed:

```
105 PRINT:PRINT:PRINT:
PRINT:PRINT:PRINT
```

```
105 FOR I=1 TO 6:PRINT:NEXT
```

RUN and *BREAK* repeatedly; notice that the length of the sentences in progress will vary.

"Olimpia sees George opening" has only two spaces left at the right margin. This indicates the rest of the sentence must be placed on the next screen line.

EDIT lines 270-280 so they read:

```
270 PRINT"OPENING":GOTO290
280 PRINT"SHUTTING":GOTO290
```


Since these two words will be the last on the first screen line, notice that a space is not required after the word or a semicolon, because no more words will follow. However, since we will locate the second line using *PRINT@*, you could leave the space and semicolon in and they would be harmless.

By now you know what to write in pencil above the fifth column, and what line numbers to assign the two words. Refer to Table 2, if in doubt.

```
290 XRND(2):ON X GOTO 300,310
300 PRINT25,"A ";GOTO500
310 PRINT@224,"THE ";
GOTO500
```

We used *PRINT@* to locate the first character one space in from the left margin. Note the two variant ways to do this.

At this point, put in the appropriate information above and in Column 6. Again, refer to Table 2, if in doubt.

EDIT lines 300-310 by changing 500 to 320.

```
320 X=RND(4):ON X GOTO 330,340,
350,360
```

Write 370 below the lower right-hand corner of Table 2 to indicate the line number that takes us out of the table.

```
330 PRINT"DOOR.":GOTO370
```

Key in lines 340-360 making sure you use a period for proper punctuation. Do not use a semicolon.

```
370 GOTO 370
```

Delete line 500. *RUN* and correct any errors. Notice that the shorter sentences are off-center tending toward the left. You can compensate for this to some degree by editing lines 130 and 140. Insert four additional spaces between the first quotation mark and the first letter. This should result in six spaces in those two lines. The words in lines 150-160 are a bit longer so just insert three spaces to make a total of five spaces between the opening quotation mark and the first character. Finally, insert one space in Line 170 to make it a total of three spaces.

RUN and check it out. Not perfect, but good enough for us beginners.

Rewrite Line 370.

```
370 A$=INKEY$:IF A$="G"THEN
CLS:GOTO 100 ELSE 370.
```

We told CoCo to leave the sentence displayed on the screen until the 'G' key is pressed, at which point to clear the screen; choose and display the next sentence.

You are left to your own devices to create a title. It may be better to wait until next month as we plan to delve further into this programming area. Save this program on tape.

A sample instruction was created in lines 50-60 in Listing 1. Since there is only one sentence displayed, an ending panel would be a waste of time. Just turn off CoCo when you are finished running through the sentences.

The beginner programmer has one tremendous advantage over the professional. Usually, the beginner has a specific person/persons in mind when he creates a program. With a little thought, he can generally personalize his program by inserting personal names to become an integral part of the program. Note in Column 1, Table

Mouse Technological Software For The Color Computer!

*Many Companies call their
Home and Business Software
User Friendly . . .*

ONLY ONE CALLS IT

Child's Play™

COMING
SOON!



Send for
FREE Catalog

TCE BUSINESS DIVISION
P.O. BOX 2477
GAITHERSBURG, MD 20879
1-(301) 963-3848



I, instead of using "he" or "she," I use my name and a friend's name for whom the program was designed. Note, also, the two names used in Column 3, Table 1. Again, people who might use the program.

Everybody is fascinated to see their names pop up on the screen. This inducement adds to their interest, costs nothing and generates good will. So, consider substituting the personal names in the program with those of

yourself and friends. Be careful to use names with eight or less characters. Otherwise, you will have to adjust the first word in the sentence to avoid splitting words between lines! More on this next month.

Listing 1

```

0 'LISTING1
50 CLS(0): PRINT@128," TO STUDY
THE SENTENCES IN THISPROGRAM, P
RESS THE <G> KEY. RE-PEAT THIS
PROCEDURE UNTIL YOU ARE FINISH
ED WITH THE TABLE."
60 PRINT:INPUT " PRESS
<ENTER>";OA
100 CLS
105 FOR I=1 TO 6:PRINT:NEXT
110 X=RND(5)
120 ON X GOTO130,140,150,160,170
130 PRINT" I ";GOTO180
140 PRINT" WE ";GOTO180
150 PRINT" YOU ";GOTO180
160 PRINT" JOE ";GOTO190
170 PRINT" OLIMPIA ";GOTO190
180 PRINT"SEE ";GOTO200
190 PRINT"SEES ";GOTO200
200 X=RND(5):ON X GOTO210,220,23
0,240,250
210 PRINT"HIM ";GOTO260
220 PRINT"HER ";GOTO260
230 PRINT"THEM ";GOTO260
240 PRINT"GEORGE ";GOTO260
250 PRINT"DIANA ";GOTO260
260 X=RND(2):ON X GOTO270,280
270 PRINT"OPENING":GOTO290
280 PRINT"SHUTTING":GOTO290
290 X=RND(2):ON X GOTO 300,310
300 PRINT@225,"A ";GOTO320
310 PRINT@224," THE ";GOTO320
320 X=RND(4): ON X GOTO330, 340,
350,360
330 PRINT"DOOR.":GOTO370
340 PRINT"WINDOW.":GOTO370

```

```

350 PRINT"BOOK.":GOTO370
360 PRINT"DICTIONARY.":GOTO370
370 A$=INKEY$: IF A$="G" THEN CL
S:GOTO100 ELSE370

```

Listing 2

```

0 '***ALT2 THE DISPLAY WILL P
AUSE FOR ABOUT 10 SECONDS. YOU
CAN GUESS WHAT THE DESIGN WILL B
E.
2 '***THE SOUND WILL BEEP 20
TIMES. IF YOU NEED MORE TIME,
YOU MUST PRESS <SHIFT><@> TO
HOLD THE DISPLAY. WHEN READY TO
CONTINUE, PRESS ANY KEY.
3 '***IT TAKES ABOUT 4-5 MINUTES
TO DRAW THE DESIGN, SO BE A LIT-
TLE PATIENT!
30 PMODE3:PCLS:PMODE4
40 A=128:B=92:R=70:F=2.3
50 DIMS(2)
60 DRAW"BM0,0BF2L2D2R2D2R2U2R2U2
L2U2L2D2"
70 GET(0,0)-(6,6),S,G
80 PCLS:SCREEN1,1
175 FOR D=10 TO 10
180 FOR Z=1 TO 755 STEP 2:C=Z
190 C=90+C*P/SQR(D)/SQR(D)
195 K=90+C*P*180
200 X=INT(A+R*COS(K)):Y=INT(B+R*
SIN(C))
210 PUT(X,Y)-(X+7,Y+5),S,PSET
240 IF Z=101 THEN FORQ=1 TO 20:S
OUND50,4:NEXT
250 NEXT Z,D
255 PLAY"O3L8FAFL16FAFECFL8FAFEC
EL4ECCP2"
260 GOTO260

```

OS-9 USERS

ELIMINATE DISK HANDLING

Patch for OS-9 single disk operation for
CoCo's with ROM 1.0
Easy, Quick Patch

Send \$9.95 to:

Multi
Venture

Multi-Venture
P.O. Box 6157
Alderwood Manor, Wa.
98036


Postage & Handling included.

No Refunds



FLORIDA SEARCH NO LONGER!

The Software Connection of
Fort Lauderdale is your one stop source
for your Color Computer Software,
Peripherals, Books, Magazines & Repairs



THE SOFTWARE CONNECTION, INC.

4301 N. State Rd. 7
Lauderdale Lakes, FL 33319
(305) 484-7547



PRICKLY-PEAR SOFTWARE

QUALITY PROGRAMS FOR YOUR COCO & TDP-100

PROGRAMS REQUIRE 16K EXTENDED BASIC FOR TAPE, AND 32K DISK UNLESS OTHERWISE NOTED.

GREAT!!! 32K VIKING II — The most popular simulation of all time was **Viking!**, by Bill Nolan, and now here is the long awaited **VIKING II**. This great program, by the original author, is twice as long and lots more fun. See if you have what it takes to become King or Queen in ancient Norseland, and along the way, see why **VIKING!** clubs were formed all over the USA to play the first **VIKING!**. Tape - **\$24.95** Disk **\$29.95**

ADVENTURE IN WONDERLAND — This 32K machine language adventure was THE most popular program for five months. If you don't have it, you have missed the best adventure experience available on your computer. Tape - **\$24.95** Disk - **\$29.95**

COLOR DISK TRIVIA — A great game for 1 to 4 players, this game has been a sensation since it was introduced. It became our #1 program in less than a week, and for good reason. This trivia game has 1100 questions in 5 categories — a FULL disk. It is really fun and challenging to play, and you can develop your own question disks easily with the included software. This program is already in use in many schools, but if you just like trivia, you will be interested to know that we have additional question disks available with 1100 questions on each one. We have a disk of Bible questions, sports questions, entertainment questions, and questions for children (8-15). The game, with 1100 questions and the question development program is **\$29.95**. The additional question disks are **\$19.95 each**.

GRAVITOR — A new machine language arcade game for the Coco that needs only 16K of **RAM**, and yet gives you 16 levels of play, 10 high-res playing screens in color, multiple voice music, and a practice mode. Fly from planet to planet (each one different), and see if you can destroy the enemy bases, or challenge the twisting passage to the reactor on the death base. No joysticks needed. **AWESOME!!** Tape - **\$24.95** Disk - **\$29.95**

THE COMPLEAT ENCHANTER — A 100% **GRAPHICS ADVENTURE** with a ton of rooms and lots of options. Can you fight your way in and defeat the dungeon lord Asmodeus? Even the fights are in high-res graphics. Needs 32K. Tape **\$24.95** Disk - **\$29.95**

BONANZA PACK FOR FANTASY GAMERS — Bill Nolan, the author of the Dragon's Byte column, brings you over 100K of fantasy gaming programs on a single disk. These are not games. They are useful computer programs for anyone who plays fantasy games. With instructions. 32K disk only. **\$29.95**

COLORKIT — This program has been in our top five for over a year. It is the ultimate programmer's utility, giving you a full screen editor, keyclick, 35 new commands, programmable keys, and lots more. There are other programmer's utilities on the market, but all are sad imitations of the original **COLORKIT**. You know what they say — "Accept no substitutes." Tape **\$34.95** Disk **\$39.95**

STATISTICS — STATISTICS — STATISTICS — STATISTICS — STATISTICS — STATISTICS — STATISTICS

LIZPAC — If you have a need to do statistical analysis, this is the program you have been waiting for. The only statistics package that comes close needs \$3,000 worth of computer to run, costs \$1995 for the software, and this one is better! **LIZPAC** is 850K of programming, filling 7 disks, and comes with a manual that is nearly 200 8½ by 11 pages long in a quality binder. It will do anything you need to do in statistics (including graphic display). In its manual, the list of features and functions is **FIVE PAGES** long, while the list of included programs is **THREE PAGES** long. Call for specific information. The package is friendly to use, and requires no specialized computer knowledge. 32K disk - **\$195.00**

FLIGHT PLAN — FLIGHT PLAN — FLIGHT PLAN — FLIGHT PLAN — FLIGHT PLAN — FLIGHT PLAN

AIRNAV — A COMPLETE PROFESSIONAL FLIGHT PLANNER — **AIRNAV** is powerful and user friendly disk based flight planner for your Color Computer. This package was developed by a Commercial Airline pilot, and was checked against his airline's official flight plans for accuracy. In two minutes this program will produce a flight plan on your screen or printer that would take two hours to duplicate.

The disk for **AIRNAV** is packed with information on over 1,400 VOR stations or nav aids, and over 1,000 airports within the continental United States and Hawaii, including civilian airports, Air Force, and Navy bases. You can easily add nav aids and airports if you wish, and you can delete or modify the information to keep it up to date. You can also save your 10 most used routes. This quality program is for disk systems only, and is shipped with full documentation in a quality binder. If you fly, you need **AIRNAV**. **\$99.95**

1-800-223-5369 EXTENSION 256

Send for our free Catalog of 50 Great Programs for your CoCo

POLICY ON PROTECTION

We believe our customers are honest — all of our software can be backed up using standard backup procedures.

Dealer and author inquiries are always welcome. Canadian dealers should contact Kelly Software Distributors, Ltd., P.O. Box 11932, Edmonton, Alberta T5J-3L1 (403) 421-8003

Stocked by Quality Dealers, or

Send Order To: **PRICKLY-PEAR SOFTWARE**

2640 N. Conestoga Ave.
Tucson, Arizona 85749
(602) 749-2864



Your Personal check is welcome - no delay. Include \$1.50 shipping for each program ordered. (Shipping free on \$50.00 or larger orders). AZ residents add 7% sales tax. Orders shipped within two days.

Relief for type-weary fingers

FILECOPY — A Handy OS-9 Utility

By Gerry Schechter

If you have a disk system, you know what a hassle it can be when you want to copy several files from one disk to another. All that typing in of the `COPY` command can really wear your poor fingers to the bone. With OS-9 and its multilevel directories, the problem is even worse. For example, to copy just one file, you would have to enter the following: `COPY /DO/CMDS/FORMAT/DI/NEWCMD/FORMAT`. Needless to say, if you have a dozen or so files to copy, it could take quite a while.

I decided my computer should do most of the work for me, so I set out to write a BASIC09 program to take care of all that typing. This in itself was an experience, since I had never written a BASIC09 program before. With my trusty manual in hand, I came up with *FILECOPY*.

FILECOPY, as its name suggests, is a utility program that will copy files from one disk to another. Using it is very simple. All you have to do is to enter the input pathname, such as `/DO/CMDS`, and the output pathname, such

(Gerry Schechter has over 12 years of data processing experience. He is currently employed by the Mercy College where he is the manager of technical services. His hobbies include writing software for the Color Computer.)

as `/DI/NEWCMD/`. The program will then take care of the rest by prompting you to see which files you want to copy. Any time it asks you a question, you merely enter a 'Y' for yes, or anything else for no. The way it works is quite interesting, and it shows off some of the powers of OS-9 and BASIC09.

It starts off by creating a file of the input pathname. It does this by redirecting the output from the `DIR` command to a disk file. This file is then read and the filenames are extracted from it.

Making liberal use of the *ON ERROR* statement, the program will also determine if the file already exists in the output pathname. If it does, it asks you if you would like to rewrite the file. The program will also let you know if you try to copy a directory, or if you have no more room left on the disk.

As with any computer program, *FILECOPY* could be enhanced some. The first thing that comes to mind is to have it run itself recursively in order to copy a directory along with some or all of its files.

I hope this program will encourage you to delve deeper into the marvelous OS-9 operating system. For those of you who really hate typing, I would be happy to send you a copy of the program for only \$1, if you send a blank disk and SASE to: 75 Midland Terrace, Yonkers, NY 10704.

FULL GRAPHIC CAPABILITIES !! VIZIDRAW 1.0

BY GEORGE ZIRIENICZ AUTHOR OF COLOR TOOLKIT



Interactive Drawing Board
Graphic Display Processor
Text Manipulation
Versatile Text Sizes/Fonts
Italics Underline Bold


Small, Normal Size or **ENLARGED !**

448 X 480 PIXEL WORKSHEET !

You can design a whole sheet
of paper in the COCO's memory!
NO MORE SMALL PICTURES!!

THE POWER OF 'MACPAINT' AT A COCO PRICE !

13 STANDARD FONT SETS INCLUDED !!
(3x5, 4x7, 5x7, 7x9, Daisy, Venice,
English, Frontier, Hollow, Future,
Digital 1 and Digital 2)



PRINTERS: RS (LP VII FORMAT, EPSON,
C-10TH 8510, GEMINI 10 & 10X)

TAPE or DISK \$49.95
please specify + \$2.00 POSTAGE
(DEALER INQUIRIES WELCOME)



See You At
RAINBOWfest
Irvine

VIDX VIDEO DIGITIZER

NO DISK DRIVES NEEDED !!
NO Y-CABLES or MULTIPACKS!

Yes, that's right you don't
need any of the above to run
VIDX. VIDX can be run with a
simple 16K E.C.B. TAPE MACHINE
up to a 64K DISK SYSTEM!!

Just connect VIDX between the video
source and the RS-232 port of your
Color Computer. You can digitize any
source of video such as off air TV,
video tape recorder or live camera!
Software is supplied on a RS-DOS DISK
or cassette (not protected!).

Please specify system you plan to use
THE SOFTWARE FEATURES:

- 1 SINGLE/ MULTIPLE EXPOSURES
- 1 ABORT OR RESUME SCAN
- 1 LOGICAL 'AND' SCREEN 2 AND 1
- 1 FRAME PICTURE
- 1 READ/WRITE TO GRAPHICOM,
RS-DOS DISK OR CASSETTE

VIDX-1 - \$99.95 DIG.&SOFT.

VIDX-2 - \$124.95 DIG.&SOFT.

W/ 2 PORT RS-232 SWITCHER

PLUS \$3.00 POSTAGE

GRAFX-MONTHLY GRAPHICS DISK

A MONTHLY COLLECTION OF ARTS
SEASONAL MOTIFS AND HUMOR WITH
MUSIC! JUST INSERT INTO DRIVE!

SPECIAL NEW PRICE \$75.00

YEAR'S SUBSCRIPTION

3 MONTH TRIAL ONLY \$25.00

SAMPLE DISK \$10.00

TO ORDER SEND YOUR CHECK OR M.O. TO:

GRAFX
P. O. BOX 254
WEST HIFFLIN, PA 15122-0254

VOICE LINE (412) 466-6974 (6-9PM)
24 HR BBS- COCONET (412) 744-2335- 300/1200BAUD
- YOU CAN DOWNLOAD DIGITIZED PIX -

THIS COMPLETE AD PREPARED BY VIZIDRAW WITH NO
CUTS OR PASTES!--COLOR COMPUTER BY TANDY CORP.
MACPAINT ON APPLE COMPUTERS

The listing:

```

PROCEDURE FILECOPY
REM FILE COPY UTILITY V1.0
REM GERRY SCHECHTER
REM 75 MIDLAND TERRACE
REM YONKERS, NY 10704
REM MARCH 1984
REM -----
DIM INPATH,OUTPATH,FNAME,FILENAME:STRING[24]
DIM ERRNO,DISK,XX:INTEGER
DIM INDATA:STRING[80]
DIM YESNO:STRING[1]
DIM SD:STRING[3]
DIM FIRST:BOOLEAN
FIRST:=TRUE
ON ERROR GOTO 160
PRINT CHR$(12);
PRINT "  ** FILE COPY UTILITY **"
PRINT
PRINT "DO YOU HAVE MORE THAN"
INPUT "ONE DISK DRIVE ? ",YESNO
IF YESNO="Y" THEN
SD=""
ELSE
SD=" -S"
ENDIF
PRINT
INPUT "ENTER INPUT PATH:",INPATH
PRINT
INPUT "ENTER OUTPUT PATH:",OUTPATH
PRINT
PRINT "ONE MOMENT PLEASE.."
PRINT
PRINT "LOADING COPY COMMAND."
SHELL "/DO/CHDS/LOAD /DO/CHDS/COPY"
PRINT "CREATING DIRECTORY FILE."
100 SHELL "/DO/CHDS/DIR "+INPATH+" >/DO/FILECOPY.DIR"
FIRST:=FALSE
OPEN #DISK,"/DO/FILECOPY.DIR":READ
READ #DISK,INDATA
PRINT CHR$(12)
PRINT "FILE COPY FROM:",INPATH
PRINT "          TO:",OUTPATH
PRINT
110 READ #DISK,INDATA
IF EOF(#DISK) THEN
GOTO 150
ENDIF
FNAME=""
FOR XX=1 TO LEN(INDATA)
IF MID$(INDATA,XX,1)=" " THEN
FILENAME=FNAME
GOSUB 120
ELSE
FNAME=FNAME+MID$(INDATA,XX,1)
ENDIF

```

```

NEXT XX
GOTO 110
120 PRINT "COPY "+FILENAME+" ";
INPUT YESNO
IF YESNO="Y" THEN
130 SHELL "COPY #BK "+INPATH+"/"+FILENAME+" "+OUTPATH+"/"+FILENAME
+SD
ENDIF
140 WHILE MID$(INDATA,XX,1)=" " DO
XX=XX+1
ENDWHILE
XX=XX-1
FNAME=""
RETURN
150 CLOSE #DISK
PRINT
PRINT "PROCEDURE CONCLUDED."
PRINT
END
160 ERRNO:=ERR
IF ERRNO=218 THEN
IF FIRST THEN
PRINT "DELETING OLD DIRECTORY FILE."
DELETE "/DO/FILECOPY.DIR"
GOTO 100
ELSE
PRINT FILENAME+" ALREADY EXISTS"
INPUT "DO YOU WISH TO REWRITE IT ? ",YESNO
IF YESNO="Y" THEN
SHELL "/DO/CHDS/DEL "+OUTPATH+"/"+FILENAME
GOTO 130
ELSE
GOTO 140
ENDIF
ENDIF
IF ERRNO=215 OR ERRNO=216 THEN
PRINT
PRINT "PATH NOT FOUND!"
PRINT
END
ENDIF
IF ERRNO=214 THEN
PRINT "CANNOT COPY "+FILENAME
PRINT "IT IS A DIRECTORY."
GOTO 140
ENDIF
IF ERRNO=248 THEN
PRINT "DISK IS FULL!"
PRINT "PROCEDURE ABORTED."
END
ENDIF
PRINT
END "OS9 ERROR # "; ERRNO; " HAS OCCURRED!"

```


RAINBOW Info

How To Read Rainbow

Please note that all the BASIC program listings you will find in THE RAINBOW are formatted for a 32-character screen — so they will show up just as they do on your CoCo screen. One easy way to check on the accuracy of your typing is to compare what character “goes under” what. If the characters match — and your line endings come out the same — you have a pretty good way of knowing that your typing is accurate.

We also have “key boxes” to show you the *minimum* system a program needs. But, *do* read the text before you start typing.

Finally, the little cassette symbol on listings indicates that program is available through our RAINBOW ON TAPE service. An order form for this service is on the insert card bound in the magazine.


What's A CoCo

CoCo is an affectionate name which was first given to the TRS-80 Color Computer by its many fans, users and owners. As such, it is almost a generic term for three computers, all of which are very much alike.

When we use the term CoCo, we refer to the TRS-80 Color Computer, the TDP System-100 Computer and the Dragon-32 Computer. It is easier than using the three “given” names throughout THE RAINBOW.

In most cases, when a specific computer is mentioned, the application is for that specific computer. However, since the TDP System-100 and TRS-80 Color are, for all purposes, the same computer in a different case, these terms are almost always interchangeable.

The Rainbow Check Plus



The small boxes that you see accompanying programs in the THE RAINBOW are the “Check system,” which is designed to help you type in programs accurately.

Rainbow Check PLUS will count the number and values of characters you type in. You can then compare the number you get to those printed in THE RAINBOW. On longer programs, some benchmark lines are given. When you

reach the end of one of those lines with your typing, simply check to see if the numbers match.

To use the *Rainbow Check PLUS*, type in the program and *CSAVE* it for later use, then type in the command *RUN* and press ENTER. Once the program has run, type *NEW* ENTER to remove it from the area where the program you're typing in will go.

Now, whenever you press the down arrow key, your CoCo will give you the checksum based on the length and content of the program in memory. This is to check against the numbers printed in THE RAINBOW. If your number is different, check the listing carefully to be sure that you typed in the correct BASIC program code. For more details on this helpful utility, refer to H. Allen Curtis' article on Page 21 of the February 1984 RAINBOW.

Since *Rainbow Check PLUS* counts spaces and punctuation, be sure to type in the listing exactly the way it's given in the magazine.

```
10 CLS:X=256*PEEK(35)+178
20 CLEAR 25,X-1
30 X=256*PEEK(35)+178
40 FOR Z=X TO X+77
50 READ Y:W=W+Y:PRINT Z,Y;W
60 POKE Z,Y:NEXT
70 IF W=7985 THEN 80 ELSE PRINT
  "DATA ERROR":STOP
80 EXEC X:END
90 DATA 182, 1, 106, 167, 140, 60, 134
100 DATA 126, 183, 1, 106, 190, 1, 107
110 DATA 175, 140, 50, 48, 140, 4, 191
120 DATA 1, 107, 57, 129, 10, 38, 38
130 DATA 52, 22, 79, 158, 25, 230, 129
140 DATA 39, 12, 171, 128, 171, 128
150 DATA 230, 132, 38, 250, 48, 1, 32
160 DATA 240, 183, 2, 222, 48, 140, 14
170 DATA 159, 166, 166, 132, 28, 254
180 DATA 189, 173, 198, 53, 22, 126, 0
190 DATA 0, 135, 255, 134, 40, 55
200 DATA 51, 52, 41, 0
```

Using Machine Language

Machine Language programs are one of the features of THE RAINBOW. There are a number of ways to “get” these programs into memory so that you can operate them.

The easiest way is by using an Editor-Assembler, a program you can purchase from a number of sources.

An editor-assembler allows you to enter mnemonics into your CoCo and then have the editor-assembler assemble them into specific instructions that are understood by the 6809 chip that controls your computer.

When you use an editor-assembler, all you have to do, essentially, is copy the relevant instructions from THE RAINBOW's listing into CoCo.

Another method of getting an assembly language listing into CoCo is called “hand assembly.” As the name implies, you do the assembly by hand. This can *sometimes* cause problems when you have to set up an ORIGIN statement or an EQUATE. In short, you have to know something about assembly to hand assemble some programs.

Use the following program if you wish to hand assemble machine language listings:

```
10 CLEAR200,&H3F00:1=&H3F80
20 PRINT "ADDRESS:";HEX$(1);
30 INPUT "BYTE";B$
40 POKE I,VAL("&H"+B$)
50 I=I+1:GOTO 20
```

This program assumes you have a 16K CoCo. If you have 32K, change the &H3F00 in Line 10 to &H7F00.

The Rainbow Seal



The Rainbow Certification Seal is our way of helping you, the consumer. The purpose of the Seal is to certify to you that any product which carries the Seal has been physically seen by us and that it does, indeed, exist.

Manufacturers of products — hardware, software and firmware — are encouraged by us to submit their products to THE RAINBOW for certification. We ascertain that their products are, in actuality, what they purport to be and, upon such determination, award a Seal. This lets you know that we have seen the product and that it does, indeed, exist.

The Seal, however, is not a “guarantee of satisfaction.” The certification process is different from the review process. You are encouraged to read our reviews to determine whether the product is right for your needs.

There is absolutely no relationship between advertising in THE RAINBOW and the certification process. Certification is open and available to any product pertaining to CoCo. A Seal will be awarded to *any* commercial product, regardless of whether the firm advertises or not.

We will appreciate knowing of instances of violation of Seal use.

Different Sights and Sounds With Graphics Bazaar

By Paul Vernon Miller

Here's a program in which you have to do absolutely nothing except type *RUN* and press *ENTER*! *Graphics Bazaar* is a BASIC program requiring a 16K Extended CoCo. It consists of three graphics screens, each running for five cycles and changing according to the value in the *FOR...NEXT* loop in Line 5.

The basic premise running throughout the whole program is the switching of the on screen design between different *PMODEs* and *SCREENs* while playing a series of sounds (lines 13, 24

through 26, and 31 through 33). Each of the three screens uses the 'pattern *POKE*' at one time or another, which creates some interesting effects when using this switching routine. The program uses a *BREAK* key disable (Line 3) and a speedup *POKE* (Line 2) to help the sound and graphics flow more smoothly. Most of the sounds in the program are contained in string statements (lines 34 through 45). These sounds were contrived through a great deal of experimentation with the *PLAY* command. Some of these sound strings use the effective volume controls, *V+*; and *V-*, to increase or decrease the volume.

Screen one can start from either side of the screen, depending on what happens in the random statement in Line 6. Screen one (basically Line 9) alternates between *PMODEs* 1, 3, and 4, creating


a series of mirages and bright flashes. It also employs a 'Box Subroutine', which does nothing more than add a 'B' to both *LINE* statements and uses the 'pattern *POKE*' to paint around these boxes, creating bright colors in *PMODE4*.

The idea behind the circular line patterns in screen two and three was borrowed from the ECB manual. A little knowledge of trigonometry is required to understand the 'hows' and 'whys' of this technique (lines 18 and 29 through 30), but even if you don't understand the reason behind it, you can still experiment to gain the desired results.

The program will continually renew the global loop in Line 5 and run forever, so just push the Reset button to exit the program. I hope you enjoy *Graphics Bazaar*. Happy computing.

(Paul Vernon Miller is attending Brigham Young University. He enjoys computer programming as a hobby, and plans to major in electrical or mechanical engineering.)

The listing:




9.....	251
18.....	28
24.....	28
36.....	72
40.....	183
END	255

```
0 ' GRAPHICS BAZAAR
1 ' TITLE SCREEN
2 POKE65495,0:CLS:GOSUB35:DIMR(1
6):K=178:PRINT@101,"GRAPHICS":PR
INT@169,"BAZAAR":PRINT@239,"BY":
PRINT@306,"PAUL":PRINT@373,"MILL
ER":PLAY"T255L255V104":FORX=1TO3
```

```
0:PLAY"V+;ADBEADBE":NEXTX:FORX=1
TO30:PLAY"V-;GFGFEFEF":NEXT
3 PRINT:FORX=1TO15:PLAY"V+;04ABC
DEFGFEDCBV+;CDEABFCD":PRINT:NEX
TX:POKE248,50:POKE249,98:POKE250
,28:POKE251,175:POKE252,126:POKE
253,173:POKE254,165:POKE410,126:
POKE411,0:POKE412,248
4 ' SCREEN 1
5 FORQ=1TO5:X=RND(-TIMER):PLAY"V
4":PMODE4,1:PCLS:SCREEN1,1:IFQ=2
ORQ=5THENM=3ELSEIFQ=4THENM=1ELSE
M=4
6 R=RND(0):IFR>.5THENX=4:Y=196:Z
=4ELSEX=196:Y=4:Z=-4
```


New From Saguaro Software!



EAGLE

A graphic-enhanced lunar lander simulator. The pilot breaks out of lunar orbit and attempts a soft landing on the lunar surface. Joysticks control thrust and craft altitude and information is continually displayed on horizontal and vertical velocities, acceleration values, vertical and horizontal distances from target, fuel consumption and much more. On advanced levels, problems such as fuel leaks and computer screen failures can provide hair-raising final approaches. Disk version allows choice of landing site between Mars and Earth's moon. Takeoffs from the surface can be made and the upper stage placed back in orbit. The simulation is as educational as it is fun and exciting. A great tool for that future astronaut or physicist. 32K, 2 joysticks required. Available in tape or an enhanced disk version.

Tape - \$24.95 Disk or Amdek - \$29.95

SKETCHPAD

Sketchpad is a graphics drawing program designed to provide the computer hobbyist with easy manipulation of the powerful graphics capabilities of the Coco. Advanced programmers can design graphics screens and characters for Basic and ML programs and games. Sketchpad was used to create the graphics for "Eagle."

Two joysticks control cursors that provide endpoints and boundaries for lines, boxes, circles, ellipses and painting. Point-to-point drawstrings may be plotted on the screen and then rotated, enlarged or shrunk, moved or inverted. Patterns may be programmed in easily to create dazzling illusions using lines, boxes, circles, ellipses and drawstrings. Sketchpad supports all PMODES and color sets and gives false colors in Pmodes 1 and 4. Text and graphics can be combined on high-resolution screens. All pictures and drawstrings can be saved to disk for future use. 32K, 2 joysticks required. Disk only. \$29.95.

TDIR

Tape Directory

TDIR is a menu-driven, user-friendly tape directory program. When installed and maintained on your cassette tapes, it allows complete directory control of your tapes. This means you will no longer need to go through a complete tape to discover that the program you wanted is on another tape.

TDIR also eliminates the drudgery of trying to remember tape position settings, or program names. All this, and more, is controlled by TDIR. 16K tape. \$24.95.

MAYCODE

Disassembler For The TRS-80™ Color Computer

A 6809 disassembler. It will read Object Codes from memory and convert them to standard 6809 assembly language mnemonics, which can be disassembled to the screen, printer, cassette, or disk. When output is to tape or disk, the source code can then be loaded into EDTASM for modification, even changing the origin address. 16K min., 32K recommended. Tape, \$24.95. Disk or Amdek, \$29.95.

TESTMAKER

The TESTMAKER series is a menu-driven, user-friendly system of programs. These programs are internally linked, meaning that once you have begun, the program will automatically control the operation of the system.

TESTMAKER will allow the user to create both multiple choice and true-false tests. These tests may be run on the screen for an immediate test of the student or they may be printed and passed out to the class for a more standard exam.

TESTMAKER also has the feature of allowing an unlimited number of files with an unlimited file length. This means that the educator may create tests weeks, months, or years ahead and keep them on file until needed. This also means that each test may have as many questions as the educator wishes. 32K disk. \$29.95.

The

Digestive System

An educational quiz game for 2 players covering different areas of the human digestive system. Each question is assigned a point value relative to its difficulty. A fun way to learn about a serious subject. 16K.

The

Circulatory System

Using the same format as "The Digestive System," this program covers the heart, lungs, veins, arteries, blood, etc. 16K.

BOTH ONLY:

Tape - \$19.95 Disk or Amdek - \$24.95

ALPHACOPY

The Disk Organizer

An alphabetized disk directory is great, but if that should crash it doesn't help tell you where the programs are. ALPHACOPY will write the programs in alphabetical order. Each program will be written on the same or consecutive sectors, making rebuilding of the disk much easier than the other currently available "zapping" utilities. 32K disk. Disk or Amdek, \$24.95.


OTHXO	24.95
Co-Co Keno	24.95
Ultimate Bingo/Jackpot	19.95
Confusion	19.95
Kidstuff	19.95
Stars of Amer./Civil War	19.95
History - 1863 to 1976	19.95
Treasure Hunt - Disk Only	29.95
Raid On Burdanovka	24.95
Search For The Llength	24.95
Do Or Die	24.95

Add \$5.00 For Disk or Amdek

Worlds Of Flight	23.75
Sailor Man	23.75
To Preserve Quandic - Disk	29.75
Gravitor	18.75
Compleat Enchanter	18.75
Lizpack Stat. Anal. - 8 Disks	145.00
Telepatch 64K	11.75
Demon+ 64K	26.75
Rainbow Screen Machine	22.75
Super Screen Machine	33.75
FILMASTR	23.75

Add \$3.00 For Disk, \$6.00 For Amdek

Hardware, Too!




Amdek Dual 3" Disk Drive

\$350

Includes Box Of Diskettes
And Drive Cables

**If You Can Find A Better
Advertised Price, Show Us...
We'll Beat It!**

New!



Amdek Color Monitors
Color 300 • Color 500

**Call For
Lowest Prices
Anywhere!**

This Month's Special!

Amdek 3" Diskettes

10 \$25 Reg. \$35
For

Good Through March 15, 1985
Limit 3 Boxes • While Supply Lasts

**We Have
Gift Certificates!
In Any Amount**

TOLL-FREE ORDER LINE

1-800-223-5369, Ext. 260

Monday - Friday, 9 AM - 5 PM Mountain Time

Questions? Call 602-623-3321

Saturday Also - 9 AM - 3 PM



7331 E. Beverly Drive • Tucson, AZ 85710

Arizona Residents Add 7% Tax • Add \$1.50 Shipping Per Program (\$6 Max.)
Dealer Inquiries Welcome • Ask About Royalties • Quantities Limited

Saguaro Software


```

7 PLAYA$: IFQ=3ORQ=5THEN11
8 FORA=X TO Y STEPZ: IFA=100THENP
LAYA$
9 PMODEM,1: SCREEN1,0: LINE (A-1,19
6-A)-(A+56,A-4),PSET: PMODE4,1: SC
REEN1,1: LINE (A-1,A-4)-(A+56,196-
A),PSET: NEXTA: PLAYA$: IFQ=10RQ=4T
HENV=RND(255): W=RND(255): POKEK,V
: PAINT(150,150),,1: POKEK,W: PAINT
(150,5),,1: GOTO13ELSE13
10 ' BOX SUBROUTINE
11 FORA=X TO Y STEPZ: IFA=100THEN
PLAYA$
12 PMODEM,1: SCREEN1,0: LINE (A-1,1
96-A)-(A+56,A-4),PSET,B: PMODE4,1
: SCREEN1,1: LINE (A-1,A-4)-(A+56,1
96-A),PSET,B: NEXTA: PLAYA$: FORX=1
TO200: V=RND(255): POKEK,V: PAINT(V
,X),,1: NEXTX
13 PMODE4,1: PLAYI$: PLAYB$: PLAYC$
: PLAYD$: PLAYE$: PMODE3,1: SCREEN1,
0: PLAYF$: PLAYG$: PLAYH$: PLAYI$: PL
AYJ$: PLAY"V31": FORX=1TO10: PMODE3
,1: SCREEN1,1: PLAYM$: PMODE4,1: SCR
EEN1,1: PLAYK$: NEXTX
14 ' SCREEN 2
15 IFQ=5THENPMODE4,1: PCLS5: SCREE
N1,1: COLOR8ELSEPMODE4,1: PCLS: SCR
EEN1,1

```


```

16 LINE(0,96)-(255,96),PSET: LINE
(128,0)-(128,192),PSET: Y=0: FORX=
128TO255STEP4: LINE(128,Y)-(X,96)
,PSET: Y=Y+3: NEXTX
17 X=0: FORY=96TO192STEP3: LINE(X,
96)-(128,Y),PSET: X=X+4: NEXTY: Y=9
6: FORX=1TO128STEP4: LINE(X,96)-(1
28,Y),PSET: Y=Y-3: NEXTX: Y=192: FOR
X=128TO255STEP4: LINE(X,96)-(128,
Y),PSET: Y=Y-3: NEXTX: PLAY"V403"
18 FORT=30TO-25STEP-5: A=(2*3.141
5)*T/60: LINE(50,50)-(25*SIN(A)+5
0,25*COS(A)+51),PSET: LINE(205,50
)-(25*SIN(A)+205,25*COS(A)+51),P
SET: LINE(50,142)-(25*SIN(A)+50,2
5*COS(A)+142),PSET: LINE(205,142)
-(25*SIN(A)+205,25*COS(A)+142),P
SET: PLAY"V+": V+: AFAP": NEXTT
19 ' PAINT ROUTINE
20 IFQ=2THEN23ELSEIFQ=3ORQ=5THEN
24
21 CIRCLE(50,50),26: CIRCLE(205,5
0),26: CIRCLE(50,142),26: CIRCLE(2
05,142),26: FORX=1TO16: R(X)=RND(2
55): NEXTX: POKEK,R(1): PAINT(55,35
),,1: POKEK,R(2): PAINT(60,65),,1:
POKEK,R(3): PAINT(31,55),,1: POKEK
,R(4): PAINT(210,40),,1: POKEK,R(5
)

```

Setting The Standards

CANDY CO.



Graphics and sound effects like never before on the CoCo. An exciting original arcade action game. Control your hero through a maze of moving conveyor belts. Outsmart bad guys and save O.P. Doll. Over 1,000 frames of increasing difficulty.

100% ML, original title screen music, 1 or 2 players, colorful Hi Res graphics, exciting sound effects, joystick or keyboard input, pause feature, 8 digit scores and high score name entry. For 32K CoCo and TDP-100.

Cassette-34.95

Disk-34.95



Strap yourself into the ultra responsive Formula 1 car and rev the throttle to fire 500 screaming horses to life. Your heart pounds in anticipation of the race. The green flag drops and you are slammed back into your seat as the field thunders off in a deafening roar.

An exciting racing game in colorful Hi Res graphics with realistic sound effects. Joystick or keyboard input. Joystick input is compatible with all joysticks. Many different tracks to choose from. For 32K CoCo and TDP-100.

Cassette-34.95

Disk-34.95

Willy's WAREHOUSE

© 1984



Another exciting original arcade action game. Help Willy stock the warehouse while keeping up with incoming orders. Watch out for the antagonists who intend to make your day long.

Excellent graphics and sound effects. 100% ML, 1 or 2 players, demonstration mode, selectable difficulty, joystick or keyboard input, pause feature and high score list with name entry. For 32K CoCo and TDP-100.

Cassette-34.95

Disk-34.95

COLORPEDE



ROBOTTACK

This truly outstanding engineer designed, 100% ML game with multi-colored Hi Res characters and fast action will challenge the most avid arcade buff. 1 or 2 players with joysticks or keyboard. COLORPEDE slithers through the toad stools. Demonstration mode with top 5 scores. Pause feature. For 16K CoCo and TDP-100.

Cassette-29.95

Disk-34.95

"...forefront of the pack..." RAINBOW, Dec. '82

You are the super human who must fight off the attacking robots and save the remaining humans from destruction. You have super human powers, can shoot in any direction and move anywhere on the screen to accomplish your vital mission.

Engineer designed, 1 or 2 players and top 5 scores displayed. Pause feature. For 16K CoCo and TDP-100 with joysticks.

Cassette-24.95

Disk-27.95

AT YOUR DEALERS NOW.
From INTRACOLOR: VISA, MASTERCARD, Money Order. Please allow 2 weeks for checks. Add 1.50 for shipping, 3.00 outside U.S. 4% tax in MI.

intracolor
P.O. Box 1035, East Lansing, MI 48823 (517) 351-8537

DEALER INQUIRIES INVITED

QUALITY PROGRAMS SOLICITED


```

22 PAINT(215,65),,1:POKEK,R(6):P
AINT(186,55),,1:POKEK,R(7):PAINT
(55,125),,1:POKEK,R(8):PAINT(60,
157),,1:POKEK,R(9):PAINT(31,147)
,,1:POKEK,R(10):PAINT(215,157),,
1:POKEK,R(11):PAINT(185,147),,1:
POKEK,R(12):PAINT(206,132),,1
23 POKEK,R(13):PAINT(1,120),,1:P
OKEK,R(14):PAINT(1,1),,1:POKEK,R
(15):PAINT(255,1),,1:POKEK,R(16)
:PAINT(255,120),,1:IFQ=4THENFORX
=1TO255STEP3:V=RND(255):POKEK,V:
PAINT(X,1),,1:V=RND(255):POKEK,V
:PAINT(X,190),,1:PAINT(X,80),,1:
PAINT(X,110),,1:NEXTX
24 PLAY"V31":FORX=1TO11:R=RND(0)
:IFR>.5THENR=1ELSER=0
25 S=RND(0):IFS<.5THENS=1ELSESE=0
26 PMODE 3,1:SCREEN 1,R:PLAYK$:P
MODE4,1:SCREEN1,S:PLAYL$:NEXTX
27 ' SCREEN 3
28 IFQ=4THENPMODE4,1:PCLS5:SCREE
N1,1:COLOR8ELSEPMODE4,1:PCLS:SCR
EEN1,1
29 FORT=30TO-27STEP-3:A=(2*3.141
5)*T/60:LINE(128,96)-(75*SIN(A)+
128,75*COS(A)+96),PSET:LINE(25,2
5)-(75*SIN(A)+128,75*COS(A)+96),
PSET:LINE(230,167)-(75*SIN(A)+12
8,75*COS(A)+96),PSET:LINE(230,25
)-(75*SIN(A)+128,75*COS(A)+96),P
SET
30 LINE(25,167)-(75*SIN(A)+128,7
5*COS(A)+96),PSET:NEXTT:IFQ<3ORQ
=4THENV=RND(255):POKEK,V:PAINT(1
,1),,1ELSEPOKEK,250:PAINT(1,1),,
1:FORX=1TO300:V=RND(255):Y=RND(2
55):Z=RND(191):POKEK,V:PAINT(Y,Z
),,1:NEXTX
31 PLAY"V11":FORX=1TO20:R=RND(0)
:IFR>.5THENR=1ELSER=0
32 S=RND(0):IFS<.5THENS=1ELSESE=0
33 PMODE3,1:SCREEN1,R:PLAYN$:PMO
DE4,1:SCREEN1,S:PLAYO$:NEXTX:NEX
TQ:GOTO5
34 ' SOUND STRINGS
35 A$="V+;V+;V+;V+;V+;V+;V+;V+
+;01ABFFABCFDEFGFEGFEABGABFAA02A
BCDEFGABADEFGABCEEBFGA03ABDEFGAB
DEFGABDEFGABAEFG04ABDEEFGABFECDE
ABGABEEBAAA"
36 B$="05GFEDCBABCDEF GFEDCBA04BC
DEFGFEDCBABCDEF G03GFEDCBABCDEF GF
EDCBA02ABCDEF GFEDBCA01BCDEF GFEDC
BABCDEF GFEDCBA02BCDEF GFEDCBA03BC
DEFG03FDECBABCDEF G04EDCBABCDEF G05F
EDCBABCDEF GFEDCBA03BCDEF FFGGG"
37 C$="04V10AAAAAAFF FFFFAAAAAAF
FFFFFV1502AAAAAAFF FFF FV20AAAAA

```

```

AAFF FFFFGABACAADAFAAV3101AAAAAB
AAACAAADAAFAAAFF FFFFAAAAACAAACAA
FAAFF FFFACAAAFAAFF FFFV15FF FFFAA
AAAAFF FFFGGGGGGAAAAAV6FF FFFAAAAA
GGGGGFF FFFAAAAAV3FF FFFAAAAAGGG"
38 D$="V301GGGGGFFFAAAAV6AAAAAFF
GABCDABDDDEEEAABBAFFV10AABBBBCAA
ACDDDF FFFGGGGGGGGV15AAAAFF FFFAAA
AAGGGGGDDDF FFB BBV31ABCDEF GABCDE
FGABCDEF G02AAAAFF FFB BBGGGGGAAAAA
BBBBBFF FFFFAAAAAAGGGGGG03ABCDE
FGAAAABBBBFF FFAAAAAAGGGGGGAAAAAGG
GGGBBBBBAAAAAAFFFAABB"
39 E$="03GGGGGAAAAABFF FFFGGGAAFF
FFBBBBBGGGGGGGAAAAABBBDDDGGGGGGAA
AAFF FFFBBBGGGGG04AAAAAABBBCCCCC
CDDDDDEEEEEEFF FFFGGGGABCDFF FFF
AAAAGGGGGGGGAAAAADDAFADDDDGGGGGGG
GG"
40 F$="AAAAAADDDDDADBAAGGGGGG
GAAAAAAFF FFFBBBGGGGGGG03AAAA
AFF FFFBBBGGGGGDDDGGGGEEEEEEAAAAA
AGGGGGGFF FFFBBBBAACCCCF
FF FFFBBBGGGGGGG04FF FFFGGGGGA
AAFF FFB BGGGGGGGGAAGGAAGGAABF
BBB02V15AAAAAFFFAAGGGGBBFFFAA
AABBBGGGGFF FFFAAGGAAB"
41 G$="BBFFFAAFF FFGGAABBBGGGFFFA
AGGGAAADDDV3101AABBBGGGFFAABBBFF
CCCGGGAAABBBGGGGBBBAFFFAAGGGBBB
AAAAGGGCCFFFAAFGF GF GF GFABABAB
ABACDDCDDCDDCDDCAFF FFFAAAV20AAA
FF FFGGGGGAAABBBBFF FFGGABACDDABCD
FDABDFDABDFE FFFV15ABCDGGGAAABBF
FAABBBGGGAAFF FFB BGC"
42 H$="V10ABCDGGAGAGBBBBBV5BBBGC
BCBGV3ABABABAB"
43 I$="01V31AAABABABABV15BBBBAB
ABABV3102AAAAAABABABABABV15BBB
BABABABABABV3103BBBBBABABABABABA
BAV15AAAAAABABABABABABABV3104AA
AAABABABABABV15BBBBBABABABABABA
BAV31FF FFFFAFAFAFAFAFAFAFAFAFA
FAFAFAV15GGGGGGGABABABABAGAGAGAV1
0FF FFFABABABBABAF AF AF AF AF"
44 J$="AF AF AV5DDDDADADADAV3BBB
BBABABABABV2ABABABABABV1GGGGGG
GGGGGGGGGAAGAGAGAGAGAGAGAGAGAG
AGV3103ABCDEF GABGGAGAGAGAGAV150
2BABABABCD CDCABCD CBCDV1001ABABAB
CGCGCGCGV5ABABABV2GAGAGAGAV3104A
BCDEF GABCD EFGABCD EFGABCD EFG"
45 K$="V-;04GFEDCBABCDEF GFEDCBAB
CDEF GABCD EFGABCD EFG":L$="V-;05FE
DCBABCDEF GABCD EFGABCD EFGABCD EFG
CDEF":M$="V-;V-;03ABABCFCFABABC
CF02ABCDEF GFEGFE":N$="V+;03AAFAA
FAFAAFGBBBB":O$="04AABCD EABFCD
CDEABFCD":RETURN:PCLEARB

```


DISKTEST.UTL Source Code Listings

```

00100 *****
00102 * "PAGEFILL" SUBROUTINE *
00104 *****
00110 * This subroutine fills the 256 byte page of memory *
00112 * beginning at $400 (upper half of text meory) with a *
00114 * repeating 3-byte pattern used for diskette testing. *
00116 * The pattern is one of 5 predetermined patterns as *
00118 * selected by a value passed from BASIC. *
00120 * INPUT: *
00122 * Pattern # sent from BASIC via the USR arguement *
00124 * 0 produces DB 6D B6 recurrent pattern *
00126 * 1 " 6D B6 DB " " *
00128 * 2 " B6 DB 6D " " *
00130 * 5 " 00 00 00 " " *
00132 * 8 " FF FF FF " " *
00134 * OUTPUT: *
00136 * 256 Bytes in text memory - used as disk I/O buffer *
00138 *****
0000 00220 ORG $0000
0000 34 7F 00230 START PSHS A,B,X,Y,U,DP,CC Save everything
0002 BD B3ED 00240 JSR $B3ED Get arg. (patt #) from BASIC
0005 33 8D 002D 00250 LEAU PATTRN,PCR Get start of pattern list
0009 33 CB 00260 LEAU D,U Get start of desired pattern
000B 10AE 8D 0023 00270 LDY PAGADR,PCR Get page start address
0010 6F 8D 0021 00280 CLR LOOPCT,PCR Initialize counter
0014 1F 31 00290 LOOP TFR U,X Pattern start address to X
0016 A6 8D 001B 00300 LDA LOOPCT,PCR Get loop count
001A 81 55 00310 CMPA #85 Check if done
001C 27 0E 00320 BEQ LASTBY If done go to finish
001E EC 81 00330 LDD ,X++ Not done; Get 2 bytes from patt.
0020 ED A1 00340 STD ,Y++ Put in text page
0022 A6 84 00350 LDA ,X Get one more byte
0024 A7 A0 00360 STA ,Y+ Put in page also
0026 6C 8D 000B 00370 INC LOOPCT,PCR Increment loop counter
002A 20 E8 00380 BRA LOOP Repeat the cycle
002C A6 84 00390 LASTBY LDA ,X Get last byte of pattern
002E A7 A4 00400 STA ,Y Put in page
0030 35 7F 00410 PULS A,B,X,Y,U,DP,CC Restore registers
0032 39 00420 RTS Return from subroutine
00430 * Work areas
0033 0400 00450 PAGADR FDB $0400
0035 00 00460 LOOPCT FCB 0
0036 DB 00470 PATTRN FCB $DB
0037 6D 00480 FCB $6D
0038 B6 00490 FCB $B6
0039 DB 00500 FCB $DB
003A 6D 00510 FCB $6D
003B 00 00520 FCB $00
003C 00 00530 FCB $00
003D 00 00540 FCB $00
003E FF 00550 FCB $FF
003F FF 00560 FCB $FF
0040 FF 00570 FCB $FF
0000 0000 00580 END START
00000 TOTAL ERRORS

```

These are the two assembly language program listings *Pagefill* and *Grantest*, that were left out of the "Block Out Those Troublesome Granules With *DISKTEST.UTL*" article on Page 89 of the January 1985 issue. As was stated in the article, the resulting code is contained in the main program; these listings will help you if you want to try modifying the machine language code.


```

00100 *****
00112 * "GRANTEST" SUBROUTINE *
00114 *****
00116 * This subroutine does disk I/O to all 9 sectors in an *
00118 * addressed granule. If an error is detected it aborts *
00120 * testing of the balance of the granule and returns an *
00122 * error code to basic. *
00124 * INPUTS: *
00126 * 1. The following must have previously setup: *
00128 * - Read or Write code set in DSKCON table *
00130 * - Drive # and buffer address set in DSKCON table *
00132 * - Write data previously set into buffer *
00134 * 2. Basic must pass the track # and 1st/2nd granule *
00136 * information to GRANTEST via the USR argument e.g.*
00138 * X=USRn(ARG) Where ARG=256*Track+(0 or 1) *
00140 * 0 for 1st gran, 1 for 2nd gran*
00144 * OUTPUTS: *
00146 * 1. Either: *
00148 * - The buffer data is written to the 9 sectors or *
00150 * - The 9 sectors are read sequentially to the buf.*
00152 * 2. Results code returned to the calling variable (X)*
00154 * 0=No error *
00156 * 1=Error in data track (0-16,18-34) *
00158 * 2=Error in directory track (17) *
00160 *****
0000 00230 ORG $0000
0000 34 3F 00240 START PSHS A,B,X,Y,DP,CC Save registers
0002 BD B3ED 00250 JSR $B3ED Get arg (track & gran) from BASIC
0005 BE C006 00260 LDX $C006 Get DSKCON param table pointer
0008 A7 02 00270 STA 2,X Put track # in DSKCON table
000A 86 09 00280 LDA #9 Get const. for next calculation
000C 3D 00290 MUL Get sector # prior to 1st
000D 4C 00300 SECTLP INCA Increment cycle counter
000E 5C 00310 INCB Increment sector number
000F E7 03 00320 STB 3,X Put sector # in DSKCON table
0011 1F 02 00330 TFR D,Y Save cycle counter and sector #
0013 AD 9F C004 00340 JSR [$C004] Call DSKCON
0017 E6 06 00350 LDB 6,X Get status from DSKCON
0019 27 10 00360 BEQ ENDCHK Branch if status=0 (no error)
001B E6 02 00370 LDB 2,X Error! Get track # from DSKCON
001D C1 11 00380 CMPB #17 Is it the directory track?
001F 26 05 00390 BNE GRNBAD Branch if not directory track 17
0021 CC 0002 00400 LDD #0002 Directory bad! Get error code
0024 20 0E 00410 BRA RETURN Back to BASIC
0026 CC 0001 00420 GRNBAD LDD #0001 Granule bad! Get error code
0029 20 09 00430 BRA RETURN Back to BASIC
002B 1F 20 00440 ENDCHK TFR Y,D Get cyc counter and sector # back
002D 81 09 00450 CMPA #9 See if done
002F 26 DC 00460 BNE SECTLP Go to next sector if not done
0031 CC 0000 00470 LDD #0000 Done! Get OK code
0034 BD B4F4 00480 RETURN JSR $B4F4 Send code back to BASIC
0037 35 3F 00490 PULS A,B,X,Y,DP,CC Restore registers
0039 39 00500 RTS Return from subroutine
0000 0000 00510 END START
00000 TOTAL ERRORS

```




ENDICOTT

COMPUTER SOFTWARE AND ACCESSORIES



PRINTERS

SPRINT (EPSON CODE COMPATIBLE).....	\$279.00
OKIDATA 82 (SER.) W/COCO CABLE.....	\$329.00
OKIDATA 92 (PAR).....	\$394.00
(160 CPS Draft — 40 CPS Correspondance Quality)	
OKIDATA 93 (PAR — 15" CARRIAGE).....	\$595.00
(160 CPS Draft — 40 CPS Correspondance Quality)	
ABATI LQ-20 (PARALLEL).....	\$389.00
(18 CPS — DAISY WHEEL)	
TRACTOR FEED FOR ABATI.....	\$ 79.00
PANASONIC KX 1090 (PAR).....	\$247.00
(80 CPS F/T EPSON CODE COMPATIBLE)	
PANASONIC KX 1091 (PAR).....	\$306.00
(120 CPS DRAFT & NEAR LETTER QUALITY)	

PRINTER INTERFACE

(Serial to Parallel)

pbh (PRINTER & MODEM CONNECTIONS).....	\$59.95
PURCHASED WITH PRINTER.....	\$54.95

MODEMS

VOLKSMODEM WITH ALL CABLES.....	\$69.95
(300 BAUD — MANUAL ANSWER/DIAL)	

NEW! A GREAT BUY! NEW!

VOLKSMODEM 1200 WITH ALL CABLES.....	\$224.95
(300/1200 BAUD — AUTO ANSWER/DIAL)	

MONITORS

AMDEK (2 YEAR WARRANTY)	
COLOR 300 (COLOR COMPOSITE AND B&W MODE)	
(REPLACES OLD COLOR I).....	\$262.00
VIDEO 300 (GREEN, NO GLARE).....	\$149.00
VIDEO 300 (AMBER, NO GLARE).....	\$155.00
GORILLA (GREEN).....	\$ 88.00
GORILLA (AMBER).....	\$ 94.00

MONITOR INTERFACES

VIDEO PLUS.....	\$24.95
(COLOR OR MONOCHROME)	
PURCHASED WITH MONITOR.....	\$20.95
VIDEO PLUS IIM.....	\$26.95
(MONOCHROME FOR COLOR II)	
PURCHASED WITH MONITOR.....	\$21.95
VIDEO PLUS IIC.....	\$39.95
(COLOR FOR COLOR II)	
PURCHASED WITH MONITOR.....	\$31.95
UNIVERSAL VIDEO ADAPTER (By Mark Data).....	\$28.95
PURCHASED WITH MONITOR.....	\$24.95
WORKS WITH ALL COCO S, BUT A MUST FOR	
NEW COCO II'S WITH SOLDERED IN VIDEO CHIP	

KEYBOARD

SUPER PRO BY MARK DATA.....	\$56.95
(NOT FOR COCO II)	
ADAPTER (FOR POST — 10/82 COCO).....	\$ 3.95

AUTO/MODEM SALE!

AUTOTERM WITH	T	D
VOLKSMODEM (SEE BELOW).....	\$95.95	\$99.95
VOLKSMODEM 1200 (See Below).....	\$249.95	\$254.95

DISKS

	1 BX	2 + BX
ELEPHANT SSDD.....	\$18.50	\$17.50
ELEPHANT SSDD.....	\$19.00	\$18.00
ELEPHANT DSDD.....	\$23.00	\$22.00
BASF QUALIMETRIC SSDD.....	\$20.00	\$19.00
BASF QUALIMETRIC DSDD.....	\$23.00	\$22.00

TAPES

C-10 (ONE DOZEN).....	\$7.50
TWO OR MORE DOZEN.....	\$7.00/DOZ

DISK STORAGE

FLIP'N FILE 10.....	\$ 5.45
FLIP'N FILE 25.....	\$16.95
FLIP'N FILE 50.....	\$23.95
DISK BANK 5 (HOLDS 50).....	\$12.95

JOYSTICKS/ADAPTERS

WICO JOYSTICK ADAPTER.....	\$17.95
WICO ANALOG JOYSTICK.....	\$38.95
(NO ADAPTER REQUIRED — FREE FLOATOR SELF	
CENTERING BIG BAT HANDLE — RUGGED!)	

Look at These Discounts and Compare...Remember WE PAY SHIPPING!

SOFTWARE PRICES SHOWN ARE **20% OFF** LIST PRICE!

SPECTRAL ASSOCIATES

	T	D
▶ CRYSTAL CASTLES.....	\$19.95	\$22.35
▶ GALAGON.....	\$19.95	\$22.35
▶ PENGON.....	\$19.95	\$22.35
▶ COLOR PANIC.....	\$19.95	\$22.35
▶ CUBIX.....	\$19.95	\$22.35
▶ LANCER.....	\$19.95	\$22.35
▶ MS GOBBLER.....	\$19.95	\$22.35
▶ WHIRLYBIRD RUN.....	\$19.95	\$22.35
▶ LUNAR ROVER PATROL.....	\$19.95	\$22.35

COMPUTERWARE

	T	D
▶ STAR TRADER (32K CASS/64K DISK).....	\$19.95	\$22.35
▶ MAJOR ISTAR.....	\$19.95	\$22.35
▶ SAM SLEUTH (64K).....	\$19.95	\$22.35
▶ MR. DIG.....	\$22.35	\$24.75
▶ JUNIOR'S REVENGE.....	\$23.15	\$25.55
▶ RANDOM BASIC (OS-9).....	\$60.00	
▶ COLOR BASIC COMPILER.....	\$31.95	
▶ 64K SCREEN EXPANDER (64K).....	\$19.95	\$22.35
▶ * THE SOURCERER (R DOS).....	\$27.95	\$31.95
▶ THE SOURCERER (OS-9).....	\$31.95	
▶ MACRO ASSEMBLER & XREF (R DOS).....	\$39.95	
▶ MACRO ASSEMBLER & XREF (OS-9).....	\$39.95	
▶ COLOR EDITOR.....	\$19.95	\$23.95
▶ COLOR MONITOR.....	\$19.95	\$22.35
▶ MOON HOPPER.....	\$19.95	\$22.35
▶ BLOC HEAD (Q-BERT).....	\$21.55	\$23.95
▶ DOODLE BUG (LADY BUG).....	\$19.95	\$22.35
▶ GRAN PRIX.....	\$17.55	\$21.55

SOFT LAW

T & D INCLUDED

▶ VIP WRITER (INC. SPELLER!).....	\$55.95	---
▶ VIP SPELLER.....	\$39.95	(DISK)
▶ VIP CALC.....	\$55.95	---
▶ VIP TERMINAL.....	\$39.95	---
▶ VIP DATA BASE.....	\$47.95	(DISK)
▶ VIP DISK-ZAP.....	\$39.95	(DISK)
▶ VIP INTEGRATED LIBRARY.....	\$119.00	(DISK)

COGNITEC

	T	D
▶ TELEWRITER 64.....	\$39.95	\$47.95

ELITE SOFTWARE

	T	D
▶ ELITE-WORD.....	\$47.95	\$47.95
▶ ELITE-WORD/SPEL.....		\$59.95
▶ ELITE-SPEL.....		\$23.95
▶ ELITE-CALC.....	\$47.95	\$47.95
▶ ELITE-FILE.....		\$59.60
▶ ENTIRE LIBRARY (DISK).....		\$157.00

DEFT SYSTEMS

	T	D
DEFT PASCAL.....		\$63.95
DEFT BENCH.....		\$39.95
DEFT PASCAL WORKBENCH.....		\$95.95

PXE COMPUTING

	T	D
▶ AUTOTERM.....	\$31.95	\$39.95

SPECIAL SALE!
30% OFF

PRICKLY-PEAR SOFTWARE

	T	D
▶ * MODEM MASTER.....	\$17.45	\$17.45
▶ SUPER SCROLL (64K).....	\$17.45	\$17.45
▶ * COLOR DISK TRIVIA.....		\$20.95
▶ BIBLE.....		\$13.95
▶ ENTERTAINMENT.....		\$13.95
▶ SPORTS.....		\$13.95
▶ CHILDREN.....		\$13.95
▶ JUMBO JET.....	\$17.45	\$20.95
▶ MUSIC READER.....	\$24.45	\$27.95
▶ * ERLAND.....	\$17.45	\$20.95
▶ TRAVELIN TOAD.....	\$17.45	\$20.95
▶ OCKYWOXY.....	\$17.45	\$20.95
▶ ADVENTURE IN WONDERLAND.....	\$17.45	\$20.95
▶ THE DISK MANAGER.....		\$20.95
▶ THE DISK MASTER.....		\$17.45
▶ COLORKIT (Programming Utility).....	\$24.45	\$27.95
▶ FLIGHT.....	\$13.95	\$17.45

TOM MIX

	T	D
▶ THE SAILORMAN (64K).....	\$23.95	\$27.95
▶ PAC PANIC.....	\$19.95	\$22.35
▶ QUIX.....	\$19.95	\$22.35
▶ WORLDS OF FLIGHT.....	\$23.95	\$26.35
▶ SKRAMBLE.....	\$19.95	\$22.35
▶ SR-71.....	\$23.15	\$25.55
▶ CUMBER.....	\$22.35	\$24.75
▶ BUZZARD BAIT.....	\$22.35	\$24.75
▶ AIR TRAFFIC CONTROLLER.....	\$23.15	\$25.55
▶ SPACE SHUTTLE.....	\$23.15	\$25.55
▶ THE KING.....	\$21.55	\$23.95
▶ COLOR GOLF.....	\$14.35	---
▶ TAPE TO DISK.....	\$14.35	---
▶ SCREEN PRINT ROUTINE.....	\$15.95	\$17.55

ADVENTURE INTERNATIONAL

	T	D
* FIRE COPTER.....	\$19.95	---
* SAIGON: THE FINAL DAYS.....	\$19.95	---
* EARTHQUAKE.....	\$19.95	---
* AIRLINE.....	\$19.95	---
▶ SEA DRAGON.....	\$27.95	---
▶ TRIAD.....	\$27.95	---
▶ DISKEY (Utility To Examine And Change Disk Contents		
Plus Computer Diagnostics).....		\$39.95

B5 SOFTWARE

	T	D
MONEY.....	\$15.95	---
BORROW.....	\$15.95	---
CARRY.....	\$15.95	---
MATH FACT.....	\$13.55	---
ABC'S.....	\$ 7.95	---
ALL.....	\$64.00	---

PROGRAMMERS INSTITUTE

	T	D
▶ COMPLETE PERSONAL		
ACCOUNTANT — (1,2,&3).....	\$59.95	\$63.95

NOTE: ALL SALES FINAL. NO RETURNS UNLESS DEFECTIVE. ADDITIONAL LISTINGS IN OUR FREE CATALOG — CALL OR WRITE.

* Requires 16K Ext. Basic Minimum. ▶ Requires 32K Ext. Basic Minimum. □ We Recommend 32K or 64K. Others 16K Ext. Std. Basic Minimum.

WE PAY SHIPPING TO U.S.A., CANADA, AND MEXICO. C.O.D. ADD \$2.00 (U.S.A. ONLY). ALLOW 2 WEEKS FOR CHECKS TO CLEAR. NO P.O. BOXES! MUST HAVE STREET ADDRESS. SHIPPING — OTHER COUNTRIES: ADD \$2.00 EACH SOFTWARE ITEM AND EACH JOYSTICK. ADD \$5.00 EACH ALL OTHER ITEMS (NO MONITORS OR PRINTERS SHIPPED OUTSIDE U.S.A.). ITEMS ARE SHIPPED AIR MAIL. PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

ENDICOTT
Computer Software And Accessories
2806-A S. MEMORIAL PARKWAY
HUNTSVILLE, ALABAMA 35801
VISIT OUR STORE
PRICES IN AD ARE MAIL ORDER ONLY.

PHONE ORDERS
205/536-4400
(PHONE OPEN 7 DAYS A WEEK)



WE PAY SHIPPING!



Having Fun With Number Patterns

By Bob Albrecht and Ramon Zamora
Rainbow Contributing Editors

"School Is In The Heart Of A Child" is for parents of quite young children. We want to help you work and play with your 3- to 8-year-old child and learn to use computers as a joyful family experience. We suggest ways to use the home computer as another means to encourage your child's independence, growth and control over his own life. See the pride on her face as she directs the computer to do what she selects with deliberation. See her head gears switch to "on" as she progresses step by step with your presence and caring guidance. We will explore (we hope, with *your* help) the following:

- Specific "teaching" techniques so the discovery can be the child's own.
- Critical evaluation of software based on extensive playtesting in family and related environments.
- Additional resources to consult: books, magazines, software publishers, networks, etc.
- Suggestions for interludes and fun times away from the computer (a must!): call the librarian for information; watch TV together and discuss it; work together as volunteers in a community project; take a winter awareness walk
- Whatever we learn from families we work with in Menlo Park or from you, our readers. Let's pool our knowledge and share our experiences as we learn from our children.

Copyright© 1984 by DragonQuest, P.O. Box 310, Menlo Park, CA 94026.

(Well-known author Bob Albrecht also writes the "Game Master's Apprentice" feature for THE RAINBOW each month. Ramon Zamora is author and co-author of several books, co-founder of Computer Town USA!, and currently designing computer games for kids at Child Ware Corp. in Menlo Park, Calif.)

An elementary school exercise: explore a number pattern. The student is shown the first few numbers in the pattern, then asked to guess the next number or the next few numbers.

Number patterns are favorite tools of the grand inquisitors who construct IQ tests. Students who pencil in the numbers the test constructors have in mind are assigned "high IQs." Creative students might do something entirely different and, of course, be tagged with "lower IQs."

Remove the fear of failure and number patterns become fun! Make it a game, controlled by the player. Make it a computer game using an ever-patient CoCo to present numbers, one by one, as requested by the game player. Only the player knows if he or she "wins" or "loses." And the player always knows when she or he has fun.

Let's begin with some easy number patterns. In these patterns, each number after the first is obtained by doing something to the previous number. For example:

- 1) 1, 2, 3, 4, 5 and so on. The first number is 1. After the first number, each new number is obtained by adding 1 to the preceding number.
- 2) 2, 4, 6, 8, 10 and so on. The first number is 2. Each successive number is obtained by adding 2 to the preceding number.
- 3) 1, 3, 5, 7, 9 and so on. The first number is 1. Each successive number is obtained by adding 2 to the preceding number.
- 4) 2, 5, 8, 11, 14, 17 and so on. The first number is 2. Each successive number is obtained by adding 3 to the preceding number.

The above patterns are simple sequences of numbers. The first number in the sequence is given, then each successive number in the sequence is obtained by adding something (always the *same* something) to the preceding number.

Easy to program! Our first program works like this:

- 1) The CoCo asks for the first number in the pattern and the number to be added to get the next number. Someone enters these numbers.
- 2) The CoCo then clears the screen and shows the first number in the pattern.
- 3) To get the next number, press the space bar. Or, to start over, press the CLEAR key.

Here is the program.

```
100 REM**NMBR PATTERNS SCH 11-1
199 '
200 REM**GET PATTERN NUMBERS
210 CLS
220 PRINT @480, ;
230 INPUT "FIRST NUMBER "; S
240 INPUT "ADD-ON NUMBER"; A
250 PRINT: PRINT
299 '
300 REM**SHOW 'LATEST' NUMBER
310 PRINT @448, S
320 PRINT
399 '
400 REM**COMPUTE NEXT NUMBER
410 S = S + A
499 '
500 REM**TELL WHAT TO DO NEXT
510 PRINT @480, "FOR NEXT NUMBER
, PRESS spacebar"
520 PRINT "TO START OVER, PRESS
clear KEY";
530 K$=INKEY$: IF K$="" THEN 530
540 IF K$=" " THEN 310
550 IF K$=CHR$(12) THEN 210
ELSE 530
599 END
```

Enter and RUN the program. It might go like this:

```
FIRST NUMBER ? 1
ADD-ON NUMBER? 1

1

FOR NEXT NUMBER, PRESS SPACE BAR ← Reverse color
TO START OVER, PRESS CLEAR KEY ← Reverse color
```

Press the space bar and see the next number.

FIRST NUMBER ? 1
ADD-ON NUMBER? 1

1

2

FOR NEXT NUMBER, PRESS SPACE BAR

TO START OVER, PRESS CLEAR KEY

Guess the next number, then press the space bar. Did you guess the CoCo's number? Is this an "educational activity?" A drill? A game?

We suggest you and a kid or two try some of the following patterns together.

First Number	Add-On Number	Pattern
1	1	1,2,3,4 and so on.
2	2	2,4,6,8 and so on.
0	1	0,1,2,3 and so on.
0	2	0,2,4,6 and so on.
1	2	1,3,5,7 and so on.
5	5	5,10,15,20 and so on.

Next, take turns entering the "first number" and "add-on number." The other person guesses the next number. As you all get good at this, try some tricky patterns.

First Number	Add-On Number	Pattern
10	10	10,20,30,40 and so on.
2	3	2,5,8,11 and so on.
0	3	0,3,6,9 and so on.
10	-1	10,9,8,7 and so on.

Start with easy patterns and go s-l-o-w-l-y, or as quickly as the child wants to go. Also, spend some time learning to read the words on the screen. Most of all, have fun!

Color LOGO

Lots of folks believe that LOGO is better than BASIC as a kid's first computer language, especially for younger kids. We agree. We have used LOGO on several computers, including the CoCo.

Unfortunately, Color LOGO is the worst LOGO we have seen, especially for kids. We wonder if the authors intentionally tried to make Color LOGO hard to understand. Nevertheless, we will try to suggest ways for you and your kids to explore Color LOGO. If you want to explore even further, get these booklets at your Radio Shack store: *Color LOGO Guide for Parents: Book One* by Ramon Zamora and Bob Albrecht, Cat. No. 26-2763, \$3.95; or *Color LOGO Guide for Teachers: Book One* by Don Inman and Bob Albrecht, Cat. No. 26-2761, \$3.95.


Now set up Color LOGO in your CoCo so your screen looks like this.

COLOR LOGO COPYRIGHT 1982
LARRY KHERIATY & GEORGE GERHOLD
LICENSE TO TANDY CORP
ALL RIGHTS RESERVED

LOGO: _

Get ready to meet the turtle. You will find the turtle in the "Run" room. To get to the Run room, press the 'R' key.

Press the 'R' key and this is what you see:



This is called the cursor

The very unturtle-like shape near the center of the screen represents the turtle. Some home computers use a triangle. Atari does it best: the turtle looks like a turtle.

When you are in the Run room and see the cursor, you know it is your turn to do something.

Type your name and press the ENTER key. Here is what happened when Seemore the Wizard typed his name.

SEEMORE


I DONT KNOW HOW TO SEEMORE_

The cursor ends up here

Oops! Color LOGO doesn't know what Seemore wants it to do. If you typed your name, you probably saw a similar message.

Ramon Saw: I DON'T KNOW HOW TO RAMON_
Bob Saw: I DON'T KNOW HOW TO BOB_

Note that the cursor ended up at the right end of the line. Press the ENTER key and the cursor will move down to the next line.



The cursor moves down

Now type *CLEAR* and press ENTER. Poof! Everything disappears except the turtle and the cursor.



Let's play hide and find. Type: *HIDETURTLE* and press ENTER.

AVAILABLE
NOW

DRAGON USER



To make the most of your new Dragon microcomputer from Dragon-Tano, you need *Dragon User* — the international, independent magazine for Dragon owners.

Each issue of *Dragon User* contains:

- reviews of the latest software
- programming advice for beginners
- hardware projects

- program listings covering games and utilities
- reviews of Dragon peripherals and add-ons
- technical advisory service
- programming articles for users

The Dragon microcomputer was launched in the UK last year. Since then we have developed a knowledge and mastery of the machine's abilities. You can benefit from our experience by subscribing to *Dragon User*, which is expanding its coverage to include all US developments.

To make sure that you receive a copy of *Dragon User* regularly, subscribe direct to us. This costs only \$29.95 for 12 issues airspeeded to you — or take advantage of our special offer to long-term subscribers. Individual copies of the magazine can be obtained from your Dragon dealer.

Subscription order form. Receive a free book and save money by taking out a long-term subscription — a two-year subscription saves 10%, a three-year subscription saves 20%. In addition, long-term subscribers will receive a free copy of either ☐ *The Working Dragon* or ☐ *Dragon Games Master*. Please send a check, made payable to *Dragon User*, with this form. Start my subscription from the following issue

Name

Address

Signed Date

Subscription rates US and Canada airspeeded ☐ US\$29.95 for 12 issues/1 year
☐ US\$53.90 for 24 issues ☐ US\$71.90 for 36 issues. Send this form to
Dragon User, % Business Press International, 205 E. 42nd St., New York, NY 10017.

HIDETURTLE
—

How can we make the turtle reappear? Easy, type: SHOWTURTLE and press ENTER.

HIDETURTLE
SHOWTURTLE
—

By the way, the turtle's name is Telli. She likes to hide, then move about and reappear. Telli suggests that you can save time by using LOGO shorthand.

Use HT for HIDETURTLE
Use ST for SHOWTURTLE

Try it — use HT to make Telli disappear; ST to make Telli reappear.

Telli can jump through hyperspace to another place on the screen. Try some hyperspace jumps.

Type: SETX 20 and press ENTER.
Type: SETX 200 and press ENTER.

Experiment! Find a number that gives Telli a split personality, so the screen looks like this:

SETX —
—

WHAT number did this?

SETX makes Telli jump left or right. SETY makes Telli jump up or down. Try some SETY hyperspace jumps.

Type: SETY 160 and press ENTER.
Type: SETY 30 and press ENTER.

What numbers give Telli a split personality with SETY?

Here is a game for two or more people. One person hides Telli, then uses SETX and SETY to tell Telli to make a hyperspace jump to somewhere on the screen. Another player guesses where Telli is hiding and points to the place. Someone then types ST so Telli reappears. The player who pointed closest to where she reappears is the winner.

OK, here we go. We Type:

CLEAR
HT
SETX 120
SETY 160

Where is Telli? Point to the place, then someone type ST. Were you right on? Were you close? Your turn!

The Wordsworth Letters

We love the letters! Here are letters from families who play together, learn together — solving our Wordsworth challenges. The first letter is from Marcie Lauterbach and her son, Eric.

My 7-year-old son, Eric, and I would like to submit our answers to your Wordsworth contest as described in the August 1984 issue of RAINBOW magazine.

Q1) ABRACADABRA (52)

Q2) ABACK (66)

Q3) ZIOTY (1,755,000)

ZIPPY (1,497,600)

Q4) Eleven Letters: ABRACADABRA (15,552)

These answers are based on The American Heritage Dictionary, paperback edition, published by Dell. I'm

SPECTRUM PROJECTS

Announces The Appointment Of
DERBY CITY SOFTWARE

As Spectrum's new

Southern Division Distributor

(AL, FL, GA, KY, LA, MS, NC, SC TN, TX, VA, WV)

FIRST TIME ORDER SPECIAL

SOFTWARE — 10% OFF
HARDWARE — 5% OFF

EXCLUSIVE DERBY CITY ITEMS

DISK SORT & ORDER

A disk utility that will eliminate all sector data and alphabetize the directory. Also will allow the conversion of a RS-35 Diskette to a JDOS 40 track. One or more drives.

D-\$11⁹⁵

CGP-115 PRINTER/PLOTTER UTILITIES

PP Color Dump — All machine language - fastest and highest quality screen dump for CGP-115 ANYWHERE. Works in all PMODES and compatible with Graphicom. Many powerful and user friendly features.

T-\$19⁹⁵

D-\$21⁹⁵

PP Color BioRhythm — Prints out a four color one year BioRhythm. One month/Page with both graph and daily codes fully color coded.

T-\$10⁹⁵

D-\$12⁹⁵

GEMINI/EPSON Screen Dump

All machine language - full or quarter page pictures in less than 3 minutes. Works in PMODES 3 & 4 - Negative or Positive. Compatible with Graphicom.

T-\$9⁹⁵

D-\$11⁹⁵

RS-232-C SERIAL PORT 2 POSITION SWITCH

Black Case with gray face and toggle switch. No soldering - just plug in.

\$19⁹⁵

DERBY CITY SOFTWARE

4180 Bardstown Road
Louisville, KY 40218

(502) 499-9393; In Canada call: 1-800-361-5155

All orders add \$3.00 shipping & handling: KY residents add 5% sales tax.
C.O.D., VISA, MasterCard and Cash

not sure this is the same edition as described in your article. It was, however, the only one available in our area. Our answers may be judged accordingly.

Eric and I had a lot of fun doing this puzzle; he typed in most of both WW programs. We both looked up words. He would type them in as I spelled them. His 5-year-old brother, Jack, had fun typing in names of our family and pets, and getting a number value for them.

We have had our TRS-80 CoCo for about two months and all of us enjoy playing games, typing in programs and just fooling around on it.

I appreciate the format of your article being geared to the "younger users." It is also helpful and fun for us not-so-young beginners! Keep up the good work. I look forward to future articles.

Our next letter is from Margaret Mary Jones and three of her children.

Here are the answers to your contest:

- 1) ABRACADABRA
- 2) ABACK
- 3) YUMMY (2,218,125)
- 4) ABRACADABRA

I did this activity with three of my four children (ages 10, 7, 5). We enjoy your column very much — both the reviews and the programs.

I have a few comments on Peanut Butter Panic which you reviewed a couple of months ago. First, you were wrong about the nutkins "eating" the stars. They catch them and put them in the star machine to make peanut butter sandwiches, which they do

eat for energy. Second, the name probably refers to the panic that ensues when you have piled up six sandwiches and are unable to catch the snarf, and then have to eat all six sandwiches before the snarf gets one. Believe me, there is a panic in our house when that happens. We think it's a good name. Third, this game is one all three children can play. The 5-year-old is not as good as the 10-year-old, but he is able to manage to play the game correctly and can play with the 10-year-old.

Next, let's hear from Stephen Lathom, who wrote his own letter. Good show, Stephen!

My name is Stephen Lathom. I am 8 years old going on 9. I used my family's 16K CoCo and my Webster's Beginning Dictionary to answer your questions in the July issue of THE RAINBOW. My answers are listed below.

- 1) ABRACADABRA 52
- 2) ABACK 66
- 3) WORRY 2,794,500
- 4) BABBLED 1,920

Thanks, everyone. We have more letters and will share them with you next time. Meanwhile, please send your answers to our Wordsworth challenges to Bob and Ramon, P.O. Box 310, Menlo Park, CA 94026.

Dragon Smoke

We have decided to publish a newsletter called "DragonSmoke" about four times a year. If you want a free copy, send a self-addressed, stamped envelope to DragonSmoke, P.O. Box 310, Menlo Park, CA 94026.

TCE News Release

MONDAY OCTOBER 1, 1984

GAITHERSBURG, MARYLAND

In 1985 TCE Will Introduce CHILD'S PLAY

Mouse Technological Software For The Color Computer!

Ted Malaska, President & Co-founder of TCE Programs Inc., announced today a new division for the development of business software.

The new division will distribute a series of machine language business

programs, under the name *Child's Play* beginning in the first half of 1985. The *Child's Play* series will use mouse technology and what Mr. Malaska termed "*Floating Overlays*", to control the operations within the program.

When asked why the name *Child's Play* was selected for a business series, Mr. Malaska responded: "Floating Overlays will make the program operation seem like *Child's Play*, compared to other business software of today."



Send for
FREE Catalog

TCE BUSINESS DIVISION
P.O. BOX 2477
GAITHERSBURG, MD 20879
1-(301) 963-3848



DISK
\$44.95

NEW

Introducing The "Super Smart"

DATA PACK II TERMINAL COMMUNICATIONS SOFTWARE

Also Supports The PBJ 80 Column "Word Pak", Deluxe RS-232 Pak,
Parallel Printer Card and PBJ 2SP Pak

"FEATURES"

28-64x24
Hi-Resolution
Display

64K Support
Up To 55K
Text Buffer

- No Lost Information When Using Hi-Resolution Display On Line
- ASCII Compatible File Format
- Full Text Buffering
- Terminal Baud Rates 300 to 9600
- Automatic Word Wrap Eliminates Split Words
- Full/Half Duplex
- Automatic File Capture
- Programmable Word Length, Parity and Stop Bits
- Save and Load Text Buffer and Program Key Buffers to Tape or Disk
- 9 Hi-Resolution Display Formats, 28 to 255 x 24
- True Upper/lower Case Display
- Kill Graphics Option for an Extra 6K
- Supports Line Break

- Freeze Display and Review Information On Line
- Send Files Directly from Buffer or Disk
- Full Disk Support for Disk Version
- Send Control Codes from Keyboard
- Separate Printer Baud Rates 110-9600
- Display on Screen or Output Contents of Buffer to Printer
- Automatic Memory Sense 16-64K
- 9 Programmable Function Key Variable Length Macro Buffer
- Programmable Prompt Character or Delay to Send Next Line
- Programmable Control Character Trapping
- Programmable Open/Close Buffer Characters
- Automatic Key Repeat For Editing
- Program and Memory Status Displays

TAPE
\$34.95

9 Unlimited
Variable Length
Macro Key Buffers

BUFFER
EDITOR
Insert, Delete
Change or Add
To Buffer

NEW!!!

"The Wait is Finally Over" ANNOUNCING The CBASIC COMPILER

Now anyone can create fast efficient Machine Language Programs
without the Drudgery of using an Assembler.

NEW!!!

CBASIC is a fast Machine Language integer Basic Compiler that can convert Color Basic programs into fast machine language programs. CBASIC features over 100 Basic Commands and functions that fully support Disk, Tape, Screen and Printer I/O, Hi & Low Resolution Graphics, Sound, Play and String Operations just like Color Basic. CBASIC also includes a powerful full featured Basic program Editor using a 51,64 or 85 by 24 line display. The Hi-Resolution display can be automatically included in your compiled program for enhanced display capability and allow mixed text and graphic displays.

Graphics Commands: CIRCLE, COLOR, CLS, DRAW, GET, LINE, PAINT, PCLS, PCOPY, PMODE, PRESET, PSET, PUT, RESET, SCREEN, SET, POINT, PPOINT

Sound Commands: PLAY, SOUND

String Functions: CHR\$, LEFT\$, MID\$, RIGHT\$, LEN, INSTR, LSET, RSET, TRIM\$, STR\$, STRING\$, INKEY\$, MKNS\$

Numeric Functions: ABS, POS, TIMER, RND, ASC, TAB, CAL, JOYSTK, PEEK, POKE, LOC, LOF, EOF, FREE, CVN, ERR, VARPTR, SWAP

I/O Commands: OPEN, CLOSE, INPUT, LINEINPUT, PRINT WRITE, PRINT @, GET, PUT, KILL, CHAINM, FIELD, DATA, READ, RESTORE

Program Control: FOR/NEXT/STEP, GOTO/GOSUB, IF/THEN/ELSE, RETURN, STOP, RETI, ON n GOTO/GOSUB, ON ERROR, ON RESET, ON IRQ/FIRQ/NMI, ON OVR/NOVR, EXEC, LET

Directives: ORG, REM OR', END, DIM, END, BASE, RAM, ON/OFF, RAM64K, HIR, GENERATE, DPSET, STACK

Editor Commands: LINE EDIT, AUTO EDIT, COPY, MOVE, RENUMBER, AUTO LINE#, PRINTER, LIST, DELETE, SEARCH, REPLACE, BAUD RATE, PRINTER, CBASIC, TAPPEND, SKIP, SIZE, LOAD, SAVE, APPEND, KILL, DIR, and much, much more.

REQUIRES 32K and Disk, 64K recommended

Introductory Price \$119.00
Regularly \$149.00

HI - RES II SCREEN UTILITY

NEW IMPROVED VERSION

- UP TO 85 CHARACTERS PER LINE READABILITY
- ADJUSTABLE AUTOMATIC KEY REPEAT
- PROTECT 1-23 SCREEN LINES
- CONTROL CODE KEYBOARD

- FULLY BASIC COMPATIBLE
- DISPLAY FORMATS OF 28 TO 255 CHARACTERS PER LINE
- FULL 96 UPPER/LOWER CASE CHARACTERS
- MIXED GRAPHICS & TEXT OR SEPARATE GRAPHIC & TEXT SCREENS
- INDIVIDUAL CHARACTER HIGHLIGHTING
- REVERSE CHARACTER HIGHLIGHT MODE
- WRITTEN IN FAST MACHINE LANGUAGE
- AUTOMATIC RELOCATES TO TOP OF 16/32K
- AUTOMATICALLY SUPPORTS 64K OF RAM WITH RESET CONTROL
- REVERSE SCREEN
- ON SCREEN UNDERLINE
- DOUBLE SIZE CHARACTERS
- ERASE TO END OF LINE
- ERASE TO END OF SCREEN
- HOME CURSOR
- BELL TONE CHARACTER
- HOME CURSOR & CLEAR SCREEN
- REQUIRES ONLY 2K OF RAM
- COMPATIBLE WITH ALL TAPE & DISK SYSTEMS

HI-RES II SCREEN UTILITY
Featuring: Double Height Characters
On Screen UNDERLINING
Protect from 1 to 23 Screen Lines
Full set of cursor control functions
True Upper & Lower case character set
Reverse Video Highlighting
Adjustable line lengths from 28 to 255 characters
28 Characters per line
36 Characters per line
42 Characters per line
51 Characters per line
64 Characters per line
85 Characters per line
Full Control Code Keyboard & Automatic Key Repeat
Mixed Text and Graphics in PMODE 4 and Much More.
All Functions are easily programmable thru BASIC
Fully BASIC COMPATIBLE including CLS & PRINT

\$24.95 TAPE **\$29.95** DISK

ALL ORDERS SHIPPED FROM STOCK
ADD \$2.50 POSTAGE

**CER
COMP**

5566 Ricochet Avenue Las Vegas, Nevada 89110

(702) 452-0632


Screen Enhancement Program Comparison Chart

PROGRAM FEATURES	HI-RES II NEW	HI-RES I OLD	BRAND X
Upper/Lower case characters	Yes	Yes	Yes
Mixed Text and Graphics	Yes	Yes	Yes
Separate Text & Graphics	Yes	Yes	No
Print @ fully implemented	Yes	Yes	Yes
Print @ on all line lengths	Yes	Yes	51 only
Different line lengths	28 to 255 (9)	28 to 255 (9)	51 only (1)
Automatic Key Repeat	Yes	Yes	Yes
Adjustable Key Repeat	Yes	No	No
Auto Repeat Disable	Yes	No	No
Erase to end of line/screen	Yes	Yes	Yes
Home Cursor	Yes	Yes	Yes
Solid or Blinking Cursor	Yes	No	Yes
CLS command supported	Buff/Black	Buff/Black	Buff/Black
XY Coordinate Cursor	Yes	Yes	No
Positioning	Yes	Yes	No
Double Size Characters	Yes	Yes	No
Individual/Continuous	Yes	Yes	No
Highlighting	Yes	Yes	No
On Screen Underlining	Yes	Yes	No
Clear Key functional	Clear/L keys	Clear key	No
16.32 & 64K Supported	Yes	Yes	Yes
Green or Black Background	Yes	No	No
Color	Yes	No	No
Dual Character sets for Enhanced 64 and 85	Yes	No	No
Characters per line display	Yes	No	No
Protected Screen Lines (programmable)	1 to 23	No	No
Full Control Code Keyboard for Screen control directly from the keyboard	Yes	No	No
Programmable Tab Character Spacing	Yes	No	No
Full Screen Reverse Function	Yes	Yes	No
Switch to & from the Standard 16 by 32 Screen for full compatibility	Yes	No	No
On Error Goto Function	No	No	Yes
Extended Basic Required	No	Yes	Yes
All Machine Language Program	Yes	Yes	Yes
RAM Required in addition to Screen RAM	2K	2K	2K
Program Price (Tape)	\$24.95	\$19.95	\$29.95



VISA, MASTERCARD AND C.O.D. ACCEPTED

RAINBOWTECH



Downloads/Dan Downard	260
<i>Answers to your technical questions</i>	
hogg_wash/Frank Hogg	263
<i>Yet another CoCo 2?</i>	
KISSable OS-9/Dale Puckett	269
<i>Potpourri! A medley of hints and tips</i>	
Personable Pascal/Daniel A. Eastham	278
<i>Pointers and the heap</i>	

This Contest Entry Has Strings Attached

By Dan Downard
Rainbow Technical Editor

• *Is there a simple way to determine the number of bytes remaining in a cleared string space after string data has been loaded into that space? In the August '84 RAINBOW on Page 111, Andy Kluck suggests using EXEC 46481:FRE=FNPI(35)-FNPL(33) but all I get is a UF Error. Am I doing something wrong?*

J. M. Stevens
Costa Mesa, CA

The reason you are getting a UF Error is because you are using the BASIC FN function without first defining the function. Let's see if we can't do the same thing another way. Use the following to find the free string space:

```
EXEC 46481: PRINT (PEEK(35) * 256  
+ PEEK(36)) - (PEEK(33) * 256  
+ PEEK(34))
```

EXEC464481 reorganizes the string space. The two bytes at memory location 35 (\$27) are the address of the top of string space. Location 33 (\$23) stores the address of the start of string variable storage. By subtracting the two, the resultant will give you the amount of string storage left. This program will be the "Downloads" entry into RAINBOW's One-liner Contest this month.

COCO SPECIALITIES

• *Your article in the November 1984 issue of THE RAINBOW was just what I have been*

(Dan Downard is an electrical engineer and has been involved in electronics for 24 years through ham radio [K4KWT]. His interest in computers began about five years ago and he has built several 68XX systems.)

looking for. I have heard the CoCo can be used for Morse code, slow-scan TV, RTTY, ASCII and facsimile, but have never seen it actually written (I have seen advertisements for Morse/RTTY interfaces).

Unfortunately, your article did not give any specific information regarding equipment, etc. If you have a list of manufacturers of slow-scan, facsimile, etc., hardware and software interface products, I would greatly appreciate it, along with any bibliography you have of articles on this subject.

I hope this is not an unreasonable request because I have been looking high and low for information about how to use the CoCo for specialized communications.

Thank you for any help you can offer.

Richard A. Belz
Gainesville, FL

Richard, you are in luck this month. If you look around in this issue of RAINBOW, you will see an article on receiving weather facsimile transmissions on your CoCo by inputting audio from your receiver into the cassette port.

I know of a few sources of ham-related software for the CoCo:

Clay Abrams Software
1758 Comstock Lane
San Jose, CA 95124

A-5 Magazine, Mike Stone
1110 E. 4th St.
Durant, IA 52747

GRAFX
Box 254
West Mifflin, PA 15122

These software sources offer programs for the reception of CW, Slo-Scan, FAX, RTTY and ASCII. Some programs require interfacing hardware, others don't. Other

companies have programs for utilities, such as electronic design or logging.

I will pass along any other information received in the near future, Richard. If enough interest is generated, we will compile a list of ham-related software in a future issue. I don't think this will be a problem though, since I received about two dozen letters similar to yours.

MORE K SURPRISE

• *I found I had a 64K machine after being told by Radio Shack I had a 32K upgrade.*

Why would Radio Shack put 64K chips in somebody's CoCo who asked for only 32K upgrade? I have the 1.0 ROM. I thought that wouldn't work with 64K? You have a good magazine. Keep on trucking.

Bob Hart, Jr.
Alton, IL

There never were any 32K chips on the market, just half-bad 64K chips. They were considerably cheaper than good chips. Radio Shack designed the CoCo so these chips could be used if necessary. I've only run across one set of half-bad (32K) chips and they were in a 'D' board CoCo. You need the 1.1 Color BASIC ROM to recognize your 64K, Bob. Try typing EXEC41175 and see what happens. This will give you the version of BASIC ROM that is in your CoCo.

FOUND THE HAPPY MEDIAN

• *I have just spent days devouring my first issue of THE RAINBOW. When I finally reached your column, I couldn't resist noting that it's possible I know something that someone else doesn't.*

Mr. Noel P. Tomas, of Virginia Beach,

wrote with a problem regarding BWDUMP being off-center. I had the same problem with Sugar Software's CoCo Calligraphers program. I was fortunate to have an angel of mercy who suggested I try elongation! He was correct! I simply enter ?#-2,CHRS(27);CHRS(14) prior to loading either program.

Just for the record, I have the new 64K CoCo 2 and the DMP-110.

I do hope this helps!

Dolores Rosenthal
Los Angeles, CA

It's people like you, Dolores, who keep the rest of us informed. The only way to learn is by sharing your hints with others. Thanks for the tip.

WHICH DISK IS WHICH?

• We have had our CoCo for a year and a half, and have upgraded to 64K and added a printer. We are now ready to take the big step to disk, but are a little confused. The obvious objective is to get the most capability from our limited resources. The RAINBOW carries numerous ads for disk drive systems from third party sources and there is an abundance of options available. Drives are available either SSDD or DSDD, with multiples of either type mounted in one case. Does a single DSDD drive give you "two drive" capability? What about controllers — Radio Shack or third party? Same with DOSs — Radio Shack or third party? Is Disk BASIC resident in the controller or do we have to get our CoCo upgraded yet again?

Can you help with a little advice for a setup for home use? Thank you for a great magazine.

Mike Lotti
Centerville, VT

Mike, we receive on the average of one letter a day on the subject of which disk drive and controller to buy. While I won't tell you which to buy, I will give you some information to use in the decision making process.

There are several controllers on the market. The two most popular are the Radio Shack and the J&M. The J&M seems to be superior mechanically due to gold plated connectors, and electrically due to a different data separator circuit. A later generation controller chip allows it to work equally well with the CoCo or CoCo 2 since a 12-volt supply is not necessary.

At the same time, JDOS, the standard BASIC ROM supplied with the J&M controller, is not 100 percent compatible with Disk BASIC. Radio Shack has a copyright on Disk BASIC, and even though JDOS may be compatible from a BASIC standpoint, certain routines have different addresses causing problems for ROM calls. Disk formatting is also slightly different. At the same time, JDOS has some additional commands that are handy. One method of

compatibility has been to use a J&M controller with a Disk BASIC ROM.

The bottom line of the situation, though, is that you get what you pay for, and there is absolutely nothing wrong with the Radio Shack disk controller.

The common drives that are available are 40- and 80-track, single or double-sided. Double density is standard, as single density is rarely used anymore. This question is the crux of the situation. Disk BASIC is designed to use a 35-track, single-sided, double-density (SSDD), disk drive. Actually, the drives Radio Shack is currently supplying are 40-track drives. You can still only use 35 tracks with Disk BASIC due to software limitations.

The whole idea of having a disk drive is storing programs and data. The more storage, the better off you are. A double-sided drive will store twice as much data as a single-sided drive. An 80-track drive will store twice as much data as a 40-track drive. The only catch is that double-sided (DSDD) disks are required for a double-sided drive.

Hence, we take another look at JDOS since you can use different disk formats. JDOS will allow use of more than 35 tracks for data. The price you pay is a non-Radio Shack disk format. You can transfer all of your programs to this format and have more storage on each disk.

The above discussion assumes you are using Disk BASIC. For advanced operating systems, such as FLEX, OS-9, and STAR-DOS, the drivers for these "non-standard" disk drives are either built in or easily modified for their use.

In any case, you must have one standard 35/40-track in the system as this is the standard format for CoCo software. The second drive can be anything you desire for data storage. For OS-9, the larger, the better. The only disadvantage of not having a standard second drive is the ability to make two-drive backups, which save a little bit of time by not having to swap disks as you do for a single drive copy.

I hope this helps you, Mike. For your information, I use a Radio Shack controller and two Radio Shack drives, but I have an 80-track double-sided drive that I use for OS-9 occasionally. I have BASIC 1.1, Extended Color BASIC 1.1 and Disk BASIC 1.0.

ONLY SEEING ONE SIDE OF THE STORY

• I purchased a 4K CoCo. I could not get it to work on any of the 256 x 192 PMODE 4 graphics. All I can get is 128 x 64.

Anyone I talked with said I could not do it unless I had Extended BASIC, as well as 16K. So, I installed 16K myself; I had Radio Shack install Extended BASIC.

In the meantime, I had to clean contacts on the keyboard and, of course, the warranty is out. I still cannot get PMODE

4. With programs of PMODE 4, I get a picture twice as wide as it should be. Only the left half of a picture, full screen, on a cold start, I get: Color BASIC 1.0. EXEC 41175 gives me 1.1 and POKE 25,6:New ?MEM yields 14631 and after PMODE 0:PCLEAR1 ?MEM gives 13095. This seems to be correct. But, still the same problem. Mine is the E Board and I have been a service tech on TV so I feel if I could find out what to do I am sure I could do any modification necessary.

Am I the only one who has had this problem or have others? Can anyone help me? Thank you.

Maurice R. Reynolds
Bellflower, CA

Maurice, the problem you are having is not due to Extended BASIC, but how much memory it takes for PMODE 4 graphics.

It is possible to display PMODE 4 with Color BASIC. In fact, an entire chapter of the manual *Getting Started With Color BASIC*, starting on Page 252 is devoted to Hi-Res graphics.

Your problem is memory. PMODE 4 graphics require 6K of screen memory. You are only seeing half of a page since that's all of the screen memory you have. It appears you have not changed the jumpers required for the 16K upgrade. Change these jumpers and you will be able to create the same graphics as the guys with Extended BASIC.

HUSH-HUSH HEX CODES

• How do you read the Hex codes (eight each) that make up the 8 x 12 (5 x 7 characters) dot-matrix alphanumeric blocks that are stored in the VDG? I'd like to know. Thank you.


F. Emil Stolarik
Cleveland, OH

Sorry, Emil, this is secret information. Actually, you can't read the codes since they are in a ROM that is part of the 6847 Video Display Generator (VDG) inside your CoCo. Depending on the graphics mode of the VDG, each byte of screen memory is converted to either an alphanumeric, or a graphics character by the VDG.

If you are interested in changing the characters, there are several screen enhancement packages available allowing custom character sets. If you are just interested in the dot-matrix patterns internal to the VDG, you will have to obtain a data sheet from Motorola on the 6847.

Your technical questions are welcomed. Please address them to: Downloads, THE RAINBOW, P.O. Box 385, Prospect, KY 40059. We reserve the right to publish only questions of general interest and to edit for space and clarity.


NEW!



Trekboer

HI-RES ADVENTURES!


Disc not required • Cassettes - \$24.95 • Discs - \$27.95



This exciting hi-res adventure begins aboard the starship TREKBOER in the 21st century. Life on Earth is threatened by a deadly virus and your mission is to search the frontiers of space and return with a cure to save mankind from disaster. But how? Where? The name of your starship provides the first clue.

PRESS RELEASE "Trekboer is the latest in the collection of fine adventure games from Mark Data Products. Sure to be a hit."

SCI-FI FANS, here it is! A new hi-res adventure even more challenging than any of our others.




I see a small top desk, an ornate chair, an antique table, a flight of stairs.
Welcome to the Calixto Island Museum.

CALIXTO ISLAND

A valuable museum treasure has been stolen, can you recover it??? This is a challenging puzzle with an occasional twist of humor. You'll visit a secret laboratory, a Mayan pyramid and you'll meet crazy Trader Jack—all in living color and exciting detail. You will really love this hi-res graphic version of the classic Calixto Island Adventure. 32K required.

Rainbow—April '84 "It was enough to keep my wife and 8 year old son glued to the computer for an entire weekend and two week nights."





You are on a sandy beach. Obvious directions: North, South, East, West. You see a pirate, a boat, the ocean.

SEA SEARCH

Get your shark repellent and scuba tanks ready! The graphics in this adventure are truly outstanding and the underwater scenes are unforgettable. You'll run into a pirate, a mermaid and some hungry sharks in this colorful and unique treasure hunt. 32K required.

Hot CoCo—April '84 "The fine graphics accent your imagination."



You are in a small efficiency apartment. You see an old brass bed, a dresser, a wooden chest, a closed window, a door.

SHENANIGANS

Countless legends tell of a magnificent Pot of Gold hidden at the end of the rainbow. Many have attempted to find the marvelous treasure but success has eluded them and it remains hidden to this day. You, as a dedicated adventurer, have determined to search for the fabled riches and succeed where others have failed. This one is great fun! 32K required.



I'm in rugged mountain country. Snow is falling. Obvious directions: North, South, West. I see pine trees, a cabin in the distance.

BLACK SANCTUM

Encounter the forces of black magic as you roam around an old 18th century monastery. You'll see all the evil locations in this spooky adventure; you'll love searching out and destroying the evil in this classic tale. A MUST for every adventure game fan! 32K required.

Rainbow—May '84 "It's the graphic screens that are the shining stars. Some of the best I've seen."

FREE — Send for our NEW 24 page Catalog!



Mark Data Products

24001 ALICIA PKWY., NO. 207 • MISSION VIEJO, CA 92691 • (714) 768-1551

SHIPPING: All orders under \$100 please add \$2 regular, \$5 air. All orders over \$100 please add 2% regular, 5% air. California residents please add 6% sales tax. Orders outside the continental U.S. check with us for shipping amount; please remit U.S. funds. Software authors—contact us for exciting program marketing details. We accept MasterCard and VISA. Distributed in Canada by Kelly Software.

WHERE'S-IT

by C.E. Laidlaw

What programs are on this disk? Which disk is my WIDGET program? WHERE'S-IT will answer these questions for you and maintain disk directory index files with up to 972 programs in each. Completely user-friendly, just run WHERE'S-IT and follow the prompts to: Create index files holding up to 972 programs

Load or save existing index files

Add, delete or update index files for a specific disk

Sort index files alphabetically with a machine language sort

List index files to screen

Print index out with 162 programs to the page

Disk only.....\$19.95
(32K Extended Color BASIC)

We are also a dealer for the following companies:

Moreton Bay Software
Computerware
Spectrum Projects
Mark Data, Amdek, Epson
Pal Creations, Tom Mix
PBH Computer, Inc.
Spectral Associates.
Cognitec, Elite Software
Prickly Pear, Botek
Cobra Software
and many more fine companies

JARB

SOFTWARE
HARDWARE

1636 D Avenue, Suite C
National City, CA 92050

After hours:

BBS 619-474-8981


Orderline:

619-474-8982

T.A.G. THE ADVENTURE GENERATOR

ADVENTURE

Cassette.....\$34.95
Disk/Amdisk.....\$39.95



FEATURES

- Creates stand-alone programs
- Up to 100 rooms, 60 objects, 30 command words, and 9 conditional flags
- Supports tape and disk output
- Optional printer output of important sections during creation of ADVENTURE
- Complete documentation
- Includes sample ADVENTURE
- Works with all models of the CoCo except MC-10
- Requires 32K Extended Color BASIC

NEW GRAY LADY

by Terry A. Steen

Control your submarine in its efforts to destroy the enemy fleet. You must launch your sub to surface missiles while avoiding the depth charges. Five different types, hi-res graphics and spectacular sounds. Also a talking version included at no extra charge for those who have an SC01 based voice pack. Four screens and progressive difficulty make this all machine language program a real bargain.

Cassette: \$19.95

Disk/Amdisk: \$24.95

U.S. COD orders accepted, no charge cards please.

Shipping and handling \$3.00

California residents please add 6% sales tax



Show Schedule:

Friday evening — Exhibit hall open from 7 p.m. to 10 p.m.

Saturday — Breakfast at 8 a.m. Exhibit Hall opens at 10 a.m. and closes at 6 p.m.

Sunday — Exhibit Hall open from 11 a.m. to 4 p.m.

Joining in the fun and excitement of **RAINBOWfest** is a great way to get to know the CoCo Community. Many of those who write for **THE RAINBOW** — and those who are written about — attend CoCo's very own show. It's a people-to-people event as well as a valuable learning experience.

For the 1984-85 season, we've scheduled three **RAINBOWfests** in three parts of the country. If you missed the **RAINBOWfest** in Princeton, N.J., why don't you make plans now to be with us in Irvine, Calif., or Chicago, Ill.? Each show will offer fun, excitement, new products, seminars and information for your CoCo! And for those who (perish the thought) don't like CoCo as

much as you, we've scheduled each **RAINBOWfest** in an area that will provide fun and enjoyment for the whole family.

Our Irvine, California, show is being held at the Irvine Marriott Hotel, which offers special rates for **RAINBOWfest**. The show opens Friday evening with a 7 p.m. to 10 p.m. session. It's a daytime-only show Saturday — the CoCo Community Breakfast is at 8 a.m., then the exhibit hall opens promptly at 10 a.m. and runs continuously until 6 p.m. There will be no exhibition hours or seminars Saturday evening. On Sunday, the exhibit hall opens at 11 a.m. and closes at 4 p.m.

Our highly popular CoCo Community Breakfast will again feature a well-known figure from the Color Computer Community. And the exhibition will be interspaced

with a number of seminar sessions on all aspects of CoCo — from writing in machine language to making your BASIC work better.

But most of all, there will be exhibitors. Lots of them. All ready to demonstrate products of every kind. Some with special programs and hardware items to introduce. Others with show specials.

Tickets can be secured directly from **THE RAINBOW**. We'll also send you a special reservation form so you can get your special room rate.

Come to **RAINBOWfest** . . . help us all celebrate CoCo Community at its finest.

United Airlines and **THE RAINBOW** have joined together to offer a special discounted fare to those attending **RAINBOWfest-Irvine**. Simply by calling United at the toll free number listed below and identifying our meeting, with account number 522-I, you will be eligible for a 20 percent discount or the Easy Saver Fare. The only requirement is a Saturday night stay.

RAINBOWfest-Irvine, California (L.A. area)
Date: February 15-17, 1985
Hotel: Irvine Marriott Hotel
Rooms: \$65 per night, single or double
Advance Ticket Deadline: February 8, 1985

RAINBOWfest-Chicago, Illinois
Date: May 17-19, 1985
Hotel: Hyatt Regency Woodfield
Rooms: \$49 per night, single or double
Advance Ticket Deadline: May 10, 1985

(800) 521-4041
Account Number 522-I

RAINBOWfest Irvine

Seminar Program And Speakers

• Linda Nielsen

The CoCo Artist High Res Graphics

Linda, of Moreton Bay Laboratory, and several others active in the CoCo area, will demonstrate some graphics and help you to learn about some techniques you can use.

• Dale Puckett

Beginner's Tour Of OS-9 Beginner's Tour Of BASIC09

A free-lance writer and programmer, Dale has worked with microprocessors since 1976, and is the author of *The Official BASIC09 Tour Guide*. Dale will be available to sign copies of his new book. *The Complete RAINBOW Guide to OS-9*.

• Bob Albrecht

School Is In The Heart Of The Child

Bob Albrecht, RAINBOW columnist who writes "School Is In The Heart Of The Child," is one of the most prolific authors in the microcomputer world today. A specialist in writing for beginners, he is the author of numerous books, including *TRS-80 Color BASIC*.

• Jim Reed

Writing For RAINBOW

Jim, managing editor of THE RAINBOW, will talk about how you can submit programs and articles to magazines for fun and profit. He is also senior editor of PCM — and editorial director of SOFT SECTOR (for the Sanyo).

• Bill Nolan

GameMaster's Apprentice And Dragon's Byte

• Bob Albrecht

Bill Nolan, who teaches "Programming In BASIC" at the college level, owns Prickly-Pear Software Co. and has written several commercially successful software packages.

• **Ken Kaplan**, president of Microware Systems Corp., will be our keynote speaker at the CoCo Community Breakfast, Saturday morning at 8 a.m.

• Dan Downard

Inside Your Color Computer Software And Hardware Interfacing

Dan Downard is the technical editor for THE RAINBOW and an electrical engineer. He has been involved in electronics for 24 years through ham radio (K4KWT). His interest in computers began about five years ago and he has built several 68XX systems.

• Don Inman

A Realizable Fantasy: The Home Dream Machine

• Tim Finger

• Bob Albrecht

Along with several other panelists

Don Inman is a co-author of a series of booklets for Radio Shack titled *Color LOGO Guide for Teachers*. He is a former teacher and is presently a full-time author with the DYMAX group.

Tim Finger is a member of the DYMAX group, along with Don and Bob.

• Wayne Day

Exploring CompuServe and the Color SIG The CoCo User and the Local Bulletin Board

Wayne Day, a traffic engineering signal technician, is the SYSOP of The Color SIG of CompuServe, the world's largest consumer information service. He is also a certified paramedic and works part-time for an Emergency Medical Service provider. His amateur radio operator call sign is WA5WDB.

• Radio Shack

CoCo Classroom

Sharpen your programming skills and learn about LOGO. Introduce your computer illiterate friends to the wonderful world of CoCo. Classes will be conducted by trained Radio Shack instructors during show hours on Friday, Saturday and Sunday.

**FREE Rainbow poster
for first 500 ticket orders received.**

**FREE T-Shirt to first five ticket
orders received from each state.**

Make checks payable to:
THE RAINBOW

MAIL TO:

RAINBOWfest
P.O. BOX 385
Prospect, KY 40059
(502) 228-4492

YES, I'm coming to RAINBOWfest! I want to save by buying tickets now at the special advance sale price. Send me tickets for (check one):

☐ Irvine, California ☐ Chicago, Illinois

Please send me:

_____ three day tickets at \$9 each	total _____
_____ one day tickets at \$7 each	total _____
_____ Circle one: Friday / Saturday / Sunday	
_____ Saturday breakfast tickets at \$12 each	total _____
_____ Handling Charge \$1	_____ 1.00

TOTAL ENCLOSED (U.S. FUNDS ONLY, PLEASE)

\$ _____

☐ Also send me a hotel reservation card for () Irvine, or () Chicago.

NAME (please print) _____

STREET & NUMBER _____

CITY & STATE _____

TELEPHONE _____ ZIP CODE _____

COMPANY _____

Orders received less than two weeks prior to show opening will be held for you at the door.

VISA, MasterCard, American Express accepted.

My Account # _____ Ex. Date: _____

Signature _____

can **backspace** over characters to edit them. Also, command repeat has been added. The key will auto-repeat if you hold it down for a second.

The final feature is that the keyboard is table driven. This means you can redefine any non-alpha key to be anything you want. This also supports the full matrix so keyboards with the extra four keys, like HJL's, can be used. You can either make the changes in the table or in the source, the choice is yours.

We encourage keyboard vendors to provide suggestions for their customers on the use of their keyboards with XEX. If you will send this information to us, we will include it with XEX when we ship it out.

Screen

The screen driver and all the font files are provided in source, also. The major feature here is that the fonts are in separate modules and are therefore very easy to change. You can also create your own fonts and use them. If you create some and send them in, we will include them with the package.

Another feature is sideways scroll. With this, we hope to make *DynaStar* work with text wider than the screen. Another group is working on that. There are other features here that were in CC FLEX, so I won't repeat them.

Disk Driver

The disk drivers are also provided in source. They support all types of disks, 35-, 40- and 80-track single- and double-sided and double density. The drivers are also able to double step, which means you can read a 40-track disk with an 80-track drive. Each drive can have separate stepping speeds from 30 ms to 6 ms. These drivers are a little faster than those in CC FLEX, but otherwise are the same.

We did make one minor change in that the default format for Track 0 is now double density instead of single. This means that XEX format disks cannot be read by other FLEX systems. You can make a standard FLEX disk on XEX, and that is what you would do to transfer information between systems. XEX will read and write standard FLEX disks with no problem. The reason we did this was to provide more room on the disk. With double-sided disks, you get 16 sectors more than standard FLEX. No big deal, but 16 sectors is 4K more storage and it might make the difference some day.

This feature is an option, anyway; you can do it either way you choose.

Startup Routine

The startup routine is also provided in source. This is the routine that asks for the date and executes the startup file. If you have a clock board in your system, this routine would be modified to get the date from the board. You can also modify this routine to set up the system the way you like it. Because this routine resides in memory that is

"Another feature is sideways scroll. With this, we hope to make DynaStar work with text wider than the screen."

reused by the system, you can do just about anything you like without making the system itself bigger. Third party vendors like PBJ will replace this routine with their own for their clock boards.

Utilities

Many of the utilities are provided in source form. This is useful both for modification and education reasons. The entire list that will be provided was not complete at the writing of this article, but it includes the disk formatting program and the utilities for using an external terminal, the various printer drivers and the programs that support the 128K options. We plan to provide everything we can. The only reason we would leave something out would be if the code was proprietary or not in a condition to be seen. As time goes by, we will add more source to the package. Updates will be available for \$5 per disk plus shipping. The system comes on three disks.

The Manual

We have redone the manual. It now comes in a D-ring easel binder and in loose-leaf form. CC FLEX came in book form, and it is difficult to add pages to the manual for future versions

and options. With the D-ring binder, it is easy to keep your manual updated. XEX also includes ED/ASM and DBASIC, which makes the manual twice as large as CC FLEX.

The Package

When you get it, all you need to do is run the main system disk. It is *not* protected, nor is any of the system. The other disks are the source and modules. You only need to bother with them if you want to modify the system. The modules are provided in source and binary, so if you modify one of them, all you need to do is assemble it and append a new system with the modified module. Full instructions are provided on how to do this.

Technical Assistance

We provide assistance by mail and by phone. However, like most companies, we cannot guarantee that someone who can help you will be there when you call. For that reason, it is better to do it by mail. You should limit your questions to two or three. We get some letters with 20 questions, and the response to that kind of letter has to wait many days or weeks until all the questions have been answered. If you limit your questions, you will receive an answer more quickly.

Upgrades

XEX is a new implementation of FLEX for the CoCo. In order to do it, we incurred the same costs that we did when we first did CC FLEX two years ago. Also, XEX has considerably more in it than CC FLEX has. For these reasons, we are not providing an upgrade to XEX from CC FLEX. We are offering a discount of 15 percent off what you paid for CC FLEX if you purchased it after Oct. 1, 1984, and before Feb. 1, 1985. All others will have to pay full price. We will still offer CC FLEX, but if you buy it after Feb. 1, 1985, there will be no discount.

We will be shipping XEX the first part of February 1985.

On the Catty Side

I found a new use for Nomad the robot. I got a new kitten that was driving me nuts! It wanted to play and play and then play some more. I tied a stick with a string on it to Nomad and programmed it to move randomly around. I sat back and just laughed, as I watched the kitten's antics!

KISSable OS-9

Potpourri!

A Medley of Hints And Tips

By Dale L. Puckett
Rainbow Contributing Editor

One of the things I enjoy most about writing this column is the opportunity to see the ingenuity of Color Computer OS-9 enthusiasts. We'll share some of this creativity with you this month and try to answer a few of your questions. A few listings will round out the column.

Our first tip and the one that will grab a lot of attention comes from John E. Carter, WB4HLZ, of Smyrna, Ga. Since most people have three initials and the standard OS-9 prompt has three characters, John reasoned that he could find a way to personalize the OS-9 prompt. His procedure, *chgprompt*, will do the job. Use it by typing:

OS9: debug <chgprompt

The command line above assumes you have saved *chgprompt* in your current data directory. Do that using the OS-9 BUILD utility command or your favorite editor now. Here's the listing.

```
I shell
..+36
=4A
=45
=43
q
```

After you run the command line above you will see the following prompt on your Color Computer screen.

JEC:

Of course, I forced OS-9 on my Color Computer to prompt me with "DLP: Do your thing!"

Later, I tried John's trick on the GIMIX. It worked. The prompt string of the Level II SHELL was at the same exact offset as the Level I SHELL that runs on the Color Computer.

Here's another trick John sent in. If you have been using OS-9 for awhile, you know you can use the DISPLAY

utility command to *do many* things. For example, you can clear your Color Computer screen by typing:

OS9: display C ENTER

Or, you can send a form feed to your printer by typing:

OS9: display C >/p ENTER

And, since you can send more than one character with the DISPLAY command, you may send complex cursor commands to your screen or make your printer sing and dance. But, if you're like me, you can never remember the codes needed to do the job, and it's a major hassle to look them up in the "OS-9 Commands" manual or some appendix to your printer's users manual. For example, on my Epson MX-80 printer, I can switch into the Italics mode by displaying a two-byte string.

OS9: display IB 34 >/p ENTER

Since it's much easier to remember the word "Italic," John rightly suggests that we place the command line above in an OS-9 procedure file named "Italic." Then, as long as that file is in our working data directory we may tell

(Dale L. Puckett is a free-lance writer and programmer who has worked with the Motorola family of microprocessors since 1976. Dale has written two books on OS-9: *The Official BASIC09 Tour Guide*, published by Microware and *The Complete Rainbow Guide to OS-9*, published by Rainbow Bookshelf. He is the author of *DynaSpell*, *Readtest*, *Esther and Help*, all from Frank Hogg Laboratories. Dale serves on the Info World Software Review Board and is a Chief Warrant Officer in the U.S. Coast Guard.)

our printer to switch into its Italic mode by typing:

OS9: italic ENTER

The command line above that sends the form feed to your printer could be put in a procedure file named FF. That would be easy to type. If you like to make your printer impress the neighbors, get out the manual and turn your imagination loose on some OS-9 procedure files.

John also sent in a short procedure file that prints a simple graphics display on your Color Computer. Try John's demo, then create your own. Have fun!

```
load display
display 80 80 80 80 80 80 80 80 80 80 80 80 80 80 80 80 80 80 80 80
80 80 80 80 80 80 80 80 80 80 80 80 80 80 80 80
display ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff
ff ff ff ff ff ff
display 20 6f 73 39 20 4f 53 39 20 6f 73 39 20 4f 53 39 20 6f 73 39
20 4f 53 39 20 6f 73 39 20 4f 53 39
display 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20
20 20 20 20 20 20 20 20 20 20 20 20
display ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff
ff ff ff ff ff ff
display 80 80 80 80 80 80 80 80 80 80 80 80 80 80 80 80 80 80 80 80
80 80 80 80 80 80 80 80 80 80 80 80 80 80 80 80
unlink display
```

We were sorry to receive the last issue of Dick Dundon's *68XX(X)* newsletter earlier this week. Dundon had served the Color Computer and SS-50 family in the Evergreen State for several years with a quality newsletter. He was especially bullish about OS-9 and passed on a number of OS-9 tips to eager readers. We personally appreciated the nice things he said about *DynaSpell* and *The Official BASIC09 Tour Guide*.

Dundon's newsletter will be missed by everyone in Washington state that was lucky enough to subscribe. However, his writing talents won't be wasted. He started editing *MOTD*, the OS-9 users group newsletter in November and it was the best issue yet.

Speaking of *MOTD*, kudos to Jim Schmidt, who wrote a tremendous story about a conversation between several Radio Shack computers at a computer center after hours. His "CoCo Advocate" column will soon be required reading for all users group members. Tim Grovac also made a nice contribution to the new *MOTD* with an excellent BASIC09 tutorial. Keep up the good work.

After recovering from three weeks of

temporary duty in San Francisco following the explosion and sinking of the tanker vessel Puerto Rican, and a month of burnout that hit after we completed *The Complete Rainbow Guide To OS-9*, we finally got a chance to check into the OS-9 SIG on CompuServe again. We picked up a couple of hints we thought we should share.

The concept of having a current execution directory and a current data directory is one of the most powerful features of OS-9. Besides, it saves a lot of typing. But, sometimes we get in trouble because we try to execute a program that isn't stored in our current execution directory. The infamous

of when I visited the OS-9 SIG. Study the `/d0/SYS/password` file on my system.

```
.,0,150,...,shell
dale,coastie,0,128,/d0/cmds,..,shell
esther,trippp,1,128,/d0/cmds,..,ds
michele,tiffy,2,128,/d0/cmds,..,shell
```

Everything here is standard except the third line. What do you think happens if Esther signs on with TSMON? You guessed it! She never sees the "OS9:" prompt. LOGIN takes her directly to the *DynaStar* text editor and lets her go to work.

During the long discussion that took place, David L. Kindred offered a suggestion that takes the process one step further. He showed how to let each user come online using his/her own "startup" file.

To do this, put the following entry in the last position of a user's password file.

```
shell startup ; shell
```

This entry will call a SHELL to process a file called "startup." That file will be located in the user's current data directory. In the password file above that would be the current data directory when LOGIN was called. However, it doesn't need to be. A pathlist to any directory could be typed in the entry position held by the period. Give it a try!

Just before we were called to San Francisco, Richard Don at GIMIX called us with hot news from the Windy City. GIMIX is now shipping UniFLEX for its 6809 GMX III computers. Don also told us that Bob Phillips, GIMIX president, visited Technical Systems Consultants (TSC) and that he was presently designing a 68010 CPU to work with the virtual memory version of UniFLEX 68000.

Don said the new card will run on GIMIX S-50 bus computers using existing intelligent I/O cards. He said that BASIC, COBOL, FORTRAN and a C compiler with bit fields already runs under UniFLEX, and noted that up to 15 users can each use up to four megabytes of virtual memory. The 68010 virtual memory systems reportedly run five times faster than present 6809 systems.

Speaking of upgrades, I received word from Tandy in Fort Worth recently that OS-9 *Version 01.01.00* had been released. Unfortunately, when I

Error #216 message hits the screen.

Here's a novel way to beat the system. It was suggested by Greg Law. Remember though, if you don't follow this same procedure with all your disks, you could get in trouble using this technique. Every time you make a new system disk — or any disk that will hold an execution directory — follow these steps.

```
OS9: format /d1 ENTER
OS9: cobbler /d1 ENTER
OS9: mkdir /d1/CMDS ENTER
```

Can you figure out the trick? During operation, OS-9 doesn't search for your current execution directory by name. It looks at the particular sector on your disk that it learned when you last ran the CHX command. If you run the sequence of commands above each time, you make a new disk; the CMDS directory will always be in the same location on each disk. Thus, once OS-9 has set itself up to use `/d0/CMDS` as the execution directory on one disk, it will find `/d0/CMDS` on all disks initialized the same way.

Here's another trick I was reminded

arrived at the Radio Shack Computer Store in Springfield, Va., they were already out of the \$14.95 upgrade. The new version contains an enhanced screen that lets you clear to the end of a line, clear to the end of the screen as well as change the background color of your screen. It also supports the Radio Shack RS-232 pack at Baud rates as high as 9600.

A new version of OS-9 for the Color Computer is good news. However, I have been told by several readers that a few of the old bugs are still in the release. I am told you will find that the most important non-change is in the Baud rate tables for the Printer and RS-232 modules.

That's the bad news. The good news is the tables are the same. Only the offset from the beginning of the modules has changed. This means you can correct them with DEBUG. In the new PRINTER module the offset is now \$65. In the new RS-232, the offset is \$72. Use the following procedure file to do the job.

* make changes to allow 9600 Baud rate for printer

```
l printer
..+65
```

```
=04
```

```
=82
```

```
=01
```

```
=a2
```

```
=00
```

```
=cd
```

```
=00
```

```
=63
```

```
=00
```

```
=2d
```

```
=00
```

```
=13
```

```
=00
```

```
=05
```

```
l printer
```

```
..+a5
```

```
=12
```

```
=c6
```

```
=00
```

```
=59
```

```
=58
```

```
l printer
```

```
..+b3
```

```
=f2
```

* Make changes to allow /t1 to work at 9600 Baud

```
l rs232
```

```
..+72
```

```
=04
```

```
=82
```

```
=01
```

```
=a2
```

```
=00
```

```
=cd
```

```
=00
```

```
=63
```

```
=00
```

```
=2d
```

```
=00
```

```
=13
```

```
=00
```

```
=05
```

```
l rs232
```

```
..+b2
```

```
=12
```

```
=c6
```

```
=00
```

```
=59
```

```
=58
```

```
l rs232
```

```
..+ba
```

```
=f2
```

```
q
```

Save the procedure above in a file named *Baud_changes* and then make the changes with the following command line.

```
OS9: debug <baud_changes
```

As before, the file *Baud_changes* must be located in your current data directory.

K. J. Johnson of Brechin, Ontario,

posed a problem. "For fun, you might poll your readers to submit how they resolved with the SHELL or BASIC09, the simple command frequently used in Radio Shack BASIC — *Print Hex\$(30)* ENTER. Here's one solution using BASIC09:

```
PRINT USING "H2",30
```

Johnson wanted a filter that would indent the front of each line before printing. We'll try to put together a quick and dirty BASIC09 filter soon.

We have some TANO Dragon users out there. Kent D. Meyers wrote to say he could be reached at any of the following BBS numbers: 312-286-9015, 405-728-7654, 612-433-5194, 512-285-5028. You may also write him at Box 266, Le Roy, MN 55951.

And finally, we close this edition of KISSable OS-9 with two more listings from Tim Harris, a brand new programmer at Microware. *CRYPT* is an assembly language program that shows you how to encrypt and decrypt a file for security purposes. "*F.C.*" shows you how to write a simple text formatter you can use to print and number text files.

Enjoy! And if you live on the West Coast, we hope to see you at RAINBOWfest in Irvine, February 15-17.

Listing 1:


CRYPT: AN ASSEMBLY LANGUAGE ENCRYPTION FILTER

```
* crypt utility : crypts files for user protection
* 6809 Assembly Language
* for Color Computer OS-9 v. 01.00.00
* (c) 6/17/84 by Tim Harris
*
* Uses std. input and output so it acts as a filter
* Sample calls:
*   crypt keyword <infile >codedfile
*   crypt keyword <codedfile          prints file to screen
*   list infile ! crypt keyword >outfile
*   crypt keyword <infile ! crypt keyword will print out file
*
*
*       nam crypt
*       use /d0/DEFS/OS9Defs
*
* * Data Area
EOF      equ 211
MAXKEY   equ 15
org 0
OUTCHAR  rmb 1
KEYLEN   rmb 1
CHAR     rmb 1
KEYBUF   rmb MAXKEY
          rmb 200 stack area
CRPMEI   equ .
* Program Area
mod CRPEND,CRPNAM,PRGRM+OBJECT,REENT+1,CRPENT,CRPMEI
CRPNAM    fcs "crypt"
CRPENT    clrb clear the counter
```


B-5 Educational Programs

PRESIDENTIAL DECISIONS

of
ANDREW JACKSON



Presidential Decisions is a political simulation. You are presented with ten issues that President Jackson had to face, and the object is to make the same decisions that the President made. To help you with your decisions, you may read period newspaper accounts, ask advice of Jackson's contemporaries, or reflect on the past experiences of Jackson. **Presidential Decisions** is an exercise in critical thinking that is packed with interesting historical data. When you complete this simulation, you feel as though you know Andrew Jackson. Students and history buffs will love it!

CoCo - 32K ECB Disk - \$31.95

MUSIC THEORY

Music Theory is a complete computer assisted instruction program that teaches the construction of scales and chords, and ear training. It is written by Albert G. Huetteman, Associate Professor of Music at the University of Massachusetts, and includes sequential lessons on: *Major scales, Harmonic Minor Scales, Interval Spelling, Triads (chords), Inversions, Dominant 7th Chords, and Intervals (Ear Training)*. Each lesson features background information, drill and practice routines, and scoring. **Music Theory** is a well organized, in depth tutorial. Excellent visual and auditory screens make this program wonderful for any theory level, beginning through college!

CoCo - 32K ECB Disk - \$49.95

★ Other popular ★
B-5 Programs
for Grades K - 12

ABC's • Spelling • Clock
Hangword/Scramble • Keyboard
Borrow • Carry • Mathfacts
Money • Skip Counting • Congress
Questions • Basketball Statistics

In addition to our programs, we carry a full line of software from other publishers. Let us meet all your educational needs. Programs available for Color Computer, TI 994/A, Commodore 64 and Apple. Selected B-5 software titles available through Radio Shack's Educational Express Order Service.

Write for a free brochure
or ask your dealer for a demonstration.



B-5 Software Co.
1024 Bainbridge Place
Columbus, Ohio 43228
Phone (614) 276-2752

```
CRP10 leay KEYBUF,u get the key value
      lda ,x+
      cmpa #$0D are you done?
      beq CRP15 yes, go on with program
      cmpa #$20 maybe, check again?
      beq CRP15 yes, go on
      sta ,y+ no, store the char
      incb increment the counter
      bra CRP10 go back for more

CRP15 stb KEYLEN save the key length
CRP20 ldb KEYLEN get key length
      leay KEYBUF,u point to start of key
CRP25 pshs y,b
      clra
      ldy #$1
      leax CHAR,u
      os9 I$Readln
      bcs CRP30
      puls b,y
      lda CHAR get the char
      eora ,y+ crypt it
      sta CHAR store it for output
      pshs y,b
      lda #$1
      ldy #$1
      leax CHAR,u
      os9 I$Writeln
      bcs CRP30
      puls b,y
      decb are you done?
      bne CRP25 no, crypt more
      bra CRP20 yes, get more of the file

CRP30 cmpb #EOF is it at EOF?
      bne CRP35 no, exit with error
      clrb yes, clear error status

CRP35 os9 F$Exit exit the program
      emod

CRPEND equ *
      END
```

Listing 2:

"F.C": A SIMPLE TEXT FORMATTING UTILITY

```
/* f utility: optional formatter for DynaStar */
/* formats with tm=6; bm=60; pl=66; lm=8 */
/* has optional page numbering (use -n) */
/* has no problems with double spacing */
/* sends to stdout so use redirection for /p */

/* CoCo OS-9 C-Compiler 01.00.00 */
/* (c) 6/6/84 by: Tim Harris */
/* Call: */
/* f <-n><filename> (> redirection) */

#include <stdio.h>
#define MAXLINE 80
#define PAGLEN 54

main(argc,argv)
int argc;
char *argv[];

FILE *fp,*fopen();
int linenum=1, number=0, pageno=1;
char line[MAXLINE];

if (argc>3 argc==1)
    error ("f: improper arguments",NULL);
if (argc ==2)
    if ((fp=fopen(argv[1],"r"))==NULL)
        error ("f: can't open %s",argv[1]);

else
    if (argv[1][0]=='-' && argv[1][1]=='n')
        number=1;
```



```

else
    error ("f: illegal option %c",argv[1][1]);
if ((fp=fopen(argv[2],"r"))== NULL)
    error ("f: can't open %s",argv[2]);

printf("\n\n\n\n\n");
while (fgets(line,MAXLINE,fp)!=NULL)
    printf("      %s",line);
    ++linenum;
    if (linenum>PAGLEN)
        linenum=1;
        printf("\n\n\n");
        if (number)
            printf("                                %d\n\n\n\n\n\n\n\n\n",pageno++);
        else
            printf("\n\n\n\n\n\n\n\n\n");

while (linenum <= PAGLEN)
    ++linenum;
    printf("\n");


printf("\n\n\n");
if (number)
    printf("                                %d\n\n\n",pageno++);
else
    printf("\n\n\n");
fclose(fp);

error(s1,s2);
char *s1,*s2;

printf(s1,s2);
printf("/n");
exit(1);

```





WOW!
How do you get a full 80 column Word Processor on the CoCo?

Oh, I just use Stylograph and the PBJ WordPak 80 Column Board

The STYLOGRAPH III WORD PROCESSING SYSTEM
is packed with many features! . . .

- * Stylo comes with a 51 x 24 Hi-res screen driver called GO-51, which is compact and efficient (doesn't waste memory space).
- * Totally compatible with the PBJ 80 column board called WORDPAK.
- * Immediate screen updating shows the text just as it will be printed.
- * Screen shows all page separations, headers and footers, justification of text and uses reverse video for character modifications.
- * Stylo can be configured to your printer. Proportional Spacing is supported to give you the professional quality look.
- * Stylo is available for the OS/9 and Flex operating systems.
- * Additional programs like Mail Merge and Spelling Checker are also available to give you a complete word processing package.
- * **Stylograph is now available at your local Radio Shack Dealer.**


Prices have been lowered making Stylograph and WordPak the best buy in town

Stylograph III	\$99.95	WordPak	\$119.95
Spelling Checker	69.95	WordPak II	149.95
Mail Merge	59.95		
All three programs	\$199.95	Send for our complete catalog	

Great Plains Computer Company
P.O. Box 916
Idaho Falls, Idaho 83403
(208) 529-3210

OS9 is a trademark of Microware
Flex is a trademark of TSC, Inc.

Get the most out of BASIC09



The **OFFICIAL BASIC09 TOUR GUIDE** is skillfully written in a friendly and easy-to-read style. Just perfect for those new to computers and to BASIC09. It's also a *valuable reference book* for programmers, engineers, students and hobbyists, providing an in-depth look at BASIC09 plus an overview of the OS-9 operating system. Comprehensive reference sections on BASIC09 and OS-9 commands are also included.

The book "maps" out your route through the Mercedes of Basics . . . BASIC09 and puts you in the driver's seat in no time. Fasten your seatbelt, sit back and enjoy the ride to perfecting your programming skills.

MICROWARE . . .

The **OFFICIAL BASIC09 TOUR GUIDE** comes from the people who wrote BASIC09. As the leader in 6809 system software, we at MICROWARE care about our users and want to help you get the most from our products.

It's Easy to Order.

Phone orders are accepted from MasterCard or VISA cardholders or for COD shipment. You can also order by mail using the coupon below. Quantity discounts are available to educational organizations and dealers. For further information contact Microware.

microware®

Specialists in system software for 68-family microprocessors since 1977.

OS-9 and BASIC09 are trademarks of Microware and Motorola.

Microware Systems Corporation
1866 N.W. 114th Street
Des Moines, Iowa 50322
Telephone 515/224-1929
Telex 910-520-2535

Please send _____ copies of the **Basic09 Tour Guide** book at \$18.95 each. Add \$2.00 for UPS shipping in the U.S. or \$5.00 for overseas air mail per book. Iowa residents add 4% sales tax.

Name _____

Address _____

City _____

State _____ Zip _____

☐ I have enclosed a check

☐ Charge to my bank card:

MasterCard ☐ VISA ☐

Card Number _____

Expiration _____

OS-9 UTILITY

Tidy Up Listings With LISTFILE

By Gerry Schechter

If you do any programming at all, you already know it can be very helpful to have a hard copy listing available in order to assist in debugging and modifying programs. When using Extended BASIC, a simple *LLIST* will provide the desired listing. In BASIC09, a *LIST* *procname* >/p will also do the job.

In either case, however, there are no top and bottom page margins, so you wind up printing on the perforations of the paper, which is kind of sloppy. If you ever break up your listings, punch holes in them and file them away as I do, then you know this can be a problem. Even if you don't, wouldn't it be nice to have a neatly formatted listing?

(Gerry Schechter has over 12 years of data processing experience. He is currently employed by Mercy College where he is the manager of technical services. Writing software for the Color Computer is one of his hobbies.)

Since I like to have things simplified, I came up with a program called *LISTFILE*. This program, which is written in BASIC09, will produce a neatly formatted listing of any OS-9 file that would normally be *LISTable*. Although it is designed with BASIC09 programs in mind, it can also be used with most other OS-9 files as well, with no problem.

Aside from skipping over the perforations, it will also print out today's date, the filename in elongated printer mode, and a page number at the top of every page for better readability and documentation. For BASIC09 programs, the listing is indented five spaces on each line that does not have a line number, in a manner similar to that of BASIC09's *LIST* command.

Using this program could not be easier. When it prompts you for the filename to be listed, all you have to do is to enter its name. This name must follow the OS-9 pathname conventions, so if the file to be listed is in your current data directory, all you need to do is

to enter the filename. If it is not, you must enter the full pathname.

When your file has been listed, you will again be prompted for a filename to be listed. If you have no more files to be listed, just hit ENTER, and the program will end by itself.

The only part of this program you might have to modify has to do with putting your printer into the elongated print mode. As written, it is designed for the Radio Shack Line Printer VIII. Between lines 120 and 130 (not every line is numbered in BASIC09, you will find the necessary comments to help you in modifying the program to suit your particular printer.

I hope you will find this program useful, and that it will encourage you to write your own utility programs when the need arises. For those of you who don't like typing in programs, I would be happy to send you a copy of my program for \$1, if you will send a blank disk and a SASE to: 75 Midland Terrace, Yonkers, NY 10704.

The listing:

```
PROCEDURE LISTFILE
(* ----- *)
(* LIST FILE UTILITY *)
(* GERRY SCHECHTER *)
(* 75 MIDLAND TERRACE *)
(* YONKERS, NY 10704 *)
(* V1.1 - APRIL 1984 *)
(* ----- *)
PRINT CHR$(12)
PRINT "  ** LIST FILE UTILITY **"
ON ERROR GOTO 130
```

```
DIM XX:INTEGER
DIM KEY:STRING[1]
DIM FILENAME:STRING[24]
DIM FIRSTTIME,BASIC:BOOLEAN
DIM INDATA,TEMP:STRING[128]
DIM LINECOUNT,PAGECOUNT:BYTE
DIM DISK,PRINTER,POINTER:BYTE
100 FIRSTTIME=TRUE
PRINT
PRINT "  ENTER FILE NAME TO BE LISTED:"
INPUT " ",FILENAME
IF LEN(FILENAME)=0 THEN
PRINT
```



```

PRINT " PROCEDURE CONCLUDED."
PRINT
END
ENDIF
OPEN #DISK,FILENAME:READ
PRINT
INPUT " LINE UP PAPER AND HIT ENTER..",KEY
PRINT
OPEN #PRINTER,"/P":WRITE
110 READ #DISK,INDATA
IF FIRSTTIME THEN
GOSUB 120
FIRSTTIME=FALSE
IF LEFT$(INDATA,9)="PROCEDURE" THEN
BASIC=TRUE
ELSE
BASIC=FALSE
ENDIF
ENDIF
IF BASIC THEN
IF LEFT$(INDATA,9)="PROCEDURE" THEN
INDATA="*** "+INDATA
ELSE
IF LEFT$(INDATA,1)>"9" OR LEFT$(INDATA,1)="(" THEN
INDATA=" "+INDATA
ELSE
POINTER=SUBSTR(" ",INDATA)
TEMP=LEFT$(INDATA,POINTER)+" "
INDATA=LEFT$(TEMP,5)+RIGHT$(INDATA,LEN(INDATA)-POINTER)
ENDIF
ENDIF
ENDIF
IF LINECOUNT>60 THEN
GOSUB 120
ENDIF
PRINT #PRINTER,INDATA
IF EOF(#DISK) THEN

```

```

CLOSE #DISK
CLOSE #PRINTER
GOTO 100
ENDIF
LINECOUNT=LINECOUNT+1
GOTO 110
120 IF NOT(FIRSTTIME) THEN
FOR XX=1 TO 5
PRINT #PRINTER
NEXT XX
ELSE
PAGECOUNT=1
ENDIF
PRINT #PRINTER,LEFT$(DATE$,8);
(* START ELONGATION FOR LP VIII *)
PRINT #PRINTER,CHR$(27); CHR$(14);
PRINT #PRINTER,TAB((50-LEN(FILENAME))/2); FILENAME;
(* END ELONGATION FOR LP VIII *)
PRINT #PRINTER,CHR$(27); CHR$(15);
PRINT #PRINTER,TAB(50); "PAGE NO: "; PAGECOUNT
PRINT #PRINTER
LINECOUNT=2
PAGECOUNT=PAGECOUNT+1
RETURN
130 ERRNO=ERR
PRINT
IF ERRNO=215 OR ERRNO=216 THEN
PRINT " FILE NOT FOUND!"
GOTO 100
ELSE
PRINT " ERROR # "; ERRNO; " ENCOUNTERED!"
ENDIF
PRINT
PRINT " PROCEDURE TERMINATED"
PRINT " DUE TO ABOVE ERROR."
PRINT
END

```

OS-9™ SOFTWARE FOR COCO

SDISK—Standard disk driver module allows the use of 35, 40, or 80 track single and double sided drives with CoCo OS-9 plus you gain the ability to read/write/format the standard OS-9 single and double density disk formats used on other OS-9 systems. **\$29.95**

BOOTFIX—To make bootable double-sided disks **\$9.95**

SDISK + BOOTFIX—when ordered together **\$35.95**

FILTER KIT #1—Eleven utilities used as filters (with pipes) to give you "wild card" directory lists, copies, deletes, moves, lists, pagination, etc. **\$29.95**

FILTER KIT #2—Command Macro Generator to build new commands by combining old ones, and 9 other utilities. **\$29.95**

HACKER'S KIT #1—Disassembler and memory dump/fill utilities allow you to disassemble OS-9 assembly code from disk or memory. **\$24.95**

Send SASE for current catalog.


Terms: Prepaid check, MO, Visa, Mastercard or COD. Add \$1 S&H, (COD \$3 extra).

**D.P. Johnson, 7655 S.W. Cedarcrest St.
Portland, OR 97223 (503) 244-8152**

(We appreciate your calling between 9-11 AM Pacific Time.)

OS-9 is a trademark of Microware and Motorola Inc.

FLY THE COCO-150 \$49.95



YOKE AND THROTTLE FUNCTION LIKE A 'REAL' AIRPLANE - HAS 'RUDDER' CONTROL KNOB AND 'FIRE' BUTTONS.

SPECIAL COMBO OFFER
TOM MIX 'WORLDS OF FLIGHT' (WOF) + COCO-150
\$72.95 (CT) / \$75.95 (CD)
OR


ASI-IFR FLIGHT SIMULATOR - THE MOST VALID HOME COMPUTER INSTRUMENT FLIGHT SIMULATOR PROGRAM WE KNOW OF FOR PRACTICING IFR NAVIGATION AND APPROACHES USING CURRENT ACTUAL FAA MAPS AND APPROACH PLATES. PROGRAM ALLOWS QUICK AND EASY CUSTOMIZING TO YOUR LOCAL AREA AND UPDATES AS YOUR LOCAL FAA CHARTS CHANGE. PRICE INCLUDES COPIES OF OFFICIAL FAA FLORIDA SECTIONAL AND 6 ILS APPROACH PLATES, INSTRUCTIONS, KEYBOARD OVERLAY, AND 8 1/2 BY 11 LOOSELEAF BINDER. COCO-150 OR JOYSTICKS REQUIRED + 16K OR 32/64K EXT. COLOR BASIC (SPECIFY).
ASI-IFR \$15.95 (TAPE ONLY)
ASI-IFR + COCO-150 \$59.95 (TAPE ONLY)

EVERYTHING PACKAGE - COCO-150 + WOF(CT) + ASI-IFR(CT) \$82.95
COCO-150 + WOF(CD) + ASI-IFR(CT) \$85.95
ADD \$3.50 POSTAGE AND HANDLING - FLA. RESIDENTS ADD 5% SALES TAX.
FOR ASI-IFR ONLY ADD \$1.50 P&H AND 5% FLA. TAX IF APPLICABLE.

ALBAN SCIENTIFIC, INC.
P.O. BOX 15226
DAYTONA BEACH, FLORIDA 32014

CALL 904-252-5302

DATAPOINT INTERNATIONAL



1-416-529-1319



GRAPHICMASTER

This extremely powerful, compact program adds 30 new commands to any version of RS COCO BASIC. The commands are more versatile and operate up to 60 times faster than Extended Basic.

You write your own Basic graphic programs that operate so fast they appear to be written in machine language. For even greater speed you can compile the final program (compiler not supplied). Works with TEXTMASTER and PRINTMASTER.

32 software sprights, dual page flipping, vertical scroll, polygon and dye are just a few of the features you can use in your own programs. A 60 page manual is included.



\$42.95US

\$49.95CN



\$46.95US +\$2.50

\$53.95CN S&H

NEW Double sided



\$9.95US

\$12.95CN

prototyping
board

TEXTMASTER

Textmaster displays text on the graphics screen using one of the supplied character sets or a custom set that you create (Hebrew, Greek, Chinese etc.) to use the completely redefinable keyboard.

Residing in the top of a 64K machine it takes only 8 bytes from Basic. Many additional features have been added like smooth scroll, top and bottom scroll protect, key beep and repeat, full error messages, non destructive cursor, invert text etc..

A total of 24 sizes of text are possible in line lengths of 32,36,42,51,64, & 85 chrs /line. Text can be echoed to a printer using the printers character set or you can use PRINTMASTER to print exactly what you see on the screen.

This unprotected program comes in a vinyl binder with full documentation, a demo program and character design program.



\$25.95US

\$29.95CN



\$29.95US +\$2.50

\$33.95CN S&H

**DATAPOINT
INTERNATIONAL**

125 SOUTH FIFTH STREET
LEWISTON, N.Y. 14092

**DATAPOINT
INTERNATIONAL**

420 FERGUSON AVE. N.
HAMILTON, ONT., L8L 4Y9

PERSONABLE PASCAL

Pointers And The Heap

By Daniel Adams Eastham
Rainbow Contributing Editor

Have you ever written a program where you were dealing with a collection of data items, but really didn't want to put a limit on the number of items you could handle? In BASIC, you would probably use an array and make the *DIM* statement declare as many elements as would fit in memory. But, what if you needed two such arrays? How big do you make each one?

This problem occurs because of the way BASIC allocates memory for data; you either use one of the legal two character names as a simple variable or array, or declare an array with a *DIM* statement. The memory is allocated when the interpreter encounters the name and all subsequent references to that name refer to that particular area of memory.

(Daniel Eastham holds a B.S. in computer science and has 13 years experience in systems and communications programming including work on the original Telenet packet switching network. He is the author of the DEFT Pascal Workbench and is currently president of Deft Systems, Inc.)

Automatic Allocation

The normal mechanism for allocating data memory in PASCAL is only a little different. In this case, when the block in which a variable is declared is activated, memory for the variable is allocated, then all references to that variable in that activation of the block reference the same area of memory.

The major difference occurs if the block recursively activates itself, then a second allocation of the variable is made. As each activation is terminated, memory for the variable for that activation is released and becomes available for use by other variables.

Last month's calculator program used this technique to allocate memory for intermediate expression values depending on the number of levels of parentheses nesting. Each time a left parenthesis was encountered, the function *Expression* would be activated allocating another memory area for *TermAmount*. Each time a right parenthesis was encountered, the function would return, releasing its memory.

Pointers

But what if you want to allocate many copies of a variable without having to call a procedure or function? Answer:

you use *pointers*. A pointer is a special kind of type in PASCAL which has as its value the memory location of a variable. For example:

```
VAR P : ^Real;
```

This statement allocates a variable 'P' which is a pointer to a real number. Memory for the pointer 'P' is automatically allocated; memory for the real number to which 'P' points is not allocated.

Dynamic Allocation

In order to allocate memory for the real number, you have to use the built-in procedure *NEW*. For example:

```
NEW (P);
```

When this procedure is invoked, memory for a real number is allocated from an area of memory called the *heap*. The address of this allocated memory is placed in the variable 'P'. This memory area can then be accessed as a real variable by *dereferencing* the pointer variable. For example:

```
P^ := 15.3E2;  
A := A * (P^ + 3.2);
```


In this example, the constant 15.3E2 is placed in the real number pointed to by 'P'. Then, in the second statement this value is used in an expression that modifies the variable 'A'. By suffixing the pointer variable name with an up-arrow, you indicate that you want to use or modify the variable the pointer is referencing (or pointing to), rather than the pointer itself.

In addition to dereferencing, pointers can be compared for equality, used as parameters in procedures and functions, and assigned. Some examples of these operations are shown further on.

Pointers to Pointers

This still doesn't solve our "as many as you want" problem since the pointer variable itself is allocated automatically. In order to completely solve the problem, we will also have to dynamically allocate the pointer variable. Our first inclination is to create a pointer to 'P' as follows:

```
TYPE PType : ^Real;
VAR Q      : ^PType;
.
.
NEW (Q);
NEW (Q^);
Q^ := 3.15E2;
```


Where *PType* is a type which is a pointer to a real, and 'Q' is a variable which is a pointer to *PType*. The first NEW allocates a pointer to a real and puts the address of the pointer in 'Q'. The second NEW allocates the real number and puts its value in the pointer allocated by the first NEW. The assignment statement sets the value of the real number.

Linked Lists

Although this is legal PASCAL, it really isn't what we want. We need to allocate a pointer variable at the same time we allocate a real so we always have a "free" pointer variable to use to allocate another real. What we need is a *Node*:

```
TYPE Node = RECORD
  P : ^Node;
  R : Real;
END;
VAR Q : ^Node;
```

Now, when we allocate memory, we are allocating both a pointer and a real number. The way this works is that each Node contains a value (R) and a pointer to the next Node (P). We are going to create a structure that looks like this:




Where Root is a pointer variable that points to the first Node. NIL is a built-in pointer type constant that indicates the pointer is not pointing to any memory location. A structure of this type is called a *linked list*. The following program creates this list:

```
PROGRAM LinkedList;
TYPE Node = RECORD
  P : ^Node;
  R : Real;
END;
VAR Q, Root : ^Node;
    I : Integer;
BEGIN
  Root := NIL;
  FOR I := 10 DOWNTO 1 DO BEGIN
    NEW (Q);
    Q^.R := I;
    Q^.P := Root;
    Root := Q;
  END;
END.
```

The program starts by initializing Root to the NIL value and then executing a FOR loop. On each iteration of the loop, the program allocates a Node, inserts a value, points it to the last allocated Node and then saves the address of this last Node in Root. We need two pointer variables since we need to be able to reference the last Node while allocating the next one.

You can see from the example that the Nodes end up in the reverse order from the one in which they were allocated. To make them come out in the same order, we can either use another pointer variable (since we now have to keep track of the first one, the most recently allocated as well as the next one) or a *doubly-linked list*. A doubly-linked version of this structure looks like this:



Now each Node points to each of its neighbors instead of just the next one. The following program will build this list:

```
PROGRAM Double;
TYPE Node = RECORD
  P1, P2 : ^Node;
  R : Real;
END;
VAR First, Last, Q : ^Node;
    I : Integer;
BEGIN
  Last := NIL;
  FOR I := 1 TO 10 DO BEGIN
    NEW (Q);
    IF Last = NIL THEN First := Q
    ELSE Last^.P1 := Q;
    Q^.P1 := NIL;
    Q^.P2 := Last;
    Q^.R := I;
    Last := Q;
  END;
END.
```

With doubly-linked lists it is much easier to add or delete nodes in the middle of the list. For example, a procedure to delete a node from the above list would be:


```
TYPE NodePtr = ^Node;
.
.
PROCEDURE DeleteNode (Q :
  NodePtr);
BEGIN
  IF Q^.P1 <> NIL THEN Q^.P1^.
    P2 := Q^.P2;
  IF Q^.P2 <> NIL THEN Q^.
    P2^.P1 := Q^.P1;
END;
```

This puts the backward pointer into the backward pointer of the next node, and the forward pointer into the forward pointer of the last node. This results in the next node pointing to the previous one and vice versa.

Binary Trees

This month's example program uses a *binary tree* to sort a list of records. This is a group of nodes arranged in the following type of structure:

Figure



It is in the form of an inverted tree with each node having up to two branches. Pointers are used to denote branches off of each node. This type of structure is usually used to place and maintain data in a particular order.

We are going to use this structure to sort a list of records into ascending order. We will use the following rules to build the tree:

- 1) Each node will contain one data record.
- 2) The first pointer (Smaller) will point to the branch of nodes which contain data records which are all less than this data record.
- 3) The second pointer (Larger) will point to the branch of nodes which contain data records which are all greater than or equal to this data record.

Since every node will follow these rules, you could find the data record with the smallest value by following the chain of Smaller pointers down the left side of the above picture. The largest value will be at the end of the Larger pointers on the right side of the picture. In fact, going from left to right, you can see that the data values will be in ascending order.

Example Program

The question, of course, is how to get them into this structure. Looking at the program listing we can see that the procedure *AddNode* is used to build

the tree. By taking advantage of PASCAL's recursive abilities, the routine is very simple. It is called from the main program with the address of the top node in the tree (the main program puts the address of the first data record in Root).

AddNode first checks to see whether the data in Current is less than or greater than the data in Branch. If it is less and there is no Smaller branch, then Current gets added to Branch directly. If there is a Smaller branch, then *AddNode* calls itself with Smaller in order to add it to the appropriate node on that branch. If the data in Current is greater than or equal to that in Branch, then the same operation is performed using the Larger branch.

AddNode will continue to call itself until it finds an "empty" branch (one with a NIL pointer) to attach Current to. This whole process then gets repeated for each record in the file.

Once all the records have been read in and the tree built, the routine *WriteNode* is used to write all the records back out in order. *WriteNode* is called from the main program with the top node in the tree. It first checks to see if it has been called with a NIL pointer. If not, it calls itself to write out all the data which is in its Smaller branch, then it writes out the data that is in Branch. It then calls itself again in order to write out the data that is in its Larger branch. In effect, *WriteNode* is merely following the three rules that we originally listed above.

This binary tree technique for sorting records is a very efficient means of sorting data that is randomly distributed. This is because many short branches will be constructed. However, if the incoming data is primarily in sequence or exactly out of sequence, then the tree will be very lopsided and the sort will take much longer.

Special Notes

At the beginning of the program you can see that *NodePtr* is declared as a pointer to the type Node. However, at this point in the program, Node is not known. PASCAL allows pointers to forward reference a type declaration so that you can declare types which point to themselves.

The built-in functions *MEMAVAIL* and *SIZEOF* provide the ability to determine whether there is sufficient memory left to allocate another Node. *MEMAVAIL* returns the number of bytes of memory remaining in the heap. *SIZEOF* returns the number of bytes of memory that a particular type or variable uses.

We did not discuss the two routines used in *DEFT Pascal* to return a memory area to the heap. These are *MARK* and *RELEASE*. You call the *MARK* routine at a point in your program just before you start allocating memory that you will later want to release. After you have allocated all the memory you need and are finished using it, you call *RELEASE* with the same pointer value that *MARK* returned in order to release the memory back to the heap. For example:

```
VAR Save : ^Integer;
```

```
...
```

```
MARK (Save); (* save heap state in Save *)
```

```
NEW (...);  
... (* allocate and use memory *)
```

```
RELEASE (Save); (* heap restored to point of MARK *)
```

The pointer you use with *MARK* and *RELEASE* can be pointers to any type.

If you have any questions about the use of pointers or the heap in PASCAL, you can call (301) 253-1300 during normal business hours for help. Next month we will learn about the separate compilation facilities in *DEFT Pascal*. (If you have a disk system, these commands are needed prior to loading:)

```
PCLEAR 1  
FILES 0,0  
CLEAR 16,4999
```


The listing:

```

00 0000 (*****
00 0000 *
00 0000 * This program uses a binary tree to
00 0000 * sort records as they are read in from a file.
00 0000 * It then writes the sorted records out to
00 0000 * another file.
00 0000 *
00 0000 * When the program prompts you for INPUT FILE:
00 0000 * enter the name of the file that contains the
00 0000 * data to be sorted. The program will read and
00 0000 * sort the records, print the total read and
00 0000 * prompt you for OUTPUT FILE:.. Enter the name
00 0000 * of the file that the sorted records are to be
00 0000 * written to.
00 0000 *
00 0000 *****
00 0000 PROGRAM BinarySort (Input, Output);
00 0000
00 0000 CONST RecordSize = 80;
00 0000
00 0000 TYPE NodePtr = ^Node;
00 0000      Node = RECORD
00 0000         Smaller : NodePtr;
00 0000         Larger  : NodePtr;
00 0000         Data    : String (RecordSize);
00 0000      END;
00 0000
00 0000 VAR Root, Current : NodePtr;
00 0000     Filename : String;
00 0000     DataFile : Text;
00 0000     RecordCount : Integer;
00 0000
00 0000 (*****
00 0000 *
00 0000 * Recursive routine to Add a Node to the tree
00 0000 *
00 0000 *****
00 0000
00 0000 PROCEDURE AddNode (Branch : NodePtr);
10 0003
10 0003 BEGIN
11 0007 IF Current^.Data < Branch^.Data THEN BEGIN
12 0020 IF Branch^.Smaller <> NIL THEN AddNode (Branch^.Smaller)
12 003E ELSE Branch^.Smaller := Current;
12 005D END
11 005D ELSE BEGIN
12 0060 IF Branch^.Larger <> NIL THEN AddNode (Branch^.Larger)
12 007E ELSE Branch^.Larger := Current;
12 00A0 END;
11 00A0 END;

00 00A4
00 00A4 (*****
00 00A4 *
00 00A4 * Recursive routine to write the nodes back out
00 00A4 *
00 00A4 *****
00 00A4
00 00A4 PROCEDURE WriteNode (Branch : NodePtr);
10 00A4
10 00A4 BEGIN
11 00A8 IF Branch <> NIL THEN BEGIN
12 00BC WriteNode (Branch^.Smaller);
12 00CC WRITELN (DataFile, Branch^.Data);
12 00E6 RecordCount := RecordCount + 1;
12 00F7 WriteNode (Branch^.Larger);
12 0107 END;
11 0107 END;

00 010B (*****
00 010B *
00 010B * Main entry for BinarySort
00 010B *
00 010B *****
00 010B
00 010B BEGIN
01 0113 Page;
01 011F WRITELN;
01 0127 WRITELN ('BINARY SORT PROGRAM');
01 014C WRITELN;
01 0154 WRITE ('INPUT FILE: ');
01 0171 READLN (FileName);
01 0186 RESET (DataFile, FileName);
01 019B
01 019B Root := NIL;
01 019F RecordCount := 0;
01 01A5 WHILE (MEMAVAIL > SIZEOF (Node)) AND
01 01BA NOT EOF (DataFile) DO BEGIN
02 01DF NEW (Current);
02 01EB Current^.Smaller := NIL;
02 01FB Current^.Larger := NIL;
02 020D READLN (DataFile, Current^.Data);
02 0226 IF Root = NIL THEN Root := Current
02 023A ELSE AddNode (Root);
02 024C RecordCount := RecordCount + 1;
02 025B END;
01 025E
01 025E IF NOT EOF (DataFile) THEN WRITELN ('OUT OF MEMORY');
01 029B WRITELN (RecordCount, ' RECORDS READ');
01 02C8 WRITELN;
01 02D0
01 02D0 WRITE ('OUTPUT FILE: ');
01 02EE READLN (FileName);
01 0303 REWRITE (DataFile, FileName);
01 0318 RecordCount := 0;
01 031E WriteNode (Root);
01 0329 CLOSE (DataFile);
01 0336 WRITELN (RecordCount, ' RECORDS WRITTEN');
01 0366 END.

```

CORRECTIONS

"Cooking With CoCo" (December 1984, Page 155): Two numbers were reversed in the paragraph beginning with "Mount the SN7404 . . ." The corrected sentences read: ". . . connect pins 1, 3, 5, 7, 9 and 11 together and also to pin 1 of the 40-pin socket. Connect pin 14 to pin 20 of the 40-pin socket." Also, in later models of the CoCo (NC board and CoCo 2) the circuit board is "piggybacked" over the MC6821 PIA chip; the second "PIA" is actually an MC6822 IIA chip in these machines (or in older computers with Radio Shack's upgraded keyboard installed).

"Creating Moire Patterns in PMODE 4" (October 1984, Page 19): Larry Taylor suggests that a problem he had in the "Bouncing Line" program (Listing 3) can be fixed by inserting this line:


```
115 GOTO 160
```

and by removing the -1 in the equation INT(number/Q)-1 in lines 160, 170, 200 and 210.

"Developing A Database Manager" (December 1984, Page 256): Bill Nolan tells us that there have been problems with FN Errors (filename) occurring when a file is sorted twice. The reason is that the extension (/DAT) is added well after the start of the program; if a file is sorted twice, the extension is added a second time and you end up with something like "SAMPLE/DAT/DAT," which causes the error. To fix it, he suggests changing lines 40 and 2100 to the following.

```
40 PRINT:PRINT " WORK ON WHICH F
ILE?":INPUT F$:F$=F$+"/DAT":GOSU
B 5500:CLOSE #1
```

```
2100 T$=F$:TT$="TEMP/DAT"
```


Get A 'Boot' Out Of OS-9

By Charles Robitaille

Have you recently purchased OS-9 from Radio Shack and found that its system master disk wasn't directly bootable? Do you wish it was? Then read on! The reason you can't directly boot to your system disk is because you have Version 1.0 Disk BASIC ROM, instead of the newer Version 1.1. The newer version has the boot routine built into it and if you had this ROM you would only have to insert the system master disk, type DOS, and be on your way.

There are, fortunately, several ways around this. You could, for one, upgrade to the newer ROM, which isn't exactly cheap. You could wait for Radio Shack to send you a version upgrade patch and hope it includes direct booting. Or, you could do it yourself by following the simple procedure outlined in this article. Should you decide to do it yourself, you'll find you will have used only three sectors of disk space, and your system will seem much more professional.

My only caution is that if you have modified your original system master disk, then this procedure might not work for you. I would further add that this original system master



(Charles Robitaille is a service engineer for CGR Corporation. He maintains complex medical imaging equipment, his specialty being CT scanners. Charles has a wife and two children and enjoys spy novels.)

disk should never be modified, except under instructions from Radio Shack, or you could lose compatibility with other users.

We will be working with a backup of the OS-9 system master disk, so if you haven't already done so, write-protect your original system master disk, Version 01.00.00. This is to protect it from being written to inadvertently. If you're not familiar with how to make a backup, I suggest you study Chapter 4 of the *Getting Started with OS-9* manual.

Once the backup is made, put away your original system master disk until it is specifically asked for. When your backup is made, leave it in drive 0 and delete two files from it. The files are named *LIST* and *OS9GEN*. They are occupying the three sectors we will need for our boot program. Don't worry, though, because the last thing we will do is copy these files back from the original. At that time, they'll occupy different sectors, but will operate just fine. By the way, to delete these files all you need to type at the OS9: prompt is:

```
DEL /D0/CMDS/LIST
DEL /D0/CMDS/OS9GEN
```

After this is done, we will need to write a couple of short BASIC programs, one of them being the *BOOT* program itself. So, power down your system and power it back up again to get under control of Disk BASIC. Your backup system master disk should be in drive 0. Type in Listing 1 and then *RUN* it.

This program will set up Track 17, Sector 2 as Disk BASIC's granule allocation table. By doing this, we have told Disk BASIC that the only granule left to write to begins at Track 16, Sector 1, which is where we want our *BOOT* program to reside. It will then set up Track 17, Sector 3 to accept a directory entry.

The last thing it does is set up Track 0, Sector 2, which is OS-9's cluster allocation table. We will have, in effect, told OS-9 that it cannot use the above mentioned sectors because they are already in use. This program not only makes it possible to run the *BOOT* program, but it also protects the *BOOT* program from an inadvertent *SAVE* when under Disk BASIC, while also protecting it from OS-9 writing over it.

The next step in this procedure is the most pleasurable, because when we are done, we will have a bootable OS-9 system master disk. Type in Listing 2, which is the *BOOT* program. With the backup disk still in drive 0, type the following:

SAVE"BOOT"

You now have a bootable OS-9 system master disk. But, don't throw away your OS-9 Boot disk because it contains your drive speed test program which you will want to run from time to time. We must now get back the two files we deleted earlier. To get back into OS-9 simply type:

RUN"BOOT"

Insert your original write-protected system master disk and copy these two files to the bootable backup disk we just made. At the OS9: prompt, you'll need to type:

```
COPY /D0/CMDS/LIST /D0/
CMDS/LIST -S #16K
```

```
COPY /D0/CMDS/OS9GEN /D0/
CMDS/OS9GEN -S #16K
```

That's all there is to it. If you choose, you can make a backup of this disk, although it's not really necessary since if you somehow "bombed" it out, you could easily make another. By the way, the drive speed test program is named *CHR\$(130)+CHR\$(129)+".BIN"*. So, if you wanted to rename this program to *SPDTST.BIN*, for example, you would type under Disk BASIC:

```
RENAME CHR$(130)+CHR$(129)+
".BIN" TO "SPDTST.BIN"
```

The program will be a lot easier to call up and send to another disk should you choose to use your OS-9 Boot disk for something else.

OS-9 is one of the most powerful operating systems in the world for a microcomputer. It may very well be the most powerful of all, so to all of you who have become part of the OS-9 network, I say congratulations. You have done your homework well and spent your money wisely. Learn OS-9 and master it, and if this little boot program will help you enjoy OS-9 more, then your time will have been well spent.

Listing 1:

```
5 DEFUSR0=&HD66C:POKE&HEA,3:POKE
&HEB,0:POKE&HEC,17:POKE&HED,2:PO
KE&HEE,&H50:POKE&HEF,0
10 FORI=&H5000 TO &H5100:POKEI,&
HC9:NEXTI
15 POKE&H5020,&HFF
20 A=USR(0)
25 FORI=&H5000 TO &H5100:POKEI,&
HFF:NEXTI
30 POKE&HED,3
35 A=USR(0)
40 POKE&HEA,2:POKE&HEC,0:POKE&HE
D,2
```

```
45 A=USR(0)
50 POKE&H5024,&HFF:POKE&H5026,&H
D9:POKE&HEA,3
55 A=USR(0)
60 NEW
```

Listing 2:

```
5 DEFUSR0=&HD66C:S=1:H=&H27
10 POKE&HEA,2:POKE&HEB,0:POKE&HE
C,34:POKE&HED,S:POKE&HEE,H:POKE&
HEF,0
15 A=USR(0)
20 S=S+1:H=H+1
25 IFS<19 THEN 10
30 EXEC&H270C
```


OS-9 SOFTWARE WITH X-TRA POWER

XTERM

XTERM is a full featured OS-9 communications program that takes full advantage of the power of OS-9. It works with the normal text screen, XSCREEN, or the Wordpak 80 column board.

XTERM is menu oriented for ease of use, it is simple to use even for the novice OS-9 user. And yet, XTERM is powerful enough for the expert OS-9 user.

Some of the features of XTERM include: full upload and download support with remote buffer operation; supports XON/XOFF protocol; 110/300/600/1200 baud, 5/6/7/8 bits, even/odd/no parity, full or half duplex; able to execute an OS-9 shell command from within XTERM.

XTERM works with a Color Computer using the standard serial interface, but also will work with a hardware serial port. Also, if you are using a hardware parallel printer port, you can print data to the printer as it is received.

XTERM \$59.95

XMENU

XMENU is a system that creates a menu-driven environment for the Color Computer using OS-9. OS-9 now becomes easy-to-use with command selections made from menus. Menus are included to access OS-9 commands. An easy-to-use utility is provided that allows for the creation and maintenance of menus.

XMENU works with XSCREEN, the normal text screen, O-PAK, and the WORDPAK 80-column board.

XMENU \$39.95

NEW

XWORD

XWORD is a powerful word processing system for the Color Computer using OS-9. XWORD is feature packed with only a few features mentioned here.

Some of the editing features of XWORD include: true character oriented full screen editor; works with the normal text screen, XSCREEN, O-PAK, or WORDPAK 80 column card; full block commands with blocks displayed in inverse characters (except with normal text screen) for easy block manipulation; file size not limited to a buffer size; full find and replace commands with wildcard character; able to execute an OS-9 shell command in the middle of editing. Many, many more features, too many to mention here.


Some of the formatting features of XWORD include: proportional spacing supported; perfectly aligned hanging indents and columns, even when using proportional characters; full printer control with control of character size, emphasized, italics, overstrike, underlining (with or without spaces), super and sub-scripts; up to 10 header/footers; page numbering in decimal or Roman numerals; margins and headers can be set differently for even and odd pages; automatically reads printer initialization file to define XWORD for your printer (many included, and easy to write or modify your own). Many more features.

XWORD \$79.95

XSCREEN

XSCREEN creates a high resolution screen for the Color Computer using OS-9. This high resolution screen gives you 24 lines of text with 51, 64, or 85 characters per line. Characters can be either white on a black background or vice versa. Easy menu operation.

XSCREEN \$19.95



**MICROTECH
CONSULTANTS
INC.** 1906 Jerrold Avenue
St. Paul, MN 55112

Dealer Inquiries Invited



Ordering Information

Add \$2.50 shipping & handling. MN residents add 6% sales tax. Visa, Mastercard, COD (add \$2.50), personal checks: all shipped from stock within 24 hours.

(612) 633-6161

THESE FINE STORES CARRY THE RAINBOW

The retail stores listed below carry THE RAINBOW on a regular basis and may have other products of interest to Color Computer users. We suggest you patronize those in your area.

ALABAMA

Albertville
Birmingham
Brewton
Florence
Huntsville
Madison
Montgomery
Sewell TV & Radio Shack
Jefferson News Co.
McDowell Electronics
Anderson News Co.
Endicott Software
Madison Books
Trade 'N' Books

ALASKA

Fairbanks Electronic World

ARIZONA

Phoenix
Home Brew Computers
The Computer Shop
Tri-Tech Computers
Data Concepts
Softwareland Corp.
All Systems Go
Books Etc.
Computer Library
Anderson News Co.
Minz Electronics
Scottsdale
Tempe
Tucson

ARKANSAS

Little Rock Anderson News Co.

CALIFORNIA

Citrus Heights
Downey
El Cajon
Exton
Folsom
Ft. Bragg
Fortuna
Gretna
Half Moon Bay
Hesperia
Hollywood
Livermore
Lompoc
Los Angeles
Milpitas
Modesto
National City
Pacific Beach
Palo Alto
Sacramento
San Diego
Software Plus
The Floppy Disk
Radio Shack
Software City
Computers, Etc.
Earthly Delights
R&V Sound
The Computer Supply Store
Strawflower Electronics
Dessert Sound, Inc.
Levity Distributors
Software Galeria
L&H Electronics Emporium
Polygon Co.
AVS Computer Systems
Software Mart
JARB Software
Willy's Electronics
Pro Am Electronics
Printers, Inc.
Tower Magazine
Computer Dimension
The Computer Store
Dimensional Software
Disney's Electronics
Radio Shack
Sawyer's News, Inc.
Color Computing
Hardings Way News
Computer Literacy

COLORADO

Aurora
Colorado
Springs
Westminster
Aurora Newsland
Hathaway's Magazines
Software City

CONNECTICUT

Danbury
Monroe
Orange
Computer Serv. of Danbury
Monroe-Radio Shack
Software City

DELAWARE

Wilmington Normar, Inc.—The Smoke Shop

FLORIDA

Boca Raton
Clearwater
Cocoa
Davie
Ft. Lauderdale
Jacksonville
Kissimmee
Melbourne
Miami
Orange Park
Orlando
Panama City
Pensacola
Pinellas Park
Software, Software, Inc.
The Avid Reader
Soenen & Wilmoth Books
Software City
Village Book Shop
Software Plus More
Mike's Electronics Distributor
Software Connection
The Book Nook
Book Town
Radio Shack & Elec. Hut
City Newsstand
The Little Store
The News Rack
Software City
The Alamo
Software Unlimited
Boyd-Ebert Corp.
Computer Systems Group
Anderson News Co.
Wolf's Newsstand

SARASOTA

South
Pasadena
Stuart
Tallahassee
Tampa
Family Computers
Poling Place
Caribbean Engineering Corp.
Anderson News Co.
Fine Print Bookstore
Software City
Sound Trader & Computer Center

GEORGIA

Atlanta
Chips, Inc.
Guild News Agency
Software City
Boogie Shoppe
Muscogee News Co.
Kent Radio Shack
Kannon Music
Radio Shack
Act One Video
Augusta
Bremen
Columbus
Cummings
Jesup
Marietta
St. Simons
Island
Toccoa
Radio Shack
Martin Music Radio Shack

IDAHO

Blackfoot
Moscow
F/M Systems Electronics
Johnson News Agency

ILLINOIS

Aurora
Champaign
Chicago
Kroch's & Brentano's
Book Market
B. Dalton Booksellers
N. Walbath St.
West Jackson St.
Bob's in Newtown
Bob's News Emporium
Bob's Rogers Park
Book Market
East Cedar
North Cicero
West Diversey
E.B. Garcia & Associates
Guild Books & Periodicals
Kroch's & Brentano's
South Walbath
West Jackson
516 N. Michigan
835 N. Michigan
Parkway Drugs
Parkwest Books
Sandmeyer's Bookstore
Univ. of Chicago Bookstore
Univ. of Illinois Bookstore
Videomat, Inc.
Book Emporium
Book Market
Book Emporium
K-Mart Plaza
Northgate Mall

CHILLICOTHE

Danville
Decatur
DeKalb
East Moline
Evanston
Geneseo
Kewanee
Liste
Newton
Oak Brook
Oak Park
Appletree Computers
Book Emporium
Chicago-Main News
B & J Supply
Book Emporium
Book Nook
Bill's TV Radio Shack
Kroch's & Brentano's
B.I.E.S. Systems
Kroch's & Brentano's
Book Emporium
Book Emporium
Sheridan Village
Westlake Shopping Center
Book Market
Illinois News Service
Kroch's & Brentano's
Kroch's & Brentano's
Abacus Computer Distributors
Book Emporium
Sangamon Center North
Town & Country Shopping Ctr.
Book Emporium
Paper Place
North Shore Distributors

PARIS

PEORIA

Schaumburg
Skokie
South Holland
Springfield
Sunnyland
West Frankfort
Wheeling
White Cottage Electronics
Finn News Agency, Inc.
The Computer Experience
Bookland, Inc.
Indiana News
Computer Store
Elex Mart

INDIANA

Berne
Garrett
Greenwood
Indianapolis
Jasper

LAWRENCEBURG

Madison
Marion
Martinsville
New Haven
Scottsburg
Walbath
Bauer Electronics
Arcs Office Supplies
Computer Corner
Radio Shack
Advanced Color Software
Radio Shack of Scottsburg
Mitling's Electronics

IOWA

Bettendorf
Davenport
Cosmos Computers
Interstate Book Store
Software City

KANSAS

Junction City
Topeka
Wichita
Ill. H's Stereo
Palmer News, Inc.
Town Crier of Topeka, Inc.
Amateur Radio Equipment Co.
Lloyd's Radio

KENTUCKY

Bardstown
Greenville
Hopkinsville
Louisville
Maysville
Paducah
Paintsville
Pikeville
Princeton
Skaggs Electric/Radio Shack
Williams & Wells, Inc.
Hobby Shop
The Computer Store
Radio Shack
Radio Shack
Gus-Stan Enterprises
Gus-Stan Enterprises
Miller Electronics

LOUISIANA

Baton Rouge
Crowley
Shreveport
Slidell
Acme Book Co.
Software Solutions
Acadiana Newsstand
Computer SOS
Radio Shack 7181

MAINE

Bangor
Brockton
South Portland
Waterboro
Magazines, Inc.
Voyager Bookstore
Portland News Co.
Radio Shack

MARYLAND

Lexington Park Books, Etc.

MASSACHUSETTS

Brockton
Cambridge
Danvers
Fitchburg
Ipswich
Littleton
Lynn
Woburn
Vogager Bookstore
Ninis Corner, Inc.
Out Of Town News
The Program Store
Microcon Computer & Software Store
Corners Book Shop
Ipswich News
Computer Plus
North Shore News Co.
Microcon Softwarecenters

MICHIGAN

Allen Park
Ann Arbor
Brooklyn
Charlotte
Dearborn
Durand
Fenton
Flint
Kalamazoo
Lapeer
Lowell
Mt. Clemens
Mt. Morris
Muskegon
Novi
Okemos
Owosso
Perry
Pontiac
Roseville
Royal Oak
St. Johns
Southfield
Sterling
Heights
Wyoming
Book Nook, Inc.
Community News Center
Weatherwax Radio Shack
Computer Options
DSL Computer Products
Robbins Electronics
Tri-County Electronics Radio Shack
"I O"
John Rollins
Software City
Computer Corner
User Friendly
Curt's Sound & Home Arcade Center
Key Book Shop
Michigan Radio
Shop And Save
The Eight Bit Corner
MI Software Dist., Inc.
Software City
C/C Computer Systems
Hi-Fi Audio Co.
Perry Computers
Perry Oil & Gas
Computer Shack
New Horizons
Software City
Clinton Electronics
Software City
Sterling Book Center
Gerry's Book Co.
Read-More News

MINNESOTA

Minneapolis


ADVERTISER'S INDEX

We encourage you to patronize our advertisers — all of whom support the TRS-80 Color and TDP System-100 computers. We will appreciate your mentioning **THE RAINBOW** when you contact these firms.

Alban Scientific	276
Ankia Research	189
Ark Royal Games	225
Aurora Software	166
B & B Software	16
B5 Software	272
Bee Color Computer	117
Belox Tech	212
Betasoft Systems	8
Big 3, The	21
Bluegrass Software	53, 79
Botek Instruments	160
Cer-Comp	258
Challenger Software	209
Cinsoft	213
Classical Computing	224
CMD	210
CNR Engineering	198
Cognitec	13
Color Micro Journal	148
Color Software Services	199
Colorware	47, 48, 49, 50, 51
Compugenesis	183
Computer Island	62, 63
Computer Mom, The	167
Computer Plus	3
Computer Systems Distributors	71
Computerware	155, 156, 157
Computize, Inc.	37, 289
Cosmos Computer Services Inc.	30
Custom Computer Products	150
Custom Software Engineering	127
Data-Comp	121
Datafact Software LTD	200
Dataman International	151, 277
Dayton Associates of W. R. Hall, Inc.	184
Deft Systems	17
Delker Electronics	20
Derby City Software	256
Derringer Software	22, 23, 115, 135
Dorsett	98
Double Density Software	68, 69
Dragon User	255
Dragonfly Writing	88, 133, 227
DSL Computer Products	174
DYNACALC	159
E.D.C. Industries	61
EAP Co.	200
Elite Software	81, 82, 83
Endicott Software	252
Essential Engineering	204
Federal Hill Software	193
Four Star Software	154
GIMIX	290
GRAFX	243
Grantham Software Division	58, 59
Great Plains Computer Co., Inc.	273
Green Mountain Micro	201
Hard Drive Specialists	32
Hawkes Research Services	212
HJL div. of Touchstone Technology, Inc.	89
Frank Hogg Laboratory	IBC
Howard Medical	34, 168
Incentive Software	192
Intracolor	248
J & M Systems	BC
JARB Software	97, 265
JBM Group Inc., The	130
D.P. Johnson	276
Joysticks/plus	211

Kelly Software Distributors	215
Key Color Software	223
KRT Software	194
Mark Data Products	234, 235, 262
Metric Industries	111
MichTron	35
Micro Accessories	104
Micro Data Systems	78
Micro Works, The	195
Microcom Software	29
Microtech Consultants Inc.	285
Microware Systems Corporation	274
Microworld II	73
Mix, Tom Software	IFC, 74, 75,
Moreton Bay	105, 107
Multi Venture	214, 240
NOVASOFT	203
Oelrich Publications	214
Other Guys Software, The	232
Owls Nest Software	208
Owl-Ware	191
Ozone Engineering	44
Parsons Software	80
PBJ, Inc.	95
PD Software	72
Perry Computers	205
Picosoft Games	226
Polygon Co.	231
Dr. Preble's Programs	132
Prickly-Pear Software	241
PXE Computing	15
R.G.S Micro Inc.	10, 11
Radio Shack	186, 187
Rainbow Bookshelf	237











Rainbow Gift Certificate	177
Rainbow On Tape	109
RAINBOWfest	266, 267
REM Industries	84
Sadare Software	219
Saguaro Software	247
Sancher Enterprize	220
Soft Shop, The	206
Softlaw Corp.	25, 26, 27
Softmart	204
Software Connection	240
Software House, The	230
Software Plus	9
Software Support, Inc.	162, 163
Southwestern Digital	32
Spectro Systems	102
Spectrum Projects Inc.	137, 138, 139, 141, 142, 143, 145
Speech Systems	169, 170, 171, 172, 173
Sugar Software	124, 125, 182
T & D Software	222
TCE Programs, Inc.	14, 134, 239, 257
Tri-Tech Electronics	197
Triad Pictures	176
True Data Products	92, 93
Valley Micro	55
Vidtron	31
VIP Technologies (Softlaw Corp.)	25, 26, 27
Wasatchware	166
Woodstown Electronics	221
Workbase Data Systems	229
YGS	133
York 10	196



Call:
Jack Garland
Garland Associates, Inc.
10, Industrial Park Drive
Hingham, MA 02043
(617) 749-5852

Call:
Cindy Shackleford
Director, West Coast Office
12110 Meridian South — Suite 8
P.O. Box 73-578
Puyallup, WA 98373-0578
(206) 848-7766

Call:
Kate Tucci
Advertising Representative
9529 U.S. Highway 42
P.O. Box 385
Prospect, KY 40059
(502) 228-4492



GRAPHICOM/VIDEO DIGITIZER \$199.95

Input directly into Graphicom for easy enhancements, manipulation, stamping, and storage. Catalog all your favorite "video photos" of your friends, family, movie & TV characters on diskette. Accepts composite video signal in (1.0v p-p) from video camera, VCR, video disc player, another computer, or other compatible video sources. View "off air" or "VCR" digitized video at close to real-time. "Snapshot" video frames to the digitizer's internal memory. No slow, "blurry" serial manipulation... just hit your joystick's fire button! It's that simple. Use with your multi-pak or a "Y" cable ("Y" cable available at \$19.95). Video is input via a "BNC" connector. External controls for HORIZONTAL POSITION, VERTICAL POSITION, HORIZONTAL WIDTH, BRIGHTNESS, and CONTRAST (FUZZ) settings. Don't be fooled by imitations... this is the GRAPHICOM VIDEO DIGITIZER... the only digitizer that "DIRECTLY" inputs into Graphicom (The original design by Cheshire Cat, the folks that brought Graphicom to the COCO world). **REQUIRES 64K COCO, 1 DISK DRIVE, AND 2 ANALOG JOYSTICKS. FREE GRAPHICOM PROGRAM, PICTURE DISK, AND GRAPHICOM UTILITY SUPPLIED WITH PURCHASE OF VIDEO DIGITIZER (A \$50 VALUE).**

GRAPHICOM PART II \$24.95

Graphicom Part II is a video processing package that provides many functions that are missing in Graphicom. Here are just a few of the features provided by Graphicom Part II: **ENLARGE/REDUCE/ROTATE** Enlarge or reduce any portion of a screen by any amount, just like a photographic enlarger! Independent of the enlargement or reduction, rotate by any degree or fraction of a degree about any point on the screen. **PAINT** No more clumsy "stamping" to get your colors! Paint or "fill" any irregular area on the screen! More than 50 different colored patterns available. Unlike Extended Basic's PAINT command, painting will stop at any boundary. Undo or "Oops" function allows experimenting, and prevents time consuming mistakes. Additional paint patterns may be user-defined. **PAN & ZOOM** "Zoom in" x2, x4, or x8 on any portion of the screen to do fine pixel work. Allows editing of Graphicom character sets with ease! **TYPESETTER & FONT EDITOR** Add text in 16 different sizes with several display modes to choose from including COLORED FOREGROUND & BACKGROUND text! Edit 8x8 characters for use in the typesetter. "GRAB" function allows transfer of some Graphicom character sets to Graphicom Part II format. **PIXEL BLASTER** Allows the user to easily substitute or remove colors. Widen lines, swap BLUE & RED without affecting BLACK & WHITE, etc. **GRAPHICOM PART II DOES NOT REQUIRE GRAPHICOM TO RUN!** Graphicom Part II requires a 64K extended disk basic system, it will load and save both standard BIN files and Graphicom screens, and supports 1 to 4 disk drives with keyboard or joystick (analog or switch type). All functions support color or Hi-Res operation, as well as 4 screen display modes.

LAST CHANCE! SPECIAL \$49.95
• GRAPHICOM
• G.C.U.
• GRAPHICOM PART II
a \$70 value!

PICTURE DISKS \$9.95

- Available from COMPUTIZE
- 4C - Artifact color palette
 - 5C - Large character sets drawn with master design (from Derringer Software)
 - 6C - Same as 5C but set up as stamp set
 - 7 - Miscellaneous Art Set #1
 - 8 - Miscellaneous Art Set #2
 - 9 - Miscellaneous Ads and Examples
 - 10 - Miscellaneous Fonts
 - 11C - Artifact color palette type fonts
 - 12C - Art demo from WHITESMITH
 - 13C - GRAPHICOM PART II function demo

GRAPHICOM \$24.95

- Simply stated - One of the finest graphics program written for the Color Computer!
- USER FRIENDLY!
 - 4 Display modes (including Hi-Res red/blue artifact)
 - Animate mode
 - Color Palette with over 15 color patterns for use with Hi-Res artifact
 - Send/Receive pictures over standard modem at 300, 600, or 1200 baud
 - Supplied utility allows capturing Hi-Res screens from most COCO arcade games (even protected ones)
 - Multiple Hi-Res character fonts (user definable)
 - Supplied utility for transferring Graphicom screens to Basic or other M/L programs.
 - Supplied utility for loading screens from Basic or other sources
 - Built in Hi-Res SCREEN PRINT (compatible with EPSON, C-ITOH, GEMINI-10, OKI, plus Radio Shack's LP-VII, LP-VIII, DMP-100, DMP-200, and GCP-115 printers) from 110 to 9600 baud
 - Slow-scan television SEND/RECEIVE options
 - Many additional features, operating hints, hardware mod's and suggestions, etc.
- * EASY TO LEARN GRAPHIC MENU ***
REQUIRES 64K COCO, 1 DRIVE SYSTEM, AND 2 ANALOG JOYSTICKS

G.C.U. GRAPHICOM UTILITY \$19.95

- MULTI DRIVE - Copy pictures from one disk to another.
- KILL - Blank out individual pictures on a pix disk.
- TRANSFER - Copy pictures between Graphicom and binary formats.
- DISPLAY - View individual pictures.



(215) 946-7260 P.O. BOX 207 • LANGHORNE, PA 19047
Check or M.O. • Add \$3.00 shipping • PA residents add 6% sales tax



GIMIX STATE OF THE ART 6809 SYSTEMS FOR THE SERIOUS USER.

For the user who appreciates the need for a bus structured system using STATIC RAM and powered by a ferro resonant constant voltage transformer.

GIMIX has single user systems that can run both FLEX and OS-9 or Multi user systems for use with UniFLEX or OS-9.

GIMIX versions of OS9 and UniFLEX include maintenance and support by Micro-ware (90 days) and TSC (1 year). Maintenance and support after this period are available at extra cost.

(NOTE: this support and maintenance is only for use with approved GIMIX hardware)

GIMIX 6809 systems support five predominant operating systems:


**OS-9 GMX III,
OS-9 GMX II,
UniFLEX,
OS-9 GMX I,
FLEX**

and a wide variety of languages and development software

Whatever your application: software development, instrumentation, process control, educational, scientific or business, whether you need single or multi-user capabilities, GIMIX has hardware and the operating systems to get the job done reliably


Please phone or write if you need further information.

GIMIX has 19MB or high performance 47MB Winchester Drive Systems and/or Floppy Disk Drive Systems.




For the ultimate in performance, the Unique GMX 6809 CPU III, using either OS-9-GIMIX III or UniFLEX GMX III (available shortly), gives protection to the system and other users from crashes caused by defective user programs. e.g. During program development, a programmer who crashes goes back to the shell or the debugger, while the other users are not even aware anything occurred.

The intelligent serial I/O processor boards significantly reduce system overhead by handling routine I/O functions, therefore freeing up the host CPU for running user programs. This speeds up system performance and allows multiple terminals to be used at 19.2K baud.



BASIC-09 and OS-9 are trademarks of Microware Systems Corp. and MOTOROLA, Inc. FLEX and UniFLEX are trademarks of Technical Systems Consultants, Inc. GIMIX, GHOST, GMX, CLASSY CHASSIS, are trademarks of GIMIX, Inc.



GIMIX inc.

1347 WEST 37th PLACE • CHICAGO, ILLINOIS 60609 • (312) 627-5510 • TWY 010-221-4055

© 1983 GIMIX, Inc.

XEXTM

At Last!

An operating system
you don't have to be
a computer scientist
to use!



Move up to **XEX**, the powerful, yet easy to use operating system for the 64K CoCo. **XEX** stands for eXtended **FLEX**, the most widely used operating system for the 6809. More software is available for **FLEX** than any other operating system and **XEX** will run all of it. **XEX** includes a powerful editor and assembler plus **DBASIC**.

All for only **\$99.95**. Rush your order in today.

SPECIFICATIONS: **XEX**'s **SCREEN** has user definable fonts, many of which are supplied 24X51 is the default screen size, but this can be changed to suit the user. Smooth scroll, sideways scroll, invert display, and 4 cursor types are just some of the features. **XEX**'s **KEYBOARD** has user definable keys, supports extra key keyboards, auto key repeat, line editing and command repeat. **XEX DISK DRIVERS** supports all sizes, 35, 40 or 80 track, single and double sided and density. Also supports double stepping so that 40 track disks can be used with 80 track drives. Individual stepping rates for drives are definable. **MODULAR CONSTRUCTION** allows easy modification and changes to **XEX**. It is easy to add or modify the drivers for things like Word-Pak and other hardware, because most of the source is included. **SOURCE** IS INCLUDED for the screen drivers, keyboard


drivers, disk drivers, printer drivers, initialization code, other system code, external terminal, and many of the utilities, making modifications simple. It is easy to create your own custom version of **XEX**. Other major packages include **ED**, a powerful screen-oriented line editor. **ASM** is a conditional **MACRO** assembler. **DBASIC** is Radio Shack Disk **BASIC** modified to work with **XEX**. **RTF** allows copying text files from **RS BASIC** to **XEX**. **128K** support is built into **XEX**. **XEX** stands for eXtended **FLEX** and is compatible with **FLEX**, runs all **FLEX** software and supports all the functions that **CC FLEX** does, plus the above added features. **XEX** is supplied on three 5-inch disks and has a 3-ring bound manual. The tutorial section gets you up and running with a minimum of hassle or confusion. **XEX** proves that an operating system doesn't have to be complicated to be powerful.

COMPARISON CHART BETWEEN XEX AND OS-9

FUNCTION	XEX	OS9
Hi-Res screen (24X51 default)	YES	NO (O-Pak \$34.95)
Supports all disk drives	YES	NO (SDisk w/ bootfix \$35.95)
User definable keyboard	YES	NO
User friendly, easy to use	YES	NO
Some system source included	YES	NO
Powerful screen like editor	YES	NO (Simple line editor)
Conditional Macro Assembler	YES	NO (No Macro capability)
RS BASIC compatible with DBASIC	YES	NO
Supports 128K upgrades	YES	NO
One disk boot	YES	NO (Yes if you have DOS)
Telephone support	YES	NO
Supports 3rd party hardware	YES	NO

FHI **FRANK HOGG LABORATORY**

THE REGENCY TOWER • SUITE 215 • 770 JAMES ST. • SYRACUSE, NY 13203
PHONE (315) 474-7856 • TELEX 646740



Heat Up Your COCO

With J&M'S Hot Disk Controller

DRIVE 0 SYSTEM \$289

Upgrade your COCO by adding J&M's famous disk controller, our advanced JDOS operating system, and a top quality drive all for only \$289.

Drive 0 System with one single side drive . . . \$289

Drive 0,1 System with two single side drives . . . \$429

Drive 0,1 System with two double side drives . . . \$499

JFD-COCO DISK CONTROLLER \$139

The J&M Systems' JFD-COCO Disk Controller has set new standards in performance and quality. Gold contacts assure reliability, built-in digital phase lock loop data separator means NO adjustments, and the JFD-COCO is plug compatible with both the original COCO and the new COCO-2.

JDOS

JDOS implements all RS DOS basic commands, plus many more, including auto line numbering, up and down arrow keys for scrolling, DOS to boot OS/9*, FLEX*, and error trapping. JDOS supports RS compatible disk formats, plus handles 40 track single side and double side drives.

DISK DRIVES

A drive is just a drive without a case. We manufacture our own high quality cases and TransPower power supplies. Gold contacts are brought out at the back for easy connection.

MEMORY MINDER*

Memory Minder is a disk drive test program that makes the following major checks of your drives without disassembly or special test equipment: head alignment, disk speed, index hole timing, azimuth, hysteresis, read sensitivity, and clamping. Memory Minder can be used to actually align the drives while viewing the graphics on the screen. This program is a must for anyone who values the data that is saved on diskettes.

MM-COCO-1 Memory Minder for single side drives . . . \$79

MM-COCO-2 Memory Minder for double side drives . . . \$99

*FLEX is a registered trademark of Technical Systems Consultants, Inc.

*OS/9 is a registered trademark of Microware, Inc.

*Memory Minder is a registered trademark of J&M Systems, Inc.

To order, call (505) 292-4182, or send payment with order to:



J & M SYSTEMS, LTD.

15100 CENTRAL SE
ALBUQUERQUE, NEW MEXICO 87123
505/292-4182

We accept MasterCard and Visa